TS_001_VC_Smart_Login_Feature

Execution Environment

Host name DESKTOP-21ATSCV\$ - DESKTOP-21ATSCV

Local OS Windows 10 64bit

Katalon version 8.6.5.208

Browser Chrome 115.0.0.0

Summary

ID Test Suites/TS_001_VC_Smart_Login_Feature

Description

Total 10

Passed 5 Failed 0
Error 5 Incomplete 0

Skipped 0

Start 2023-08-16 14:25:26 End 2023-08-16 14:29:09

Elapsed 3m - 43.692s

#	ID	Description	Status
1	Test Cases/TC_001_Verify the Login feature with valid credentials		PASSED
2	Test Cases/TC_002_Verify the Login feature with invalid credentials		PASSED
3	Test Cases/TC_003_Verify login with multiple user		PASSED
4	Test Cases/TC_003_Verify login with multiple user		PASSED
5	Test Cases/TC_003_Verify login with multiple user		PASSED
6	Test Cases/TC_003_Verify login with multiple user		ERROR
7	Test Cases/TC_003_Verify login with multiple user		ERROR
8	Test Cases/TC_003_Verify login with multiple user		ERROR
9	Test Cases/TC_003_Verify login with multiple user		ERROR
10	Test Cases/TC_003_Verify login with multiple user		ERROR

TC_001_Verify the Login feature with valid credentials

Information

ID Test Cases/TC_001_Verify the Login feature with valid credentials

Description

Tag

Start 2023-08-16 14:25:26 End 2023-08-16 14:26:20

Elapsed 54.234s
Status PASSED

#	Description	Elapsed	Status
1	openBrowser("https://ioclvcsmart.tmsitrimble.in/VCSmartApp/#/login") Browser is opened with url: 'https://ioclvcsmart.tmsitrimble.in/VCSmartApp/#/login'	11.839s	PASSED
2	maximizeWindow() Current window maximized	0.138s	PASSED
3	delay(5) Delayed 5 second(s)	5.021s	PASSED
4	click(findTestObject("OB_001_Login screen/Login Screen/Username")) Object: 'Object Repository/OB_001_Login screen/Login Screen/Username' is clicked on	0.411s	PASSED
5	setText(findTestObject("OB_001_Login screen/Login Screen/Username"), "BSO-2300") Text 'BSO-2300' is set on object 'Object Repository/OB_001_Login screen/Login Screen/Username'	0.861s	PASSED
6	click(findTestObject("OB_001_Login screen/Login Screen/Password")) Object: 'Object Repository/OB_001_Login screen/Login Screen/Password' is clicked on	0.344s	PASSED

TC_001_Verify the Login feature with valid credentials

#	Description	Elapsed	Status
7	setText(findTestObject("OB_001_Login screen/Login Screen/Password"), "Password@2300")	0.854s	PASSED
	Text 'Password@2300' is set on object 'Object Repository/OB_001_Login screen/Login Screen/Password'		
8	click(findTestObject("OB_001_Login screen/Login Screen/button_Sign in")) Object: 'Object Repository/OB_001_Login screen/Login Screen/button_Sign in' is clicked on	0.349s	PASSED
9	delay(8) Delayed 8 second(s)	8.013s	PASSED
10	verifyTextPresent("VC Smart", false) Text 'VC Smart' is present on page	25.931s	PASSED

TC_002_Verify the Login feature with invalid credentials

Information

ID Test Cases/TC_002_Verify the Login feature with invalid credentials

Description

Tag

Start 2023-08-16 14:26:20 End 2023-08-16 14:26:37

Elapsed 17.087s Status PASSED

#	Description	Elapsed	Status
1	openBrowser(url) Browser is opened with url: 'https://ioclvcsmart.tmsitrimble.in/VCSmartApp/#/login'	8.799s	PASSED
2	click(findTestObject("OB_001_Login screen/Login Screen/Username")) Object: 'Object Repository/OB_001_Login screen/Login Screen/Username' is clicked on	0.357s	PASSED
3	setText(findTestObject("OB_001_Login screen/Login Screen/Username"), username) Text 'BSO-2300w' is set on object 'Object Repository/OB_001_Login screen/Login Screen/Username'	0.857s	PASSED
4	click(findTestObject("OB_001_Login screen/Login Screen/Password")) Object: 'Object Repository/OB_001_Login screen/Login Screen/Password' is clicked on	0.346s	PASSED
5	setText(findTestObject("OB_001_Login screen/Login Screen/Password"), password) Text 'Password@2300' is set on object 'Object Repository/OB_001_Login screen/Login Screen/Password'	0.855s	PASSED
6	click(findTestObject("OB_001_Login screen/Login Screen/button_Sign in")) Object: 'Object Repository/OB_001_Login screen/Login Screen/button_Sign in' is clicked on	0.365s	PASSED

TC_002_Verify the Login feature with invalid credentials

#	Description	Elapsed	Status
7	delay(5)	5.005s	PASSED
	Delayed 5 second(s)		
8	verifyTextPresent("Username entered is invalid. Please try again.", false)	0.300s	PASSED
	Text 'Username entered is invalid. Please try again.' is present on page		

Information

ID Test Cases/TC_003_Verify login with multiple user

Description

Tag

Start 2023-08-16 14:26:38 End 2023-08-16 14:27:16

Elapsed 38.533s Status PASSED

#	Description	Elapsed	Status
1	openBrowser(url) Browser is opened with url: 'https://ioclvcsmart.tmsitrimble.in/VCSmartApp/#/login'	10.123s	PASSED
2	maximizeWindow() Current window maximized	0.124s	PASSED
3	click(findTestObject("OB_001_Login screen/Login Screen/Username")) Object: 'Object Repository/OB_001_Login screen/Login Screen/Username' is clicked on	0.359s	PASSED
4	setText(findTestObject("OB_001_Login screen/Login Screen/Username"), username) Text 'BSO-2300' is set on object 'Object Repository/OB_001_Login screen/Login Screen/Username'	0.871s	PASSED
5	click(findTestObject("OB_001_Login screen/Login Screen/Password")) Object: 'Object Repository/OB_001_Login screen/Login Screen/Password' is clicked on	0.345s	PASSED
6	setText(findTestObject("OB_001_Login screen/Login Screen/Password"), password) Text 'Password@2300' is set on object 'Object Repository/OB_001_Login screen/Login Screen/Password'	0.848s	PASSED

#	Description	Elapsed	Status
7	click(findTestObject("OB_001_Login screen/Login Screen/button_Sign in"))	0.337s	PASSED
	Object: 'Object Repository/OB_001_Login screen/Login Screen/button_Sign in' is clicked on		
8	delay(5)	5.015s	PASSED
	Delayed 5 second(s)		
9	verifyTextPresent("VC Smart", false)	20.365s	PASSED
	Text 'VC Smart' is present on page		

Information

ID Test Cases/TC_003_Verify login with multiple user

Description

Tag

Start 2023-08-16 14:27:16 End 2023-08-16 14:27:43

Elapsed 26.816s Status PASSED

#	Description	Elapsed	Status
1	openBrowser(url) Browser is opened with url: 'https://ioclvcsmart.tmsitrimble.in/VCSmartApp/#/login'	9.494s	PASSED
2	maximizeWindow() Current window maximized	0.118s	PASSED
3	click(findTestObject("OB_001_Login screen/Login Screen/Username")) Object: 'Object Repository/OB_001_Login screen/Login Screen/Username' is clicked on	0.358s	PASSED
4	setText(findTestObject("OB_001_Login screen/Login Screen/Username"), username) Text 'MPSO-3300' is set on object 'Object Repository/OB_001_Login screen/Login Screen/Username'	0.852s	PASSED
5	click(findTestObject("OB_001_Login screen/Login Screen/Password")) Object: 'Object Repository/OB_001_Login screen/Login Screen/Password' is clicked on	0.347s	PASSED
6	setText(findTestObject("OB_001_Login screen/Login Screen/Password"), password) Text 'Password@1' is set on object 'Object Repository/OB_001_Login screen/Login Screen/Password'	0.855s	PASSED

#	Description	Elapsed	Status
7	click(findTestObject("OB_001_Login screen/Login Screen/button_Sign in"))	0.335s	PASSED
	Object: 'Object Repository/OB_001_Login screen/Login Screen/button_Sign in' is clicked on		
8	delay(5)	5.017s	PASSED
	Delayed 5 second(s)		
9	verifyTextPresent("VC Smart", false)	9.426s	PASSED
	Text 'VC Smart' is present on page		

Information

ID Test Cases/TC_003_Verify login with multiple user

Description

Tag

Start 2023-08-16 14:27:43 End 2023-08-16 14:28:18

Elapsed 34.718s
Status PASSED

#	Description	Elapsed	Status
1	openBrowser(url) Browser is opened with url: 'https://ioclvcsmart.tmsitrimble.in/VCSmartApp/#/login'	9.438s	PASSED
2	maximizeWindow() Current window maximized	0.129s	PASSED
3	click(findTestObject("OB_001_Login screen/Login Screen/Username")) Object: 'Object Repository/OB_001_Login screen/Login Screen/Username' is clicked on	0.358s	PASSED
4	setText(findTestObject("OB_001_Login screen/Login Screen/Username"), username) Text 'DSO-1100' is set on object 'Object Repository/OB_001_Login screen/Login Screen/Username'	0.849s	PASSED
5	click(findTestObject("OB_001_Login screen/Login Screen/Password")) Object: 'Object Repository/OB_001_Login screen/Login Screen/Password' is clicked on	0.343s	PASSED
6	setText(findTestObject("OB_001_Login screen/Login Screen/Password"), password) Text 'Password@1' is set on object 'Object Repository/OB_001_Login screen/Login Screen/Password'	0.853s	PASSED

#	Description	Elapsed	Status
7	click(findTestObject("OB_001_Login screen/Login Screen/button_Sign in"))	0.348s	PASSED
	Object: 'Object Repository/OB_001_Login screen/Login Screen/button_Sign in' is clicked on		
8	delay(5)	5.003s	PASSED
	Delayed 5 second(s)		
9	verifyTextPresent("VC Smart", false)	17.383s	PASSED
	Text 'VC Smart' is present on page		

Information

ID Test Cases/TC_003_Verify login with multiple user

Description

Tag

Start 2023-08-16 14:28:18 End 2023-08-16 14:28:28

Elapsed 10.672s Status ERROR

Details

#	Description	Elapsed	Status
1	openBrowser(url)	9.603s	PASSED
	Browser is opened with url: 'https://ioclvcsmart.tmsitrimble.in/VCSmartApp/#/login'		
2	maximizeWindow()	0.125s	PASSED
	Current window maximized		
3	click(findTestObject("OB_001_Login screen/Login Screen/Username"))	0.361s	PASSED

Descripti	on	Elapsed	Status
setText(fi	ndTestObject("OB_001_Login screen/Login Screen/Username"), username)	0.083s	ERROR
Test Cas	es/TC_003_Verify login with multiple user FAILED.		
Reason:			
webui.key katalon.c [TestObje Possible getText(c testobjec	ng.MissingMethodException: No signature of method: static com.kms.katalon.core. yword.WebUiBuiltInKeywords.setText() is applicable for argument types: (com.kms. bre.testobject.TestObject, com.kms.katalon.core.testdata.reader.SheetPOI) values: bect - 'Object Repository/OB_001_Login screen/Login Screen/Username',] solutions: setText(com.kms.katalon.core.testobject.TestObject, java.lang.String), om.kms.katalon.core.testobject.TestObject), getText(com.kms.katalon.core. t.TestObject, com.kms.katalon.core.model.FailureHandling), setText(com.kms. bre.testobject.TestObject, java.lang.String, com.kms.katalon.core.model.		
	andling), clearText(com.kms.katalon.core.testobject.TestObject), clearText(com.		
	on.core.testobject.TestObject, com.kms.katalon.core.model.FailureHandling)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$2.call		
(Unknow	n Source)		
	at TC_003_Verify login with multiple user.run(TC_003_Verify login with multiple		
user:26)			
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)			
iovo:449\	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448)	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439)			
J ,	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCas	eExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCas	eExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285)			
(0	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(Commor	nExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuit	eExecutor.java:148)		
(Testouti	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)	at commitme. Nation of commitment of control posterior (roctorior posterior) available.		
/	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
187)			
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)			
	at TempTestSuite1692176123161.run(TempTestSuite1692176123161.groovy:36)		

Information

ID Test Cases/TC_003_Verify login with multiple user

Description

Tag

Start 2023-08-16 14:28:28 End 2023-08-16 14:28:38

Elapsed 9.794s
Status ERROR

Details

#	Description	Elapsed	Status
1	openBrowser(url)	9.216s	PASSED
	Browser is opened with url: 'https://ioclvcsmart.tmsitrimble.in/VCSmartApp/#/login'		
2	maximizeWindow()	0.123s	PASSED
	Current window maximized		
3	click(findTestObject("OB_001_Login screen/Login Screen/Username"))	0.356s	PASSED

Descript	ion	Elapsed	Status
setText(f	indTestObject("OB_001_Login screen/Login Screen/Username"), username)	0.041s	ERROR
Test Cas	es/TC_003_Verify login with multiple user FAILED.		
Reason:			
	ing.MissingMethodException: No signature of method: static com.kms.katalon.core.		
	yword.WebUiBuiltInKeywords.setText() is applicable for argument types: (com.kms.		
	core.testobject.TestObject, com.kms.katalon.core.testdata.reader.SheetPOI) values:		
	ect - 'Object Repository/OB_001_Login screen/Login Screen/Username',] solutions: setText(com.kms.katalon.core.testobject.TestObject, java.lang.String),		
	com.kms.katalon.core.testobject.TestObject), getText(com.kms.katalon.core.		
	et.TestObject, com.kms.katalon.core.model.FailureHandling), setText(com.kms.		
	core.testobject.TestObject, java.lang.String, com.kms.katalon.core.model.		
	andling), clearText(com.kms.katalon.core.testobject.TestObject), clearText(com.		
	llon.core.testobject.TestObject, com.kms.katalon.core.model.FailureHandling)		
	at TC_003_Verify login with multiple user.run(TC_003_Verify login with multiple		
user:26)			
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
:440	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448			
java. 11 0	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439	· · · · · · · · · · · · · · · · · · ·		
•	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCas	seExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCas	seExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285			
(Commo	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase nExecutor.java:65)		
(Commo	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSui	teExecutor.java:148)		
(100104)	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)	,		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
187)			
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)			
	at TempTestSuite1692176123161.run(TempTestSuite1692176123161.groovy:36)		

Information

ID Test Cases/TC_003_Verify login with multiple user

Description

Tag

Start 2023-08-16 14:28:38 End 2023-08-16 14:28:48

Elapsed 9.941s
Status ERROR

Details

#	Description	Elapsed	Status
1	openBrowser(url)	9.373s	PASSED
	Browser is opened with url: 'https://ioclvcsmart.tmsitrimble.in/VCSmartApp/#/login'		
2	maximizeWindow()	0.126s	PASSED
	Current window maximized		
3	click(findTestObject("OB_001_Login screen/Login Screen/Username"))	0.359s	PASSED

Descript	ion	Elapsed	Status
setText(f	indTestObject("OB_001_Login screen/Login Screen/Username"), username)	0.032s	ERROR
Test Cas	ses/TC_003_Verify login with multiple user FAILED.		
Reason:			
	ang.MissingMethodException: No signature of method: static com.kms.katalon.core.		
	yword.WebUiBuiltInKeywords.setText() is applicable for argument types: (com.kms.		
	core.testobject.TestObject, com.kms.katalon.core.testdata.reader.SheetPOI) values:		
	ect - 'Object Repository/OB_001_Login screen/Login Screen/Username',]		
	solutions: setText(com.kms.katalon.core.testobject.TestObject, java.lang.String), com.kms.katalon.core.testobject.TestObject), getText(com.kms.katalon.core.		
	et.TestObject, com.kms.katalon.core.model.FailureHandling), setText(com.kms.		
	core.testobject.TestObject, java.lang.String, com.kms.katalon.core.model.		
	andling), clearText(com.kms.katalon.core.testobject.TestObject), clearText(com.		
	ilon.core.testobject.TestObject, com.kms.katalon.core.model.FailureHandling)		
	at TC_003_Verify login with multiple user.run(TC_003_Verify login with multiple		
user:26)			
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119			
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448			
iovo:420	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCas	seExecutor.java:418)		
(100tout	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCas	seExecutor.java:410)		
•	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285			
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(Commo	nExecutor.java:65)		
(- .0 :	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSur	teExecutor.java:148)		
106)	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
100)	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
187)	at confi.kms.katalon.core.main.restoasewain.startrestoutte(restoasewain.java.		
.01)	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)	2010 and a second		
,	at TempTestSuite1692176123161.run(TempTestSuite1692176123161.groovy:36)		

Information

ID Test Cases/TC_003_Verify login with multiple user

Description

Tag

Start 2023-08-16 14:28:48 End 2023-08-16 14:28:58

Elapsed 10.018s
Status ERROR

Details

#	Description	Elapsed	Status
1	openBrowser(url)	9.471s	PASSED
	Browser is opened with url: 'https://ioclvcsmart.tmsitrimble.in/VCSmartApp/#/login'		
2	maximizeWindow() Current window maximized	0.119s	PASSED
3	click(findTestObject("OB_001_Login screen/Login Screen/Username"))	0.347s	PASSED

Descript	ion	Elapsed	Status
setText(f	indTestObject("OB_001_Login screen/Login Screen/Username"), username)	0.033s	ERROR
Test Cas	ses/TC_003_Verify login with multiple user FAILED.		
Reason:			
	ang.MissingMethodException: No signature of method: static com.kms.katalon.core.		
	yword.WebUiBuiltInKeywords.setText() is applicable for argument types: (com.kms.		
	core.testobject.TestObject, com.kms.katalon.core.testdata.reader.SheetPOI) values:		
	ect - 'Object Repository/OB_001_Login screen/Login Screen/Username',] solutions: setText(com.kms.katalon.core.testobject.TestObject, java.lang.String),		
	com.kms.katalon.core.testobject.TestObject), getText(com.kms.katalon.core.		
-	ct.TestObject, com.kms.katalon.core.model.FailureHandling), setText(com.kms.		
	core.testobject.TestObject, java.lang.String, com.kms.katalon.core.model.		
	andling), clearText(com.kms.katalon.core.testobject.TestObject), clearText(com.		
	llon.core.testobject.TestObject, com.kms.katalon.core.model.FailureHandling)		
	at TC_003_Verify login with multiple user.run(TC_003_Verify login with multiple		
user:26)			
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119			
java:448	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java.440	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439	•		
,	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCas	seExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCas	seExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(Commo	nExecutor.java:65)		
(COMMING	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuit	teExecutor.java:148)		
•	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)			
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
187)	at any love betalan and main TestOpenMain (C. 17, 10, 11, 20, 11, 20, 11, 20, 11, 20, 11, 20, 11, 20, 11, 20, 11, 20, 11, 20, 11, 20, 11, 20, 20, 20, 20, 20, 20, 20, 20, 20, 20		
Course	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)	at TempTestSuite1692176123161.run(TempTestSuite1692176123161.groovy:36)		
	at rempresionite 1032170123101.1un(rempresionite 1032170123101.gi00vy.30)		

Information

ID Test Cases/TC_003_Verify login with multiple user

Description

Tag

Start 2023-08-16 14:28:58 End 2023-08-16 14:29:09

Elapsed 11.394s
Status ERROR

Details

#	Description	Elapsed	Status
1	openBrowser(url)	10.825s	PASSED
	Browser is opened with url: 'https://ioclvcsmart.tmsitrimble.in/VCSmartApp/#/login'		
2	maximizeWindow()	0.123s	PASSED
	Current window maximized		
3	click(findTestObject("OB_001_Login screen/Login Screen/Username"))	0.358s	PASSED

Descript	ion	Elapsed	Status
setText(f	indTestObject("OB_001_Login screen/Login Screen/Username"), username)	0.032s	ERROR
Test Cas	ses/TC_003_Verify login with multiple user FAILED.		
Reason:			
	ang.MissingMethodException: No signature of method: static com.kms.katalon.core.		
	yword.WebUiBuiltInKeywords.setText() is applicable for argument types: (com.kms.		
	core.testobject.TestObject, com.kms.katalon.core.testdata.reader.SheetPOI) values:		
	ect - 'Object Repository/OB_001_Login screen/Login Screen/Username',]		
	solutions: setText(com.kms.katalon.core.testobject.TestObject, java.lang.String), com.kms.katalon.core.testobject.TestObject), getText(com.kms.katalon.core.		
	et.TestObject, com.kms.katalon.core.model.FailureHandling), setText(com.kms.		
	core.testobject.TestObject, java.lang.String, com.kms.katalon.core.model.		
	andling), clearText(com.kms.katalon.core.testobject.TestObject), clearText(com.		
	ilon.core.testobject.TestObject, com.kms.katalon.core.model.FailureHandling)		
	at TC_003_Verify login with multiple user.run(TC_003_Verify login with multiple		
user:26)			
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119			
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448			
iovo:420	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCas	seExecutor.java:418)		
(100tout	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCas	seExecutor.java:410)		
•	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285			
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(Commo	nExecutor.java:65)		
(- .0 :	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSur	teExecutor.java:148)		
106)	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
100)	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
187)	at confi.kms.katalon.core.main.restoasewain.startrestoutte(restoasewain.java.		
.01)	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)	2010 and a second		
,	at TempTestSuite1692176123161.run(TempTestSuite1692176123161.groovy:36)		