TS_003_Login feature test suit

Execution Environment

Host name windows 10 - DESKTOP-21ATSCV

Local OS Windows 10 64bit

Katalon version 8.6.5.208 Browser null

Summary

ID Test Suites/TS_003_Login feature test suit

Description

Total 3

Passed 0 Failed 3
Error 0 Incomplete 0

Skipped 0

Start 2023-08-02 12:07:18 End 2023-08-02 12:07:41

Elapsed 23.092s

#	ID	Description	Status
1	Test Cases/TC_001_Verify the Login feature with valid credentials		FAILED
2	Test Cases/TC_002_Verify the Login feature with invalid credentials		FAILED
3	Test Cases/TC_006_Verify the Logout feature		FAILED

Information

ID Test Cases/TC_001_Verify the Login feature with valid credentials

Description

Tag

Start 2023-08-02 12:07:26 End 2023-08-02 12:07:27

Elapsed 1.403s Status FAILED

Details

Description Elapsed Status

Unable to open browser with url: 'https://ioclvcsmart.tmsitrimble.in/VCSmartApp/#/login' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: 'https://ioclvcsmart.tmsitrimble.in/VCSmartApp/#/login' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at TC_001_Verify the Login feature with valid credentials.run(TC_001_Verify the	1.381s	FAILEI
(Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: 'https://ioclvcsmart.tmsitrimble.in/VCSmartApp/#/login' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at TC_001_Verify the Login feature with valid credentials.run(TC_001_Verify the		
(Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: 'https://ioclvcsmart.tmsitrimble.in/VCSmartApp/#/login' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at TC_001_Verify the Login feature with valid credentials.run(TC_001_Verify the		
with url: 'https://ioclvcsmart.tmsitrimble.in/VCSmartApp/#/login' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at TC_001_Verify the Login feature with valid credentials.run(TC_001_Verify the		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at TC_001_Verify the Login feature with valid credentials.run(TC_001_Verify the		
(WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at TC_001_Verify the Login feature with valid credentials.run(TC_001_Verify the		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at TC_001_Verify the Login feature with valid credentials.run(TC_001_Verify the		
(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at TC_001_Verify the Login feature with valid credentials.run(TC_001_Verify the		
at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at TC_001_Verify the Login feature with valid credentials.run(TC_001_Verify the		
openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at TC_001_Verify the Login feature with valid credentials.run(TC_001_Verify the		
at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at TC_001_Verify the Login feature with valid credentials.run(TC_001_Verify the		
(OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at TC_001_Verify the Login feature with valid credentials.run(TC_001_Verify the		
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at TC_001_Verify the Login feature with valid credentials.run(TC_001_Verify the		
executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at TC_001_Verify the Login feature with valid credentials.run(TC_001_Verify the		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at TC_001_Verify the Login feature with valid credentials.run(TC_001_Verify the		
(WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at TC_001_Verify the Login feature with valid credentials.run(TC_001_Verify the		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at TC_001_Verify the Login feature with valid credentials.run(TC_001_Verify the		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at TC_001_Verify the Login feature with valid credentials.run(TC_001_Verify the		
(Unknown Source) at TC_001_Verify the Login feature with valid credentials.run(TC_001_Verify the		
at TC_001_Verify the Login feature with valid credentials.run(TC_001_Verify the		
Login feature with valid credentials:20)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
187)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)		
at TempTestSuite1690958232548.run(TempTestSuite1690958232548.groovy:36)		
Caused by: org.openqa.selenium.SessionNotCreatedException: session not created: This		
version of ChromeDriver only supports Chrome version 113		
Current browser version is 115.0.5790.110 with binary path C:\Program		
Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		

System info: host: 'DESKTOP-21ATSCV', ip: '192.168.1.102', os.name: 'Windows 10', os.

arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362'

Status

```
Description
                                                                                          Elapsed
Driver info: driver.version: CChromeDriver
remote stacktrace: Backtrace:
         GetHandleVerifier [0x00DE6DF3+48691]
          (No symbol) [0x00D78CC1]
          (No symbol) [0x00C85068]
          (No symbol) [0x00CA5DAC]
          (No symbol) [0x00CA1AB3]
          (No symbol) [0x00CA0029]
          (No symbol) [0x00CD07A8]
          (No symbol) [0x00CD048C]
          (No symbol) [0x00CCA0C6]
          (No symbol) [0x00CA7E18]
          (No symbol) [0x00CA8F3D]
          GetHandleVerifier [0x01044EAA+2531050]
          GetHandleVerifier [0x01084B60+2792352]
          GetHandleVerifier [0x0107E6EC+2766636]
          GetHandleVerifier [0x00E70820+612448]
          (No symbol) [0x00D825BC]
          (No symbol) [0x00D7E808]
          (No symbol) [0x00D7E8EB]
          (No symbol) [0x00D71C77]
          BaseThreadInitThunk [0x776100C9+25]
          RtlGetAppContainerNamedObjectPath [0x77B17B1E+286]
          RtlGetAppContainerNamedObjectPath [0x77B17AEE+238]
         at org.openga.selenium.remote.W3CHandshakeResponse.
lambda$errorHandler$0(W3CHandshakeResponse.java:62)
         at org.openga.selenium.remote.HandshakeResponse.
lambda$getResponseFunction$0(HandshakeResponse.java:30)
         at org.openga.selenium.remote.ProtocolHandshake.lambda$createSession$0
(ProtocolHandshake.java:126)
         at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:128)
         at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
         at org.openga.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:
131)
         at org.openga.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181)
         at org.openga.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:147)
         at com.kms.katalon.selenium.driver.CChromeDriver.<init>(CChromeDriver.java:
13)
         at com.kms.katalon.core.webui.driver.DriverFactory.createNewChromeDriver
(DriverFactory.java:441)
         at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:374)
         at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
```

(DriverFactory.java:263)

at com.kms.katalon.core.webui.keyword.builtin.

```
Description
                                                                                            Elapsed
                                                                                                              Status
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at\ com. kms. katalon. core. webui. keyword. builtin. Open Browser Keyword.
openBrowser(OpenBrowserKeyword.groovy:81)
         at\ com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
         at\ com. kms. katalon. core. keyword. internal. Keyword Executor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. open Browser
(WebUiBuiltInKeywords.groovy:64)
         at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords \$ open Browser. call
(Unknown Source)
         at Script1690359997685.run(Script1690359997685.groovy:20)
         ... 16 more
```

Information

ID Test Cases/TC_002_Verify the Login feature with invalid credentials

Description

Tag

Start 2023-08-02 12:07:33 End 2023-08-02 12:07:34

Elapsed 1.436s Status FAILED

Details

Description Elapsed Status

Description	Elapsed	Status
openBrowser(url)	1.352s	FAILED
Unable to open browser with url: 'https://ioclvcsmart.tmsitrimble.in/VCSmartApp/#/login'		
(Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser		
with url: 'https://ioclvcsmart.tmsitrimble.in/VCSmartApp/#/login'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.		
openBrowser(OpenBrowserKeyword.groovy:81)		
at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute		
(OpenBrowserKeyword.groovy:67)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser		
(WebUiBuiltInKeywords.groovy:64)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call		
(Unknown Source)		
at TC_002_Verify the Login feature with invalid credentials.run(TC_002_Verify the		
Login feature with invalid credentials:20)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
187)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)		
at TempTestSuite1690958232548.run(TempTestSuite1690958232548.groovy:36)		
Caused by: org.openqa.selenium.SessionNotCreatedException: session not created: This		
version of ChromeDriver only supports Chrome version 113		
Current browser version is 115.0.5790.110 with binary path C:\Program		
Files\Google\Chrome\Application\chrome.exe		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
Sustain info: host: 'DESKTOP 21/15COV' in: '102 169 1 102' on name: 'Windows 10' on		

System info: host: 'DESKTOP-21ATSCV', ip: '192.168.1.102', os.name: 'Windows 10', os.

arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362'

Status

```
Description
                                                                                          Elapsed
Driver info: driver.version: CChromeDriver
remote stacktrace: Backtrace:
         GetHandleVerifier [0x00DE6DF3+48691]
          (No symbol) [0x00D78CC1]
          (No symbol) [0x00C85068]
          (No symbol) [0x00CA5DAC]
          (No symbol) [0x00CA1AB3]
          (No symbol) [0x00CA0029]
          (No symbol) [0x00CD07A8]
          (No symbol) [0x00CD048C]
          (No symbol) [0x00CCA0C6]
          (No symbol) [0x00CA7E18]
         (No symbol) [0x00CA8F3D]
          GetHandleVerifier [0x01044EAA+2531050]
          GetHandleVerifier [0x01084B60+2792352]
          GetHandleVerifier [0x0107E6EC+2766636]
          GetHandleVerifier [0x00E70820+612448]
          (No symbol) [0x00D825BC]
          (No symbol) [0x00D7E808]
          (No symbol) [0x00D7E8EB]
          (No symbol) [0x00D71C77]
          BaseThreadInitThunk [0x776100C9+25]
          RtlGetAppContainerNamedObjectPath [0x77B17B1E+286]
          RtlGetAppContainerNamedObjectPath [0x77B17AEE+238]
         at org.openga.selenium.remote.W3CHandshakeResponse.
lambda$errorHandler$0(W3CHandshakeResponse.java:62)
         at org.openga.selenium.remote.HandshakeResponse.
lambda$getResponseFunction$0(HandshakeResponse.java:30)
         at org.openga.selenium.remote.ProtocolHandshake.lambda$createSession$0
(ProtocolHandshake.java:126)
         at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:128)
         at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
         at org.openga.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:
131)
         at org.openga.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181)
         at org.openga.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:147)
         at com.kms.katalon.selenium.driver.CChromeDriver.<init>(CChromeDriver.java:
13)
         at com.kms.katalon.core.webui.driver.DriverFactory.createNewChromeDriver
(DriverFactory.java:441)
         at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:374)
         at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
```

(DriverFactory.java:263)

at com.kms.katalon.core.webui.keyword.builtin.

```
Description
                                                                                            Elapsed
                                                                                                              Status
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at\ com. kms. katalon. core. webui. keyword. builtin. Open Browser Keyword.
openBrowser(OpenBrowserKeyword.groovy:81)
         at\ com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
         at\ com. kms. katalon. core. keyword. internal. Keyword Executor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. open Browser
(WebUiBuiltInKeywords.groovy:64)
         at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords \$ open Browser. call
(Unknown Source)
         at Script1690362748865.run(Script1690362748865.groovy:20)
         ... 16 more
```

Information

ID Test Cases/TC_006_Verify the Logout feature

Description

Tag

Start 2023-08-02 12:07:39 End 2023-08-02 12:07:41

Elapsed 1.481s Status FAILED

Details

Description Elapsed Status

D	to at the	Flancad	04-4
Descr		Elapsed	Status
	stCase(findTestCase("TC_001_Verify the Login feature with valid credentials"), [:], _ON_FAILURE)	1.468s	FAILED
Unabl	e to call Test Case 'Test Cases/TC_001_Verify the Login feature with valid credentials'		
(Root	cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test		
Cases	/TC_001_Verify the Login feature with valid credentials' failed		
_	at com.kms.katalon.core.keyword.builtin.		
CallTe	estCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)		
O-11T-	at com.kms.katalon.core.keyword.builtin.		
Call Fe	estCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
(Kova	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword ordMain.groovy:75)		
(Reyw	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
(CallT	estCaseKeyword.groovy:81)		
(Can i	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
(CallT	estCaseKeyword.groovy:44)		
(at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
execu	teKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
groovy	<i>y</i> :310)		
	at TC_006_Verify the Logout feature.run(TC_006_Verify the Logout feature:20)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:1			
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:4			
java:4	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java.4	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(Test(CaseExecutor.java:418)		
(10010	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestC	CaseExecutor.java:410)		
(at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:2			
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:3	69)		
	$at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.$		
java:3			
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:3			
(0	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(Comi	nonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(Test9	SuiteExecutor.java:148)		
(10310	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)	at committee and instruction of the instruction of the control of		
100)	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
187)			
,	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Sourc			
	at TempTestSuite1690958232548.run(TempTestSuite1690958232548.groovy:36)		
	ed by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser		
with u	rl: 'https://ioclvcsmart.tmsitrimble.in/VCSmartApp/#/login'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(Webl	JIKeywordMain.groovy:64)		
0.47	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(W/Ahl	IIKeywordMain groow/:26)		

(WebUIKeywordMain.groovy:26)

at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.

Elapsed

Status

```
Description
 openBrowser(OpenBrowserKeyword.groovy:81)
                  at\ com. kms. katalon. core. webui. keyword. builtin. Open Browser Keyword. execute
 (OpenBrowserKeyword.groovy:67)
                  at\ com. kms. katalon. core. keyword. internal. Keyword Executor.
 executeKeywordForPlatform(KeywordExecutor.groovy:74)
                  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
 (WebUiBuiltInKeywords.groovy:64)
                 at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
 (Unknown Source)
                  at TC_001_Verify the Login feature with valid credentials.run(TC_001_Verify the
 Login feature with valid credentials:20)
                  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
                  at\ com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.pt) \\
java:448)
                  at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.d
java:439)
                 at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
 (TestCaseExecutor.java:418)
                 at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
 (TestCaseExecutor.java:410)
                 at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
                 at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
 144)
                 at com.kms.katalon.core.keyword.builtin.
 CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
                  ... 23 more
 Caused by: org.openqa.selenium.SessionNotCreatedException: session not created: This
version of ChromeDriver only supports Chrome version 113
 Current browser version is 115.0.5790.110 with binary path C:\Program
 Files\Google\Chrome\Application\chrome.exe
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
 System info: host: 'DESKTOP-21ATSCV', ip: '192.168.1.102', os.name: 'Windows 10', os.
 arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362'
 Driver info: driver.version: CChromeDriver
 remote stacktrace: Backtrace:
                  GetHandleVerifier [0x00DE6DF3+48691]
                  (No symbol) [0x00D78CC1]
                  (No symbol) [0x00C85068]
                  (No symbol) [0x00CA5DAC]
                  (No symbol) [0x00CA1AB3]
                  (No symbol) [0x00CA0029]
                  (No symbol) [0x00CD07A8]
                  (No symbol) [0x00CD048C]
                  (No symbol) [0x00CCA0C6]
                  (No symbol) [0x00CA7E18]
                  (No symbol) [0x00CA8F3D]
                  GetHandleVerifier [0x01044EAA+2531050]
                  GetHandleVerifier [0x01084B60+2792352]
                  GetHandleVerifier [0x0107E6EC+2766636]
                  GetHandleVerifier [0x00E70820+612448]
                  (No symbol) [0x00D825BC]
                  (No symbol) [0x00D7E808]
                  (No symbol) [0x00D7E8EB]
                  (No symbol) [0x00D71C77]
```

BaseThreadInitThunk [0x776100C9+25]

Elapsed

Status

```
Description
         RtlGetAppContainerNamedObjectPath [0x77B17B1E+286]
         RtlGetAppContainerNamedObjectPath [0x77B17AEE+238]
         at org.openqa.selenium.remote.W3CHandshakeResponse.
lambda$errorHandler$0(W3CHandshakeResponse.java:62)
         at org.openga.selenium.remote.HandshakeResponse.
lambda$getResponseFunction$0(HandshakeResponse.java:30)
         at org.openga.selenium.remote.ProtocolHandshake.lambda$createSession$0
(ProtocolHandshake.java:126)
         at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:128)
         at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openga.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
         at org.openga.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:
131)
         at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181)
         at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:147)
         at com.kms.katalon.selenium.driver.CChromeDriver.<init>(CChromeDriver.java:
13)
         at com.kms.katalon.core.webui.driver.DriverFactory.createNewChromeDriver
(DriverFactory.java:441)
         at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:374)
         at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:263)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         ... 38 more
```