TS_001_VC_Smart_Login_Feature

Execution Environment

Host name DESKTOP-21ATSCV\$ - DESKTOP-21ATSCV

Local OS Windows 10 64bit

Katalon version 8.6.5.208

Browser Chrome 115.0.0.0

Summary

ID Test Suites/TS_001_VC_Smart_Login_Feature

Description

Total 10

Passed 3 Failed 2
Error 5 Incomplete 0

Skipped 0

Start 2023-08-16 16:40:19 End 2023-08-16 16:43:45

Elapsed 3m - 26.689s

#	ID	Description	Status
1	Test Cases/TC_001_Verify the Login feature with valid credentials		PASSED
2	Test Cases/TC_002_Verify the Login feature with invalid credentials		PASSED
3	Test Cases/TC_003_Verify login with multiple user		FAILED
4	Test Cases/TC_003_Verify login with multiple user		FAILED
5	Test Cases/TC_003_Verify login with multiple user		PASSED
6	Test Cases/TC_003_Verify login with multiple user		ERROR
7	Test Cases/TC_003_Verify login with multiple user		ERROR
8	Test Cases/TC_003_Verify login with multiple user		ERROR
9	Test Cases/TC_003_Verify login with multiple user		ERROR
10	Test Cases/TC_003_Verify login with multiple user		ERROR

TC_001_Verify the Login feature with valid credentials

Information

ID Test Cases/TC_001_Verify the Login feature with valid credentials

Description

Tag

Start 2023-08-16 16:40:19 End 2023-08-16 16:41:04

Elapsed 45.161s
Status PASSED

#	Description	Elapsed	Status
1	openBrowser("https://ioclvcsmart.tmsitrimble.in/VCSmartApp/#/login") Browser is opened with url: 'https://ioclvcsmart.tmsitrimble.in/VCSmartApp/#/login'	9.964s	PASSED
2	maximizeWindow() Current window maximized	0.146s	PASSED
3	delay(5) Delayed 5 second(s)	5.022s	PASSED
4	click(findTestObject("OB_001_Login screen/Login Screen/Username")) Object: 'Object Repository/OB_001_Login screen/Login Screen/Username' is clicked on	0.409s	PASSED
5	setText(findTestObject("OB_001_Login screen/Login Screen/Username"), "BSO-2300") Text 'BSO-2300' is set on object 'Object Repository/OB_001_Login screen/Login Screen/Username'	0.881s	PASSED
6	click(findTestObject("OB_001_Login screen/Login Screen/Password")) Object: 'Object Repository/OB_001_Login screen/Login Screen/Password' is clicked on	0.352s	PASSED

TC_001_Verify the Login feature with valid credentials

#	Description	Elapsed	Status
7	setText(findTestObject("OB_001_Login screen/Login Screen/Password"), "Password@2300")	0.863s	PASSED
	Text 'Password@2300' is set on object 'Object Repository/OB_001_Login screen/Login Screen/Password'		
8	click(findTestObject("OB_001_Login screen/Login Screen/button_Sign in")) Object: 'Object Repository/OB_001_Login screen/Login Screen/button_Sign in' is clicked on	0.350s	PASSED
9	delay(8) Delayed 8 second(s)	8.003s	PASSED
10	verifyTextPresent("VC Smart", false) Text 'VC Smart' is present on page	18.945s	PASSED

TC_002_Verify the Login feature with invalid credentials

Information

ID Test Cases/TC_002_Verify the Login feature with invalid credentials

Description

Tag

Start 2023-08-16 16:41:04 End 2023-08-16 16:41:22

Elapsed 17.565s Status PASSED

#	Description	Elapsed	Status
1	openBrowser(url) Browser is opened with url: 'https://ioclvcsmart.tmsitrimble.in/VCSmartApp/#/login'	9.275s	PASSED
2	click(findTestObject("OB_001_Login screen/Login Screen/Username")) Object: 'Object Repository/OB_001_Login screen/Login Screen/Username' is clicked on	0.373s	PASSED
3	setText(findTestObject("OB_001_Login screen/Login Screen/Username"), username) Text 'BSO-2300w' is set on object 'Object Repository/OB_001_Login screen/Login Screen/Username'	0.863s	PASSED
4	click(findTestObject("OB_001_Login screen/Login Screen/Password")) Object: 'Object Repository/OB_001_Login screen/Login Screen/Password' is clicked on	0.349s	PASSED
5	setText(findTestObject("OB_001_Login screen/Login Screen/Password"), password) Text 'Password@2300' is set on object 'Object Repository/OB_001_Login screen/Login Screen/Password'	0.864s	PASSED
6	click(findTestObject("OB_001_Login screen/Login Screen/button_Sign in")) Object: 'Object Repository/OB_001_Login screen/Login Screen/button_Sign in' is clicked on	0.341s	PASSED

TC_002_Verify the Login feature with invalid credentials

#	Description	Elapsed	Status
7	delay(5)	5.004s	PASSED
	Delayed 5 second(s)		
8	verifyTextPresent("Username entered is invalid. Please try again.", false)	0.304s	PASSED
	Text 'Username entered is invalid. Please try again.' is present on page		

Information

ID Test Cases/TC_003_Verify login with multiple user

Description

Tag

Start 2023-08-16 16:41:22 End 2023-08-16 16:41:45

Elapsed 22.965s Status FAILED

#	Description	Elapsed	Status
1	openBrowser(url) Browser is opened with url: 'https://ioclvcsmart.tmsitrimble.in/VCSmartApp/#/login'	9.342s	PASSED
2	maximizeWindow() Current window maximized	0.120s	PASSED
3	click(findTestObject("OB_001_Login screen/Login Screen/Username")) Object: 'Object Repository/OB_001_Login screen/Login Screen/Username' is clicked on	0.364s	PASSED
4	setText(findTestObject("OB_001_Login screen/Login Screen/Username"), username) Text 'BSO-2300' is set on object 'Object Repository/OB_001_Login screen/Login Screen/Username'	0.863s	PASSED
5	click(findTestObject("OB_001_Login screen/Login Screen/Password")) Object: 'Object Repository/OB_001_Login screen/Login Screen/Password' is clicked on	0.346s	PASSED
6	setText(findTestObject("OB_001_Login screen/Login Screen/Password"), password) Text 'Password@2300' is set on object 'Object Repository/OB_001_Login screen/Login Screen/Password'	0.857s	PASSED


#	Description	Elapsed	Status
7	click(findTestObject("OB_001_Login screen/Login Screen/button_Sign in"))	0.331s	PASSED
	Object: 'Object Repository/OB_001_Login screen/Login Screen/button_Sign in' is clicked on		
8	delay(5)	5.014s	PASSED
	Delayed 5 second(s)		

```
Description
                                                                                                                                                                                                                                        Elapsed
                                                                                                                                                                                                                                                                                  Status
           verifyTextPresent("VC Smart", false)
                                                                                                                                                                                                                                          5.587s
                                                                                                                                                                                                                                                                                  FAILED
q
           Unable to verify text 'VC Smart' is present (Root cause: com.kms.katalon.core.exception.
           StepFailedException: Unable to verify text 'VC Smart' is present
                                  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
           (WebUlKeywordMain.groovy:64)
                                  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
           (WebUIKeywordMain.groovy:26)
                                  at com.kms.katalon.core.webui.keyword.builtin.VerifyTextPresentKeyword.
           verifyTextPresent(VerifyTextPresentKeyword.groovy:83)
                                  at com.kms.katalon.core.webui.keyword.builtin.VerifyTextPresentKeyword.
           execute(VerifyTextPresentKeyword.groovy:68)
                                  at com.kms.katalon.core.keyword.internal.KeywordExecutor.
           executeKeywordForPlatform(KeywordExecutor.groovy:74)
                                 at\ com. kms. katalon. core. webui. keyword. WebUiBuiltInKeywords. verify TextPresent
           (WebUiBuiltInKeywords.groovy:1723)
                                 at com.kms.katalon.core.webui.keyword.
           WebUiBuiltInKeywords$verifyTextPresent$3.call(Unknown Source)
                                 at TC_003_Verify login with multiple user.run(TC_003_Verify login with multiple
           user:36)
                                 at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                                  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
           java:119)
                                  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
           java:448)
                                  at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.
          java:439)
                                 at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
           (TestCaseExecutor.java:418)
                                 at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
           (TestCaseExecutor.java:410)
                                  at\ com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.execute(TestCaseExecutor.executor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor
           java:285)
                                  at\ com. kms. katalon. core. common. Common Executor. access Test Case Main Phase
           (CommonExecutor.java:65)
                                 at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
           (TestSuiteExecutor.java:148)
                                 at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
           106)
                                  at\ com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
           187)
                                  at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
           Source)
                                  at TempTestSuite1692184216314.run(TempTestSuite1692184216314.groovy:36)
           Caused by: com.kms.katalon.core.exception.StepFailedException: Text 'VC Smart' is not
           present on page
                                  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
           (WebUlKeywordMain.groovy:64)
                                 at com.kms.katalon.core.webui.keyword.builtin.
           VerifyTextPresentKeyword$_verifyTextPresent_closure1.doCall(VerifyTextPresentKeyword.
           groovy:79)
                                  at com.kms.katalon.core.webui.keyword.builtin.
           VerifyTextPresentKeyword$ verifyTextPresent closure1.call(VerifyTextPresentKeyword.
                                  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
           (WebUIKeywordMain.groovy:20)
```

... 19 more







Information

ID Test Cases/TC_003_Verify login with multiple user

Description

Tag

Start 2023-08-16 16:41:45 End 2023-08-16 16:42:09

Elapsed 24.286s Status FAILED


#	Description	Elapsed	Status
1	openBrowser(url) Browser is opened with url: 'https://ioclvcsmart.tmsitrimble.in/VCSmartApp/#/login'	10.121s	PASSED
2	maximizeWindow() Current window maximized	0.125s	PASSED
3	click(findTestObject("OB_001_Login screen/Login Screen/Username")) Object: 'Object Repository/OB_001_Login screen/Login Screen/Username' is clicked on	0.358s	PASSED
4	setText(findTestObject("OB_001_Login screen/Login Screen/Username"), username) Text 'MPSO-3300' is set on object 'Object Repository/OB_001_Login screen/Login Screen/Username'	0.864s	PASSED
5	click(findTestObject("OB_001_Login screen/Login Screen/Password")) Object: 'Object Repository/OB_001_Login screen/Login Screen/Password' is clicked on	0.352s	PASSED
6	setText(findTestObject("OB_001_Login screen/Login Screen/Password"), password) Text 'Password@1' is set on object 'Object Repository/OB_001_Login screen/Login Screen/Password'	0.848s	PASSED

#	Description	Elapsed	Status
7	click(findTestObject("OB_001_Login screen/Login Screen/button_Sign in"))	0.347s	PASSED
	Object: 'Object Repository/OB_001_Login screen/Login Screen/button_Sign in' is clicked on		
8	delay(5)	5.003s	PASSED
	Delayed 5 second(s)		

```
Description
                                                                                                                                                                                                                                        Elapsed
                                                                                                                                                                                                                                                                                  Status
           verifyTextPresent("VC Smart", false)
                                                                                                                                                                                                                                          6.255s
                                                                                                                                                                                                                                                                                  FAILED
q
           Unable to verify text 'VC Smart' is present (Root cause: com.kms.katalon.core.exception.
           StepFailedException: Unable to verify text 'VC Smart' is present
                                  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
           (WebUlKeywordMain.groovy:64)
                                  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
           (WebUIKeywordMain.groovy:26)
                                  at com.kms.katalon.core.webui.keyword.builtin.VerifyTextPresentKeyword.
           verifyTextPresent(VerifyTextPresentKeyword.groovy:83)
                                  at com.kms.katalon.core.webui.keyword.builtin.VerifyTextPresentKeyword.
           execute(VerifyTextPresentKeyword.groovy:68)
                                  at com.kms.katalon.core.keyword.internal.KeywordExecutor.
           executeKeywordForPlatform(KeywordExecutor.groovy:74)
                                 at\ com. kms. katalon. core. webui. keyword. WebUiBuiltInKeywords. verify TextPresent
           (WebUiBuiltInKeywords.groovy:1723)
                                 at com.kms.katalon.core.webui.keyword.
           WebUiBuiltInKeywords$verifyTextPresent$3.call(Unknown Source)
                                 at TC_003_Verify login with multiple user.run(TC_003_Verify login with multiple
           user:36)
                                 at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                                  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
           java:119)
                                  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
           java:448)
                                  at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.
          java:439)
                                 at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
           (TestCaseExecutor.java:418)
                                 at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
           (TestCaseExecutor.java:410)
                                  at\ com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.execute(TestCaseExecutor.executor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor
           java:285)
                                  at\ com. kms. katalon. core. common. Common Executor. access Test Case Main Phase
           (CommonExecutor.java:65)
                                 at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
           (TestSuiteExecutor.java:148)
                                 at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
           106)
                                  at\ com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
           187)
                                  at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
           Source)
                                  at TempTestSuite1692184216314.run(TempTestSuite1692184216314.groovy:36)
           Caused by: com.kms.katalon.core.exception.StepFailedException: Text 'VC Smart' is not
           present on page
                                  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
           (WebUlKeywordMain.groovy:64)
                                 at com.kms.katalon.core.webui.keyword.builtin.
           VerifyTextPresentKeyword$_verifyTextPresent_closure1.doCall(VerifyTextPresentKeyword.
           groovy:79)
                                  at com.kms.katalon.core.webui.keyword.builtin.
           VerifyTextPresentKeyword$ verifyTextPresent closure1.call(VerifyTextPresentKeyword.
                                  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
           (WebUIKeywordMain.groovy:20)
```

... 19 more





Information

ID Test Cases/TC_003_Verify login with multiple user

Description

Tag

Start 2023-08-16 16:42:09 End 2023-08-16 16:42:56

Elapsed 47.356s Status PASSED

#	Description	Elapsed	Status
1	openBrowser(url) Browser is opened with url: 'https://ioclvcsmart.tmsitrimble.in/VCSmartApp/#/login'	9.187s	PASSED
2	maximizeWindow() Current window maximized	0.126s	PASSED
3	click(findTestObject("OB_001_Login screen/Login Screen/Username")) Object: 'Object Repository/OB_001_Login screen/Login Screen/Username' is clicked on	0.359s	PASSED
4	setText(findTestObject("OB_001_Login screen/Login Screen/Username"), username) Text 'DSO-1100' is set on object 'Object Repository/OB_001_Login screen/Login Screen/Username'	0.854s	PASSED
5	click(findTestObject("OB_001_Login screen/Login Screen/Password")) Object: 'Object Repository/OB_001_Login screen/Login Screen/Password' is clicked on	0.344s	PASSED
6	setText(findTestObject("OB_001_Login screen/Login Screen/Password"), password) Text 'Password@1' is set on object 'Object Repository/OB_001_Login screen/Login Screen/Password'	0.859s	PASSED

#	Description	Elapsed	Status
7	click(findTestObject("OB_001_Login screen/Login Screen/button_Sign in"))	0.342s	PASSED
	Object: 'Object Repository/OB_001_Login screen/Login Screen/button_Sign in' is clicked on		
8	delay(5)	5.004s	PASSED
	Delayed 5 second(s)		
9	verifyTextPresent("VC Smart", false)	30.270s	PASSED
	Text 'VC Smart' is present on page		

Information

ID Test Cases/TC_003_Verify login with multiple user

Description

Tag

Start 2023-08-16 16:42:56 End 2023-08-16 16:43:06

Elapsed 10.164s
Status ERROR

Details

#	Description	Elapsed	Status
1	openBrowser(url)	9.115s	PASSED
	Browser is opened with url: 'https://ioclvcsmart.tmsitrimble.in/VCSmartApp/#/login'		
2	maximizeWindow() Current window maximized	0.124s	PASSED
3	click(findTestObject("OB_001_Login screen/Login Screen/Username"))	0.362s	PASSED

Descripti	on	Elapsed	Status
setText(fi	ndTestObject("OB_001_Login screen/Login Screen/Username"), username)	0.064s	ERROR
Test Cas	es/TC_003_Verify login with multiple user FAILED.		
Reason:			
webui.ke katalon.c [TestObje Possible getText(c testobjec	ng.MissingMethodException: No signature of method: static com.kms.katalon.core. yword.WebUiBuiltInKeywords.setText() is applicable for argument types: (com.kms. ore.testobject.TestObject, com.kms.katalon.core.testdata.reader.SheetPOI) values: ect - 'Object Repository/OB_001_Login screen/Login Screen/Username',] solutions: setText(com.kms.katalon.core.testobject.TestObject, java.lang.String), com.kms.katalon.core.testobject), getText(com.kms.katalon.core. t.TestObject, com.kms.katalon.core.model.FailureHandling), setText(com.kms. ore.testobject.TestObject, java.lang.String, com.kms.katalon.core.model.		
	andling), clearText(com.kms.katalon.core.testobject.TestObject), clearText(com.		
	lon.core.testobject.TestObject, com.kms.katalon.core.model.FailureHandling)		
minomata	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$2.call		
(Unknow	n Source)		
	at TC_003_Verify login with multiple user.run(TC_003_Verify login with multiple		
user:26)			
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)			
iovo:449)	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448)	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439)			
java. 100)	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCas	eExecutor.java:418)		
•	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCas	eExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285)			
10	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(Commor	nExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(ToetSuit	eExecutor.java:148)		
(Testouit	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)	at communication concernant restouted restouted restouted restouted available		
,	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
187)			
ŕ	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)			
	at TempTestSuite1692184216314.run(TempTestSuite1692184216314.groovy:36)		

Information

ID Test Cases/TC_003_Verify login with multiple user

Description

Tag

Start 2023-08-16 16:43:06 End 2023-08-16 16:43:16

Elapsed 9.695s
Status ERROR

Details

#	Description	Elapsed	Status
1	openBrowser(url)	9.147s	PASSED
	Browser is opened with url: 'https://ioclvcsmart.tmsitrimble.in/VCSmartApp/#/login'		
2	maximizeWindow()	0.120s	PASSED
	Current window maximized		
3	click(findTestObject("OB_001_Login screen/Login Screen/Username"))	0.348s	PASSED

Descript	ion	Elapsed	Status
setText(f	indTestObject("OB_001_Login screen/Login Screen/Username"), username)	0.031s	ERROR
Test Cas	es/TC_003_Verify login with multiple user FAILED.		
Reason:			
	ing.MissingMethodException: No signature of method: static com.kms.katalon.core.		
	yword.WebUiBuiltInKeywords.setText() is applicable for argument types: (com.kms.		
	core.testobject.TestObject, com.kms.katalon.core.testdata.reader.SheetPOI) values:		
	ect - 'Object Repository/OB_001_Login screen/Login Screen/Username',] solutions: setText(com.kms.katalon.core.testobject.TestObject, java.lang.String),		
	com.kms.katalon.core.testobject.TestObject), getText(com.kms.katalon.core.		
	et.TestObject, com.kms.katalon.core.model.FailureHandling), setText(com.kms.		
	core.testobject.TestObject, java.lang.String, com.kms.katalon.core.model.		
	andling), clearText(com.kms.katalon.core.testobject.TestObject), clearText(com.		
	llon.core.testobject.TestObject, com.kms.katalon.core.model.FailureHandling)		
	at TC_003_Verify login with multiple user.run(TC_003_Verify login with multiple		
user:26)			
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
:440	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448			
java.++o	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439	· · · · · · · · · · · · · · · · · · ·		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCas	seExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCas	seExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285			
(Commo	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase nExecutor.java:65)		
(COMMING	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuit	teExecutor.java:148)		
(100100	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)			
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
187)			
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)	(T. T. (O.)) 400040404044 (T. T. (O.)) 4000404044 (C.)		
	at TempTestSuite1692184216314.run(TempTestSuite1692184216314.groovy:36)		

Information

ID Test Cases/TC_003_Verify login with multiple user

Description

Tag

Start 2023-08-16 16:43:16 End 2023-08-16 16:43:26

Elapsed 9.640s
Status ERROR

Details

#	Description	Elapsed	Status
1	openBrowser(url)	9.074s	PASSED
	Browser is opened with url: 'https://ioclvcsmart.tmsitrimble.in/VCSmartApp/#/login'		
2	maximizeWindow()	0.128s	PASSED
	Current window maximized		
3	click(findTestObject("OB_001_Login screen/Login Screen/Username"))	0.360s	PASSED

Descript	ion	Elapsed	Status
setText(f	indTestObject("OB_001_Login screen/Login Screen/Username"), username)	0.030s	ERROR
Test Cas	es/TC_003_Verify login with multiple user FAILED.		
Reason:			
	ing.MissingMethodException: No signature of method: static com.kms.katalon.core.		
	yword.WebUiBuiltInKeywords.setText() is applicable for argument types: (com.kms.		
	core.testobject.TestObject, com.kms.katalon.core.testdata.reader.SheetPOI) values:		
	ect - 'Object Repository/OB_001_Login screen/Login Screen/Username',] solutions: setText(com.kms.katalon.core.testobject.TestObject, java.lang.String),		
	com.kms.katalon.core.testobject.TestObject), getText(com.kms.katalon.core.		
	ct.TestObject, com.kms.katalon.core.model.FailureHandling), setText(com.kms.		
	core.testobject.TestObject, java.lang.String, com.kms.katalon.core.model.		
	andling), clearText(com.kms.katalon.core.testobject.TestObject), clearText(com.		
	llon.core.testobject.TestObject, com.kms.katalon.core.model.FailureHandling)		
	at TC_003_Verify login with multiple user.run(TC_003_Verify login with multiple		
user:26)			
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
. 440	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119			
java:448	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java.440	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439	· · · · · · · · · · · · · · · · · · ·		
,	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCas	seExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCas	seExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285			
(Commo	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(Commo	nExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSui	reExecutor.java:148)		
(Toologi	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)	,		
•	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
187)			
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)			
	at TempTestSuite1692184216314.run(TempTestSuite1692184216314.groovy:36)		

Information

ID Test Cases/TC_003_Verify login with multiple user

Description

Tag

Start 2023-08-16 16:43:26 End 2023-08-16 16:43:36

Elapsed 9.763s
Status ERROR

Details

#	Description	Elapsed	Status
1	openBrowser(url)	9.177s	PASSED
	Browser is opened with url: 'https://ioclvcsmart.tmsitrimble.in/VCSmartApp/#/login'		
2	maximizeWindow()	0.128s	PASSED
	Current window maximized		
3	click(findTestObject("OB_001_Login screen/Login Screen/Username"))	0.376s	PASSED

Description	n	Elapsed	Status
setText(find	dTestObject("OB_001_Login screen/Login Screen/Username"), username)	0.038s	ERROF
Test Cases	/TC_003_Verify login with multiple user FAILED.		
Reason:			
•	.MissingMethodException: No signature of method: static com.kms.katalon.core.		
	ord.WebUiBuiltInKeywords.setText() is applicable for argument types: (com.kms.		
	e.testobject.TestObject, com.kms.katalon.core.testdata.reader.SheetPOI) values:		
	t - 'Object Repository/OB_001_Login screen/Login Screen/Username',]		
	olutions: setText(com.kms.katalon.core.testobject.TestObject, java.lang.String),		
	m.kms.katalon.core.testobject.TestObject), getText(com.kms.katalon.core. estObject, com.kms.katalon.core.model.FailureHandling), setText(com.kms.		
	e.testobject.TestObject, java.lang.String, com.kms.katalon.core.model.		
	dling), clearText(com.kms.katalon.core.testobject.TestObject), clearText(com.		
	n.core.testobject.TestObject, com.kms.katalon.core.model.FailureHandling)		
	t TC_003_Verify login with multiple user.run(TC_003_Verify login with multiple		
user:26)			
	t com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	t com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)			
	t com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448)	t com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439)	t com.kms.kataion.core.main.restoaseExecutor.doExecute(restoaseExecutor.		
	t com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	Executor.java:418)		
а	t com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
V	Executor.java:410)		
	t com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285)			
	t com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
•	xecutor.java:65) t com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	Executor.java:148)		
•	t com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)	,		
	t com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
187)			
	t com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)	. TT10-it-400040 4040044/TT10-it-400040 4040044		
а	t TempTestSuite1692184216314.run(TempTestSuite1692184216314.groovy:36)		

Information

ID Test Cases/TC_003_Verify login with multiple user

Description

Tag

Start 2023-08-16 16:43:36 End 2023-08-16 16:43:45

Elapsed 9.817s
Status ERROR

Details

#	Description	Elapsed	Status
1	openBrowser(url)	9.251s	PASSED
	Browser is opened with url: 'https://ioclvcsmart.tmsitrimble.in/VCSmartApp/#/login'		
2	maximizeWindow()	0.131s	PASSED
	Current window maximized		
3	click(findTestObject("OB_001_Login screen/Login Screen/Username"))	0.360s	PASSED

Descript	ion	Elapsed	Status
setText(t	indTestObject("OB_001_Login screen/Login Screen/Username"), username)	0.030s	ERROR
Test Cas	ses/TC_003_Verify login with multiple user FAILED.		
Reason:			
	ang.MissingMethodException: No signature of method: static com.kms.katalon.core.		
	yword.WebUiBuiltInKeywords.setText() is applicable for argument types: (com.kms.		
	core.testobject.TestObject, com.kms.katalon.core.testdata.reader.SheetPOI) values:		
	ect - 'Object Repository/OB_001_Login screen/Login Screen/Username',]		
	solutions: setText(com.kms.katalon.core.testobject.TestObject, java.lang.String), com.kms.katalon.core.testobject.TestObject), getText(com.kms.katalon.core.		
	et.TestObject, com.kms.katalon.core.model.FailureHandling), setText(com.kms.		
	core.testobject.TestObject, java.lang.String, com.kms.katalon.core.model.		
	andling), clearText(com.kms.katalon.core.testobject.TestObject), clearText(com.		
	ilon.core.testobject.TestObject, com.kms.katalon.core.model.FailureHandling)		
	at TC_003_Verify login with multiple user.run(TC_003_Verify login with multiple		
user:26)			
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119			
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448			
java:439	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java.439	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCas	seExecutor.java:418)		
(100100.	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCas	seExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285			
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(Commo	nExecutor.java:65)		
(Tast0::	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSur	teExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)	at com.kms.kataion.core.main.restoute=xecutor.execute(restoute=xecutor.java.		
100)	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
187)	at communication or or main. To occupation and attraction and the communication of the communication and the c		
/	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)			
	at TempTestSuite1692184216314.run(TempTestSuite1692184216314.groovy:36)		