TS_003_Login feature test suit

Execution Environment

Host name DESKTOP-21ATSCV\$ - DESKTOP-21ATSCV

Local OS Windows 10 64bit

Katalon version 8.6.5.208

Browser Chrome 115.0.0.0

Summary

ID Test Suites/TS_003_Login feature test suit

Description

Total 3

Passed 0 Failed 3
Error 0 Incomplete 0

Skipped 0

Start 2023-08-06 06:44:36 End 2023-08-06 06:47:20

Elapsed 2m - 43.974s

#	ID	Description	Status
1	Test Cases/TC_001_Verify the Login feature with valid credentials		FAILED
2	Test Cases/TC_002_Verify the Login feature with invalid credentials		FAILED
3	Test Cases/TC_006_Verify the Logout feature		FAILED

Information

ID Test Cases/TC_001_Verify the Login feature with valid credentials

Description

Tag

Start 2023-08-06 06:44:37 End 2023-08-06 06:45:21


Elapsed 44.587s Status FAILED

Details

#	Description	Elapsed	Status
1	openBrowser("https://ioclvcsmart.tmsitrimble.in/VCSmartApp/#/login") Browser is opened with url: 'https://ioclvcsmart.tmsitrimble.in/VCSmartApp/#/login'	14.455s	PASSED
2	maximizeWindow() Current window maximized	0.135s	PASSED
3	delay(5) Delayed 5 second(s)	5.020s	PASSED
4	click(findTestObject("OB_001_Login screen/Login Screen/Username")) Object: 'Object Repository/OB_001_Login screen/Login Screen/Username' is clicked on	0.446s	PASSED
5	setText(findTestObject("OB_001_Login screen/Login Screen/Username"), "BSO-2300") Text 'BSO-2300' is set on object 'Object Repository/OB_001_Login screen/Login Screen/Username'	0.789s	PASSED
6	click(findTestObject("OB_001_Login screen/Login Screen/Password")) Object: 'Object Repository/OB_001_Login screen/Login Screen/Password' is clicked on	0.373s	PASSED

#	Description	Elapsed	Status
7	setText(findTestObject("OB_001_Login screen/Login Screen/Password"), "Password@2300")	0.869s	PASSED
	Text 'Password@2300' is set on object 'Object Repository/OB_001_Login screen/Login Screen/Password'		
8	click(findTestObject("OB_001_Login screen/Login Screen/button_Sign in")) Object: 'Object Repository/OB_001_Login screen/Login Screen/button_Sign in' is clicked on	0.370s	PASSED
9	delay(8) Delayed 8 second(s)	8.004s	PASSED

```
Description
                                                                                                                                                                                                                                        Elapsed
                                                                                                                                                                                                                                                                                   Status
           verifyTextPresent("VC Smart", false)
                                                                                                                                                                                                                                         13.724s
                                                                                                                                                                                                                                                                                  FAILED
10
            Unable to verify text 'VC Smart' is present (Root cause: com.kms.katalon.core.exception.
            StepFailedException: Unable to verify text 'VC Smart' is present
                                  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
            (WebUlKeywordMain.groovy:64)
                                  at\ com. kms. katalon. core. webui. keyword. internal. WebUIKeyword Main. run Keyword
            (WebUlKeywordMain.groovy:26)
                                  at\ com. kms. katalon. core. webui. keyword. builtin. Verify Text Present Keyword.
            verifyTextPresent(VerifyTextPresentKeyword.groovy:83)
                                  at com.kms.katalon.core.webui.keyword.builtin.VerifyTextPresentKeyword.
            execute(VerifyTextPresentKeyword.groovy:68)
                                  at com.kms.katalon.core.keyword.internal.KeywordExecutor.
            executeKeywordForPlatform(KeywordExecutor.groovy:74)
                                  at\ com. kms. katalon. core. webui. keyword. WebUiBuiltInKeywords. verify Text Present
            (WebUiBuiltInKeywords.groovy:1723)
                                  at com.kms.katalon.core.webui.keyword.
           WebUiBuiltInKeywords$verifyTextPresent$3.call(Unknown Source)
                                  at TC_001_Verify the Login feature with valid credentials.run(TC_001_Verify the
           Login feature with valid credentials:38)
                                  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                                  at\ com. kms. katalon. core. main. Script Engine. run Script As Raw Text (Script Engine.
           java:119)
                                   at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
           java:448)
                                  at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.d
           java:439)
                                  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
            (TestCaseExecutor.java:418)
                                  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
            (TestCaseExecutor.java:410)
                                  at\ com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.execute(TestCaseExecutor.executor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor
           java:285)
                                  at\ com. kms. katalon. core. common. Common Executor. access Test Case Main Phase
            (CommonExecutor.java:65)
                                  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
            (TestSuiteExecutor.java:148)
                                  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
            106)
                                  at\ com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
            187)
                                  at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
            Source)
                                  at TempTestSuite1691284471563.run(TempTestSuite1691284471563.groovy:36)
            Caused by: com.kms.katalon.core.exception.StepFailedException: Text 'VC Smart' is not
           present on page
                                  at\ com. kms. katalon. core. webui. keyword. internal. WebUIKeyword Main. step Failed
            (WebUIKeywordMain.groovy:64)
                                  at com.kms.katalon.core.webui.keyword.builtin.
            VerifyTextPresentKeyword$_verifyTextPresent_closure1.doCall(VerifyTextPresentKeyword.
            groovy:79)
                                  at com.kms.katalon.core.webui.keyword.builtin.
            VerifyTextPresentKeyword$ verifyTextPresent closure1.call(VerifyTextPresentKeyword.
                                  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
            (WebUlKeywordMain.groovy:20)
                                  ... 19 more
```



Information

ID Test Cases/TC_002_Verify the Login feature with invalid credentials

Description

Tag

Start 2023-08-06 06:45:21 End 2023-08-06 06:46:11

Elapsed 49.341s
Status FAILED

Details

Description Elapsed Status

Ł	Description	Elapsed	Status
	openBrowser(url)	49.145s	FAILED
	Unable to open browser with url: 'https://ioclvcsmart.tmsitrimble.in/VCSmartApp/#/login' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: 'https://ioclvcsmart.tmsitrimble.in/VCSmartApp/#/login'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.		
	openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute		
	(OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source)		
	at TC_002_Verify the Login feature with invalid credentials.run(TC_002_Verify the		
	Login feature with invalid credentials:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 187)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
	at TempTestSuite1691284471563.run(TempTestSuite1691284471563.groovy:36)		
	Caused by: org.openqa.selenium.WebDriverException: unknown error: net:: ERR_CONNECTION_TIMED_OUT		
	(Session info: chrome=115.0.5790.110) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	System info: host: 'DESKTOP-21ATSCV', ip: '192.168.1.102', os.name: 'Windows 10', os.		
	arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: com.kms.katalon.selenium.driver.CChromeDriver		
	Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f,		
	userDataDir: C:\Windows\SystemTemp\scope}, goog:chromeOptions: {debuggerAddress:		
	localhost:59885}, javascriptEnabled: true, networkConnectionEnabled: false,		

pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:

Elapsed

Status

TC 002 Verify the Login feature with invalid credentials

Description

```
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 127029aee8c5236eb43f2564722d921d
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:
277)
         at org.openga.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at com.sun.proxy.$Proxy10.get(Unknown Source)
         at org.openga.selenium.support.events.EventFiringWebDriver.get
(EventFiringWebDriver.java:165)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:78)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
         at\ com. kms. katalon. core. webui. keyword. builtin. Open Browser Keyword. execute
(OpenBrowserKeyword.groovy:67)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:64)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
         at Script1690362748865.run(Script1690362748865.groovy:20)
         ... 13 more
```

TC_006_Verify the Logout feature

Information

ID Test Cases/TC_006_Verify the Logout feature

Description

Tag

Start 2023-08-06 06:46:11 End 2023-08-06 06:47:20

Elapsed 1m - 9.663s

Status FAILED

Details

Description Elapsed Status

TC_006_Verify the Logout feature

#	Description	Elapsed	Status
1	callTestCase(findTestCase("TC_001_Verify the Login feature with valid credentials"), [:], STOP_ON_FAILURE)	1m - 9.521s	FAILED
	Unable to call Test Case 'Test Cases/TC_001_Verify the Login feature with valid credentials' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/TC_001_Verify the Login feature with valid credentials' failed		
	at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
	(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
	(CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:310)		
	at TC_006_Verify the Logout feature.run(TC_006_Verify the Logout feature:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 187)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1691284471563.run(TempTestSuite1691284471563.groovy:36)		
	Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/OB_001_Login screen/Login Screen/Username'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		

execute Keyword For Platform (Keyword Executor. groovy: 74)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click

TC_006_Verify the Logout feature

```
Description
                                                                                                                                                                                            Elapsed
                                                                                                                                                                                                                                 Status
 (WebUiBuiltInKeywords.groovy:620)
                    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
 (Unknown Source)
                    at TC_001_Verify the Login feature with valid credentials.run(TC_001_Verify the
 Login feature with valid credentials:26)
                    at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                    at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
 java:119)
                    at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
 java:448)
                    at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
 java:439)
                    at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
 (TestCaseExecutor.java:418)
                    at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
 (TestCaseExecutor.java:410)
                    at\ com.kms.katalon.core.main.Test Case Executor.execute (Test Case Executor.execute) at\ com.kms.katalon.core.main.Execute (Test Case Execut
 java:285)
                    at\ com.kms.katalon.core.main.Test Case Main.run Test Case (Test Case Main.java:
 144)
                    at com.kms.katalon.core.keyword.builtin.
 CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
                     ... 20 more
 Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web
 element with id: 'Object Repository/OB_001_Login screen/Login Screen/Username' located
 by '//input[@id='username']' not found
                    at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
 (WebUiCommonHelper.java:1381)
                    at\ com. kms. katalon. core. webui. keyword. internal. WebUIAbstract Keyword.
 findWebElement(WebUIAbstractKeyword.groovy:27)
                    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
 doCall(ClickKeyword.groovy:65)
                    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
 (ClickKeyword.groovy)
                    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
 (WebUIKeywordMain.groovy:20)
                    ... 35 more
                                      Your connection was interrupted
                                      A network change was detected
                                      ERR_NETWORK_CHANGED
```