033 4064 4064
8336908854, 9831234910
www.promiplastwindows.com

PROMI PLAST
WINDOW & DOOR

Lead-free
Indian Green Building Council
REDUCE YOUR CO_2 Footprint
SKZ (GERMANY)
bsi. (UNITED KINGDOM)
SGS
ASTM INTERNATIONAL Standards Worldwide
CIPET

Weather+ window series

Reduce Noise
Keep Unwanted **Noise** at Bay

Energy Savings
Save your **electricity** bill by **30%**

Water Proof
Absolute **Water Proofing** Mechanism

Winter Seal
Proper **Gasket Sealing** for Tight Closure

Wind Load
Strength against the **Storming Winds**

UV Resistance
Upto **100% UV** resistance with right amount of **TiO2**

Maintenance Free
Virtually **Dirt resistant** & easy to **Maintain**

Bug Mesh
Stay Away Form **Mosquito** and **Insect**

Go Green...
Save Tree...
Recyclable & Eco Friendly

facebook.com/promiplastupvc twitter.com/promiplast instagram.com/promiplast

AA-48, Nr-PNB, Salt Lake, Kol -64

uPVC Sliding Window & Door

uPVC Casement Window

uPVC Casement Window & Door

uPVC Sliding & Folding Window & Door

Benefits Of uPVC Window & Door

Effective Sound Insulation

Keep Unwanted **Noise** at Bay



Energy Savings

Save your **electricity** bill by **30%**

Maintenance Free

Virtually **Dirt resistant** & easy to **Maintain**

Wind Load

Strength against the **Storming Winds**

Winter Seal

Proper **Gasket Sealing** for Tight Closure

Water Proof

Absolute **Water Proofing** Mechanism

PREMI PLAST

033 4064 4064

MDF Sliding & Folding Partition

PREMI PLAST

033 4064 4064

PVC Sliding & Folding Partition



INVISIBLE GRILL

STYLISH SAFETY SECURE

FOR BALCONY, WINDOWS & STAIRS

033 4064 4064

98312 34910

subrata.ash@gmail.com

www.grillex.in

www.facebook.com/grillex.in

Aluminium Track Section



GRILLEX

INVISIBLE GRILL

What's **Visible** are seamless

What's **Invisible** is strenght

Technology:

316 Stainless Steel

2.0 mm of Diameter

Nylon Coated

Stiffener

Locking Screw

Track





5 YEARS WARRANTY

Address: Ashiana, AA-48, Near PNB, Salt Lake Sec -1, Kolkata - 64



Aluminium Track
Track will be fixed on top & bottom

316 Stainless Steel
Which is used for Marin industry

Load Capacity
Which can take up to 400 kg

Nylon Coated
Flexible & safety

Cutting Rope
Required special tool not with blades or player

After Cutting
The other rope will not effected because its tied independently with locking screw

Technology:

316 Stainless Steel

2.0 mm of Diameter

Nylon Coated

Stiffener

Locking Screw

Track



Can be used for:

Window
Any shaped or irrespective shape

Balcony
Any shaped or irrespective shape

Staircase
Half staircase and also full length stairs

Railing
Indoor and outdoor railing

Actual Site Photos

GRILLEX

INVISIBLE GRILL