Cyclistic Case Study Feb21

Hezar K

2022-11-29

This is an analysis for Cyclistic Case Study for Google Data Analytics Course. This is an analysis for February 2021.

STEP ONE: INSTALL REQUIRED PACKAGES AND IMPORT DATA

Install the required packages. **Tidyverse** package to import and wrangling the data and **ggplot2** package for visualization of the data. **Lubridate** package for date parsing and **anytime** package for the datetime conversion.

- install.packages("tidyverse")
- install.packages("ggplot2")
- install.packages("lubridate")
- install.packages("anytime")

```
library(tidyverse)
```

```
## ── Attaching packages ─────────────────────────────────────── tidyverse 1.3.2 ──
## ✔ ggplot2 3.4.0      ✔ purrr   0.3.5
## ✔ tibble  3.1.8      ✔ dplyr   1.0.10
## ✔ tidyr   1.2.1      ✔ stringr 1.4.1
## ✔ readr   2.1.3      ✔ forcats 0.5.2
## ── Conflicts ────────────────────────────────────────── tidyverse_conflicts() ──
## ✖ dplyr::filter() masks stats::filter()
## ✖ dplyr::lag()    masks stats::lag()
```

```
library(lubridate)
```

```
## Loading required package: timechange
##
## Attaching package: 'lubridate'
##
## The following objects are masked from 'package:base':
##
##     date, intersect, setdiff, union
```

```
library(data.table)
```

```
##
## Attaching package: 'data.table'
##
## The following objects are masked from 'package:lubridate':
##
##     hour, isoweek, mday, minute, month, quarter, second, wday, week,
##     yday, year
##
## The following objects are masked from 'package:dplyr':
##
##     between, first, last
##
## The following object is masked from 'package:purrr':
##
##     transpose
```

```
library(ggplot2)
library(anytime)
```

Import data from local drive.

```
Feb21 <- read_csv("C:/Users/theby/Documents/202102-divvy-tripdata.csv")
```

```
## Rows: 49622 Columns: 13
## ── Column specification ────────────────────────────────────────────────────────
## Delimiter: ","
## chr  (7): ride_id, rideable_type, start_station_name, start_station_id, end_...
## dbl  (4): start_lat, start_lng, end_lat, end_lng
## dttm (2): started_at, ended_at
##
## ℹ Use `spec()` to retrieve the full column specification for this data.
## ℹ Specify the column types or set `show_col_types = FALSE` to quiet this message.
```

STEP TWO: EXAMINE THE DATA

Examine the dataframe for an overview of the data. Review column names, **colnames()**, dimensions of the dataframe by row and column, **dim()**, the first, **head()**, and the last, **tail()**, six rows in the dataframe, the summary, **summary()**, statistics on the columns of the dataframe, and review the data type structure of columns, **str()**.

View(Feb21)

```
colnames(Feb21)
```

```
##  [1] "ride_id"            "rideable_type"      "started_at"
##  [4] "ended_at"           "start_station_name" "start_station_id"
##  [7] "end_station_name"   "end_station_id"     "start_lat"
## [10] "start_lng"          "end_lat"            "end_lng"
## [13] "member_casual"
```

```
nrow(Feb21)
```

```
## [1] 49622
```

```
dim(Feb21)
```

```
## [1] 49622    13
```

```
head(Feb21)
```

```
## # A tibble: 6 × 13
##   ride_id        ridea…¹ started_at          ended_at            start…² start…³
##   <chr>          <chr>   <dttm>              <dttm>              <chr>   <chr>
## 1 89E7AA6C29227… classi… 2021-02-12 16:14:56 2021-02-12 16:21:43 Glenwo… 525
## 2 0FEFDE2603568… classi… 2021-02-14 17:52:38 2021-02-14 18:12:09 Glenwo… 525
## 3 E6159D746B2DB… electr… 2021-02-09 19:10:18 2021-02-09 19:19:10 Clark … KA1503…
## 4 B32D3199F1C2E… classi… 2021-02-02 17:49:41 2021-02-02 17:54:06 Wood S… 637
## 5 83E463F23575F… electr… 2021-02-23 15:07:23 2021-02-23 15:22:37 State … 13216
## 6 BDAA7E3494E8D… electr… 2021-02-24 15:43:33 2021-02-24 15:49:05 Fairba… 18003
## # … with 7 more variables: end_station_name <chr>, end_station_id <chr>,
## #   start_lat <dbl>, start_lng <dbl>, end_lat <dbl>, end_lng <dbl>,
## #   member_casual <chr>, and abbreviated variable names ¹rideable_type,
## #   ²start_station_name, ³start_station_id
```

```
tail(Feb21)
```

```
## # A tibble: 6 × 13
##   ride_id        ridea…¹ started_at          ended_at            start…² start…³
##   <chr>          <chr>   <dttm>              <dttm>              <chr>   <chr>
## 1 F1E4C456F8F88… electr… 2021-02-12 12:47:42 2021-02-12 13:23:32 Burnha… 15545
## 2 7ED482EE6C9F5… classi… 2021-02-20 15:25:32 2021-02-20 15:59:45 Wester… TA1307…
## 3 203DF22F090C1… classi… 2021-02-09 08:54:38 2021-02-09 09:08:19 Frankl… 13017
## 4 940161523673F… docked… 2021-02-27 14:46:06 2021-02-27 15:00:49 Frankl… 13017
## 5 C5538FFA492A7… classi… 2021-02-09 11:44:17 2021-02-09 11:46:13 Frankl… 13017
## 6 EB4CA525B953E… electr… 2021-02-04 10:26:44 2021-02-04 10:31:21 Frankl… 13017
## # … with 7 more variables: end_station_name <chr>, end_station_id <chr>,
## #   start_lat <dbl>, start_lng <dbl>, end_lat <dbl>, end_lng <dbl>,
## #   member_casual <chr>, and abbreviated variable names ¹rideable_type,
## #   ²start_station_name, ³start_station_id
```

```
summary(Feb21)
```

```
##    ride_id          rideable_type        started_at
##  Length:49622       Length:49622       Min.   :2021-02-01 00:55:44.00
##  Class :character   Class :character   1st Qu.:2021-02-09 08:20:56.25
##  Mode  :character   Mode  :character   Median :2021-02-22 13:17:53.00
##                                        Mean   :2021-02-18 01:16:52.85
##                                        3rd Qu.:2021-02-26 16:02:13.50
##                                        Max.   :2021-02-28 23:59:41.00
##
##     ended_at                      start_station_name start_station_id
##  Min.   :2021-02-01 01:22:48.00   Length:49622       Length:49622
##  1st Qu.:2021-02-09 08:36:02.50   Class :character   Class :character
##  Median :2021-02-22 13:39:20.50   Mode  :character   Mode  :character
##  Mean   :2021-02-18 01:41:18.23
##  3rd Qu.:2021-02-26 16:19:32.75
##  Max.   :2021-03-05 15:11:45.00
##
##  end_station_name   end_station_id       start_lat       start_lng
##  Length:49622       Length:49622       Min.   :41.65   Min.   :-87.77
##  Class :character   Class :character   1st Qu.:41.88   1st Qu.:-87.66
##  Mode  :character   Mode  :character   Median :41.90   Median :-87.64
##                                        Mean   :41.90   Mean   :-87.64
##                                        3rd Qu.:41.93   3rd Qu.:-87.63
##                                        Max.   :42.06   Max.   :-87.53
##
##     end_lat         end_lng       member_casual
##  Min.   :41.54   Min.   :-87.77   Length:49622
##  1st Qu.:41.88   1st Qu.:-87.66   Class :character
##  Median :41.90   Median :-87.64   Mode  :character
##  Mean   :41.90   Mean   :-87.64
##  3rd Qu.:41.93   3rd Qu.:-87.63
##  Max.   :42.07   Max.   :-87.53
##  NA's   :214     NA's   :214
```

```
str(Feb21)
```

```
## spc_tbl_ [49,622 × 13] (S3: spec_tbl_df/tbl_df/tbl/data.frame)
##  $ ride_id           : chr [1:49622] "89E7AA6C29227EFF" "0FEFDE2603568365" "E6159D746B2DBB91" "B32D3199F1C2E75
B" ...
##  $ rideable_type     : chr [1:49622] "classic_bike" "classic_bike" "electric_bike" "classic_bike" ...
##  $ started_at        : POSIXct[1:49622], format: "2021-02-12 16:14:56" "2021-02-14 17:52:38" ...
##  $ ended_at          : POSIXct[1:49622], format: "2021-02-12 16:21:43" "2021-02-14 18:12:09" ...
##  $ start_station_name: chr [1:49622] "Glenwood Ave & Touhy Ave" "Glenwood Ave & Touhy Ave" "Clark St & Lake St
" "Wood St & Chicago Ave" ...
##  $ start_station_id  : chr [1:49622] "525" "525" "KA1503000012" "637" ...
##  $ end_station_name  : chr [1:49622] "Sheridan Rd & Columbia Ave" "Bosworth Ave & Howard St" "State St & Rando
lph St" "Honore St & Division St" ...
##  $ end_station_id    : chr [1:49622] "660" "16806" "TA1305000029" "TA1305000034" ...
##  $ start_lat         : num [1:49622] 42 42 41.9 41.9 41.8 ...
##  $ start_lng         : num [1:49622] -87.7 -87.7 -87.6 -87.7 -87.6 ...
##  $ end_lat           : num [1:49622] 42 42 41.9 41.9 41.8 ...
##  $ end_lng           : num [1:49622] -87.7 -87.7 -87.6 -87.7 -87.6 ...
##  $ member_casual     : chr [1:49622] "member" "casual" "member" "member" ...
##  - attr(*, "spec")=
##   .. cols(
##   ..   ride_id = col_character(),
##   ..   rideable_type = col_character(),
##   ..   started_at = col_datetime(format = ""),
##   ..   ended_at = col_datetime(format = ""),
##   ..   start_station_name = col_character(),
##   ..   start_station_id = col_character(),
##   ..   end_station_name = col_character(),
##   ..   end_station_id = col_character(),
##   ..   start_lat = col_double(),
##   ..   start_lng = col_double(),
##   ..   end_lat = col_double(),
##   ..   end_lng = col_double(),
##   ..   member_casual = col_character()
##   .. )
##  - attr(*, "problems")=<externalptr>
```

Create new columns as for *date*, *month*, *day*, *year*, *day_of_week*, and *ride_length* in seconds.

```
Feb21$date <- as.Date(Feb21$started_at)
Feb21$month <- format(as.Date(Feb21$date), "%m")
Feb21$day <- format(as.Date(Feb21$date), "%d")
Feb21$year <- format(as.Date(Feb21$date), "%Y")
Feb21$day_of_week <- format(as.Date(Feb21$date), "%A")
Feb21$ride_length <- difftime(Feb21$ended_at,Feb21$started_at)
```

Convert *ride_length* column to numeric in order to run calculations on the data. First, check to see if the data type is numeric, and then convert if needed.

```
is.numeric(Feb21$ride_length)
```

```
## [1] FALSE
```

Recheck *ride_length* data type.

```
Feb21$ride_length <- as.numeric(as.character(Feb21$ride_length))
is.numeric(Feb21$ride_length)
```

```
## [1] TRUE
```

STEP THREE: CLEAN DATA

na.omit() will remove all NA from the dataframe.

```
Feb21 <- na.omit(Feb21)
```

Remove rows with the *ride_id* column character length is not 16. This will remove all the scientific ride ids that we noticed while examining the data.

```
Feb21 <- subset(Feb21, nchar(as.character(ride_id)) == 16)
```

Remove rows with the *ride_length* less than 1 minute.

```
Feb21 <- subset (Feb21, ride_length > "1")
```

STEP FOUR: ANALYZE DATA

Analyze the dataframe by find the **mean**, **median**, **max** (maximum), and **min** (minimum) of *ride_length*.

```
mean(Feb21$ride_length)
```

```
## [1] 1276.021
```

```
median(Feb21$ride_length)
```

```
## [1] 664
```

```
max(Feb21$ride_length)
```

```
## [1] 1807754
```

```
min(Feb21$ride_length)
```

```
## [1] 2
```

Run a statistical summary of the *ride_length*.

```
summary(Feb21$ride_length)
```

```
##    Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
##       2     397     664    1276    1176 1807754
```

Compare the members and casual users

```
aggregate(Feb21$ride_length ~ Feb21$member_casual, FUN = mean)
```

```
##   Feb21$member_casual Feb21$ride_length
## 1              casual         2828.2271
## 2              member          887.0782
```

```
aggregate(Feb21$ride_length ~ Feb21$member_casual, FUN = median)
```

```
##   Feb21$member_casual Feb21$ride_length
## 1              casual              1003
## 2              member               611
```

```
aggregate(Feb21$ride_length ~ Feb21$member_casual, FUN = max)
```

```
##   Feb21$member_casual Feb21$ride_length
## 1              casual           1807754
## 2              member             88461
```

```
aggregate(Feb21$ride_length ~ Feb21$member_casual, FUN = min)
```

```
##   Feb21$member_casual Feb21$ride_length
## 1              casual                 2
## 2              member                 2
```

Aggregate the average ride length by each day of the week for members and users.

```
aggregate(Feb21$ride_length ~ Feb21$member_casual + Feb21$day_of_week, FUN = mean)
```

```
##    Feb21$member_casual Feb21$day_of_week Feb21$ride_length
## 1               casual            Friday         3720.8095
## 2               member            Friday          819.2540
## 3               casual            Monday         1880.2357
## 4               member            Monday          901.0550
## 5               casual          Saturday         3673.0503
## 6               member          Saturday          982.0812
## 7               casual            Sunday         2157.2717
## 8               member            Sunday          994.5507
## 9               casual          Thursday         1332.4501
## 10              member          Thursday          801.9600
## 11              casual           Tuesday         2605.2287
## 12              member           Tuesday          898.1700
## 13              casual         Wednesday         1704.4654
## 14              member         Wednesday          854.3922
```

Sort the days of the week in order.

```
Feb21$day_of_week <- ordered(Feb21$day_of_week, levels=c("Sunday", "Monday", "Tuesday", "Wednesday", "Thursday",
"Friday", "Saturday"))
```

Assign the aggregate the average ride length by each day of the week for members and users to x.

```
x <- aggregate(Feb21$ride_length ~ Feb21$member_casual + Feb21$day_of_week, FUN = mean)

head(x)
```

```
##   Feb21$member_casual Feb21$day_of_week Feb21$ride_length
## 1              casual            Sunday         2157.2717
## 2              member            Sunday          994.5507
## 3              casual            Monday         1880.2357
## 4              member            Monday          901.0550
## 5              casual           Tuesday         2605.2287
## 6              member           Tuesday          898.1700
```

Find the average ride length of member riders and casual riders per day and assign it to y.

```
y <- Feb21 %>%
  mutate(weekday = wday(started_at)) %>%
  group_by(member_casual, weekday) %>%
  summarise(number_of_rides = n(),
            average_duration = mean(ride_length), .groups = 'drop') %>%
  arrange(member_casual, weekday)

head(y)
```

```
## # A tibble: 6 × 4
##   member_casual weekday number_of_rides average_duration
##   <chr>           <int>           <int>            <dbl>
## 1 casual              1            1211            2157.
## 2 casual              2             454            1880.
## 3 casual              3             835            2605.
## 4 casual              4             926            1704.
## 5 casual              5             842            1332.
## 6 casual              6            1223            3721.
```

Analyze the dataframe to find the frequency of member riders, casual riders, classic bikes, docked bikes, and electric bikes.

```
table(Feb21$member_casual)
```

```
##
## casual member
##   8613  34373
```

```
table(Feb21$rideable_type)
```

```
##
##  classic_bike   docked_bike electric_bike
##         34627          1271          7088
```

```
table(Feb21$day_of_week)
```

```
##
##    Sunday    Monday   Tuesday Wednesday  Thursday    Friday  Saturday
##      4739      3945      5853      6717      6067      6904      8761
```

STEP FIVE: VISUALIZATION

Display full digits instead of scientific number.

```
options(scipen=999)
```

Plot the number of rides by user type during the week.

```
Feb21 %>%
  mutate(day_of_week) %>%
  group_by(member_casual,day_of_week) %>%
  summarise(number_of_rides = n(), average_duration = mean(ride_length), .groups = 'drop') %>%
  arrange(member_casual, day_of_week)  %>%
  ggplot(aes(x = day_of_week, y = number_of_rides, fill = member_casual)) +
  geom_col(position = "dodge")+
labs(x = "Day of Week",
     y= "Number of Rides",
     title= "Days of the Week")
```



Plot the duration of the ride by user type during the week.

```
Feb21 %>%
  mutate(day_of_week) %>%
  group_by(member_casual, day_of_week) %>%
  summarise(number_of_rides = n(), average_duration = mean(ride_length), .groups = 'drop') %>%
  arrange(member_casual, day_of_week)  %>%
  ggplot(aes(x = day_of_week, y = average_duration, fill = member_casual)) +
  geom_col(position = "dodge") +
  labs(x = "Day of Week",
       y= "Average Duration in Seconds",
       title= "Days of the Week vs Average Duration")
```



Create new dataframe for plots for weekday trends vs weekend trends.

```
mc<- as.data.frame(table(Feb21$day_of_week,Feb21$member_casual))
```

Rename columns

```
mc<-rename(mc, day_of_week = Var1, member_casual = Var2)
head(mc)
```

```
##   day_of_week member_casual Freq
## 1      Sunday        casual 1211
## 2      Monday        casual  454
## 3     Tuesday        casual  835
## 4   Wednesday        casual  926
## 5    Thursday        casual  842
## 6      Friday        casual 1223
```

Weekday trends (Monday through Friday).

```
mc %>%
  filter(day_of_week == "Monday" |
           day_of_week == "Tuesday" |
           day_of_week == "Wednesday" |
           day_of_week == "Thursday" |
           day_of_week == "Friday") %>%
  ggplot(aes(x = day_of_week, y = Freq, fill = member_casual))+
  geom_bar(stat = "identity" , position = "dodge") +
  labs(title = "Weekdays Trends",
       x= "Day Of The Week",
       y = "Rides")
```



Weekend trends (Sunday and Saturday).

```
mc %>%
  filter(day_of_week == "Sunday" |
           day_of_week == "Saturday") %>%
  ggplot(aes(x = day_of_week, y = Freq, fill = member_casual))+
  geom_bar(stat = "identity", position = "dodge") +
  labs(title = "Weekends Trends",
       x= "Day Of The Week",
       y = "Rides")
```



Create dataframe for member and casual riders vs ride type

```
rt<- as.data.frame(table(Feb21$rideable_type,Feb21$member_casual))
```

Rename columns.

```
rt<-rename(rt, rideable_type = Var1, member_casual = Var2)
head(rt)
```

```
##   rideable_type member_casual  Freq
## 1  classic_bike        casual  5595
## 2   docked_bike        casual  1271
## 3 electric_bike        casual  1747
## 4  classic_bike        member 29032
## 5   docked_bike        member     0
## 6 electric_bike        member  5341
```

Plot for bike user vs bike type.

```
rt %>%
  filter(member_casual == "member" |
           member_casual == "casual") %>%
  ggplot(aes(x = rideable_type, y = Freq, fill = member_casual))+
  geom_bar(stat = "identity", position = "dodge") +
  labs(title = "Riders and Ride Types",
       x= "Riders",
       y = "Rides")
```



STEP SIX: EXPORT ANALYZED DATA

Save the analyzed data as a new file. fwrite(Feb21, “Feb21.csv”)