

Cyclistic Case Study Aug21

Hezar K

2022-11-29

This is an analysis for Cyclistic Case Study for Google Data Analytics Course. This is an analysis for August 2021.

STEP ONE: INSTALL REQUIRED PACKAGES AND IMPORT DATA

Install the required packages. **Tidyverse** package to import and wrangling the data and **ggplot2** package for visualization of the data. **Lubridate** package for date parsing and **anytime** package for the datetime conversion.

- `install.packages("tidyverse")`
- `install.packages("ggplot2")`
- `install.packages("lubridate")`
- `install.packages("anytime")`

```
library(tidyverse)
```

```
## — Attaching packages — tidyverse 1.3.2 —
## ✓ ggplot2 3.4.0      ✓ purrr  0.3.5
## ✓ tibble  3.1.8      ✓ dplyr  1.0.10
## ✓ tidyr   1.2.1      ✓ stringr 1.4.1
## ✓ readr   2.1.3      ✓ forcats 0.5.2
## — Conflicts — tidyverse_conflicts() —
## ✖ dplyr::filter() masks stats::filter()
## ✖ dplyr::lag()     masks stats::lag()
```

```
library(lubridate)
```

```
## Loading required package: timechange
##
## Attaching package: 'lubridate'
##
## The following objects are masked from 'package:base':
##
##   date, intersect, setdiff, union
```

```
library(data.table)
```

```
##
## Attaching package: 'data.table'
##
## The following objects are masked from 'package:lubridate':
##
##   hour, isoweek, mday, minute, month, quarter, second, wday, week,
##   yday, year
##
## The following objects are masked from 'package:dplyr':
##
##   between, first, last
##
## The following object is masked from 'package:purrr':
##
##   transpose
```

```
library(ggplot2)
library(anytime)
```

Import data from local drive.

```
Aug21 <- read_csv("C:/Users/theby/Documents/202108-divvy-tripdata.csv")
```

```
## Rows: 804352 Columns: 13
## — Column specification —————
## Delimiter: ","
## chr (7): ride_id, rideable_type, start_station_name, start_station_id, end...
## dbl (4): start_lat, start_lng, end_lat, end_lng
## dtm (2): started_at, ended_at
##
## i Use `spec()` to retrieve the full column specification for this data.
## i Specify the column types or set `show_col_types = FALSE` to quiet this message.
```

STEP TWO: EXAMINE THE DATA

Examine the dataframe for an overview of the data. Review column names, **colnames()**, dimensions of the dataframe by row and column, **dim()**, the first, **head()**, and the last, **tail()**, six rows in the dataframe, the summary, **summary()**, statistics on the columns of the dataframe, and review the data type structure of columns, **str()**.

View(Aug21)

```
colnames(Aug21)
```

```
## [1] "ride_id"          "rideable_type"    "started_at"
## [4] "ended_at"         "start_station_name" "start_station_id"
## [7] "end_station_name" "end_station_id"   "start_lat"
## [10] "start_lng"        "end_lat"          "end_lng"
## [13] "member_casual"
```

```
nrow(Aug21)
```

```
## [1] 804352
```

```
dim(Aug21)
```

```
## [1] 804352    13
```

```
head(Aug21)
```

```
## # A tibble: 6 × 13
##   ride_id      ridea...1 started_at      ended_at      start...2 start...3
##   <chr>        <chr>    <dtm>          <dtm>          <chr>    <chr>
## 1 99103BB87CC6C... electr... 2021-08-10 17:15:49 2021-08-10 17:22:44 <NA>    <NA>
## 2 EAFCCCFB0A3FC... electr... 2021-08-10 17:23:14 2021-08-10 17:39:24 <NA>    <NA>
## 3 9EF4F46C57AD2... electr... 2021-08-21 02:34:23 2021-08-21 02:50:36 <NA>    <NA>
## 4 5834D3208BFAF... electr... 2021-08-21 06:52:55 2021-08-21 07:08:13 <NA>    <NA>
## 5 CD825CB87ED1D... electr... 2021-08-19 11:55:29 2021-08-19 12:04:11 <NA>    <NA>
## 6 612F12C94A964... electr... 2021-08-19 12:41:12 2021-08-19 12:47:47 <NA>    <NA>
## # ... with 7 more variables: end_station_name <chr>, end_station_id <chr>,
## #   start_lat <dbl>, start_lng <dbl>, end_lat <dbl>, end_lng <dbl>,
## #   member_casual <chr>, and abbreviated variable names 1rideable_type,
## #   2start_station_name, 3start_station_id
```

```
tail(Aug21)
```

```
## # A tibble: 6 × 13
##   ride_id      ridea...1 started_at      ended_at      start...2 start...3
##   <chr>        <chr>    <dtm>          <dtm>          <chr>    <chr>
## 1 2D6861BE1B674... classi... 2021-08-07 10:52:09 2021-08-07 10:58:09 Paulin... TA1305...
## 2 5E5C9CD681E04... classi... 2021-08-07 18:07:43 2021-08-07 18:21:21 Wells ... TA1308...
## 3 96FB57CF4AA45... electr... 2021-08-09 08:49:31 2021-08-09 09:03:51 Broadw... 13323
## 4 226A0910DCCE9... classi... 2021-08-12 16:55:57 2021-08-12 17:15:10 Dearbo... TA1305...
## 5 1A97D27AE23DE... classi... 2021-08-08 22:47:43 2021-08-08 23:08:12 Broadw... 13323
## 6 BBC36E4AA3652... electr... 2021-08-27 18:53:53 2021-08-27 19:02:16 Paulin... TA1305...
## # ... with 7 more variables: end_station_name <chr>, end_station_id <chr>,
## #   start_lat <dbl>, start_lng <dbl>, end_lat <dbl>, end_lng <dbl>,
## #   member_casual <chr>, and abbreviated variable names 1rideable_type,
## #   2start_station_name, 3start_station_id
```

```
summary(Aug21)
```

```
##      ride_id      rideable_type      started_at
## Length:804352      Length:804352      Min.      :2021-08-01 00:00:04.00
## Class :character      Class :character      1st Qu.:2021-08-08 12:06:10.75
## Mode :character      Mode :character      Median :2021-08-16 07:57:11.50
##                                          Mean :2021-08-16 10:44:36.11
##                                          3rd Qu.:2021-08-23 17:33:34.75
##                                          Max. :2021-08-31 23:59:35.00
##
##      ended_at      start_station_name start_station_id
## Min.      :2021-08-01 00:03:11.00      Length:804352      Length:804352
## 1st Qu.:2021-08-08 12:30:18.75      Class :character      Class :character
## Median :2021-08-16 08:12:14.00      Mode :character      Mode :character
## Mean :2021-08-16 11:06:14.23
## 3rd Qu.:2021-08-23 17:52:03.75
## Max. :2021-09-01 17:37:35.00
##
##      end_station_name end_station_id      start_lat      start_lng
## Length:804352      Length:804352      Min.      :41.65      Min.      :-87.84
## Class :character      Class :character      1st Qu.:41.88      1st Qu.: -87.66
## Mode :character      Mode :character      Median :41.90      Median : -87.64
##                                          Mean :41.90      Mean : -87.65
##                                          3rd Qu.:41.93      3rd Qu.: -87.63
##                                          Max. :42.07      Max. : -87.52
##
##      end_lat      end_lng      member_casual
## Min.      :41.58      Min.      :-87.85      Length:804352
## 1st Qu.:41.88      1st Qu.: -87.66      Class :character
## Median :41.90      Median : -87.64      Mode :character
## Mean :41.90      Mean : -87.65
## 3rd Qu.:41.93      3rd Qu.: -87.63
## Max. :42.15      Max. : -87.51
## NA's :706      NA's :706
```

```
str(Aug21)
```

```
## spc_tbl_ [804,352 × 13] (S3: spec_tbl_df/tbl_df/tbl/data.frame)
## $ ride_id      : chr [1:804352] "99103BB87CC6C1BB" "EAFCCCFB0A3FC5A1" "9EF4F46C57AD234D" "5834D3208BFAF1
## DA" ...
## $ rideable_type : chr [1:804352] "electric_bike" "electric_bike" "electric_bike" "electric_bike" ...
## $ started_at   : POSIXct[1:804352], format: "2021-08-10 17:15:49" "2021-08-10 17:23:14" ...
## $ ended_at     : POSIXct[1:804352], format: "2021-08-10 17:22:44" "2021-08-10 17:39:24" ...
## $ start_station_name: chr [1:804352] NA NA NA NA ...
## $ start_station_id : chr [1:804352] NA NA NA NA ...
## $ end_station_name : chr [1:804352] NA NA NA NA ...
## $ end_station_id   : chr [1:804352] NA NA NA NA ...
## $ start_lat        : num [1:804352] 41.8 41.8 42 42 41.8 ...
## $ start_lng        : num [1:804352] -87.7 -87.7 -87.7 -87.7 -87.6 ...
## $ end_lat          : num [1:804352] 41.8 41.8 42 42 41.8 ...
## $ end_lng          : num [1:804352] -87.7 -87.6 -87.7 -87.7 -87.6 ...
## $ member_casual    : chr [1:804352] "member" "member" "member" "member" ...
## - attr(*, "spec")=
## .. cols(
## ..   ride_id = col_character(),
## ..   rideable_type = col_character(),
## ..   started_at = col_datetime(format = ""),
## ..   ended_at = col_datetime(format = ""),
## ..   start_station_name = col_character(),
## ..   start_station_id = col_character(),
## ..   end_station_name = col_character(),
## ..   end_station_id = col_character(),
## ..   start_lat = col_double(),
## ..   start_lng = col_double(),
## ..   end_lat = col_double(),
## ..   end_lng = col_double(),
## ..   member_casual = col_character()
## .. )
## - attr(*, "problems")=<externalptr>
```

Create new columns as for *date*, *month*, *day*, *year*, *day_of_week*, and *ride_length* in seconds.

```
Aug21$date <- as.Date(Aug21$started_at)
Aug21$month <- format(as.Date(Aug21$date), "%m")
Aug21$day <- format(as.Date(Aug21$date), "%d")
Aug21$year <- format(as.Date(Aug21$date), "%Y")
Aug21$day_of_week <- format(as.Date(Aug21$date), "%A")
Aug21$ride_length <- difftime(Aug21$ended_at,Aug21$started_at)
```

Convert *ride_length* column to numeric in order to run calculations on the data. First, check to see if the data type is numeric, and then convert if needed.

```
is.numeric(Aug21$ride_length)
```

```
## [1] FALSE
```

Recheck *ride_length* data type.

```
Aug21$ride_length <- as.numeric(as.character(Aug21$ride_length))
is.numeric(Aug21$ride_length)
```

```
## [1] TRUE
```

STEP THREE: CLEAN DATA

na.omit() will remove all NA from the dataframe.

```
Aug21 <- na.omit(Aug21)
```

Remove rows with the *ride_id* column character length is not 16. This will remove all the scientific ride ids that we noticed while examining the data.

```
Aug21 <- subset(Aug21, nchar(as.character(ride_id)) == 16)
```

Remove rows with the *ride_length* less than 1 minute.

```
Aug21 <- subset (Aug21, ride_length > "1")
```

STEP FOUR: ANALYZE DATA

Analyze the dataframe by find the **mean**, **median**, **max** (maximum), and **min** (minimum) of *ride_length*.

```
mean(Aug21$ride_length)
```

```
## [1] 1269.376
```

```
median(Aug21$ride_length)
```

```
## [1] 768
```

```
max(Aug21$ride_length)
```

```
## [1] 2497750
```

```
min(Aug21$ride_length)
```

```
## [1] 2
```

Run a statistical summary of the *ride_length*.

```
summary(Aug21$ride_length)
```

```
##      Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
##         2     443     768    1269    1370 2497750
```

Compare the members and casual users

```
aggregate(Aug21$ride_length ~ Aug21$member_casual, FUN = mean)
```

```
##      Aug21$member_casual Aug21$ride_length
## 1                    casual      1714.0036
## 2                    member       813.2978
```

```
aggregate(Aug21$ride_length ~ Aug21$member_casual, FUN = median)
```

```
## Aug21$member_casual Aug21$ride_length
## 1 casual 983
## 2 member 605
```

```
aggregate(Aug21$ride_length ~ Aug21$member_casual, FUN = max)
```

```
## Aug21$member_casual Aug21$ride_length
## 1 casual 2497750
## 2 member 89183
```

```
aggregate(Aug21$ride_length ~ Aug21$member_casual, FUN = min)
```

```
## Aug21$member_casual Aug21$ride_length
## 1 casual 2
## 2 member 2
```

Aggregate the average ride length by each day of the week for members and users.

```
aggregate(Aug21$ride_length ~ Aug21$member_casual + Aug21$day_of_week, FUN = mean)
```

```
## Aug21$member_casual Aug21$day_of_week Aug21$ride_length
## 1 casual Friday 1626.7924
## 2 member Friday 791.3637
## 3 casual Monday 1703.8251
## 4 member Monday 768.7180
## 5 casual Saturday 1810.0526
## 6 member Saturday 926.7132
## 7 casual Sunday 1949.0105
## 8 member Sunday 935.4238
## 9 casual Thursday 1539.8663
## 10 member Thursday 773.7512
## 11 casual Tuesday 1548.7337
## 12 member Tuesday 749.1267
## 13 casual Wednesday 1507.5961
## 14 member Wednesday 764.5086
```

Sort the days of the week in order.

```
Aug21$day_of_week <- ordered(Aug21$day_of_week, levels=c("Sunday", "Monday", "Tuesday", "Wednesday", "Thursday", "Friday", "Saturday"))
```

Assign the aggregate the average ride length by each day of the week for members and users to x.

```
x <- aggregate(Aug21$ride_length ~ Aug21$member_casual + Aug21$day_of_week, FUN = mean)

head(x)
```

```
## Aug21$member_casual Aug21$day_of_week Aug21$ride_length
## 1 casual Sunday 1949.0105
## 2 member Sunday 935.4238
## 3 casual Monday 1703.8251
## 4 member Monday 768.7180
## 5 casual Tuesday 1548.7337
## 6 member Tuesday 749.1267
```

Find the average ride length of member riders and casual riders per day and assign it to y.

```
y <- Aug21 %>%
  mutate(weekday = wday(started_at)) %>%
  group_by(member_casual, weekday) %>%
  summarise(number_of_rides = n(),
            average_duration = mean(ride_length), .groups = 'drop') %>%
  arrange(member_casual, weekday)

head(y)
```

```
## # A tibble: 6 × 4
##   member_casual weekday number_of_rides average_duration
##   <chr>          <int>          <int>          <dbl>
## 1 casual            1            73381           1949.
## 2 casual            2            39852           1704.
## 3 casual            3            37633           1549.
## 4 casual            4            32306           1508.
## 5 casual            5            38219           1540.
## 6 casual            6            48164           1627.
```

Analyze the dataframe to find the frequency of member riders, casual riders, classic bikes, docked bikes, and electric bikes.

```
table(Aug21$member_casual)
```

```
##
## casual member
## 341437 332864
```

```
table(Aug21$rideable_type)
```

```
##
## classic_bike  docked_bike electric_bike
##           501737           45064           127500
```

```
table(Aug21$day_of_week)
```

```
##
## Sunday    Monday    Tuesday Wednesday Thursday    Friday    Saturday
##    121132    90996    91936    76929    84982    92884    115442
```

STEP FIVE: VISUALIZATION


Display full digits instead of scientific number.

```
options(scipen=999)
```

Plot the number of rides by user type during the week.

```
Aug21 %>%
  mutate(day_of_week) %>%
  group_by(member_casual, day_of_week) %>%
  summarise(number_of_rides = n(), average_duration = mean(ride_length), .groups = 'drop') %>%
  arrange(member_casual, day_of_week) %>%
  ggplot(aes(x = day_of_week, y = number_of_rides, fill = member_casual)) +
  geom_col(position = "dodge")+
  labs(x = "Day of Week",
       y = "Number of Rides",
       title = "Days of the Week")
```


Days of the Week



Plot the duration of the ride by user type during the week.

```
Aug21 %>%
  mutate(day_of_week) %>%
  group_by(member_casual, day_of_week) %>%
  summarise(number_of_rides = n(), average_duration = mean(ride_length), .groups = 'drop') %>%
  arrange(member_casual, day_of_week) %>%
  ggplot(aes(x = day_of_week, y = average_duration, fill = member_casual)) +
  geom_col(position = "dodge") +
  labs(x = "Day of Week",
       y = "Average Duration in Seconds",
       title = "Days of the Week vs Average Duration")
```

Days of the Week vs Average Duration



Create new dataframe for plots for weekday trends vs weekend trends.

```
mc<- as.data.frame(table(Aug21$day_of_week,Aug21$member_casual))
```


Rename columns

```
mc<-rename(mc, day_of_week = Var1, member_casual = Var2)
head(mc)
```

```
##   day_of_week member_casual Freq
## 1   Sunday          casual 73381
## 2   Monday          casual 39852
## 3   Tuesday         casual 37633
## 4   Wednesday       casual 32306
## 5   Thursday        casual 38219
## 6   Friday          casual 48164
```

Weekday trends (Monday through Friday).


```
mc %>%
  filter(day_of_week == "Monday" |
         day_of_week == "Tuesday" |
         day_of_week == "Wednesday" |
         day_of_week == "Thursday" |
         day_of_week == "Friday") %>%
  ggplot(aes(x = day_of_week, y = Freq, fill = member_casual))+
  geom_bar(stat = "identity", position = "dodge") +
  labs(title = "Weekdays Trends",
       x= "Day Of The Week",
       y = "Rides")
```



Weekend trends (Sunday and Saturday).

```
mc %>%
  filter(day_of_week == "Sunday" |
         day_of_week == "Saturday") %>%
  ggplot(aes(x = day_of_week, y = Freq, fill = member_casual))+
  geom_bar(stat = "identity", position = "dodge") +
  labs(title = "Weekends Trends",
       x= "Day Of The Week",
       y = "Rides")
```


Weekends Trends



Create dataframe for member and casual riders vs ride type

```
rt<- as.data.frame(table(Aug21$rideable_type,Aug21$member_casual))
```


Rename columns.

```
rt<-rename(rt, rideable_type = Var1, member_casual = Var2)
head(rt)
```

```
##  rideable_type member_casual  Freq
## 1  classic_bike        casual 229128
## 2  docked_bike        casual  45064
## 3  electric_bike        casual  67245
## 4  classic_bike        member 272609
## 5  docked_bike        member      0
## 6  electric_bike        member  60255
```

Plot for bike user vs bike type.

```
rt %>%
  filter(member_casual == "member" |
         member_casual == "casual") %>%
  ggplot(aes(x = rideable_type, y = Freq, fill = member_casual))+
  geom_bar(stat = "identity", position = "dodge") +
  labs(title = "Riders and Ride Types",
       x= "Riders",
       y = "Rides")
```



STEP SIX: EXPORT ANALYZED DATA

Save the analyzed data as a new file.

```
fwrite(Aug21, "Aug21.csv")
```