

Power Platform

The Game Changer

PowerApps

Power BI

Microsoft Flow

Cortana


SQL Server

Hiram Fleitas

Fleitas Arts

github.com/hfleitas/gamechanger





Please silence
cell phones







DBA2.o

Get data fast!

[Let's Work Together](#) [Contact](#) [About](#) [Training](#) [AI \(Demo\)](#)
[PBI \(Demo\)](#)

Giving 3 Sessions in 1 Day

05/28/2019

Hiram

[Leave a comment](#)

[Edit](#)

Video: Real-time Sentiment Prediction in SQL Server

SQL Saturday 864 - South Florida, United States is less than 2 weeks away. June 8, 2019 @NSUFlorida. This is a whole day, free event open to the public. You can register here. I am giving 3 sessions that day and may be raffling 2x \$50 gift cards per session. You should come to my session(s)... [Continue reading →](#)

This is candid recording of the live presentation I gave at Nova University on the morning of March 2nd, 2019 with South Florida Code Camp 2019. You can see the event info in my previous post. I am made this recording for the attendees that were interested to play it back at their own pace.... [Continue reading →](#)



```
Locallyhost:5432 -> [attached] @code @test Other hosts @...  
[1]: % upload b.py -- "%select b()"  
[2]: % powershell.exe write-host "Hello, welcome!"  
Hello, welcome!
```

Evaluaciones de sesión

Su opinión es muy
importante.



Este es el enlace:

fletiasarts.com

Envíe sus comentarios al final de esta presentación.




Hiram Fleitas

Presidente Fleitas Arts



Bio

Padre
Arquitecto Principal de BBDD
Power BI desde 2016
Desarrollador desde 1995
SQL Server desde 1999
USCG Auxiliary Flotilla Staff Officer



 @hiramfleitas

 hiram@fleitasarts.com

 fleitasarts.com

 /hfeitas

 hiramfleitas



Agenda

- ★ Intro
- ★ Azure Data Studio Notebook
- ★ PowerApps
- ★ Microsoft Flow
- ★ Data Gateway
- ★ Cortana - Power BI
- ★ Publish & Share - Seguridad
- ★ Recursos

Intro

The image displays a collage of four Microsoft product interfaces:

- Power BI Dashboard:** Shows various metrics including "Campaign revenue vs target" (\$83.2K), "Number of visits THIS QUARTER" (200), "Response status BY THOUSANDS", "Confidence in prediction", and "Variance to Budget BY MONTH".
- Power Automate Flow:** A "Complete the flow" screen titled "Create" showing steps like "On new email (webhook)", "Get my profile", "Get manager", and "Check if it is my manager".
- Power Apps Screen:** A "Home" screen for "PowerApps" showing a "Screens" list with "WelcomeScreen" and "MapScreen".
- Power BI Report:** A "Determination by Feature Rank" report with a bar chart comparing values for "Property", "Radius", "Sova", and "Imus". It also includes a "Unique Visitors, Daily Users" donut chart categorized by device (Desktop, Mobile, Tablet).

Microsoft Power Platform

One low-code platform that spans Office 365, Dynamics 365, and standalone applications

Analyze. Act. Automate.



Power BI

Análisis de negocios




PowerApps

Desarrollo de aplicaciones



Flow

Automatización del flujo de trabajo



**Conectores
de datos**



**Servicio de datos
comunes**





My Workspace

Filter content

Dashboards

Executive Metrics Dashboard

Ask a question about the data on this dashboard

Expected Revenue
THIS YEAR

\$85.22M

Total Invoice
THIS MONTH

\$2.22M

Discount Savings
THIS MONTH

\$4.07M

Marketing Site Traffic

BY DATE

Hits

Bounces



Feedback Ratings

BY SCORE

0

1

2

3

4

5

6

7

8

9

10

AccountCount

BY INDUSTRY


Apparel

Warehouse

Specialty Bike Sh...


Transportation

Value Added Res...

Total Invoice
BY MONTH, CATEGORYTotal Invoice
BY SUB-CATEGORY

Customer Feedback Trend

AVERAGE SCORE



Variance to Budget

BY MONTH

Sales Pipeline

BY STAGENAME

Increase

Decrease

Total



Customer Size vs Revenue

CUSTOMER GROUP



Total Invoice, Budget Amount

BY MONTH, CATEGORY



AccountCount

BY SHIPPINGCITY, INDUSTRY


Apparel Biotechnol... Construction Consulting Education Electronics



Number of Visits, Expenditures (\$Mil)


BY MONTH

Number of Visits Expenditures (\$Mil)



Marketing Campaign Stats

BY DATE



Marketing Campaign Metrics

9521 Blocked


7223 Bounces

771666 Clicks

7053 Delivered

Get Data

Ejecute su negocio en tiempo real con paneles en vivo



Haz preguntas de tus datos



Proveedor de BI de Más Rápido Crecimiento

5,000,000+
usuarios

200,000
organizaciones


200+
países

The image displays a central Power BI desktop interface with multiple visualizations like KPIs, variance charts, and revenue graphs. To the left is a smartphone showing a simplified executive summary dashboard. To the right is a tablet displaying a campaign analysis dashboard with a sunburst chart and a variance report. The desktop interface includes a ribbon menu, a search bar, and a sidebar for visualizations and fields.




Cree apps sin límites

Use una variedad de herramientas de desarrollo y administración del ciclo de vida de la aplicación para satisfacer sus necesidades, ya sean simples o complejas. Pro-desarrolladores pueden utilizar el servicio de datos común para desarrollo de software (SDK) y plugins de código para construir aplicaciones utilizando herramientas conocidas como Visual Studio.



Innovar más rápido

Cree aplicaciones rápidamente con un enfoque de apuntar y hacer clic para diseñar aplicaciones. Elija entre una gran selección de plantillas o comience desde un lienzo en blanco. Conecte fácilmente su aplicación a los datos y use expresiones similares a Excel para agregar fácilmente una lógica. Publique su aplicación en la web, iOS, Android y Windows 10. Es así de fácil.



PowerApps

File Home Insert View Action Screen App

Fill = f fx RGBA(0,0,0,1)

Screens Search VisitorSignin

- Rectangle1_1
- Rectangle1
- ConfirmPictureIcon
- ConfirmPictureLabel
- ConfirmPictureCircle
- CompanyLogo
- AgreeIcon
- CompleteFormIcon_1
- WelcomeText
- TakePictureIcon
- PrimaryButton
- Ib/Error Message
- ddlMeetingwith
- Signbox
- Ib/Signature
- txtPurposeOfVisit

FABRIKAM RESIDENCES MOVE OUT INSPECTION

Residence Info

RESIDENT NAME: [] INSPECTION TYPE: Moving out

APT #: [] MOVING OUT DATE: 04/09/2018

INSPECTED BY: [] INSPECTION DATE: 04/11/2018

Floor Plan: 2bed, 2 bath

Inspection Checklist

Kitchen Bathroom Master Bedroom Living Room

ITEMS	PASSED	REPAIR	REPLACE	NOTES
Flooring	●	●	●	[]
Appliance	●	●	●	[]
Ceiling	●	●	●	[]

Top 9 Repairs

Average cost: 180

Repair Type	Average Cost
Light	~10
Knobs	~10
Floor	~10
Ceiling	~10
Fridge	~10
Microwave	~10
Walls	~10
Alarm	~10
Washer	~10

Repair needed? YES Cleaning crew? YES

Kitchen Bathroom Master Bedroom Living Room

Submit Cancel

Screen1

Properties Rules Advanced

Image position Fit

Color

Interaction Off

Findings and Actions

* Title:

Notes:

Attachments: There is nothing attached
Attach file or take photo

Assign Action:

Assign To: Select person

Due Date: 13/Oct/2018

Priority:

Action Details:

Submit

Compliance Monitoring: Pre-Task

MAN JNB JFK BGI

A346 B744 B789

G-VWIK G-VMNK G-VWND

Pre-Maintenance Task Unscheduled Maintenance Task

T123

* Task Description:
TEST

Pasar de ideas a acciones rápidamente

Engine Maintenance

Saturday, November 5, 2016

10:00 AM - 11:00 AM
Bay-C15
B777-212ER | 1ABYD
Engine ID 32568

1:00 PM - 2:00 PM
Bay-C26
B777-212ER | 1ABCK
Engine ID 34532

3:00 PM - 4:00 PM
Bay-A13
B777-212ER | 1AOJF
Engine ID 87698

4:00 PM - 6:00 PM
Bay-B24
B777-212ER | 1ABQJ
Engine ID 28765

Engine Details

Recommended Action
Needs Inspection
B777-212ER | 1ABYD
Engine ID 34532



A line graph showing performance data over time, with values ranging from -300 to 0.


High Pressure Compressor
ID: 499588726

Bleed air channel
ID: 388499216

Fuel filter
ID: 599282645

High Pressure Compressor

Component Failure Probability



Recommended Action


None **Repair** **Replace**

Repair/Replace By

Inspection Checklist

Photo Attachment

Microsoft Flow



Get a Slack message and email for new Dropbox item

Dropbox → Slack and Email

Get a notification on your Slack channel when a file is uploaded or modified in a designated folder in your Dropbox account. And if it's important, get an email as well.


Use this template




Flow name [Internal] Webinar Form + Approval + Email

✓ Update flow


✗ Close




Insertar e integrar




OneDrive + SharePoint Lists y
Librería de Documentos




Microsoft Teams como punto de
entrada para aplicaciones de
colaboración o flujos de trabajo



Excel como punto de entrada para
aplicaciones y flujos de trabajo en
página/tablas




LinkedIn como fuente para crear
aplicaciones móviles



Dynamics como punto de partida
para crear aplicaciones
contextuales.

Escala Global y Preparación Empresarial



18,000

Ciudades a nivel mundial acceden al servicio diariamente.

190

Países y territorios

43

Idiomas

Cobertura mundial
19 centros de datos en todo el mundo

Nubers Nacionales
Gobierno de EEUU
China
Alemania



Las áreas sombreadas muestran países con uso de Power BI. Cuanto más oscuro es el color, mayor es el número de usuarios





Q1 2019

Named Microsoft as a leader in
The Forrester Wave™: Low-Code
Development Platforms For
AD&D Professionals

[READ REPORT >](#)



The Forrester Wave™ is copyrighted by Forrester Research, Inc. Forrester and Forrester Wave™ are trademarks of Forrester Research, Inc. The Forrester Wave™ is a graphical representation of Forrester's call on a market and is plotted using a detailed spreadsheet with exposed scores, weightings, and comments. Forrester does not endorse any vendor, product, or service depicted in the Forrester Wave™. Information is based on best available resources. Opinions reflect judgment at the time and are subject to change.





July 2018

Named Microsoft again as
a Leader in the Magic
Quadrant for Mobile App
Development Platforms

[READ REPORT >](#)



This graphic was published by Gartner, Inc. as part of a larger research document and should be evaluated in the context of the entire document. The Gartner document is available upon request from Microsoft. Gartner does not endorse any vendor, product or service depicted in its research publications, and does not advise technology users to select only those vendors with the highest ratings or other designation. Gartner research publications consist of the opinions of Gartner's research organization and should not be construed as statements of fact. Gartner disclaims all warranties, expressed or implied, with respect to this research, including any warranties of merchantability or fitness for a particular purpose.





February 2019

Recognized as a leader
for Analytics and Business
Intelligence Platforms—for
12 consecutive years

[READ REPORT >](#)




This graphic was published by Gartner, Inc. as part of a larger research document and should be evaluated in the context of the entire document. The Gartner document is available upon request from Microsoft. Gartner does not endorse any vendor, product or service depicted in its research publications, and does not advise technology users to select only those vendors with the highest ratings or other designation. Gartner research publications consist of the opinions of Gartner's research organization and should not be construed as statements of fact. Gartner disclaims all warranties, expressed or implied, with respect to this research, including any warranties of merchantability or fitness for a particular purpose.



DEMO 1

Azure Data Studio



File Edit View Help

LeadSQLNotebook.ipynb x wow.ipynb

⟳ ⌂ ⌄

Kernel: SQL Attach to: master (Windows Authentication) Code Text Not Trusted Run Cells Clear Results

ADS Lead SQL Notebook

Created by [@HiramFleitas](#)

Create database on localhost SQL Server 2019 ctp 2.4+

```
[1] 1 if db_id('FleitasArts') is null create database FleitasArts;
2 go
```

Commands completed successfully.

Total execution time: 00:00:00.0392287

Use DB and Drop Tables If Exists

```
[2] 1 use FleitasArts
2 go
3 drop table if exists Ticket
4 drop table if exists Lead
5 drop table if exists CustomerAccount
6 drop table if exists Customer
7 go
8 set nocount on;
```

Commands completed successfully.

Total execution time: 00:00:00.0076721

Commands completed successfully.

Total execution time: 00:00:00.0007956

Commands completed successfully.

Total execution time: 00:00:00.0002688

File Edit View Help

LeadSQLNotebook.ipynb x wow.ipynb

⟳ ⌂ ⌄

Kernel: SQL Attach to: ., master (Windows Authentication) Code Text Not Trusted Run Cells Clear Results

Form Ref:

1. HO4 = apt can be assumed to rent
2. HO6 = condo and not rent
3. HO3 = home and live in
4. DP = home and rent out

Add Tables

```
[3] 1 use FleitasArts
2 go
3 if object_id('Customer') is null
4 begin
5     create table Customer (
6         [CustomerId]    int identity(1,1)
7         ,[Name]        nvarchar(256)
8         ,[Email]        varchar(320)
9         constraint pkCustomer primary key clustered ([CustomerId] asc)
10    );
11 end
12 go
13 if object_id('CustomerAccount') is null
14 begin
15     create table CustomerAccount (
16         [CustomerAccountId]   int identity(1,1)
17         ,[CustomerId]          int foreign key references Customer(CustomerId)
18         ,[AcctNumEnding]       int
19         constraint pkCustomerAccount primary key clustered ([CustomerAccountId] asc)
20    );
21 end
22 go
23 if object_id('Lead') is null
24 begin
25     create table Lead (
26         [LeadId]      int identity(1001,1)
27         ,[Name]        nvarchar(256)
```


File Edit View Help

LeadSQLNotebook.ipynb x wow.ipynb

⟳ ⌂ ⌄

Kernel: SQL Attach to: ., master (Windows Authentication) Code Text Not Trusted Run Cells Clear Results

```
22 go
23 if object_id('Lead') is null
24 begin
25     create table Lead (
26         [LeadId] int identity(1001,1)
27         ,[Name] nvarchar(256)
28         ,[Email] varchar(320)
29         --,[Phone] varchar(20)
30         ,[Address] nvarchar(256)
31         --,[Type] varchar(25) --house, condo, apartment, townhouse
32         --,[Occupancy] varchar(25) --tenant, owner, seasonal, secondary, vacant.
33         --,[Use] varchar(25) --rent, rent out, live
34         ,[Status] bit default(0) -- 0 open / 1 closed
35         ,[CreatedBy] nvarchar(128)
36         ,[CreatedOn] datetime default getdate()
37         ,[ModifiedBy] nvarchar(128)
38         ,[ModifiedOn] datetime
39         constraint pkLeads primary key clustered ([LeadId] asc)
40     );
41 end
42 go
43 if object_id('Ticket') is null
44 begin
45     create table Ticket (
46         [TicketId] int identity(2001,1)
47         ,[CustomerId] int
48         ,[AcctNumEnding] int
49         ,[Status] bit default(0) -- 0 open / 1 closed
50         ,[LeadId] int foreign key references Lead(LeadId)
51         ,[CreatedBy] nvarchar(128) default suser_name()
52         ,[CreatedOn] datetime default getdate()
53         ,[ModifiedBy] nvarchar(128) default suser_name()
54         ,[ModifiedOn] datetime default getdate()
55         constraint pkTicket primary key clustered ([TicketId] asc)
56     );
57 end
58 go
```



File Edit View Help

LeadSQLNotebook.ipynb x wow.ipynb

...

Kernel: SQL Attach to: master (Windows Authentication) Code Text Not Trusted Run Cells Clear Results

Add Data

```
[4] 1 use FleitasArts
2 go
3 insert Customer values
4 ('Don', 'dmoney@icloud.com')
5 ,('Lou', 'sweetlou@gmail.com')
6 ,('Jackie', 'hr@icloud.com')
7 go
8 insert CustomerAccount values
9 (1, 9256)
10 ,(2, 7146)
11 ,(3, 6401)
12 go
13 insert Lead values
14 ('Don', 'dmoney@icloud.com', '501 S Ocean Blvd, Palm Beach, FL 33480', 0, suser_name(), getdate(), null,null) --'561-805-9256', 'condo', 'seasonal', 'rent out',
15 ,('Tony', 'wakeboard@live.com', '401 E 65th St, Hialeah, FL 33013', 0, suser_name(), getdate(), null,null) --'786-381-4056', 'house', 'owner', 'live',
16 ,('Jackie', 'hr@icloud.com', '401 E 65th St, Hialeah, FL 33013', 0, suser_name(), getdate(), null,null)
17
18 ,('Kim', 'ciokim@icloud.com', '700 Lake Dr, Boca Raton, FL 33432', 0, suser_name(), getdate(), null,null)
19 ,('Fabina', 'fabi@aol.com', '215 SE Spanish Trl, Boca Raton, FL 33432', 0, suser_name(), getdate(), null,null)
20 ,('Christina', 'csosa@live.com', '13 Sunset Key Dr, Key West, FL 33040', 0, suser_name(), getdate(), null,null)
21 go
22 insert Ticket values
23 (1, 9256, 0, 1001, suser_name(), getdate(), null, null)
24 ,(3, 6401, 0, 1003, suser_name(), getdate(), null, null)
25 go
```

Commands completed successfully.

Total execution time: 00:00:00.0006092

Commands completed successfully.

Total execution time: 00:00:00.0058313

Commands completed successfully.

Total execution time: 00:00:00.0056453

Commands completed successfully.

Total execution time: 00:00:00.0029024

File Edit View Help

LeadSQLNotebook.ipynb x wow.ipynb

? □ ...

Kernel: SQL Attach to: master (Windows Authentication) Code Text Not Trusted Run Cells Clear Results

Get Tables

```
[5] 1 select * from Customer;
2 select * from CustomerAccount;
3 select * from Lead;
4 select * from Ticket;
```

Commands completed successfully.

Total execution time: 00:00:00.1160202

	CustomerId	Name	Email
1	1	Don	dmoney@icloud.com
2	2	Lou	sweetlou@gmail.com
3	3	Jackie	hr@icloud.com

	CustomerAccountId	CustomerId	AcctNumEnding
1	1	1	9256
2	2	2	7146
3	3	3	6401

	LeadId	Name	Email	Address	Status	CreatedBy	CreatedOn	ModifiedBy	ModifiedOn
1	1001	Don	dmoney@icloud.com	501 S Ocean Blvd, Palm Beach, FL ...	0	UPCIC\hfleitas	2019-04-27 14:12:01.077	NULL	NULL
2	1002	Tony	wakeboard@live.com	401 E 65th St, Hialeah, FL 33013	0	UPCIC\hfleitas	2019-04-27 14:12:01.077	NULL	NULL
3	1003	Jackie	hr@icloud.com	401 E 65th St, Hialeah, FL 33013	0	UPCIC\hfleitas	2019-04-27 14:12:01.077	NULL	NULL
4	1004	Kim	cikim@icloud.com	700 Lake Dr, Boca Raton, FL 33432	0	UPCIC\hfleitas	2019-04-27 14:12:01.077	NULL	NULL
5	1005	Fabina	fabi@aol.com	215 SE Spanish Trl, Boca Raton, FL...	0	UPCIC\hfleitas	2019-04-27 14:12:01.077	NULL	NULL
6	1006	Christina	csosa@live.com	13 Sunset Key Dr, Key West, FL 33...	0	UPCIC\hfleitas	2019-04-27 14:12:01.077	NULL	NULL

File Edit View Help

LeadSQLNotebook.ipynb x wow.ipynb

⟳ ⌂ ⌄

Kernel: SQL Attach to: master (Windows Authentication) Code Text Not Trusted Run Cells Clear Results

Commands completed successfully.

Total execution time: 00:00:00.1160202

	CustomerId	Name	Email
1	1	Don	dmoney@icloud.com
2	2	Lou	sweetlou@gmail.com
3	3	Jackie	hr@icloud.com

	CustomerAccountId	CustomerId	AcctNumEnding
1	1	1	9256
2	2	2	7146
3	3	3	6401

	LeadId	Name	Email	Address	Status	CreatedBy	CreatedOn	ModifiedBy	ModifiedOn
1	1001	Don	dmoney@icloud.com	501 S Ocean Blvd, Palm Beach, FL ...	0	UPCIC\hfleitas	2019-04-27 14:12:01.077	NULL	NULL
2	1002	Tony	wakeboard@live.com	401 E 65th St, Hialeah, FL 33013	0	UPCIC\hfleitas	2019-04-27 14:12:01.077	NULL	NULL
3	1003	Jackie	hr@icloud.com	401 E 65th St, Hialeah, FL 33013	0	UPCIC\hfleitas	2019-04-27 14:12:01.077	NULL	NULL
4	1004	Kim	cikim@icloud.com	700 Lake Dr, Boca Raton, FL 33432	0	UPCIC\hfleitas	2019-04-27 14:12:01.077	NULL	NULL
5	1005	Fabina	fabi@aol.com	215 SE Spanish Trl, Boca Raton, FL...	0	UPCIC\hfleitas	2019-04-27 14:12:01.077	NULL	NULL
6	1006	Christina	csosa@live.com	13 Sunset Key Dr, Key West, FL 33...	0	UPCIC\hfleitas	2019-04-27 14:12:01.077	NULL	NULL

	TicketId	CustomerId	AcctNumEnding	Status	LeadId	CreatedBy	CreatedOn	ModifiedBy	ModifiedOn
1	2001	1	9256	0	1001	UPCIC\hfleitas	2019-04-27 14:12:01.080	NULL	NULL
2	2002	3	6401	0	1003	UPCIC\hfleitas	2019-04-27 14:12:01.080	NULL	NULL

File Edit View Help

LeadSQLNotebook.ipynb x wow.ipynb

? □ ...

Kernel: SQL Attach to: master (Windows Authentication) Code Text Not Trusted Run Cells Clear Results

Add CheckLead Proc

```
[6] 1 create or alter proc CheckLead (
2     @Email  varchar(320)
3 )
4 as
5     declare @CustomerId int, @AcctNumEnd int;
6
7     if object_id('tempdb.dbo.#CheckLead') is not null drop table #CheckLead;
8     create table #CheckLead (AcctNumEnd int);
9
10    if @Email is not null
11        begin
12            select @CustomerId = CustomerId from Customer where Email=@Email;
13
14            insert #CheckLead (AcctNumEnd)
15            select AcctNumEnding
16            from CustomerAccount where CustomerId = @CustomerId;
17
18            select top 1 @AcctNumEnd=AcctNumEnd from #CheckLead;
19
20            if @CustomerId is not null and @AcctNumEnd is not null
21                begin try
22                    select      t.TicketId, t.LeadId
23                    from      Ticket t
24                    inner join #CheckLead cl
25                        on cl.AcctNumEnd = t.[AcctNumEnding]
26                end try
27                begin catch
28                    select 'Check Failed' as Error;
29                    throw;
30                end catch
31        end
32    go
33    exec CheckLead @email='dmoney@icloud.com';
34    exec CheckLead @email='wakeboard@live.com';
35    exec CheckLead @email='kn@icloud.com';
```

File Edit View Help

LeadSQLNotebook.ipynb x wow.ipynb

⟳ ⌂ ⌄

Kernel: SQL Attach to: master (Windows Authentication) Code Text Not Trusted Run Cells Clear Results

```
[6]    13  
14      insert #CheckLead (AcctNumEnd)  
15      select AcctNumEnding  
16      from CustomerAccount where CustomerId = @CustomerId;  
17  
18      select top 1 @AcctNumEnd=AcctNumEnd from #CheckLead;  
19  
20      if @CustomerId is not null and @AcctNumEnd is not null  
21      begin try  
22          select t.TicketId, t.LeadId  
23          from Ticket t  
24          inner join #CheckLead cl  
25          on cl.AcctNumEnd = t.[AcctNumEnding]  
26      end try  
27      begin catch  
28          select 'Check Failed' as Error;  
29          throw;  
30      end catch  
31  end  
32 go  
33 exec CheckLead @email='dmoney@icloud.com';  
34 exec CheckLead @email='wakeboard@live.com';  
35 exec CheckLead @email='hr@icloud.com';
```

Commands completed successfully.

Total execution time: 00:00:00.0070274

Commands completed successfully.

Total execution time: 00:00:00.0360918

	TicketId	LeadId
1	2001	1001

	TicketId	LeadId
1	2002	1003

File Edit View Help

LeadSQLNotebook.ipynb x wow.ipynb

□ □ ...

Kernel: SQL Attach to: ., master (Windows Authentication) Code Text Not Trusted Run Cells Clear Results

Add LinkLead Proc

```
[7] 1 create or alter proc LinkLead (
2     @LeadId      int
3     ,@Email       varchar(320)
4     ,@Name        nvarchar(256)
5 )
6 as
7     declare @CustomerId    int
8             ,@TicketId      int
9             ,@date          datetime;
10
11    --select @CustomerId = CustomerId from Customer where Email=@Email;
12    select @LeadId = LeadId from Lead where Name=@Name and Email=@Email;
13
14    --if @TicketId is not null and @CustomerId is not null
15    begin try
16        /*update    Ticket
17        set      CustomerId = @CustomerId, LeadId = @LeadId,
18                ModifiedBy = suser_name(), ModifiedOn = getdate()
19        where    TicketId = @TicketId*/
20        insert Ticket values (
21            null, null, 0, @LeadId, suser_name(), getdate(), null, null
22        )
23    end try
24    begin catch
25        select 'Link Failed' as Error;
26        throw;
27    end catch
28
29    select TicketId, CustomerId, LeadId, Status, CreatedBy, CreatedOn, ModifiedBy
30    from    Ticket
31    where   LeadId = @LeadId
32 go
33 exec LinkLead 1002, 'wakeboard@live.com', 'Tony'
34 go
```

File Edit View Help

LeadSQLNotebook.ipynb x wow.ipynb

⟳ ⌂ ⌄

Kernel: SQL Attach to: ., master (Windows Authentication) Code Text Not Trusted Run Cells Clear Results

```
[7] 7 declare @CustomerId int
     ,@TicketId int
     ,@date datetime;
10
11 --select @CustomerId = CustomerId from Customer where Email=@Email;
12 select @LeadId = LeadId from Lead where Name=@Name and Email=@Email;
13
14 --if @TicketId is not null and @CustomerId is not null
15 begin try
16     /*update Ticket
17     set CustomerId = @CustomerId, LeadId = @LeadId,
18         ModifiedBy = suser_name(), ModifiedOn = getdate()
19     where TicketId = @TicketId*/
20     insert Ticket values (
21         null, null, 0, @LeadId, suser_name(), getdate(), null, null
22     )
23 end try
24 begin catch
25     select 'Link Failed' as Error;
26     throw;
27 end catch
28
29 select TicketId, CustomerId, LeadId, Status, CreatedBy, CreatedOn, ModifiedBy
30 from Ticket
31 where LeadId = @LeadId
32 go
33 exec LinkLead 1002, 'wakeboard@live.com', 'Tony'
34 go
```

Commands completed successfully.

Total execution time: 00:00:00.0058192

Commands completed successfully.

Total execution time: 00:00:00.0228111

	TicketId	CustomerId	LeadId	Status	CreatedBy	CreatedOn	ModifiedBy
1	2003	NULL	1002	0	UPCIC\hfleitas	2019-04-27 14:12:01.917	NULL

File Edit View Help

LeadSQLNotebook.ipynb x wow.ipynb

? □ ...

Kernel: SQL Attach to: master (Windows Authentication) Code Text Not Trusted Run Cells Clear Results

Add DeleteLead Proc

```
[8] 1 create or alter proc DeleteLead (
2     @Name      nvarchar(256)
3     ,@Email     varchar(320)
4 )
5 as
6     declare @LeadId    int
7             ,@TicketId   int
8
9     select @LeadId = LeadId from Lead where Email=@Email and Name=@Name
10    select @TicketId = TicketId from Ticket where LeadId=@LeadId
11
12    if @LeadId is not null
13        begin try
14            delete top (1) from Ticket where @LeadId=LeadId
15            delete top (1) from Lead where Email=@Email and Name=@Name
16
17            select 'Deleted:' as Msg, @LeadId as LeadId, @TicketId as TicketId
18        end try
19        begin catch
20            select 'Delete Failed' as Error;
21            throw;
22        end catch
23    go
24 exec DeleteLead 'Jackie','hr@icloud.com';
25
```

Commands completed successfully.

Total execution time: 00:00:00.0055962

Commands completed successfully.

Total execution time: 00:00:00.0158644

	Msg	LeadId	TicketId
1	Deleted:	1003	2002



File Edit View Help

LeadSQLNotebook.ipynb

⟳ ⌂ ⌄

Kernel: SQL Attach to: FleitasArts (Windows Authentication) Code Text Not Trusted Run Cells Clear Results

Add AddLead Proc

```
[4] 1 create or alter proc AddLead (
2     @Name      nvarchar(256)
3     ,@Email     varchar(320)
4     ,@Address   nvarchar(256)
5 )
6 as
7     declare @LeadId int;
8     if not exists (select top 1 LeadId
9                     from Lead
10                    where Name = @Name and Email = @Email and Address = @Address)
11        begin try
12            insert Lead (Name, Email, Address) values (@Name, @Email, @Address);
13            select max(LeadId) from Lead
14        end try
15        begin catch
16            select 'Add Failed' as Error;
17            throw;
18        end catch
19        select LeadId, Name, Email, Address
20        from Lead
21        where Name = @Name and Email = @Email and Address = @Address
22 go
23 exec AddLead 'Ryan', 'ryan@outlook.com', '750 Lake Dr, Boca Raton, FL 33432'
24 go
```

Commands completed successfully.

Total execution time: 00:00:00.0072821

(1 row affected)


Total execution time: 00:00:00.0090320

	LeadId	Name	Email	Address
1	1007	Ryan	ryan@outlook.com	750 Lake Dr, Boca Raton, FL 33432



DEMO 2

PowerApps





Microsoft

PowerApps

Overview

Pricing

Partners

Learn

Community





Sign in

Sign up free

Apps that mean business

Easily build the business apps you need and extend or customize the apps you already use.

[GET STARTED FREE >](#)




Sign in to your account



https://login.microsoftonline.com/common/oauth2/authorize?client_id=d1208c34-6081-4127-96fa-8c97ecb420c1&response_mode=form_post&response_type=code+id_token&scope...





IT WON'T FAIL BECAUSE OF ME

Sign in to your account

https://login.microsoftonline.com/common/oauth2/authorize?client_id=d1208c34-6081-4127-96fa-8c97ecb420c1&response_mode=form_post&response_type=code+id_token&s...

← → C H 🔍

Microsoft


← hiram@fleitasarts.com

Enter password

.....

Forgot my password

Sign in



IT WON'T FAIL BECAUSE OF ME

Build business apps, fast

Create apps that connect to your data and work across web and mobile. [Learn about PowerApps](#)

Make your own app

Canvas app from blank

Canvas app

Model-driven app from blank

Model-driven app

Start from data

Canvas app

PowerApps Training for Office

Canvas app

[All templates →](#)

Recent apps Shared with me

Microsoft PowerApps

IT WON'T FAIL BECAUSE OF ME

https://web.powerapps.com/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/home?utm_source=PAMarketing&utm_medium=header&utm_campaign=signin

PowerApps

Environment
fleitasarts.com (default)

Canvas app from blank

App name *

Leads

Format

Tablet

Phone

Design the app you want, and connect it to hundreds of data sources.

Canvas app

Create

All templates →

The screenshot shows the Microsoft PowerApps web interface. A modal dialog titled "Canvas app from blank" is open in the center. Inside the dialog, there is a form with fields for "App name" (containing "Leads") and "Format" (with "Phone" selected). Below the form, a descriptive text reads "Design the app you want, and connect it to hundreds of data sources." At the bottom of the dialog, there are two buttons: "Create" and "Cancel". A green arrow points to the "App name" field, and another green arrow points to the "Phone" radio button under "Format". The "Create" button is highlighted with a green border. The background of the main PowerApps interface shows a sidebar with various categories like Home, Learn, Apps, Create, Data, Business logic, and Solutions. The top navigation bar includes standard browser controls and the URL https://web.powerapps.com/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/home?utm_source=PAMarketing&utm_medium=header&utm_campaign=signin.

Microsoft PowerApps Leads - PowerApps IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/#

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads

New screen Theme Fill Reorder Align Group

Fill = f(x) RGBA(255, 255, 255, 1)

Screens Search App Screen1

Welcome to PowerApps Studio

Here are a few ways to start building an app from a blank canvas.

Create a form >

Create a gallery >

Take an interactive tour to see how an app is built ☰

Don't show me this again Skip

SCREEN Screen1 Properties Rules Advanced

Fill Background image Select an image... Image position Fit

Screen1

This screenshot shows the Microsoft PowerApps Studio interface. A central modal window titled 'Welcome to PowerApps Studio' is displayed, providing options for starting app development. The background shows the studio's toolbar, ribbon, and a sidebar for managing screens. The 'Properties' tab is selected in the sidebar, and a 'Skip' button in the welcome modal is highlighted with a green border.

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - PowerApps + https://us.create.powerapps.com/studio/#

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads

New screen Theme Fill / U A Fill Border Reorder Align Group

Fill = f x RGB(255, 255, 255, 1)

Tree view X

Search

App Screen1

SCREEN Screen1 Properties Rules Advanced

Fill

Background image Select an image...

Image position Fit

Screen1

This screenshot shows the Microsoft PowerApps Studio interface. At the top, there are two tabs: "Microsoft PowerApps" and "Leads - PowerApps". The URL in the address bar is "https://us.create.powerapps.com/studio/#". The main menu includes "File", "Home" (which is currently selected), "Insert", "View", and "Action". To the right of the menu are icons for "Leads" and other navigation functions. Below the menu is a toolbar with various tools like "New screen", "Theme", "Fill", "Border", etc. A color picker shows "Fill" set to "RGB(255, 255, 255, 1)". On the left, a "Tree view" sidebar lists "App" and "Screen1". The main workspace is currently empty. On the right, the "Properties" panel is open for "Screen1", showing options for "Fill", "Background image" (set to "Select an image..."), and "Image position" (set to "Fit").

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - PowerApps

https://us.create.powerapps.com/studio/#

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action

New screen Label Button Text Controls Gall

Fill

Tree view

Search

App Screen1

Image

Display an image from a file, data source, or other sources.

Set its properties to determine how this image control looks and behaves.

Media

Image

Camera

Barcode scanner

Video

Audio

Microphone

Add picture

SCREEN Screen1

Properties Rules Advanced

Fill

Background image Select an image...

Image position Fit

Screen1

A red rectangular box highlights the "Image" option in the "Media" dropdown menu.

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - PowerApps +

https://us.create.powerapps.com/studio/#

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads

Data sources Media Collections Variables Advanced

Fill = fx RGB(255, 255, 255, 1)

Tree view

Search

App

Screen1

Image1

SCREEN Screen1

Add data source

Properties Rules Advanced

Fill

Background image Select an image...

Image position Fit

There aren't any data sources connected to this app.

Screen1

IT WON'T FAIL BECAUSE OF ME

A screenshot of the Microsoft PowerApps studio interface. The top navigation bar shows 'Microsoft PowerApps' and 'Leads - PowerApps'. The URL 'https://us.create.powerapps.com/studio/#' is in the address bar. The environment is set to 'fleitasarts.com (default)'. The main menu includes 'File', 'Home', 'Insert', 'View' (which is selected), and 'Action'. Below the menu are tabs for 'Data sources', 'Media', 'Collections', 'Variables', and 'Advanced'. A color picker shows 'Fill' set to 'RGB(255, 255, 255, 1)'. On the left, a 'Tree view' sidebar lists 'App', 'Screen1', and 'Image1'. The central workspace contains a placeholder image of a mountain landscape. To the right, a 'Data' panel for 'SCREEN Screen1' shows a message: 'There aren't any data sources connected to this app.' It has tabs for 'Properties' (selected), 'Rules', and 'Advanced', and settings for 'Fill', 'Background image' (set to 'Select an image...'), and 'Image position' (set to 'Fit'). A circular icon with a crossed-out database symbol is displayed.

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - PowerApps

https://us.create.powerapps.com/studio/#

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads

Data sources Media Collections Variables Advanced

Fill = fx RGB(255, 255, 255, 1)

Tree view

Search

App

Screen1

Image1

Background image Select an image... Fit

Import from Excel Add static data to your app

Notifications Notifications

Office 365 Outlook hfeitas@universalproperty.com

Office 365 Users hfeitas@universalproperty.com

Office 365 Users hiram@fleitasarts.com

Screen1

SCREEN Screen1

Properties Rules Advanced

Fill

Background image Select an image... Fit

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - PowerApps

https://us.create.powerapps.com/studio/#

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads

Data sources Media Collections Variables Advanced

Image = fx Office365Users.UserPhotoV2(User().Email)

Tree view

Search

App Screen1 Image1

Image1

IMAGE Image1 Properties Rules Advanced

BorderColor RGBA(0, 18, 107, 1)

RadiusTopLeft 0

RadiusTopRight 0

RadiusBottomLeft 0

RadiusBottomRight 0

DisabledBorderColor RGBA(166, 166, 166, 1)

PressedBorderColor ColorFade(Image1.BorderColor, -20%)

HoverBorderColor ColorFade(Image1.BorderColor, 20%)

BorderThickness

Screen1 Image1

American Flag

Navigation icons: back, forward, search, etc.

Profile picture

The screenshot shows the Microsoft PowerApps studio interface. A green box highlights the formula bar where the expression `Office365Users.UserPhotoV2(User().Email)` is entered for an image control. The preview area shows a circular portrait of a man. The properties panel on the right is expanded to show advanced settings for the image, with another green box highlighting the 'Advanced' tab. The 'RadiusTopLeft' setting is explicitly set to 0. Other visible properties include BorderColor (set to a dark blue-grey), DisabledBorderColor (set to light grey), and various color fading rules for pressed and hover states.

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - PowerApps

https://us.create.powerapps.com/studio/#

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads

Data sources Media Collections Variables Advanced

Image = fx Office365Users.UserPhotoV2(User().Email)

Tree view

Search

App Screen1 Image1

Image1

IMAGE Image1 Properties Rules Advanced

ColorOnHoverImage

BorderColor

RGB(0, 18, 107, 1)

RadiusTopLeft

Image1.Height

RadiusTopRight

Image1.Height

RadiusBottomLeft

Image1.Height

RadiusBottomRight

Image1.Height

DisabledBorderColor

RGB(166, 166, 166, 1)

PressedBorderColor

ColorFade(Image1.BorderColor, -20%)

HoverBorderColor

ColorFade(Image1.BorderColor, 20%)

BorderThickness

Screen1 Image1

The screenshot displays the Microsoft PowerApps Studio interface. At the top, there are two tabs: "Microsoft PowerApps" and "Leads - PowerApps". The "Leads - PowerApps" tab is active. The URL in the address bar is "https://us.create.powerapps.com/studio/#". The main workspace shows a lead record with a circular profile picture of a man. The "Image" field in the ribbon is highlighted with a green box and contains the formula "Office365Users.UserPhotoV2(User().Email)". To the right, the properties panel is open for the "Image1" control, with the "Advanced" tab selected. Other tabs include "Properties" and "Rules". The "Advanced" tab shows settings for "ColorOnHoverImage", "BorderColor" (set to "RGB(0, 18, 107, 1)", highlighted with a green box), and various "Radius" and "Height" properties for the rounded corners, all set to "Image1.Height". The "DisabledBorderColor", "PressedBorderColor", "HoverBorderColor", and "BorderThickness" fields are also visible.

Microsoft PowerApps Leads - PowerApps IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/#

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads

Data sources Media Collections Variables Advanced

Image = fx Office365Users.UserPhotoV2(User()).Email

Tree view

Search

App

Screen1

UserPhoto

IMAGES UserPhoto Properties Rules Advanced

RadiusTopLeft UserPhoto.Height

RadiusTopRight UserPhoto.Height

RadiusBottomLeft UserPhoto.Height

RadiusBottomRight UserPhoto.Height

DisabledBorderColor RGBA(166, 166, 166, 1)

PressedBorderColor ColorFade(UserPhoto.BorderColor, -20%)

HoverBorderColor ColorFade(UserPhoto.BorderColor, 20%)

BorderThickness 0

Screen1 UserPhoto

The screenshot shows the Microsoft PowerApps Studio interface. A tree view on the left lists the app structure: App > Screen1 > UserPhoto. The 'UserPhoto' item is highlighted with a green box. In the center, there is a preview area showing a placeholder for a user photo. On the right, the properties pane is open for the 'UserPhoto' control. The 'Advanced' tab is selected, and it displays several properties related to styling: RadiusTopLeft, RadiusTopRight, RadiusBottomLeft, RadiusBottomRight, DisabledBorderColor, PressedBorderColor, HoverBorderColor, and BorderThickness. The 'DisabledBorderColor' is set to 'RGBA(166, 166, 166, 1)'. The 'PressedBorderColor' and 'HoverBorderColor' both use a formula: 'ColorFade(UserPhoto.BorderColor, -20%)' and 'ColorFade(UserPhoto.BorderColor, 20%)' respectively. The 'BorderThickness' is set to '0'. The URL in the browser bar is 'https://us.create.powerapps.com/studio/#'.

Microsoft PowerApps Leads - PowerApps + IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/#

PowerApps Environment fleitasarts.com (default)

Save as

New

The cloud Save to PowerApps

This computer Save a copy to my computer

Leads

This app will be saved in the environment fleitasarts.com (default).

My apps

Search ...

There aren't any apps saved here.

Save

Save as

Share

Collections

Media

Variables

Save

Microsoft PowerApps Leads - PowerApps + IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/#

PowerApps Environment fleitasarts.com (default)

Save as

The cloud Save to PowerApps Leads

This app will be saved in the environment fleitasarts.com (default).

My apps

Search ...

Saving to PowerApps

There aren't any apps saved here.

Save

New

Open

Account

Connections

Flows

App settings

Save

Save as

Share

Collections

Media

Save

Microsoft PowerApps Leads - PowerApps + IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/#

PowerApps Environment: fleitasarts.com (default)

Save

Leads

Environment: fleitasarts.com (default)

Saved: 5/3/2019, 6:36:25 PM

✓ All changes are saved.

Share this app See all versions

New

Open

Account

Connections

Flows

App settings

Save

Save as

Share

Collections

Media

Variables

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) Po + https://us.create.powerapps.com/studio/# PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

Image = fx SampleImage

Tree view Search App Screen1 Logo UserPhoto

Open .git CortanaTest.jpg Cover.png Logo.png wow.jpg

File name: Logo.png Custom Files (*.jpg;*.jpeg;*.gif) Open Cancel

Properties Rules Advanced

IMAGE Logo

Select an image... Add an image file

Image position Transparency Display mode Edit

Visible Position X Y

Size Width Height

Padding Top Bottom

Color Border

Screen1 Logo


Navigation icons: back, forward, search, refresh, etc.

A central image placeholder showing a person icon with a red circular selection highlight.

A file selection dialog box showing a list of files in a folder structure:

Name	Date	Type	Size	Tags
.git	4/25/2019 7:45 PM	File folder		
CortanaTest.jpg	5/3/2019 6:06 PM	JPG File	47 KB	
Cover.png	4/27/2019 4:38 PM	PNG File	124 KB	
Logo.png	5/3/2019 8:19 PM	PNG File	3 KB	
wow.jpg	4/28/2019 9:12 AM	JPG File	81 KB	

The "Select an image..." dropdown in the Properties panel is highlighted with a green box.



← → ⌂ ⌂ Leads - Saved (Unpublished) - Po x https://us.create.powerapps.com/studio/#



PowerApps

Environment
fleitasarts.com (default)



File Home Insert View Action

Leads - Saved (Unpublished)



New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

Image = fx Logo_2

Tree view

- App
- Screen1
 - Logo
 - UserPhoto



IMAGE	
Logo	
Properties	
Image	Logo_2
Image position	Fit
Transparency	0
Display mode	Edit
Visible	
Position	508 40 X 92 Y
Size	92 92 Width Height
Padding	0 0 Top Bottom
	0 0 Left Right
Color	
Border	

Screen1 Logo



IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) Po + https://us.create.powerapps.com/studio/# PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

Text Tree view X Calculator Standard History Memory 508 548 - 40 = 508 640 - 92 = 548

Label Properties Rules Advanced

Font weight Normal

Font style / U

Text alignment

Auto height Off

Line height 1.2

Overflow Hidden

Display mode Edit

Visible On

Position 0 210 X Y

Size 640 70 Width Height

Padding 5 5 Top Bottom

5 5

Calculator interface showing a history of operations: 548 - 40 = 508 and 640 - 92 = 548. The result 508 is highlighted with a green box. The properties panel on the right shows the current selection is a 'Label' control named 'Label1'. The 'Size' property is set to 640x70. A red box highlights the 'Size' field.



PowerApps

Environment
fleitasarts.com (default)

File Home Insert View Action

Leads



New screen Label Button

Text Controls Gallery Data table Forms Media Charts Icons

Default

Text input

A field for users to type text, numbers, and other data.

Set its properties to determine how this input control looks and behaves.


Label

Text input

HTML text

Rich text editor

Pen input



TEXT INPUT

TextInput1

Properties

Rules Advanced

Default	Text input
Format	Text
Hint text	No value
Font	Open Sans
Font size	21
Font weight	Normal
Font style	/ U —
Text alignment	Left Center Right
Line height	1.2
Clear button	Off
Maximum length	No value
Mode	Single line
Display mode	Edit

Screen1 TextInput1





https://us.create.powerapps.com/studio/#

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action

Leads - Saved (Unpublished)




New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

Default = fx "Name"


Tree view

- App
- Screen1
 - TextInput1
 - Logo
 - UserPhoto



TEXT INPUT	TextInput1	(?)
Properties	Rules	Advanced
Position	40	192
Size	560	70
Padding	5	5
Color	A	Color picker
Border	—	Width: 2px, Color: Blue
Border radius	0	
Disabled color	A	Color picker
Hover color	A	Color picker
Pressed color	A	Color picker
Tooltip	No value	

Screen1 TextInput1





https://us.create.powerapps.com/studio/#

PowerApps

Environment
fleitasarts.com (default)

File Home Insert View Action

Leads - Saved (Unpublished)




New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

Default = fx "Name"

Tree view

- App
- Screen1
 - TextInput1_2
 - TextInput1_1
 - TextInput1
- Logo
- UserPhoto



TEXT INPUT	
Properties	
Default	Name
Format	Text
Hint text	No value
Font	Open Sans
Font size	21
Font weight	Normal
Font style	/ U =
Text alignment	Left Center Right
Line height	1.2
Clear button	Off
Maximum length	No value
Mode	Single line
Display mode	Edit

Screen1 TextInput1

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) Create key - Bing Maps Dev Cent

https://us.create.powerapps.com/studio/#

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) ?

New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

Default = fx "Name"

Tree view Search App Screen1 Address Email Name Logo UserPhoto

Name Email Address

Properties Rules Advanced

Default Name

Format Text

Hint text No value

Font Open Sans

Font size 21

Font weight Normal

Font style / U =

Text alignment

Line height 1.2

Clear button Off

Maximum length No value

Mode Single line

Display mode Edit

Visible On

Screen1 Name

- + 40% Visible On

The screenshot displays the Microsoft PowerApps Studio interface. A 'Text' control named 'Name' is selected on a screen labeled 'Screen1'. The control has a placeholder 'Name'. The properties pane on the right shows settings for the 'Text' control, including 'Font' (Open Sans), 'Font size' (21), and 'Font weight' (Normal). The 'Display mode' is set to 'Edit'. The 'Visible' switch is turned on. The 'Properties' tab is currently selected in the properties pane.



PowerApps

Environment
fleitasarts.com (default)File Home Insert **View** Action

Leads - Saved (Unpublished)



Data sources Media Collections Variables Advanced

Fill

= fx

RGB(255, 255, 255, 1)

▼




Tree view



Search



Screen1



Screen1

Data



Search

My connections



10to8 Appointment Scheduling



Act!



Acumatica



Adobe Creative Cloud



Adobe Sign



Ahead



Ally



SCREEN

Screen1

Properties

Rules

Advanced

Fill



Background image

Select an image... ▾

Image position

Fit ▾





PowerApps

File Home Insert **View** Action

Leads - Saved (Unpublished)

Environment
fleitasarts.com (default)

Fill = *fx* `RGB(255, 255, 255, 1)`

Tree view

- App
- Screen1
 - Address
 - Email
 - Name
 - Logo
 - UserPhoto

Data

bing

My connections

Bing Maps

Bing Search

SCREEN
Screen1

Properties Rules Advanced

Fill

Background image Select an image...

Image position Fit

Screen1



Essential services

Advanced services

Quick links

Search on Bing



For businesses

For developers

Reference & tools

Maps APIs

The Bing Maps platform provides [multiple API options](#) for your application including an Web control, a Windows UWP apps control, a WPF control, REST Services, and Spatial Data Services. Key solution areas include consumer facing websites, Windows applications, and Geospatial data visualization in line of business solutions in the enterprise.

Backed by enterprise-grade 24/7 support, our Bing Maps API for Enterprise offers the simplest and fastest way to add location information to any business app. Getting started is easy, just register for a Bing Maps account and create a Bing Maps key to authenticate your app.

Get started

Enhance your mapping applications with a suite of Bing Maps fleet management API services. Whether you're looking for travel-time optimization, routing logistics, asset tracking, or all of the above, Bing Maps has an easy to use solution for your fleet management needs.

Learn more




The Bing Maps platform: a mapping solution from Microsoft, built for the enterprise.

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) - Po Bing for Partners helps business Create a Map with Bing Maps Key

https://www.microsoft.com/en-us/maps/create-a-bing-maps-key

Microsoft | Bing Maps Get Started Licensing Developer Documentation Support More REQUEST QUOTE All Microsoft Search Cart Hiram



Get Started Today

Create a key and start developing your app with Bing Maps

You don't need to be a map creator to develop with Bing Maps. When you register for a Bing Maps account, you'll create a Bing Maps key to authenticate your application, which allows you to include the power of Bing Maps directly in your app. Create a key to get started developing with Bing Maps, and start developing your app today.

Basic Key

Bing Maps Keys for Business and Personal Use

Basic Key

Bing Maps Keys for Business and Personal Use

The Basic Bing Maps Key is for use with consumer-facing, education, and non-profit applications as well as for internal commercial Windows or Windows Phone applications that qualify for free use. See restrictions below.

Please see the Enterprise Key for business applications used by authenticated enterprise associates and agents.

Basic Key application types and parameters


• Website	Public and internal website, and mobile apps that are not on/for the Windows Phone: Maximum 125,000 cumulative billable transactions per calendar year at no charge
• Mobile App	
• Windows App	Public and private Windows App, Education and Non-profit: Maximum 50,000 cumulative billable transactions within any 24-hour period
• Education	
• Non-profit	
• Dev/Test	Applications used by authenticated enterprise users (employees or agents of the enterprise) over a private network. Maximum 125,000 cumulative billable transactions per calendar year at no charge.

[GET THE BASIC BING MAPS KEY >](#)

Bing Maps Resources

- Fleet Management Services
- Windows 10 Map Control and Services
- Bing Maps Documentation
- Bing Maps Developer Support
- Licensing Solutions Partner Resources
- Community
- Other Resources

Bing maps | Dev Center



Welcome

The Bing Maps Dev Center provides the tools and resources you need to develop with Bing Maps. You can store, access, and keep track of your store locations or other spatial data through our online data source management system. You will also receive important announcements around your Bing Maps account.

[Sign in](#)

First time Bing Maps developer?

To get started developing with Bing Maps, you will need a Bing Maps key. To create a key:

1. [Sign in](#) to the Bing Maps Dev Center with your existing Microsoft Account or create a new one.
2. Or, if you're an Azure customer, you can add Bing Maps to your Azure subscription through the [Azure Marketplace](#).

Samples

[Interactive SDK for Bing Maps Web Control v8](#)
[Code samples](#)
[Case studies](#)


Help

[Getting started](#)
[API & Controls](#)
[Licensing](#)
[Technical support](#)

Community

[Bing Maps blog](#)
[Forum](#)
[Twitter](#)





IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) - Po Bing for Partners helps business Create a Map with Bing Maps Key Sign up - Bing Maps Dev Center +

https://www.bingmapsportal.com/Account/Register?userConfirmation=False

Create account

Account details

Account name *

Contact name

Company name

Email address * - This email address will receive important service announcements and notifications.

Phone number

I agree to the [Bing Maps Platform APIs' Terms of Use \(TOU\)](#).

Contact Preferences

I would like information, tips and offers about Bing Maps. [Privacy Statement](#)

Email Telephone

Create

* Required field

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) - Po Bing for Partners helps businesse Create a Map with Bing Maps Key Announcements - Bing Maps Dev

https://www.bingmapsportal.com/announcement

Bing maps | Dev Center

My account ▾ Data sources ▾ Announcements Contacts & Info (hiramfleitas@hotmail.com) Sign out

Account Details My Keys Reports

Announcement: No current service announcements.

To stay informed about recent Bing Maps Platform releases and news, please visit the [Bing Maps Blog](#).

Important reminder regarding Bing Maps service notifications:

To ensure your company receives important Bing Maps service notifications and announcements that may affect your service availability, please make sure you always keep your organization's email contacts up-to-date in the 'Account Details' section of the Bing Maps Dev Center. **We recommend having multiple email address contacts listed there and the use of a distribution group email address is a suggested best practice (i.e.: bingmaps@contoso.com).**

© 2019 - Microsoft Corporation. All rights reserved. [Privacy and Cookies](#) [Legal](#) [Terms of Use](#)

https://www.bingmapsportal.com/Application

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps

Leads - Saved (Unpublished) - Po

Bing for Partners helps businesse

Create a Map with Bing Maps Key

Create key - Bing Maps Dev Cent

+

X

←

→

C

H

https://www.bingmapsportal.com/Application

★

...

Bing maps | Dev Center

My account

Data sources

Announcements

Contacts & Info

(hiramfleitas@hotmail.com)

Sign out

My keys

Create key

Application name *

PowerApps Leads

Application URL

https://web.powerapps.com

Key type *

What's This

Basic

Application type *

Dev/Test

Create

Cancel

* Required field

To create Education, Broadcast or Not-for-Profit keys, please contact
the Bing Maps account team at mpnet@microsoft.com.

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps

Leads - Saved (Unpublished) - Po

Bing for Partners helps businesse

Create a Map with Bing Maps Key

Create key - Bing Maps Dev Cent

+

-

X

← → ⌂ ⌂

https://www.bingmapsportal.com/Application

☆ 🚙 ⌂

Bing maps | Dev Center

My account

Data sources

Announcements

Contacts & Info

(hiramfleitas@hotmail.com)

Sign out

My keys

Key created successfully.

Click [here](#) to create a new key.

Click [here](#) to download complete list of keys.

View Specific Key:

Enter key to search...

🔍

Application name	Key details
PowerApps Leads	<p>Key: Show key</p> <p>Application Url:</p> <p>Key type: Basic / Dev/Test</p> <p>Created date: 05/04/2019</p> <p>Expiration date: None</p> <p>Key Status: Enabled</p> <p>Security Enabled: No</p> <p>Update</p> <p>Copy key</p> <p>Usage Report</p> <p>Enable</p> <p>Security</p>

© 2019 - Microsoft Corporation. All rights reserved. [Privacy and Cookies](#) [Legal](#) [Terms of Use](#)

⟳

Bing maps | Dev Center

[My account](#) [Data sources](#)ramfleitas@hotmail.com [Sign out](#)

My keys

Key created successfully.

Click [here](#) to create a new key.Click [here](#) to download complete list of keys.

View Specific Key:

Enter key to s

[Close](#)

Application Key Security Settings				
Referrers	IP Range	Enabled	Action	
<input type="text"/>	<input type="text"/>	<input checked="" type="checkbox"/>		
PowerApps	powerapps.com	<input checked="" type="checkbox"/>		

Application name	Key details	
PowerApps Leads	Key: Show key Application Url: Key type: Basic / Dev/Test Created date: 05/04/2019 Expiration date: None Key Status: Enabled Security Enabled: No	Update Copy key Usage Report Enable Security



Microsoft PowerApps Leads - Saved (Unpublished) - Po Create key - Bing Maps Dev Cent

IT WON'T FAIL BECAUSE OF ME

https://www.bingmapsportal.com/Application#

Bing maps | Dev Center

My account Data sources Announcements Contacts & Info (hiramfleitas@hotmail.com) Sign out

My keys

Click [here](#) to create a new key.
Click [here](#) to download complete list of keys.

View Specific Key:

Application name	Key details
PowerApps Leads	<p>Key: Show key</p> <p>Application Url:</p> <p>Key type: Basic / Dev/Test</p> <p>Created date: 05/04/2019</p> <p>Expiration date: None</p> <p>Key Status: Enabled</p> <p>Security Enabled: Yes</p> <div style="position: absolute; top: 0; right: 0;"><ul style="list-style-type: none">UpdateCopy keyUsage ReportEdit Security</div>

© 2019 - Microsoft Corporation. All rights reserved. [Privacy and Cookies](#) [Legal](#) [Terms of Use](#)

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) Create key - Bing Maps Dev Cent

https://us.create.powerapps.com/studio/#

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Data sources Media Collections Variables Advanced

Fill = RGBA(255, 255, 255, 1)

Tree view

Search

App

Screen1

Address Email Name Logo UserPhoto

Name Email Address

Bing Maps

Preview Bing Maps API Key *

SCREEN Screen1 Properties Rules Advanced

Fill Background image Select an image... Image position Fit

Create Cancel

Leads - Saved (Unpublished)

?

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) Create key - Bing Maps Dev Cent

https://us.create.powerapps.com/studio/#

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Data sources Media Collections Variables Advanced

Fill = RGBA(255, 255, 255, 1)

Tree view

Search

App

Screen1

Address Email Name Logo UserPhoto

Name Email Address

Bing Maps

Preview Bing Maps

API Key *

SCREEN Screen1 Properties Rules Advanced

Fill Background image Select an image... Image position Fit

Create Cancel

Leads - Saved (Unpublished)

?

https://us.create.powerapps.com/studio/#

PowerApps

Environment
fleitasarts.com (default)

File Home Insert **View** Action

Leads - Saved (Unpublished)

Data sources Media Collections Variables Advanced

Fill = *fx* `RGB(255, 255, 255, 1)`

Tree view

- App
- Screen1
 - Address
 - Email
 - Name
 - Logo
 - UserPhoto

Screen1

Data

Add data source


- Office365Users**
hiram@fleitasarts.com
- BingMaps**
Bing Maps


Properties Rules Advanced

Fill

Background image Select an image...

Image position Fit





IT WON'T FAIL BECAUSE OF ME

PowerApps Environment
fleitasarts.com (default)

File Home Insert View Action

GetMapV2(imagerySet, zoomLevel, latitude, longitude, ...)

New screen Label Button

Image = BingMaps.GetMapV2()

Tree view

Search

- App
- Screen1
 - Map
 - Address
 - Email
 - Name
 - Logo
 - UserPhoto

Name

Email

Address

Image Select an image...

Image position Fit

Transparency 0

Display mode Edit

Visible On

Position 40 463

Size 560 320

Padding 0 0

Top 0 Bottom 0

Left 0 Right 0

Color

Border 0

Screen1 Map

Microsoft PowerApps Leads - Saved (Unpublished) +

https://us.create.powerapps.com/studio/#

PowerApp Environment fleitasarts.com (default)

File Home In New screen Controls Gallery Data table Forms Media Charts Icons

Allow Block

Know your location

Leads - Saved (Unpublished)

Image = BingMaps.GetMapV2("AerialWithLabels",11,Location.Latitude,Location.Longitude)

Tree view

Search

App Screen1 Map Address Email Name Logo UserPhoto

Name

Email

Address

IMAGE Map Properties Rules Advanced

Image Select an image... Image position Fit Transparency 0 Display mode Edit

Visible On Position X 40 Y 463 Size Width 560 Height 320 Padding Top 0 Bottom 0 Left 0 Right 0

Color Border 0

Screen1 Map

IT WON'T FAIL BECAUSE OF ME

US FLAG

Leads - Saved (Unpublished)

Map

File Home Insert **View** ActionGetMapV2(imagerySet, **zoomLevel**, latitude, longitude, ...)

Data sources Media Collections

zoomLevel: The level of zoom to display between 0 and 21. Default 10 Default: "10"

Image

= fx

BingMaps.GetMapV2("AerialWithLabels", 15, Location.Latitude, Location.Longitude)

Tree view

Search

- App
- Screen1
 - Map
 - Address
 - Email
 - Name
 - Logo
 - UserPhoto







IMAGE
Map**Properties** Rules Advanced

Image Select an image... ▾

Image position Fit ▾

Transparency 0

Display mode Edit ▾

Visible On Position 40 463 X YSize 560 320 Width HeightPadding 0 0 Top Bottom0 0 Left RightColor Color pickerBorder Border settings 0

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) - Po Reports - Bing Maps Dev Center

https://us.create.powerapps.com/studio/#

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action

GetMapV2(imagerySet, **zoomLevel**, latitude, longitude, ...)

zoomLevel: The level of zoom to display between 0 and 21. Default 10 Default: "10"

Image = `BingMaps.GetMapV2("Road", 15, Location.Latitude, Location.Longitude)`

Tree view

Search

- App
- Screen1
- Map
- Address
- Email
- Name
- Logo
- UserPhoto

Properties

Image: Select an image...

Image position: Fill

Transparency: 0

Display mode: Edit

Visible: On

Position: X: 40, Y: 463

Size: Width: 560, Height: 320

Padding: Top: 0, Bottom: 0, Left: 0, Right: 0

Color

Border: 0

Screen1 Map

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) Reports - Bing Maps Dev Center

https://us.create.powerapps.com/studio/#

PowerApps

Environment
fleitasarts.com (default)

File Home Insert View Action

Leads - Saved (Unpublished)

Navigation icons: Back, Forward, Stop, Refresh, Home, Search, Help.

Action buttons: Navigate, Collect, Remove, On select, On change, Flows.

OnChange = Set(vAddress, BingMaps.GetLocationByAddress({addressLine:Address.Text}))

Tree view

- App
- Screen1
 - Map
 - Address
- Email
- Name
- Logo
- UserPhoto

Properties

Address

Default	Address
Format	Text
Hint text	No value
Font	Open Sans
Font size	21
Font weight	Normal
Font style	/ U =
Text alignment	Left Center Right
Line height	1.2
Clear button	Off
Maximum length	No value
Mode	Single line
Display mode	Edit

Microsoft PowerApps Leads - Saved (Unpublished) Reports - Bing Maps Dev Center

IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/#

PowerApps Environment fleitasarts.com (default)

Action

File Home Insert View Action

Leads - Saved (Unpublished)

Image = fx On select Flows

If(Address.Text="Address",BingMaps.GetMapV2("Road",15,Location.Latitude,Location.Longitude),BingMaps.GetMapV2("Road",15,vAddress.point.coordinates.latitude,vAddress.point.coordinates.longitude))

Tree view

Search

App Screen1 Map Address Email Name Logo UserPhoto

Format text Remove formatting

Name Email Address

W Island St W 60th Terrace Sparks Park W 60th St W 59th Pl W 58th St W 57th Ave W 56th Ave W 55th Ave W 54th Ave W 53rd Ave W 52nd Ave W 51st Ave W 50th Ave W 49th Ave W 48th Ave W 47th Ave W 46th Ave W 45th Ave W 44th Ave W 43rd Ave W 42nd Ave W 41st Ave W 40th Ave W 39th Ave W 38th Ave W 37th Ave W 36th Ave W 35th Ave W 34th Ave W 33rd Ave W 32nd Ave W 31st Ave W 30th Ave W 29th Ave W 28th Ave W 27th Ave W 26th Ave W 25th Ave W 24th Ave W 23rd Ave W 22nd Ave W 21st Ave W 20th Ave W 19th Ave W 18th Ave W 17th Ave W 16th Ave W 15th Ave W 14th Ave W 13th Ave W 12th Ave W 11th Ave W 10th Ave W 9th Ave W 8th Ave W 7th Ave W 6th Ave W 5th Ave W 4th Ave W 3rd Ave W 2nd Ave W 1st Ave W 0th Ave W 5th Pl W 4th Pl W 3rd Pl W 2nd Pl W 1st Pl W 0th Pl W 5th Ct W 4th Ct W 3rd Ct W 2nd Ct W 1st Ct W 0th Ct W 5th Ctr W 4th Ctr W 3rd Ctr W 2nd Ctr W 1st Ctr W 0th Ctr W 5th Dr W 4th Dr W 3rd Dr W 2nd Dr W 1st Dr W 0th Dr W 5th Pl W 4th Pl W 3rd Pl W 2nd Pl W 1st Pl W 0th Pl W 5th Ct W 4th Ct W 3rd Ct W 2nd Ct W 1st Ct W 0th Ct W 5th Ctr W 4th Ctr W 3rd Ctr W 2nd Ctr W 1st Ctr W 0th Ctr W 5th Dr W 4th Dr W 3rd Dr W 2nd Dr W 1st Dr W 0th Dr

Properties Rules Advanced


Image Select an image... Image position Fill Transparency 0 Display mode Edit

Visible On Position X 40 Y 463 Size Width 560 Height 320 Padding Top 0 Bottom 0 Left 0 Right 0

Color Border

Screen1 Map

America

If(
 Address.Text = "Address", BingMaps.GetMapV2(
 "Road",
 15,
 Location.Latitude,
 Location.Longitude
), BingMaps.GetMapV2(
 "Road",
 15,
 vAddress.point.coordinates.latitude,
 vAddress.point.coordinates.longitude
)

)

Evaluate

Then true

Else false

Format text Remove formatting



Size

560 320

Width Height

Padding

0 0

Top Bottom

0 0

Left Right

Color

...

Border

— 0

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) Reports - Bing Maps Dev Center

https://us.create.powerapps.com/studio/#

PowerApps Environment fleitasarts.com (default)

Action

File Home Insert View Action

Leads - Saved (Unpublished)

GetMapV2(imagerySet, zoomLevel, latitude, longitude, {format:Text, mapSize:Text, pushpinLatitude:Number, pushpinLongitude:Number, pushpinIconStyle:Number, pushpinLabel:Text})

Image

If(

```
Address.Text = "Address",
BingMaps.GetMapV2(
    "Road",
    15,
    Location.Latitude,
    Location.Longitude,
    {
        pushpinLatitude: Location.Latitude,
        pushpinLongitude: Location.Longitude,
        pushpinIconStyle: 37
    }
),
BingMaps.GetMapV2(
    "Road",
    15,
    vAddress.point.coordinates.latitude,
    vAddress.point.coordinates.longitude,
    {
        pushpinLatitude: vAddress.point.coordinates.latitude,
        pushpinLongitude: vAddress.point.coordinates.longitude,
        pushpinIconStyle: 86
    }
)
```

Format text Remove formatting

Screen1 Map

A screenshot of the Microsoft PowerApps studio interface. The main area shows a code editor with a green box highlighting a conditional statement. The code uses the `BingMaps.GetMapV2` function twice, once for an address and once for a location. The conditional logic checks if the address text is "Address". If true, it uses the address's coordinates; if false, it uses the location's coordinates. The pushpin icon style is set to 37 for the address and 86 for the location. The code editor has a toolbar at the bottom with 'Format text' and 'Remove formatting' buttons. On the left, there's a tree view of the app structure under 'Screen1'. The top navigation bar shows tabs for Microsoft PowerApps, Leads - Saved (Unpublished), and Reports - Bing Maps Dev Center. The URL in the browser is https://us.create.powerapps.com/studio/#.

Microsoft PowerApps Leads - Saved (Unpublished) + IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/ Environment fleitasarts.com (default)

PowerApps

File Home Insert View Action

New screen Theme Open Sans

Image

Tree view

Search

App

Screen1

Map

Address

Email

Name

Logo

UserPhoto

GetMapV2(imagerySet, zoomLevel, latitude, longitude, {format:Text, mapSize:Text, pushpinLatitude:Number, pushpinLongitude:Number, pushpinIconStyle:Number, pushpinLabel:Text})

```
If(  
    Address.Text = "Address",  
    BingMaps.GetMapV2(  
        "Road",  
        13,  
        Location.Latitude,  
        Location.Longitude,  
        {  
            pushpinLatitude: Location.Latitude,  
            pushpinLongitude: Location.Longitude,  
            pushpinIconStyle: 37  
        }  
,  
    BingMaps.GetMapV2(  
        "Road",  
        15,  
        vAddress.point.coordinates.latitude,  
        vAddress.point.coordinates.longitude,  
        {  
            pushpinLatitude: vAddress.point.coordinates.latitude,  
            pushpinLongitude: vAddress.point.coordinates.longitude,  
            pushpinIconStyle: 86,  
            pushpinLabel: Name.Text  
        }  
)  
)
```

Format text Remove formatting

Acceleration

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) + https://us.create.powerapps.com/studio/ PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) New screen Theme Open Sans 21 B / U A Fill Border Reorder Align Group AccessibleLabel fx ""

Tree view X Search App Screen1 txtLeadID Map txtAddress txtEmail txtName Logo UserPhoto

Name Email Address Lead ID

Palm Springs Estates

Lead ID

Properties Default Lead ID Format Text Hint text No value Font Open Sans Font size 21 Font weight Normal Font style / U = Text alignment Default Line height 1.2 Clear button Off Maximum length No value Mode Single line Display mode Edit

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) + https://us.create.powerapps.com/studio/ Environment fleitasarts.com (default)

PowerApps

File Home Insert View Action Leads - Saved (Unpublished)

New screen Theme Open Sans 21 B / U A Fill Border Reorder Align Group

OnSelect = Launch("http://fleitasarts.com")

Tree view

Search

- App
- Screen1
 - txtLeadID
 - Map
 - txtAddress
 - txtEmail
 - txtName
 - Logo
 - UserPhoto


Properties

Image: Logo_2
Image position: Fit
Transparency: 0
Display mode: Edit

Visible: On
Position: X: 508 Y: 40
Size: Width: 92 Height: 92
Padding: Top: 0 Bottom: 0 Left: 0 Right: 0

Color
Border

Screen1 **Logo**





IT WON'T FAIL BECAUSE OF ME

leads - Saved (Unpublished) - Po My account

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) ?

New screen Theme Open Sans 21 B / U A Fill Border Reorder Align Group

OnSelect = Launch("https://portal.office.com/account/#personalinfo")

Tree view

- App
- Screen1
 - txtLeadID
 - Map
 - txtAddress
 - txtEmail
 - txtName
 - Logo
 - UserPhoto

Search

Name

Email

Address

Palm Springs Estates

Lead ID

Properties Rules Advanced

Image Select an image... Image position Fit Transparency 0 Display mode Edit

Visible On

Position 40 40 X Y

Size 92 92 Width Height

Padding 0 0 Top Bottom 0 0 Left Right

Color Border 0

Screen1 UserPhoto

Microsoft PowerApps Leads - Saved (Unpublished) + IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/ Environment fleitasarts.com (default)

File Home Insert View Action New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

Fill Tree view Search App Screen1 txtLeadID Map txtAddress txtEmail txtName Logo UserPhoto

Button Lets users click or tap to perform an action. Set its properties to determine how this button looks and behaves.

A(255, 255, 255, 1)

Name Email Address

Palm Springs Estates

Lead ID

SCREEN Screen1 Properties Rules Advanced Fill Background image Select an image... Image position Fit

IT WON'T FAIL BECAUSE OF ME

Leads - Saved (Unpublished)

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) Po + https://us.create.powerapps.com/studio/ PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons BorderColor = ColorFade(btnAdd.Fill, -15%)

Tree view Search App Screen1 btnAdd txtLeadID Map txtAddress txtEmail txtName Logo UserPhoto Email Address Lead ID Add

Properties

Text: Add
Display mode: Edit
Visible: On
Position: X: 40 Y: 895
Size: Width: 560 Height: 70
Padding: Top: 5 Bottom: 5 Left: 5 Right: 5
Color: A
Border: Thickness: 2, Color: Blue
Border radius: 5
Font: Open Sans


A map showing the location of Palm Springs Estates, with a red pin marking the address. The map includes labels for Immeto Express, 826, Westland Mall, NW 103rd St, NW 121st St, NW 122nd St, 4th Ave, W 4th Ave, W 49th St, E 49th St, and Amelia Earhart Gratigny Rd.



IT WON'T FAIL BECAUSE OF ME

← → ⌂ ⌂ https://us.create.powerapps.com/studio/

PowerApps Environment
fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) 

New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

OnSelect: false

Tree view 
App Screen1 Icon1 btnAdd txtLeadID Map txtAddress txtEmail txtName Logo UserPhoto



Lead ID

Add

+ Add
X Cancel
Edit
✓ Check
Search
Filter
Sort
Reload
Trash
Save

dd 0

On

898

64

Width Height

Padding Top Bottom Left Right

Color Border Focused border

A 0 2

Screen1 Icon1

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) + https://us.create.powerapps.com/studio/ PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) Leads - Saved (Unpublished) ?

New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

OnSelect = fx false

Tree view Search App Screen1 Icon1 btnAdd txtLeadID Map txtAddress txtEmail txtName Logo UserPhoto

Westland Mall NW 103rd St 932

Lead ID

Add

ICON Icon1 Properties Rules Advanced

Standard Custom Theme colors Standard colors

Height 898 Y 64

Bottom 0 Height 0

Right 0 Right 0

A 112 898

On

Tooltip No value

Screen1 Icon1

Map

Lead ID

Add

Icon1

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) Po + https://us.create.powerapps.com/studio/ PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons OnSelect = fx false Tree view Search App Screen1 Icon1 btnAdd txtLeadID Map txtAddress txtEmail txtName Logo UserPhoto Lead ID Add

ICON Icon1 Properties Rules Advanced 112 098 Y Height Bottom Right Standard Custom Theme colors Standard colors Tooltip No value

A screenshot of the Microsoft PowerApps studio interface showing a lead addition screen. The screen includes a map of Westland Mall area, a text input field for 'Lead ID', a large blue button with an 'Add' label and a central icon, and a sidebar with a tree view of app components. A color palette is open on the right side, with a green box highlighting a specific color swatch.

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) Po + https://us.create.powerapps.com/studio/ PowerApps Environment fleitasarts.com (default)

File Home Insert View Leads - Saved (Unpublished) New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

OnSelect = fx false

Tree view

Search

App

Screen1

icoAdd

btnAdd

txtLeadID

Map

txtAddress

txtEmail

txtName

Logo

UserPhoto

Copy these items

Paste

Delete these items

Group

Reorder

Align

Lead ID

Add

Properties Rules Advanced

Display mode Edit

Visible On

Position Multiple X Multiple Y

Size Multiple Multiple Width Height

Padding Multiple Multiple Top Bottom

Color A


Border Multipl Black

Auto disable on select On

Disabled color A

2 controls selected

The screenshot shows the Microsoft PowerApps Studio interface. A map control displays a location in Palm Springs Estates. Below the map is a text input field labeled "Lead ID". At the bottom is a large blue button labeled "Add". The "btnAdd" button is highlighted with a green border and has a context menu open over it. The menu includes options such as "Copy these items", "Paste", "Delete these items", and "Group". The "Group" option is also highlighted with a green border. To the left, there is a tree view of the screen's controls, including "icoAdd" and "btnAdd". The "Properties" tab is selected in the ribbon on the right, showing settings for the currently selected control.



IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) + https://us.create.powerapps.com/studio/ Environment fleitasarts.com (default)

PowerApps

File Home Insert View Action Leads - Saved (Unpublished) ?

New screen Theme Open Sans 21 Fill Reorder Align Group

Fill = RGBA(255, 255, 255, 1)

Tree view

Search

App

Home

- grpLink
 - icoLink
 - btnLink
- grpDelete
 - icoDelete
 - btnDelete
- grpCheck
 - icoCheck
 - btnCheck
- grpAdd
 - icoAdd
 - btnAdd

Name
Email
Address
Lead ID

Add Check Delete Link

SCREEN Home Properties Rules Advanced

Fill
Background image Select an image...
Image position Fit

Home

+

+

+

+

Microsoft PowerApps Leads - Saved (Unpublished) + IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/ Environment fleitasarts.com (default)

PowerApps

File Home Insert View Action Leads - Saved (Unpublished) ?

New screen Theme Open Sans 21 Fill Border Reorder Align Group

OnSelect = fx false

Tree view

- App
- Home
 - grpLink
 - icoLink
 - btnLink
 - grpDelete
 - icoDelete
 - btnDelete
 - grpCheck
 - icoCheck
 - btnCheck
 - grpAdd
 - icoAdd
 - btnAdd

Properties

ICON icoCheck

Actions

- Add
- Cancel**
- Check
- Search
- Filter
- Sort
- Reload
- Trash
- Save
- Download
- Copy

Rules Advanced

Search 0

Edit On

112 893 X Y

64 64 Width Height

0 0 Top Bottom

0 0 Left Right

A 0

— 0

2

Name Email Address Lead ID Map (Palm Springs Estates) Add Check Delete Link

Home icoCheck

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) + https://us.create.powerapps.com/studio/ PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) New screen Theme Open Sans 21 B / U A Fill Border Reorder Align Group

OnSelect = fx false

Tree view

- App
- Home
 - grpLink
 - icoLink
 - btnLink
 - grpDelete
 - icoDelete
 - btnDelete
 - grpCheck
 - icoCheck
 - btnCheck
 - grpAdd
 - icoAdd
 - btnAdd

Properties

ICON icoLink

Search

Emoji - Smile Emoji - Sad Emoji - Neutral

Warning Information Database

Weather Hashtag Trending upward

Items Layers Trending

Line weight 3D Printing

Layers 0 Edit On 112 1053 X Y 64 64 Width Height 0 0 Top Bottom 0 0 Left Right A 0 0 2

Lead

Name Email Address Lead ID

Palm Springs Estate

Add Check Delete Link

Home icoLink

Office UI Fabric Icons

link




Get subset

Select Unicodes

1 selected

View ▾



Subset options

Font file name

fabric-icons

The name given to font, .ts, HTML, and CSS files.

Font-family name

FabricMDL2Icons

font-family name given in the @font-face definition.

 Create subset chunks ⓘ Exclude selection from subset ⓘ Hash font file name ⓘ

File size previews

File size previews are an approximation and may not match the final file sizes.

fabric-icons.woff
2.1 KBfabric-icons.css
3.2 KB

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) Po + https://us.create.powerapps.com/studio/ PowerApps Environment fleitasarts.com (default)


File Home Insert View Action Leads - Saved (Unpublished) New screen Theme Open Sans 24 B / U A Fill Border Reorder Align Group


OnSelect = fx false

Tree view

Search

- App
- Home
 - grpLink
 - grpDelete
 - grpCheck
 - grpAdd
 - icoAdd
 - btnAdd
 - grpTextInput
 - Map
 - Logo
 - UserPhoto



 Check

 Delete

 Link

Properties (highlighted)
Text: No value
Display mode: Edit
Visible: On
Position: 40, 810
Size: 92, 92 (Width, Height)
Padding: 5, 5 (Top, Bottom), 5, 5 (Left, Right)
Color: A
Border: 2
Border radius: 92
Font: Open Sans

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) + https://us.create.powerapps.com/studio/ PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) New screen Theme Open Sans 24 B / U A Fill Border Reorder Align Group OnSelect Add a new screen (Ctrl+M) = fx false

Tree view X Search App Home grpLink grpDelete grpCheck grpAdd icoAdd btnAdd grpTextInput Map Logo UserPhoto


826 Palmetto Expy Westland Mall NW 103rd St 932 W 12th Ave W 4th Ave W 49th St E 49th St








Check Delete Link

BUTTON btnAdd Properties Rules Advanced rad RadiusTopLeft btnAdd.Height RadiusTopRight btnAdd.Height RadiusBottomLeft btnAdd.Height RadiusBottomRight btnAdd.Height

Home btnAdd

The screenshot shows the Microsoft PowerApps Studio interface. At the top, there are tabs for 'File', 'Home' (which is selected), 'Insert', 'View', and 'Action'. The title bar says 'Leads - Saved (Unpublished)' and the URL is 'https://us.create.powerapps.com/studio/'. The left sidebar has a 'Tree view' section with a search bar and a list of items: App, Home, grpLink, grpDelete, grpCheck, grpAdd (selected), icoAdd, btnAdd, grpTextInput, Map, Logo, and UserPhoto. The main canvas area displays a map of a street intersection with roads labeled 'Palmetto Expy', 'Westland Mall', 'NW 103rd St', 'W 12th Ave', 'W 4th Ave', 'W 49th St', and 'E 49th St'. Below the map are three blue rectangular buttons with white text: 'Check' with a checkmark icon, 'Delete' with a delete/cross icon, and 'Link' with a link icon. To the right of the canvas is a 'BUTTON' properties panel for 'btnAdd', showing sections for 'Properties', 'Rules', and 'Advanced'. The 'Advanced' tab is selected, displaying fields for 'RadiusTopLeft', 'RadiusTopRight', 'RadiusBottomLeft', and 'RadiusBottomRight', each set to 'btnAdd.Height'. A green box highlights the 'RadiusTopLeft' field.





IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) Po + https://us.create.powerapps.com/studio/ PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

Fill = ffx RGB(255, 255, 255, 1)

Tree view Search App Home grpLink grpDelete grpCheck grpAdd Map Logo UserPhoto grpTextInput

Name Email Address Lead ID

Palm Springs Estate

Line weight 3D printing Back arrow Next arrow Circle Rectangle Triangle Right triangle Pentagon Hexagon

an image... ?

Home

The screenshot shows the Microsoft PowerApps Studio interface. A lead form is displayed in the center, featuring fields for Name, Email, Address, and Lead ID, along with a map of Palm Springs Estate. Below the map are four blue circular buttons with icons: a diamond, a cross, a checkmark, and a plus sign. To the right of the form is a palette titled 'Icons' with various shapes like rectangles, triangles, and hexagons. One specific icon, a rectangle, is highlighted with a green border. The top of the screen has a navigation bar with tabs like File, Home, Insert, View, Action, and a title 'Leads - Saved (Unpublished)'. The 'Insert' tab is currently selected. The left side features a tree view of the app's structure, including sections for Home, App, and various controls like grpLink, grpDelete, etc.

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) + https://us.create.powerapps.com/studio/ Environment fleitasarts.com (default)

PowerApps

File Home Insert View Action Leads - Saved (Unpublished) ?

New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

OnSelect = fx false

Tree view Search App Home Rectangle1 grpLink grpDelete grpCheck grpAdd Map Logo UserPhoto grpTextInput

RECTANGLE Rectangle1 Properties Rules Advanced Display mode Edit Visible On Position X 0 Y 0 Size Width 640 Height 1136 Color Border Disabled color Hover color Pressed color Tooltip No value Tab index -1

Home Rectangle1

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) + https://us.create.powerapps.com/studio/ PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

Visible = fx true

Tree view

Search

- App
- Home
 - popShade
 - grpLink
 - grpDelete
 - grpCheck
 - grpAdd
 - icoAdd
 - btnAdd
 - Map
 - Logo
 - UserPhoto
 - grpTextInput

RECTANGLE popShade

Properties Rules Advanced

Search for a property ...

ACTION

OnSelect

false

DATA

AccessibleLabel

...
RGBA(red_value, green_value, blue_value, alpha_value)
alpha_value: The alpha component, 0 to 1 (or a percentage, such as 49%).
RGBA(255, 255, 255, 0.98) fx

DisabledFill
popShade.Fill

Home popShade

Microsoft PowerApps Leads - Saved (Unpublished) + IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/ Environment fleitasarts.com (default)

PowerApps Insert View

New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

OnSelect = fx UpdateContext({vPopUp:false})

Tree view Search

- App
- Home
 - grpModal
 - popLabel
 - icoDone
 - btnDone
 - popShade
 - grpLink
 - grpDelete
 - grpCheck
 - grpAdd
 - Map
 - Logo
 - UserPhoto

Properties Rules Advanced

Display mode Edit

Visible On

Position Multiple X Multiple Y

Size Multiple Width Multiple Height

Padding Multiple Top Multiple Bottom Left Multiple Right

Color A

Border

Auto disable on select On

Disabled color

Hover color

2 controls selected 40 %

The screenshot displays the Microsoft PowerApps Studio interface. A modal window is open, showing a list of items with icons. One specific item, 'icoDone', is highlighted with a green box. The 'OnSelect' formula for this item is visible in the formula bar, also enclosed in a green box. The formula is 'UpdateContext({vPopUp:false})'. The Properties panel on the right shows settings for the control, including 'Visible' (On), 'Position' (Multiple X, Multiple Y), 'Size' (Multiple Width, Multiple Height), 'Padding' (Multiple Top, Multiple Bottom, Left, Right), 'Color' (A), 'Border' (Solid, Black), and 'Auto disable on select' (On). The bottom status bar indicates '2 controls selected' and a zoom level of '40 %'.

Microsoft PowerApps Leads - Saved (Unpublished) + IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/ Environment fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

Visible = fx vPopUp

Tree view Search App Home grpModal popLabel icoDone btnDone popShade grpLink grpDelete grpCheck grpAdd Map Logo UserPhoto

grpModal Properties Rules Advanced Display mode Edit Off Visible Position Multiple Multiple X Y Size Multiple Multiple Width Height Border Multipl Black Tooltip No value Tab index Multiple

Name Email Address Lead ID

Palm Springs Estates

Map Buttons

Home grpModal

GROUP grpModal Properties Rules Advanced Display mode Edit Off Visible Position Multiple Multiple X Y Size Multiple Multiple Width Height Border Multipl Black Tooltip No value Tab index Multiple

Microsoft PowerApps Leads - Saved (Unpublished) + IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/ Environment fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) ?

New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

OnSelect = `UpdateContext({vOutLead:AddLead.Run(txtName.Text, txtEmail.Text, txtAddress.Text)});UpdateContext([vPopUp:true])`

Tree view X

Search

- App
- Home
 - grpModal
 - popLabel
 - icoDone
 - btnDone
 - popShade
 - grpLink
 - grpDelete
 - grpCheck
 - grpAdd
 - icoAdd
 - btnAdd
 - Map
 - Lens

GROUP grpAdd

Properties Rules Advanced

Display mode Edit

Visible On

Position

Size

Padding

Color

Border

Auto disable on select On

Disabled color

Name Email Address Lead ID

Home grpAdd

Microsoft PowerApps Leads - Saved (Unpublished) + IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/ Environment fleitasarts.com (default)

PowerApps

File Home Insert View Action Leads - Saved (Unpublished) ?

New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

OnSelect = UpdateContext({vOutLead:CheckLead.Run(txtEmail.Text)});UpdateContext({vPopUp:true})

Tree view Search

App Home grpModal popLabel icoDone btnDone popShade grpLink grpDelete grpCheck grpAdd icoAdd btnAdd Map

Properties Rules Advanced

Display mode Edit

Visible On

Position Multiple X Multiple Y

Size Multiple Width Multiple Height

Padding Multiple Top Multiple Bottom Left Multiple Right

Color A

Border Multipl

Auto disable on select On

Disabled color

grpCheck

Name Email Address Lead ID

Palm Springs Estates

Map

Home grpCheck

GROUP grpCheck Properties Rules Advanced

Display mode Edit

Visible On

Position Multiple X Multiple Y

Size Multiple Width Multiple Height

Padding Multiple Top Multiple Bottom Left Multiple Right

Color A

Border Multipl

Auto disable on select On

Disabled color

Microsoft PowerApps Leads - Saving ... - PowerApps IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/ Environment fleitasarts.com (default)

PowerApps

File Home Insert View Action Leads

New screen Theme Reorder Align Group

OnSelect = UpdateContext({vOutLead:DeleteLead.Run(txtName.Text, txtEmail.Text)});UpdateContext({vPopUp:true})

Tree view

Search

- App
- Home
 - grpModal
 - grpLink
 - grpDelete
 - icoDelete
 - btnDelete
 - grpCheck
 - grpAdd
 - Map
 - Logo
 - UserPhoto
 - grpTextInput

Properties Rules Advanced

Display mode Edit

Visible On

Position Multiple X Multiple Y

Size Multiple Width Multiple Height

Padding Multiple Top Multiple Bottom

Left Multiple Right

Color A

Border

Auto disable on select On

Disabled color

grpDelete

Name Email Address Lead ID

Palm Springs Estates

ICO Delete

Map

Home grpDelete

```
OnSelect = UpdateContext({vOutLead:DeleteLead.Run(txtName.Text, txtEmail.Text)});UpdateContext({vPopUp:true})
```

```
grpDelete
```

```
Properties
```

```
Display mode Edit
```

```
Visible On
```

```
Position Multiple X Multiple Y
```

```
Size Multiple Width Multiple Height
```

```
Padding Multiple Top Multiple Bottom
```

```
Left Multiple Right
```

```
Color A
```

```
Border
```

```
Auto disable on select On
```

```
Disabled color
```

```
grpDelete
```

```
ICO Delete
```

```
Map
```

```
Home grpDelete
```

Microsoft PowerApps Leads - Saved (Unpublished) + IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/ Leads - Saved (Unpublished)

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) New screen Theme Reorder Align Group

OnSelect = UpdateContext({vOutLead:LinkLead.Run(txtLeadID.Text, txtName.Text, txtEmail.Text)});UpdateContext({vPopUp:true})

Tree view

Search

- App
- Home
 - grpModal
 - grpLink
 - grpDelete
 - grpCheck
 - grpAdd
 - Map
 - Logo
 - UserPhoto
 - grpTextInput

grpLink

Name
Email
Address
Lead ID

Save Cancel Add

Properties Rules Advanced

Display mode Edit

Visible On

Position Multiple X Multiple Y

Size Multiple Width Multiple Height

Padding Top Bottom Left Right

Color A


Border

Auto disable on select On

Disabled color A

Height

Width



IT WON'T FAIL BECAUSE OF ME

Leads - Saved (Unpublished) - Po

PowerApps

Environment
fleitasarts.com (default)

File Home Insert View Action

Leads - Saved (Unpublished)

Navigation icons: Back, Forward, Home, Refresh, Search, Help.

Action

Fill = fx RGB(255, 255, 255, 1)

Tree view

Search

- App
- Home
 - grpModal
 - grpLink
 - grpDelete
 - grpCheck
 - grpAdd
 - Map
 - Logo
 - UserPhoto
 - grpTextInput

Data

Looks like you haven't created any flows yet.
To get started, select 'Create a new flow' below.

Create a new flow

SCREEN

Home

Properties Rules Advanced

Fill

Select an image...

Background image

Image position Fit

Lead ID

Name

Email

Address

Palm Springs Estates


Map showing location in Palm Springs Estates, California.

Buttons: Minimize, Maximize, Close, Save, Undo, Redo, Print, Help.

Home

DEMO 3

Microsoft Flow





← PowerApps button

 Save  Flow Checker  Test Home Approvals My flows Templates Connectors Data  Learn

 PowerApps 

No additional information is needed for this step. You will be able to use the outputs in subsequent steps.

 + New step Save

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) Create your flow | Microsoft Flow

https://us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows/new?gallery=public&template=05ed784f63df4ac7b8cbb465005d6068

Hiram Fleitas fleitasarts.com (default)

Flow

PowerApps button

Save Flow Checker Test

Home Approvals My flows Templates Connectors Data Learn

PowerApps

Choose an action

execute stored procedure

All Built-in Standard Premium Custom

Oracle Database SQL Server Azure SQL Data... Azure Cosmos DB Dynamics 365 for Fi... Business Central Ethereum Blockchain

Triggers Actions

Execute stored procedure Oracle Database Execute stored procedure SQL Server Execute stored procedure Azure SQL Data Warehouse Execute stored procedure Azure Cosmos DB

A yellow arrow points from the "Data" menu item on the left to the "Execute stored procedure" action in the list below.

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) Create your flow | Microsoft Flow

https://us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows/new?gallery=public&template=05ed784f63df4ac7b8cbb465005d6068

Flow Hiram Fleitas fleitasarts.com (default)

PowerApps button

Save Flow Checker Test

Home Approvals My flows Templates Connectors Data Learn

SQL Server

Gateways

Connect via on-premises data gateway

* Connection Name
Enter name for connection

* SQL server name
SQL server name

* SQL database name
FleitasArts

Authentication Type
Windows

* Username
Username credential

* Password
Password credential

* gateway
Hiram

Create

A red box highlights the 'SQL Server' configuration dialog.

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps

Leads - Saved (Unpublished)

Create your flow | Microsoft Flow

USA

X

Flow

PowerApps button

Save Flow Checker Test

Hiram Fleitas
fleitasarts.com (default)

Home

Approvals

My flows

Templates

Connectors

Data

Learn

SQL Server

Gateways

Connect via on-premises data gateway

Connection Name

localhost

SQL server name

localhost

SQL database name

FleitasArts

Authentication Type

Basic

Username

Leads

Password

gateway

Hiram

Create

Cancel

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) Create your flow | Microsoft Flow

https://us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows/new?gallery=public&template=05ed784f63df4ac7b8cbb465005d6068

Flow

PowerApps button

Save Flow Checker Test

Hiram Fleitas
fleitasarts.com (default)

Home Approvals My flows Templates Connectors Data Entities Connections Custom connectors Gateways Learn

PowerApps

Execute stored procedure

*Procedure name Name of stored procedure

- AddLead
- CheckLead
- DeleteLead
- LinkLead
- Enter custom value

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) Create your flow | Microsoft Flow

https://us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows/new?gallery=public&template=05ed784f63df4ac7b8cbb465005d6068

Hiram Fleitas fleitasarts.com (default)

Flow

PowerApps button

Save Flow Checker Test

Home Approvals My flows Templates Connectors Data Entities Connections Custom connectors Gateways Learn

PowerApps

Execute stored procedure

*Procedure name: AddLead

Name:

Email: Add dynamic content +

Address:

+ New step Save

Dynamic content Expression

Search dynamic content

PowerApps Ask in PowerApps

The screenshot shows the Microsoft Flow 'Create your flow' interface. A red box highlights the 'Execute stored procedure' step, and a green box highlights the 'Name' input field within it. A green box also highlights the 'Ask in PowerApps' connector in the 'Dynamic content' pane.

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) Create your flow | Microsoft Flow

https://us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows/new?gallery=public&template=05ed784f63df4ac7b8cbb465005d6068

Flow

AddLead

Save Flow Checker Test

Home Approvals My flows Templates Connectors Data Entities Connections Custom connectors Gateways Learn

PowerApps

Execute stored procedure

*Procedure name: AddLead

Name: Executestoredprocedure_Name

Email: Executestoredprocedure_Email

Address: Executestoredprocedure_Address

+ New step Save

Hiram Fleitas
fleitasarts.com (default)

American flag icon

Navigation icons: back, forward, search, etc.

Bottom right corner icon

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) Create your flow | Microsoft Flow

<https://us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows/new?gallery=public&template=05ed784f63df4ac7b8cbb465005d6068>

Hiram Fleitas fleitasarts.com (default)

Flow AddLead

Home Approvals My flows Templates Connectors Data Entities Connections Custom connectors Gateways Learn

PowerApps Execute stored procedure

Initialize variable

*Name: output
*Type: String
Value: Enter initial value

+ New step Save

Dynamic content Expression

Search dynamic content

Execute stored procedure

ReturnCode

PowerApps See more

Executestoredprocedure_Address

Executestoredprocedure_Email

Executestoredprocedure_Name

```
graph TD; PowerApps[PowerApps] --> Execute[Execute stored procedure]; Execute --> Initialize[Initialize variable];
```

Microsoft PowerApps Leads - Saved (Unpublished) Create your flow | Microsoft Flow

IT WON'T FAIL BECAUSE OF ME

https://us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows/new?gallery=public&template=05ed784f63df4ac7b8cbb465005d6068

Flow

AddLead

Save Flow Checker Test

Home Approvals My flows Templates Connectors Data Entities Connections Custom connectors Gateways Learn

PowerApps

Execute stored procedure

Initialize variable

Name: output
Type: String
Value: Enter initial value

+ New step Save

body('Execute_stored_procedure')?['resultsets']

DYNAMIC CONTENT EXPRESSION

fx body('Execute_stored_procedure')?['resultsets']

OK

String functions

concat(text_1, text_2, ...)

Combines any number of strings together

Collection

contains(collection, value)

Returns true if a dictionary contains a key, if an array cont...

length(collection)

Returns the number of elements in an array or string

Logical functions

if(expression, valueIfTrue, valueIfFalse)

Returns a specified value based on whether the expressio...

```
graph TD; PowerApps[PowerApps] --> Execute[Execute stored procedure]; Execute --> Initialize[Initialize variable]; Initialize --> Expression[body('Execute_stored_procedure')?['resultsets']]
```

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) Create your flow | Microsoft Flow

https://us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows/new?gallery=public&template=05ed784f63df4ac7b8cbb465005d6068

Flow

AddLead

Save Flow Checker Test

Home Approvals My flows Templates Connectors Data Entities Connections Custom connectors Gateways Learn

PowerApps

Execute stored procedure

Initialize variable

Name: output
Type: String
Value: fx body(...)

Rename Add a comment Settings Configure run after Peek code Delete

```
graph TD; PowerApps[PowerApps] --> Execute[Execute stored procedure]; Execute --> Initialize[Initialize variable]
```

Microsoft PowerApps Leads - Saved (Unpublished) Create your flow | Microsoft Flow

IT WON'T FAIL BECAUSE OF ME

https://us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows/new?gallery=public&template=05ed784f63df4ac7b8cbb465005d6068

Flow

AddLead

Save Flow Checker Test

Hiram Fleitas fleitasarts.com (default)

Home Approvals My flows Templates Connectors Data Entities Connections Custom connectors Gateways Learn

PowerApps

Execute stored procedure

'Initialize variable' (code view)

```
1 {  
2   "inputs": {  
3     "variables": [  
4       {"name": "output",  
5        "type": "String",  
6        "value": "@{body('Execute_stored_procedure')?['resultsets']}"}  
7     ]  
8   }  
9 }  
10 }  
11 }
```

Done

+ New step Save

The screenshot shows a Microsoft Flow canvas with two main steps: 'PowerApps' and 'Execute stored procedure'. Below these is a modal window titled "'Initialize variable' (code view)' containing JSON code. The code defines an input object with a 'variables' array containing one item. This item has properties 'name', 'type', and 'value'. The 'value' property contains a reference to the 'body' of the previous 'Execute stored procedure' step, specifically the 'resultsets' key. The entire code block is highlighted with a green rectangular selection.

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) Edit your flow | Microsoft Flow

https://us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows/new?gallery=public&template=05ed784f63df4ac7b8cbb465005d6068

Flow

AddLead • Saved

Home Approvals My flows Templates Connectors Data Entities Connections Custom connectors Gateways Learn

PowerApps

Execute stored procedure

{x} Initialize variable

Respond to PowerApps

result {x} output x

+ Add an output

+ New step Save

Save Flow Checker Test

Hiram Fleitas
fleitasarts.com (default)

```
graph TD; A[PowerApps] --> B[Execute stored procedure]; B --> C[Initialize variable]; C --> D[Respond to PowerApps];
```

Flow

AddLead

Home Approvals My flows Templates Connectors Data Entities Connections Custom connectors Gateways Learn

AddLead

Create one or more actions to happen when a button or link in PowerApps is selected. To use this flow from a PowerApp, select the control you want to trigger the flow and go to the Action tab in the PowerApps ribbon and select Flows.

Edit description

RUN HISTORY

Run ID	Status	Time	Duration	Action
1	Succeeded	42 minutes ago	1 second	>
2	Test Succeeded	44 minutes ago	1 second	>
3	Succeeded	9 hours ago	0 seconds	>
4	Succeeded	9 hours ago	1 second	>
5	Succeeded	9 hours ago	1 second	>

See all >

Analytics

Connections

SQL Server localhost

Owners

Hiram Fleitas hiram@fleitasarts.com

Add another owner

Office 365 PowerApps button

reminder in 10 minutes forecast for my current location email attachments to OneDrive for Business

PowerApps button

Microsoft PowerApps Leads - Saved (Unpublished) + IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/ Leads - Saved (Unpublished)

PowerApps Environment fleitasarts.com (default)

Action

File Home Insert View Action

On select = fx UpdateContext({vOutLead:AddLead.Run(txtName.Text, txtEmail.Text, txtAddress.Text)});UpdateContext({vPopUp:true})

Tree view

Search

- Home
- grpModal
 - popLabel
 - icoDone
 - btnDone
 - popShade
- grpLink
- grpDelete
- grpCheck
- grpAdd
 - icoAdd
 - btnAdd
- Map
- Logo

Name

Email

Address

Lead ID

Palm Springs Estates

AddLead

Create a new flow

Data

Flows associated with 'grpAdd'

No flows have been selected.

Properties Rules Advanced

Display mode Edit

Visible On

Position X Y

Size Width Height

Padding Top Bottom Left Right

Color

Border

Auto disable on select On

Disabled color

GROUP grpAdd

Properties Rules Advanced

Display mode Edit

Visible On

Position X Y

Size Width Height


Padding Top Bottom Left Right

Color

Border

Auto disable on select On

Disabled color



IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) Po + https://us.create.powerapps.com/studio/ PowerApps Environment fleitasarts.com (default)

Action

File Home Insert View Action

On select Flows

OnSelect = fx UpdateContext({vOutLead:AddLead.Run(txtName.Text, txtEmail.Text, txtAddress.Text)});UpdateContext({vPopUp:true})

Tree view

Search

- Home
- grpModal
 - popLabel
 - icoDone
 - btnDone
 - popShade
- grpLink
- grpDelete
- grpCheck
- grpAdd
 - icoAdd
 - btnAdd
- Map
- Logo

Name

Email

Address

Lead ID

Amelia Earhart Park
Gratifying Role 65th St

WW 122nd St W 4th Ave W 4th St E 49th St N 122nd St Hialeah Estates

Create a new flow

Data

Flows associated with 'grpAdd'

No flows have been selected.

Flows

- AddLead
- CheckLead
- DeleteLead
- LinkLead

GROUP grpAdd

Properties Rules Advanced

Display mode Edit

Visible On

Position Multiple X Multiple Y

Size Multiple Width Multiple Height

Padding Multiple Top Multiple Bottom

Left Multiple Right

Color A

Border Multipl

Auto disable on select On

Disabled color A

Buttons

Home grpAdd

Leads - Saved (Unpublished)

?

Navigation icons: back, forward, search, refresh, etc.

American flag icon in the top right corner.

Microsoft PowerApps Leads - Saved (Unpublished) + IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/ Leads - Saved (Unpublished)

PowerApps Environment fleitasarts.com (default)

Action

File Home Insert View Action

On select Flows

OnSelect = fx UpdateContext({vOutLead:LinkLead.Run(txtLeadID.Text, txtName.Text, txtEmail.Text)});UpdateContext({vPopUp:true})

Tree view

Search

- App
- Home
 - grpModal
 - grpLink
 - grpDelete
 - grpCheck
 - grpAdd
- Map
- Logo
- UserPhoto
- grpTextInput

Name Email Address Lead ID

Palm Springs Estates, CA

AddLead CheckLead DeleteLead LinkLead

Complete flow's parameters in formula bar

Create a new flow

GROUP grpLink Properties Rules Advanced

Display mode Edit

Visible On

Position Multiple X Multiple Y

Size Multiple Width Multiple Height

Padding Multiple Top Multiple Bottom

Left Multiple Right

Color A

Border Multipl

Auto disable on select On

Disabled color A

IT WON'T FAIL BECAUSE OF ME

Leads - Saved (Unpublished)

Home grpLink

+

Microsoft PowerApps Leads - Saved (Unpublished) - Po + IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/ Environment fleitasarts.com (default)

PowerApps

File Home Insert View Action

New screen Theme Open Sans

OnSelect = UpdateContext({vOutLead: AddLead.Run(txtName.Text, txtEmail.Text, txtAddress.Text)});UpdateContext({vPopUp:true})

Tree view

Search

- App
- Home
 - grpModal
 - popLabel
 - icoDone
 - btnDone
 - popShade
 - grpLink
 - grpDelete
 - grpCheck
 - grpAdd
 - Map
 - Logo
 - UserPhoto

vOutLead

Name Email Address Lead ID

Map showing Palm Springs Estates area with a red pin.

grpAdd Properties Rules Advanced

Display mode Edit

Visible On

Position Multiple X Multiple Y

Size Multiple Width Multiple Height

Padding Top Bottom Left Right

Color A

Border Multipl

Auto disable on select On

Disabled color A

Home grpAdd

Microsoft PowerApps Leads - Saved (Unpublished) + IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/ Environment fleitasarts.com (default)

PowerApps

File Home Insert View Action Leads - Saved (Unpublished)   

New screen Theme Open Sans 21 B / U A Fill Border Reorder Align Group

Text = fx If(vOutLead.result = "{}", "", vOutLead.result)

Tree view

Search

App

Home

grpModal

popLabel

icoDone

btnDone

popShade

grpLink

grpDelete

grpCheck

grpAdd

Map

Logo

UserPhoto

Name

Email

Address

Lead ID

Palm Springs Estates

Westland Mall

Amelia Earhart

Gratifying Rd

Map

Logo

UserPhoto

LABEL popLabel Properties Rules Advanced

No value

Open Sans

21

Normal

Text alignment

Auto height

Line height

Overflow

Display mode

Hidden

Edit

Off

1.2

Visible


Position

0 60 X Y

Size

600 300

Run icon highlighted with a green box and arrow pointing to it.






Name _____

dmoney@icloud.com

Address

Lead ID





IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) Manage your flows | Microsoft Flow +

https://us.create.powerapps.com/studio/

Name
dmoney@icloud.com
Address
Lead ID

{"Table1": [{"TicketId": 2001, "LeadId": 1001}]} 




Flow

Hiram Fleitas
fleitasarts.com (default)

← CheckLead

Save Flow Checker Test

- Home
- Approvals
- My flows
- Templates
- Connectors
- Data
- Learn

[+ New step](#)[Save](#)



Flow

CheckLead

```
graph TD; Start[PowerApps] --> SP[Execute stored procedure]; SP --> Var[Initialize variable]; Var --> Respond[Respond to PowerApps]
```

+ New step Save

Test Flow

I'll perform the trigger action

Using data from previous runs
Choose data from a list of previous runs:

<input checked="" type="radio"/> Succeeded	8 hours ago
<input type="radio"/> Succeeded	8 hours ago
<input type="radio"/> Succeeded	9 hours ago

Save & Test Cancel



Flow

Hiram Fleitas
fleitasarts.com (default)

CheckLead

Home Your flow ran successfully.




Approvals

My flows

Templates

Connectors

Data



Learn



IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) Run History | Microsoft Flow

https://us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows/27af8f7b-9ef7-42b4-95ae-3b3ec5fc5d68

Hiram Fleitas fleitasarts.com (default)

Flow

CheckLead

Your flow ran successfully.

PowerApps

0s

INPUTS

Schema

```
{ "type": "object", "required": [ "Executestoredprocedure_Email" ], "properties": { "Executestoredprocedure_Email": { "type": "string", "value": "dmoney@icloud.com" } } }
```

OUTPUTS


Executestoredprocedure_Email

dmoney@icloud.com

Show more ▾

SQL Execute stored procedure

Execute stored procedure



https://us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows/27af8f7b-9ef7-42b4-95ae-3b3ec5fc5d68

Flow

CheckLead

Your flow ran successfully.

Headers

Key	Value
Cache-Control	no-store, no-cache
Accept	/*
Accept-Encoding	br,gzip,deflate
Accept-Language	en-US

Show less ^

Execute stored procedure

1s

Initialize variable

0s

Respond to PowerApps

0s

```
graph TD; A[Headers] --> B[Execute stored procedure]; B --> C[Initialize variable]; C --> D[Respond to PowerApps]
```

[CheckLead](#)[Edit](#)[Home](#)[Approvals](#)[My flows](#)[Templates](#)[Connectors](#)[Data](#)[Learn](#)

SQL Execute stored procedure 1s

INPUTS

Procedure name: [dbo].[CheckLead]

parameters:

```
{  
  "Email": "dmoney@icloud.com"  
}
```

Email: dmoney@icloud.com

OUTPUTS

Body:

```
{  
  "OutputParameters": {},  
  "ResultSets": {  
    "Table1": [  
      {  
        "TicketId": 2001,  
        "LeadId": 1001  
      }  
    ]  
  }  
}
```



IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) Run History | Microsoft Flow

https://us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows/27af8f7b-9ef7-42b4-95ae-3b3ec5fc5d68

Hiram Fleitas fleitasarts.com (default)

Flow

CheckLead

Edit

Home Approvals My flows Templates Connectors Data Learn

{x} Initialize variable

0s

INPUTS

Name: output

Type: String

Value: {"Table 1": [{"TicketId": 2001, "LeadId": 1001}]}
① ActionResponseSkipped. The execution of template action 'Respond_to_PowerApps' is skipped: the client application is not waiting for a response from service.

Respond to PowerApps

0s

```
graph TD; Start(( )) --> Init{Initialize variable}; Init --> Respond{Respond to PowerApps};
```



← → ⌂ ⌂ <https://us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows/27af8f7b-9ef7-42b4-95ae-3b3ec5fc5d68/runs?backUrl=%2Fflows%2F27af8...> ⌂ ⌂ ?

Flow

Edit flow Get .csv file All runs ⓘ

Home

CheckLead > Run history

Approvals

My flows

	Start time	Duration	Status
	May 5, 12:33 PM (31 min ago)	00:00:01	Succeeded

Templates

	May 5, 12:31 PM (33 min ago)	00:00:01	Test succeeded
--	------------------------------	----------	----------------

Connectors

	May 5, 3:32 AM (9 h ago)	00:00:00	Succeeded
--	--------------------------	----------	-----------

Data

	May 5, 3:32 AM (9 h ago)	00:00:01	Succeeded
--	--------------------------	----------	-----------

Learn

	May 5, 3:32 AM (9 h ago)	00:00:01	Succeeded
--	--------------------------	----------	-----------



IT WON'T FAIL BECAUSE OF ME

Leads - Saved (Unpublished) - Po View your flow analytics | Microsoft

https://us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows

Flow

+ New ▾ Run now Edit Share Save As ...

Home Approvals My flows Team flows Business process flows

Flows

Name Modified Type

Name	Modified	Type
CheckLead	34 min ago	Instant
DeleteLead		Instant
LinkLead		Instant
AddLead		Instant
Get a push notification when you receive an email fro...		Automated

⋮

⋮

Run now Edit Share Save As Send a copy (Preview) Export Run history Analytics Turn flow off Delete Details

Hiram Fleitas
fleitasarts.com (default)

Search

☰

Home Approvals My flows Team flows Business process flows

Flows

Name Modified Type

Name	Modified	Type
CheckLead	34 min ago	Instant
DeleteLead		Instant
LinkLead		Instant
AddLead		Instant
Get a push notification when you receive an email fro...		Automated

⋮


⋮

Run now Edit Share Save As Send a copy (Preview) Export Run history Analytics Turn flow off Delete Details

Hiram Fleitas
fleitasarts.com (default)

Search

☰



Home



Approvals



My flows



Templates



Connectors



Data



Learn

Usage Errors

Select range

Last 30 days




Total runs by day

1.0

0.5

0.0



Number of runs

1

Flow Runs

Successful Runs 1 (100%)


Flow runs trend

Successful Runs

1.0

0.5

0.0



DEMO 4

Data Gateway



Good afternoon, Hiram

Welcome to your Power BI home

Everything you need in one place: Your top visuals are displayed for easy consumption. Your favorites, frequents, and recents are close at hand. And you can explore learning opportunities to improve your Power BI experience.

Watch video Dismiss

VanArsdel

VanArsdel Market Share
47.48%

% Growth BY MANUFACTURER

Manufacturer	% Growth
Curus	12%
VanArsdel	10%
Pirum	8%
Aliqui	7%
Natura	6%

Revenue BY YEAR, MANUFACTURER

Manuf... Aliqui Currus Natura

\$0.2bn \$0.1bn \$0.0bn

2012 2014 2016 Year

Power BI Desktop Data Gateway Paginated Report Builder Power BI for Mobile Power BI publisher for Excel Analyze in Excel updates

The screenshot shows the Power BI desktop interface with a dark theme. On the left, a sidebar lists navigation options like Home, Favorites, Recent, Apps, Shared with me, Workspaces, and My Workspace. The main area displays three visualizations: a large text card for 'VanArsdel Market Share' (47.48%), a bar chart for '% Growth BY MANUFACTURER' (Curus 12%, VanArsdel 10%, Pirum 8%, Aliqui 7%, Natura 6%), and a line chart for 'Revenue BY YEAR, MANUFACTURER' (Aliqui, Currus, Natura from 2012 to 2016). A dropdown menu on the right is open, with 'Data Gateway' highlighted. The top of the screen features a header with tabs for 'Sign in to your account', 'Leads - Saved (Unpublished)', 'Power BI', and a plus sign, along with a small American flag icon.



Power BI

Products

Pricing

Solutions

Partners

Learn

Community

Sign in

Sign up free

Keep your dashboards and reports up-to-date with your on-premises data sources




One gateway for all services


Install once and deploy multiple connections across Power BI, Flow and Azure Logic Apps using one gateway.

With the on-premises gateways, you can keep your data fresh by connecting to your on-premises data sources without the need to move the data. Query large datasets and benefit from your existing investments. The gateways provide the flexibility you need to meet individual needs, and the needs of your organization.

[DOWNLOAD GATEWAY](#)

[LEARN MORE >](#)









Power BI
Desktop



On-premises
data gateway





Power BI
Desktop



On-premises
data gateway

On-premises data gateway

Status

Service Settings

Diagnostics

Network

Connectors

Your gateway is all set up.

Sign in for more information on your gateway.

Gateway version number: 3000.3.138 (2019-04-09)

Help us improve the on-premises data gateway by sending usage information to Microsoft.

[Read the privacy statement online](#)

Sign in

Close

On-premises data gateway

Email address to use with this gateway:

hiram@fleitasarts.com



← hiram@fleitasarts.com

Enter password

[Forgot my password](#)

Sign in

Next

Cancel

Power BI
DesktopOn-premises
data gateway

On-premises data gateway

The gateway Hiram is online and ready to be used.

Gateway version number: 3000.3.138 (2019-04-09)


Help us improve the on-premises data gateway by sending usage information to Microsoft.
[Read the privacy statement online](#)


Logic Apps, Azure Analysis Services [Create a gateway in Azure](#)
East US 2


PowerApps, Microsoft Flow Ready
Default environment

Power BI Ready
Default environment

[Close](#)





Power BI
Desktop

On-premises data gateway installer

Start your on-premises data gateway installation.

A gateway acts as a bridge between on-premises data (not in the cloud), and Power BI, PowerApps, Logic Apps, and Microsoft Flow.

Gateways should be installed on a computer that is always on.

Performance may be slower on a wireless network.

[Learn more](#)

Next

Cancel



Power BI
Desktop



On-premises
data gateway



On-premises data gateway installer

x

Start your on-premises data gateway installation.

A gateway acts as a bridge between on-premises data (not in the cloud), and Power BI, PowerApps, Logic Apps, and Microsoft Flow.


Gateways should be installed on a computer that is always on.

Performance may be slower on a wireless network.

[Learn more](#)

Next

Cancel





Power BI
Desktop



On-premises
data gateway



On-premises data gateway installer

x

Choose the type of gateway you need.

On-premises data gateway (recommended)

- Can be shared and reused by multiple users
- Can be used by Power BI, PowerApps, Logic Apps, and Microsoft Flow
- Supports schedule refresh and live query for Power BI

[Learn more](#)

On-premises data gateway (personal mode)

- Can only be used by you
- Can only be used in Power BI
- Only schedule refresh is supported

[Learn more](#)

Next

Cancel





Power BI
Desktop



On-premises
data gateway



On-premises data gateway installer


x

Getting ready to install the on-premises data gateway.

Time remaining 2 seconds

Next

Cancel





Power BI
Desktop



On-premises
data gateway



On-premises data gateway installation

? x


Reminder before you install.

⚠ Make sure to install the gateway on a computer that is always on.

The gateway will perform slowly over a wireless network.

Next

Cancel







Power BI
Desktop



On-premises
data gateway






Power BI
Desktop



On-premises
data gateway





Power BI
Desktop



On-premises
data gateway



On-premises data gateway

? X

Almost done.

Installation was successful!

Email address to use with this gateway:

hiram@fleitasarts.com

Next, you need to sign in to register your gateway.

Sign in


Cancel



Power BI
Desktop



On-premises
data gateway





Power BI
Desktop



On-premises
data gateway



On-premises data gateway

You are signed in as hiram@fleitasarts.com and are ready to register the gateway.

New on-premises data gateway name

Hiram

Add to an existing gateway cluster

Recovery key (8 character minimum)

(i) This key is needed to restore the gateway and can't be changed. Record it in a safe place.

Confirm recovery key

[Learn more about gateway clusters](#)

We'll use this region to connect the gateway to cloud services: East US 2 [Change Region](#)

Configure

Cancel

Power BI
DesktopOn-premises
data gateway

On-premises data gateway

The gateway Hiram is online and ready to be used.

Gateway version number: 3000.1.257 (February 2019)


Help us improve the on-premises data gateway by sending usage information to Microsoft.
[Read the privacy statement online](#)

Logic Apps, Azure Analysis Services [Create a gateway in Azure](#)
East US 2

PowerApps, Microsoft Flow Ready
Default environment

Power BI Ready
Default environment

[Close](#)



Power BI
DesktopOn-premises
data gateway

On-premises data gateway

? X

Status

Service Settings

Diagnostics

Network

Connectors

Restart the gateway

It is recommended to restart the gateway everytime you make changes to the gateway configuration files.

[Restart now](#)

Gateway service account

Change the service account your gateway is running as. The gateway is currently running as NT SERVICE\PBIEgwService.

You need to be signed in to change service account.

Sign in

Close



Power BI
DesktopOn-premises
data gateway

On-premises data gateway

[?](#)[X](#)[Status](#)[Service Settings](#)[Diagnostics](#)[Network](#)[Connectors](#)

Additional logging

You can enable additional logging to output queries and their timings to help understand what is performing slow. It is not recommended to leave this setting enabled long term.

[Learn more](#)


Gateway logs

Export all of the gateway's configuration and service logs to a single .zip file.

[Sign in](#)

Network ports test

Check to see if your gateway can access all of the correct network ports.

[Learn more](#)[Sign in to start a test.](#)[Sign in](#)[Close](#)

Power BI
DesktopOn-premises
data gateway

On-premises data gateway

? X

Status

Network status: Connected

Service Settings

Check to see if your gateway can reach outside your network.

[Check now](#)



Network

HTTPS mode

Connectors

You can force the gateway to communicate through Azure Service Bus using HTTPS instead of direct TCP. This may slow performance.

[Learn more](#)




We need to restart the gateway in order to apply this change. Are you sure you want to continue?

[Apply & Restart](#)

[Cancel](#)

[Close](#)



Power BI
DesktopOn-premises
data gateway

On-premises data gateway

?

X

Status

Service Settings

Diagnostics

Network

Connectors

Custom data connectors

[Learn more](#)

Load custom data connectors from folder:

C:\Users\PBIEgwService\Documents\Power BI Desktop\Custom

...

Folder not found.


Ensure the gateway service account has permission to access the selected folder.
The gateway service account is NT SERVICE\PBIEgwService.

Close

DEMO 5

Cortana





Power BI Settings

General Dashboards Datasets Workbooks Alerts Subscriptions

Settings for DIAD Final Report

[Refresh history](#)

▶ Gateway connection

▶ Data source credentials

▶ Parameters

▶ Scheduled refresh

◀ Q&A and Cortana

Allow Cortana to access this dataset

Cortana will only share this information with Power BI users who have access to it.

Apply

Discard

▶ Featured Q&A questions

Get Data

IT WON'T FAIL BECAUSE OF ME



Power BI

https://app.powerbi.com/admin-portal/tenantSettings

Power BI Admin portal

Home Favorites Recent Apps Shared with me Workspaces My Workspace Get Data

Admin portal

Usage metrics

Users

Audit logs

Tenant settings

Capacity settings

Embed Codes

Organization visuals

Dataflow settings

Workspaces

Integration settings

Ask questions about data using Cortana

Enabled for the entire organization

Users in the organization can ask questions about their data using Cortana.

Enabled

Apply

Cancel

ⓘ This setting applies to the entire organization

► Use Analyze in Excel with on-premises datasets

Enabled for the entire organization

► Use ArcGIS Maps for Power BI

Enabled for the entire organization

► Use global search for Power BI (Preview)

Enabled for the entire organization

Custom visual settings


Utterance: **growth by**

Interpretations:

growth by Country

from Dataset: DIAD Final Report

Show Diagnostics information:



Best match

 show growth by Country
Dataset: DIAD Final Report



Search the web

 show growth by country - See web results



 show growth by



 show growth by Country





show growth by Country

Dataset: DIAD Final Report

 Open








+


C





Try, "when does summer begin?"


show growth by country











Power BI My Workspace > DIAD Final Report

File View Reading view Mobile Layout Ask a qu... Ex... Tex... S... Bu... Visual inter... Re... Duplicate thi... ... Pin Live... ...

Home

Favorites


Recent

Apps

Shared with me

Workspaces

My Workspace



VISUALIZATIONS FIELDS

page info


Page information

Name: Market Share

Tooltip: Off

Q&A: On

Growth by Country, Growth by Manufacturer, Previous Year Sales



Power BI My Workspace > DIAD Final Report

File View Reading view Mobile Layout Ask a qu... Ex... Tex... S... Bu... Visual inter... Re... Duplicate thi... ... Pin Live... ...

Home Favorites Recent Apps Shared with me Workspaces My Workspace

Market Share Rev & PY Sales

47.04% \$3bn

Growth by Country Growth by Manufact...

23.22%	23.77%
20.52%	21.32%
20.12%	20.91%
19.54%	19.01%
18.19%	16.42%

% Growth by Country

EUROPE ASIA Atlantic Ocean AFRICA Indian Ocean SOUTH AMERICA Bing Microsoft Corporation Terms

Market Share Page1

VISUALIZATIONS FIELDS

Search Date Geography Manufacturer Product Sales

page size

Type Cortana

Width 296 Pixels

Height 592 Pixels



Settings



Windows Settings

Find a setting



System

Display, sound, notifications,
power

Devices

Bluetooth, printers, mouse



Phone

Link your Android, iPhone



Network & Internet

Wi-Fi, airplane mode, VPN



Personalization

Background, lock screen, colors



Apps

Uninstall, defaults, optional
features

Accounts

Your accounts, email, sync,
work, other people

Time & Language

Speech, region, date



Gaming

Game bar, captures,
broadcasting, Game Mode

Ease of Access

Narrator, magnifier, high
contrast

Cortana

Cortana language, permissions,
notifications

Privacy

Location, camera



Update & Security

Windows Update, recovery,
backup

The image shows the Windows Settings application window. The left sidebar has a dark theme with white text. It includes a 'Find a setting' search bar at the top, followed by sections for 'Accounts', 'Your info', 'Email & accounts', 'Sign-in options', 'Access work or school' (which is highlighted with a blue vertical bar), 'Other users', and 'Sync your settings'. The main content area has a light background. It features a large heading 'Access work or school' with a sub-section titled 'Get access to resources like email, apps, and the network.' Below this, there's a 'Connect' button with a plus sign icon, a section for a 'Work or school account' (showing a red, green, and blue square icon and the email 'hiram@fleitasarts.com'), and a status message 'Connected to AD domain'. At the bottom, there's a 'Connect with work and school' section with a description and a 'Get more tips' link, followed by a 'Related settings' link.

← Settings

Home

Find a setting

Accounts

Your info

Email & accounts

Sign-in options

Access work or school

Other users

Sync your settings

Access work or school

Get access to resources like email, apps, and the network. Connecting means your work or school might control some things on this device, such as which settings you can change. For specific info about this, ask them.

+ Connect

 Work or school account
hiram@fleitasarts.com

 Connected to AD domain

Connect with work and school

Select Manage or disconnect from work or school, and then select Connect to access resources on your work or school network. The Connect option will also let you set up a work or school account if you don't have one already.

[Get more tips](#)

Related settings

← Settings

Home

Find a setting

Cortana

Talk to Cortana

Permissions & History

Cortana across my devices

More details

Talk to Cortana

Microphone

Make sure Cortana can hear me.

[Check the microphone](#)

Hey Cortana

Let Cortana respond to "Hey Cortana"

Off
Cortana uses more battery when this is on.

Keyboard shortcut

Let Cortana listen for my commands when I press the Windows logo key + C

On

Lock Screen

Use Cortana even when my device is locked

On

To get Cortana tips on the lock screen, choose Picture or Slideshow as your background in Lock Screen Settings.

[Lock screen settings](#)

DEMO 6

Publish & Share - Security Gov



IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) - Po + https://web.powerapps.com/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/home?utm_source=PAMarketing&utm_medium=header&utm_campaign=signin

PowerApps Environment fleitasarts.com (default) ⏪ 🔍 ⚙️ ? 🌐

Build business apps, fast

Create apps that connect to your data and work across web and mobile. [Learn about PowerApps](#)

Make your own app

- Canvas app from blank**
- Model-driven app from blank**
- PowerApps Training for Office**
- PowerApps Training for Office**

[All templates →](#)

Recent apps Shared with me

Name	Owner	Type
Leads	You	Canvas

A green arrow points from the bottom-left towards the "Edit" option in the context menu.

- Edit** (highlighted with a green box)
- Play
- Share
- Export package (preview)
- Analytics (preview)
- Settings
- Delete
- Details

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) Po + https://us.create.powerapps.com/studio/#

PowerApps

File Home Insert View Action Leads - Saved (Unpublished) ?

New screen Theme Fill = RGBA(255, 255, 255, 1)

Tree view Search App Home grpModal grpLink grpDelete grpCheck grpAdd Map Logo UserPhoto grpTextInput

Name Email Address Lead ID

Palm Springs Estates

Map

Properties Rules Advanced

Fill Background image Select an image... Image position Fit



IT WON'T FAIL BECAUSE OF ME

PowerApps

←

New

Open

Account

Connections ▾

Flows ▾

App settings

Save

Save as

Share ▾

Collections

Media

Variables

Save

Leads

Environment: fleitasarts.com (default)


Saved: 5/5/2019, 6:07:05 PM

✓ All changes are saved.

Publish

See all versions

A large green arrow points upwards from the 'Save' button in the sidebar to the 'Publish' button in the main content area.



IT WON'T FAIL BECAUSE OF ME

Leads - Saved (Unpublished) - Po

https://us.create.powerapps.com/studio/#

PowerApps

Save

Leads

Environment: fleitasarts.com (default)

Saved: 5/5/2019, 6:07:05 PM

✓ All changes are saved.

Publish See all versions

Publish

Publishing will make this version available to everyone who has Can use permissions.
[Learn more about publishing apps](#)

Leads

Description
no description

Publish this version **Edit details**

A green arrow points from the "Edit details" button to the "Edit details" button on the main screen.


App settings

- New
- Open
- Account
- Connections
- Flows
- App settings
- Save
- Save as
- Share
- Collections
- Media
- Variables

App name
Leads
[Edit app name](#)

Icon


Preview 

Background color 

Icons 
Browse

Description
Describe what people can do with this app. This will appear with your app on users' Dynamics 365 home page.
[Learn about Dynamics 365](#)

Leads App by Hiram



IT WON'T FAIL BECAUSE OF ME

Leads - Saved (Unpublished) - Po

https://us.create.powerapps.com/studio/#

PowerApps

←

New

Open

Account

Connections ▾

Flows ▾

App settings

Save

Save as

Share ▾

Collections

Media

Variables

Save

Leads

Environment: fleitasarts.com (default)


Saved: 5/23/2019, 12:58:32 AM

✓ All changes are saved.

Publish

See all versions

A green arrow points from the 'Save' button in the sidebar to the 'Publish' button in the main content area.



IT WON'T FAIL BECAUSE OF ME

PowerApps

←

New

Open

Account

Connections ▾

Flows ▾

App settings

Save

Save as

Share ▾

Collections

Media

Variables

Leads

Environment: fleitasarts.com (default)

Saved: 5/23/2019, 12:58:32 AM

✓ All changes are saved.

Publish See all versions

Publish


Publishing will make this version available to everyone who has Can use permissions.
[Learn more about publishing apps](#)

★ Leads

Description
Leads App by Hiram

Publish this version Edit details

https://us.create.powerapps.com/studio/#



IT WON'T FAIL BECAUSE OF ME

Leads - PowerApps

https://us.create.powerapps.com/studio/#

PowerApps

←

New

Open

Account

Connections ▾

Flows ▾

App settings

Save

Save as

Share ▾

Collections

Media

Variables

Save

Leads

Environment: fleitasarts.com (default)

Saved: 5/23/2019, 12:59:50 AM

✓ All changes are saved and published.

Share this app See all versions

A large green arrow points upwards from the 'Save' button in the sidebar to the 'Share this app' button in the main content area.

https://web.powerapps.com/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/apps/daece9ba-da58-4f99-8093-5f997efe6e12/share

PowerApps

Edit Play Share Export package (preview) Analytics (p)

Apps > Leads

Details Versions Connections Flows Analytics (preview)

Owner Hiram Fleitas

Created 5/3/2019, 6:36:06 PM

Modified 5/23/2019, 12:59:50 AM

Web link <https://web.powerapps.com/apps/daece9ba-da58-4f99-8093-5f997efe6e12>

App ID daece9ba-da58-4f99-8093-5f997efe6e12

Share Leads

Add people as Users and Co-owners to your app. Make sure your data connections have been shared with all users.

Enter a name, email address, or Everyone

Shared with Sort by Name

Christina User

Hiram Fleitas Owner

Christina This user can use this app.

Co-owner Can use, edit, share app but not delete or change owner.

Data permissions

Office 365 Users

Bing Maps Implicitly Shared

SQL Server Implicitly Shared

Logic flows

Logic flows

Logic flows

Logic flows


Send an email invitation to new users

Share Cancel






Productivity



Hello

Sign in to start using PowerApps



Sign in with your work or school email account

Sign in



Cancel

Pick account

+



Azure AD

hfleitas@universalproperty.com



https://sts.windows.net/cb6db...

hf0524@universalproperty.com



Azure AD

hiram@fleitasarts.com

[Cancel](#)[Get Codes](#)

hiram@fleitasarts.com

Enter password

Password

[Forgot my password](#)[Sign in with another account](#)[Sign in](#)

Leads

Hiram Fleitas

fleitasarts.com (default)


...

Looking for more? [Go to All apps.](#)

PowerApps ▾
MY APPS



Looking for more? [Go to All apps.](#)



data:




Leads

Add Leads to home screen to make it look and feel like a real app

Tap then 'Add to Home Screen'



data:



Cancel

Add to Home Screen

Add

Leads






data:text/html;charset=UTF-8;base6...

An icon will be added to your home screen so you can quickly access this website.



Almost there ...

Leads needs your permission to use:



Swipe from the left edge to close app



Got it

Don't show again

Allow

Don't Allow



BingMaps.GetMapV2 failed: The method 'GetMapV2' has an invalid value for parameter 'latitude'




Name

Email

Address

Lead ID



Allow "PowerApps" to access
your location?

This app needs location access


Only While Using the App

Always Allow

Don't Allow

Don't show again








Name

Dmoney@icloud.com

Address

Lead ID



Name

Dmoney@icloud.com

Address

{"Table1": [{"TicketId":2001,"LeadId":1001}]}
9






Tony

Wakeboard@live.com

Address

Lead ID



Name

Wakeboard@live.com

Address






Jackie

Hr@icloud.com

Address

Lead ID



Name

Hr@icloud.com

Address

{"Table1": [{"TicketId":2002,"LeadId":1003}]}
9






Tony

Wakeboard@live.com

Address

1002

○ ○ ○



{"Table1":
[{"TicketId":2003,"CustomerId":null,"LeadId":100
2,"Status":false,"CreatedBy":"Leads","CreatedOn
":"2019-05-24T15:34:33.15","ModifiedBy":null}]}
○ ○ ○





Ryan

Ryan@outlook.com


750 Lake Dr, Boca Raton, FL 33432


Lead ID



```
{"Table1": [{"Column1": 1007}]}>
```







IT WON'T FAIL BECAUSE OF ME

PowerApps

Edit Play Share Export package (preview) Analytics (preview) Settings Delete

Environment
fleitasarts.com (default)

Apps > Leads

Details Versions Connections Flows Analytics (preview)

Owner
Hiram Fleitas

Created
5/3/2019, 6:36:06 PM

Modified
5/23/2019, 12:59:50 AM

Web link
<https://web.powerapps.com/apps/daece9ba-da58-4f99-8093-5f997efe6e12>

App ID
daece9ba-da58-4f99-8093-5f997efe6e12

Home Learn Apps Create Data Business logic Solutions

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - PowerApps Microsoft PowerApps

https://web.powerapps.com/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/apps/daece9ba-da58-4f99-8093-5f997efe6e12/versions

PowerApps

Environment fleitasarts.com (default)

Edit Play Share Export package (preview) Analytics (preview) Settings Delete Search

Home Learn Apps Create Data Business logic Solutions

Apps > Leads

Details Versions Connections Flows Analytics (preview)

Version	Modified	Modified by	PowerApps release	Published	Comment
Version 14	5/23/2019, 12:58:32 AM	Hiram Fleitas	3.19051.20	Live	
Version 13	5/5/2019, 6:07:04 PM	Hiram Fleitas	3.19044.15		
Version 12	5/5/2019, 12:30:32 PM	Hiram Fleitas	3.19044.15		
Version 11	5/5/2019, 3:28:52 AM	Hiram Fleitas	3.19044.15		
Version 10	5/5/2019, 3:26:57 AM	Hiram Fleitas	3.19044.15		
Version 9	5/4/2019, 4:06:17 PM	Hiram Fleitas	3.19044.13		
Version 8	5/4/2019, 2:32:55 PM	Hiram Fleitas	3.19044.13		
Version 7	5/4/2019, 1:24:36 PM	Hiram Fleitas	3.19044.13		
Version 6	5/4/2019, 11:59:46 AM	Hiram Fleitas	3.19044.13		
Version 5	5/4/2019, 10:19:38 AM	Hiram Fleitas	3.19044.13		
Version 4	5/4/2019, 12:41:00 AM	Hiram Fleitas			



PowerApps

Environment
fleitasarts.com (default)

Edit Play Share Export package (preview) Analytics (preview) Settings Delete Search

Apps > Leads

Details Versions Connections Flows Analytics (preview)

Name
 Bing Maps Bing Maps (preview)
 hiram@fleitasarts.com Office 365 Users
 localhost SQL Server

Home Learn Apps Create Data Entities Connections Custom connectors Gateways Business logic Flows Solutions



PowerApps

Environment
fleitasarts.com (default)

Edit Play Share Export package (preview) Analytics (preview) Settings Delete Search

Apps > Leads


Details Versions Connections Flows Analytics (preview)

Name
 CheckLead
 LinkLead
 AddLead
 DeleteLead


PowerApps

Environment
fleitasarts.com (default)[Edit](#) [Play](#) [Share](#) [Export package \(preview\)](#) [Analytics \(preview\)](#) [Settings](#) [Delete](#)[Home](#)[Learn](#)[Apps](#)[Create](#)[Data](#)[Entities](#)[Connections](#)[Custom connectors](#)[Gateways](#)[Business logic](#)[Flows](#)[Solutions](#)

App launch distribution by device platform




App launch count by day

[App Launch Count](#) [Average launches per user](#)


Device platform

- Select all
- iPhone-ReactNativePlayerer

Daily active users



Daily active users per player version

[Player version](#) [3.19051](#)

Country or region

- Select all
- United States





https://web.powerapps.com/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/apps/daece9ba-da58-4f99-8093-5f997ef6e12/analytics

PowerApps

Environment
fleitasarts.com (default)

Edit Play Share Export package (preview) Analytics (preview) Settings Delete

Home Learn Apps Create Data Entities Connections Custom connectors Gateways Business logic Flows Solutions

Time to first screen (in seconds)

Aggregation Date	Red Line (s)	Black Line (s)	Teal Line (s)
5/23/2019	6.1	3.1	1.8
5/24/2019	2.8	2.8	2.8

Time to first screen without connection setup (in seconds)

Aggregation Date	Red Line (s)	Black Line (s)	Teal Line (s)
5/23/2019	3.1	3.1	1.8
5/24/2019	2.8	2.8	2.8

Device platform

- Select all
- iPhone-ReactNativePlayer

App version

- Select all
- 3.19051

Session length (in seconds)

Aggregation Date	Red Line (s)	Black Line (s)	Teal Line (s)
5/23/2019	1378.0	69.0	0.0
5/24/2019	20.2	20.2	20.2

App session count by session duration

Session duration: < 1 min (Teal), > 5 min (Black), 1 - 5 min (Red)

Session Duration	Count (5/23/2019)	Count (5/24/2019)
< 1 min	10	2
> 5 min	2	2
1 - 5 min	2	2

App open scenario

- Select All
- Regular open

Country or region

- Select all
- United States

https://web.powerapps.com/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/apps/daece9ba-da58-4f99-8093-5f997ef6e12/analytics

PowerApps

Environment
fleitasarts.com (default)

Edit Play Share Export package (preview) Analytics (preview) Settings Delete

App launches across the world



Bing


Device platform

- Select all
- iPhone-ReactNativePlayer

App version

- Select all
- 3.19051

App launches by country



Country	Launches
United States	8
Other Countries	0-1



Microsoft PowerApps Leads - Saved (Unpublished) - Po Microsoft PowerApps

https://web.powerapps.com/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/gateways

PowerApps Environment fleitasarts.com (default)

New gateway

Search

Home Learn Apps Create Data Entities Connections Custom connectors Gateways Business logic Flows Solutions

Gateways

Canvas

Name	Contact information
Hiram	... hiram@fleitasarts.com



https://web.powerapps.com/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/logicflows

PowerApps

Environment
fleitasarts.com (default)

+ New

Search

Flows

My flows Team flows Business process flows

o [▲]	Name	Modified	Type
	CheckLead	2 wk ago	Instant
	DeleteLead	2 wk ago	Instant
	LinkLead	2 wk ago	Instant
	AddLead	2 wk ago	Instant

Home Learn Apps Create Data Entities Connections Custom connectors Gateways Business logic Flows Solutions

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) - Po Power BI Audit log search - Security & Co +

https://app.powerbi.com/admin-portal/auditLogs

Power BI Admin portal

Home Favorites Recent Apps Shared with me Workspaces My Workspace Get Data

1

Admin portal

Usage metrics Users Audit logs Tenant settings Capacity settings Embed Codes Organization visuals Dataflow settings Workspaces

Audit logs are managed in the Office 365 Admin Center
Go there to view tenant activity and export logs.
Auditing is only available in certain regions while the feature is in preview. [Learn more about audit logs](#)

Go to O365 Admin Center



Office 365 Security & Compliance



Audit log search

Need to find out if a user deleted a document or if an admin reset someone's password? Search the Office 365 audit log to find out what the users and admins in your organization have been doing. You'll be able to find activity related to email, groups, documents, permissions, directory services, and much more. [Learn more about searching the audit log](#)

Search

[Clear](#)

Results 43 results found

[Filter results](#)[Export results ▾](#)

Activities

Created app, ... (10) ▾

Date ▾

IP address

User

Activity

Item

Detail

2019-05-24 11:50:05 hiram@fleitasarts.com Edited app daece9ba-da58-4f99-80...

[Clear all to show results for all activities](#)[App](#)

Power BI activities

Created Power BI app	Installed Power BI app	Updated Power BI app
Unpublished Power BI app	Created workspace for Power BI template app	Deleted workspace for Power BI template app
Updated settings for Power BI template app	Updated testing permissions for Power BI template app	Created Power BI template app
Deleted Power BI template app	Promoted Power BI template app	Installed Power BI template app
Updated parameters for installed Power BI template app		

PowerApps app activities

Created app	✓	Edited app	✓	Deleted app	✓
Launched app	✓	Published app	✓	Marked app as Hero	✓
Marked app as Featured	✓	Edited app permission	✓	Deleted app permission	✓
Restored app version	✓				

[+ New alert policy](#)



https://protection.office.com/unifiedauditlog

Office 365 Security & Compliance

Home > Audit log search

Audit log search

Need to find out if a user deleted a document or if an admin reset someone's password? Search the Office 365 audit log to find out what the users and admins in your organization have been doing. You'll be able to find activity related to email, groups, documents, permissions, directory services, and much more. [Learn more about searching the audit log](#)

Search	Clear	Results 43 results found	Filter results	Export results ▾			
Activities		Date ▾	IP address	User	Activity	Item	Detail
Created app, ... (10)		2019-05-24 11:50:05		hiram@fleitasarts.com	Edited app	daece9ba-da58-4f99-80...	
Start date	2019-05-17	00:00		hiram@fleitasarts.com	Edited app	daece9ba-da58-4f99-80...	
End date	2019-05-25	00:00		hiram@fleitasarts.com	Launched app	daece9ba-da58-4f99-80...	
Users	Show results for all users			christina@fleitasarts.com	Launched app	daece9ba-da58-4f99-80...	
File, folder, or site	Add all or part of a file name, folder name, or URL.			christina@fleitasarts.com	Launched app	daece9ba-da58-4f99-80...	
				hiram@fleitasarts.com	Launched app	daece9ba-da58-4f99-80...	
				hiram@fleitasarts.com	Launched app	daece9ba-da58-4f99-80...	
				hiram@fleitasarts.com	Launched app	daece9ba-da58-4f99-80...	

Search



https://protection.office.com/unifiedauditlog

Office 365 Security & Compliance

Audit log search

Need to find out if a user deleted a document or if an admin reset someone's password? Search the Office 365 audit log to find out what the users and admins in your organization have been doing. You'll be able to find activity related to email, groups, documents, permissions, directory services, and much more. [Learn more about searching the audit log](#)

Search Clear Results 43 results found Filter results Export results

Activities	Date	IP address	User	Activity	Item	Detail	
Created flow, ... (7)	2019-05-24 11:50:05		hiram@fleitasarts.com	Edited app	daece9ba-da58-4f99-80...		
<input type="button" value="Clear all to show results for all activities"/> <input type="text" value="flow"/> <input type="button" value="x"/>							
Enabled legacy workflow							
Power BI activities							
Generated Power BI dataflow SAS token							
Deleted Power BI dataflow							
Set scheduled refresh on Power BI dataflow							
Attached dataflow storage account							
Set dataflow storage location for workspace							
Microsoft Flow activities							
Created flow	✓			Edited flow	✓	Deleted flow	✓
Edited flow permissions	✓			Deleted flow permissions	✓	Started a Flow paid trial	✓
Renewed a Flow paid trial	✓						

[+ New alert policy](#)



Office 365 Security & Compliance

Audit log search

Need to find out if a user deleted a document or if an admin reset someone's password? Search the Office 365 audit log to find out what the users and admins in your organization have been doing. You'll be able to find activity related to email, groups, documents, permissions, directory services, and much more. [Learn more about searching the audit log](#)

Search

[Clear](#)

Results 21 results found

[Filter results](#)[Export results ▾](#)

Activities

Start date

End date

Users

File, folder, or site

Search

[+ New alert policy](#)

Date	IP address	User	Activity	Item	Detail
2019-05-23 08:15:20	73.204.201.129	hiram@fleitasarts.com	Deleted flow	https://admin.flow.micro...	
2019-05-05 12:31:48	73.204.201.129	hiram@fleitasarts.com	Edited flow	https://admin.flow.micro...	
2019-05-05 03:24:42	73.204.201.129	hiram@fleitasarts.com	Edited flow	https://admin.flow.micro...	
2019-05-05 03:24:28	73.204.201.129	hiram@fleitasarts.com	Edited flow	https://admin.flow.micro...	
2019-05-05 03:21:56	73.204.201.129	hiram@fleitasarts.com	Created flow	https://admin.flow.micro...	
2019-05-05 03:19:51	73.204.201.129	hiram@fleitasarts.com	Deleted flow	https://admin.flow.micro...	
2019-05-05 03:19:09	73.204.201.129	hiram@fleitasarts.com	Edited flow	https://admin.flow.micro...	
2019-05-05 03:18:55	73.204.201.129	hiram@fleitasarts.com	Edited flow	https://admin.flow.micro...	





Office 365 Security & Compliance

Audit log search

Need to find out if a user deleted a document or if an admin reset someone's password? Search the Office 365 audit log to find out what the users and admins in your organization have been doing. You'll be able to find activity related to email, groups, documents, permissions, directory services, and much more. [Learn more about searching the audit log](#)

Search

[Clear](#)

Results 21 results found

[Filter results](#)[Export results ▾](#)

Activities

Viewed Power BI dashboard ... (38) ▾

Date	IP address	User	Activity	Item	Detail
2019-05-23 08:15:20	73.204.201.129	hiram@fleitasarts.com	Deleted flow	https://admin.flow.micro...	

[Clear all to show results for all activities](#)

Power BI

Power BI activities

Viewed Power BI dashboard	✓	Created Power BI dashboard	✓	Edited Power BI dashboard
Deleted Power BI dashboard	✓	Shared Power BI dashboard		Printed Power BI dashboard
Copied Power BI dashboard	✓	Viewed Power BI tile		Exported Power BI tile data
Viewed Power BI report	✓	Deleted Power BI report		Printed Power BI report page
Downloaded Power BI report	✓	Published Power BI report to web		Exported Power BI report visual data
Created Power BI report	✓	Edited Power BI report		Copied Power BI report
Created Power BI dataset	✓	Deleted Power BI dataset		Created Power BI group
Deleted Power BI group	✓	Added Power BI group members	✓	Removed Power BI group members
Created organizational Power BI content pack	✓	Created Power BI app		Installed Power BI app
Updated Power BI app		Updated organization's Power BI settings		Started Power BI trial

[+ New alert policy](#)



Office 365 Security & Compliance



Audit log search

Need to find out if a user deleted a document or if an admin reset someone's password? See activity related to email, groups, documents, permissions, directory services, and much more.

Search

Clear

Activities

Viewed Power BI dashboard ... (38)

Start date

2019-05-17 00:00

End date

2019-05-25 00:00

Users

Show results for all users

File, folder, or site

Add all or part of a file name, folder name, or URL.

Search

+ New alert policy

Results 17 results found

Date	IP address
2019-05-24 12:06:14	73.204.201.129
2019-05-22 20:47:47	73.204.201.129
2019-05-22 16:19:20	73.204.201.129
2019-05-22 13:54:09	73.204.201.129
2019-05-21 21:39:26	73.204.201.129
2019-05-21 21:27:56	73.204.201.129
2019-05-21 21:27:41	73.204.201.129
2019-05-21 21:19:35	73.204.201.129

Details

Date: 2019-05-24 12:06:14**IP address:** 73.204.201.129**User:** hiram@fleitasarts.com**Activity:** Viewed Power BI dashboard**Item:** VanArsdel**Detail:** Data classification undefined

More information

Activity: ViewDashboard**ActivityId:** c5f279f3-b8f0-4dc1-bade-3fbf52bbe2e2**ClientIP:** 73.204.201.129**CreationTime:** 2019-05-24T16:06:14**DashboardId:** 1a5682b5-8a99-4ecb-9a74-224763e3d12e**DashboardName:** VanArsdel**Datasets:**

```
[  
 {  
 "DatasetId": "6c66dc3a-1511-4279-b720-ce3b498b1461",  
 "DatasetName": "DIAD Final Report"  
 },  
 {  
 "DatasetId": "fb30b500-a240-4a00-8a00-000000000000",  
 "DatasetName": "DIAD Final Report"  
 }]
```

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) - Po Power BI Audit log search - Security & Com +

<https://protection.office.com/unifiedauditlog>

Office 365 Security & Compliance

Audit log search

Need to find out if a user deleted a document or if an admin reset someone's password? See activity related to email, groups, documents, permissions, directory services, and much more.

Search Results 14 results found

Activities: Edited flow ▾

Start date: 2019-04-13 00:00

End date: 2019-05-25 00:00

Users: Show results for all users

File, folder, or site Add all or part of a file name, folder name, or URL.

Search

+ New alert policy

New alert policy

Name*: Edited Flow

Description:

Alert type: Custom ▾

Send this alert when...*

Activities*: Edited flow ▾

Users: Show results for all users



Office 365 Security & Compliance



Home > Audit log search

Audit log search

Need to find out if a user deleted a document or if an admin reset someone's password? See activity related to email, groups, documents, permissions, directory services, and much more.

Search

Clear

Results 14 results found

Activities

Edited flow

Date ▾

IP address

2019-05-05 12:31:48

73.204.201.

Start date

2019-04-13



00:00

2019-05-05 03:24:42

73.204.201.

End date

2019-05-25



00:00

2019-05-05 03:24:28

73.204.201.

Users

Show results for all users

2019-05-05 03:18:55

73.204.201.

File, folder, or site

Add all or part of a file name, folder name, or URL.

2019-05-05 03:17:11

73.204.201.

2019-05-05 03:17:08

73.204.201.

2019-05-05 03:15:09

73.204.201.

Alert type

Custom ▾

Send this alert when...*

Activities*

Edited flow

Users:

Show results for all users

Send this alert to...*

Recipients*

Hiram Fleitas

Save

Cancel



Microsoft 365 security

[Home](#)[Alerts](#)[Monitoring & reports](#)[Secure score](#)[Hunting](#)[Classification](#)[Policies](#)[Permissions](#)[More resources](#)[Customize navigation](#)

Prevent

Microsoft Secure Score

Total score: 69/707

This score reflects the collective security state of your identities, data, devices, apps, and infrastructure.

Updated Yesterday at 8:00 PM

**Identity** 26 / 223**Data** 23 / 219**Device** 0 / 245**Apps** 20 / 20**Infrastructure** No data to show

Identity protection

1 users at risk[View all users](#)

Device compliance

Intune device compliance status

 Compliant
 In grace period
 Not evaluated[View details](#)

Cloud App Security - OAuth apps

0 privileged OAuth a...

Apps that users gave permissions to. Discovered by Cloud App Security

Devices with active malware

No managed devices

Track security events and enforce configuration and compliance policies through Intune device management

Updated 12/31/0000





Microsoft 365 compliance

[Home](#)[Alerts](#)[Monitoring & reports](#)[Classification](#)[Policies](#)

Solutions

[eDiscovery](#)[Supervision](#)[Data subject requests](#)[Permissions](#)[More resources](#)

Assess

Microsoft Compliance Score

Total score: 2926/4536

This score reflects your organization's data protection posture and cloud service compliance with various standards and regulations. Improve your score in Compliance Manager.

ISO 27001:2013 794 / 1078**NIST 800-53** 1868 / 2832**GDPR** 264 / 626

Assessment score Incomplete actions

Cloud app compliance

Review cloud app co...

Some of your cloud apps might not meet compliance requirements for these regulations

GDPR**HIPAA****ISO-27001****SOC1****FINRA**

Non-compliant apps Non-compliant apps

Users with the most shared files

Users currently sharing the most files from cloud apps

User	Files shared
John Doe	12345
Jane Smith	98765
Bob Johnson	76543
Sarah Williams	54321
David Miller	32109
Emily Davis	10987





Service Trust Portal

Compliance Manager

Trust Documents

Industries & Regions




More



Help

Compliance Manager

i Notice: Compliance Manager data has been refreshed. Some of the changes to customer managed controls may require the controls to be reassessed. Please review the list of changes and the Microsoft recommended actions for customers in the [Controls Change Log](#).

[Assessments](#)[Action Items](#) Show Archived[+ Add Assessment](#)[Filter](#)

Default Group

Assessment Status

Default Group

Assessment Status





Office 365 Security & Compliance



Microsoft 365

Check out the new homes for Microsoft 365 security and compliance

Check out the new [Microsoft 365 security center](#) and [Microsoft 365 compliance center](#) - your specialized workspaces for managing security and compliance across Microsoft 365

Office 365

Customize

Welcome to the Security & Compliance Center



We're busy building a one-stop shop for security and compliance across Office 365. Keep an eye out for new features coming your way. As always, your feedback is a critical part of our blueprint, so take a look around and let us know what you think.

Take a tour

We're committed to helping on your GDPR journey



GDPR is all about protecting and enabling individuals' privacy rights inside the European Union (EU). Our tools can help you detect, classify, and secure this sensitive info across locations (like Exchange, OneDrive, and more) and can

Search for users

Search for users

...



Microsoft Secure Score

Total score: 69/707

This score reflects the collective security state of your identities


Recommendations

Let users classify their content



Let your users classify their content. Transition to the new Microsoft 365 security and compliance workspace.

+ Get started



Fin

The screenshot shows the Microsoft PowerApps website (<https://powerapps.microsoft.com/en-us/>) displayed on a laptop screen. The page features a large purple and white abstract graphic on the right. In the center, the text "Apps that mean business" is displayed above a paragraph about building business apps. A "GET STARTED FREE >" button is visible. The top of the browser window shows tabs for "Build Custom Business Apps | Mi...", "Power BI | Interactive Data Visual...", and "Automate processes + tasks | Mi...". The Microsoft logo and "PowerApps" text are at the top left, and "Sign in" and "Sign up free" links are at the top right.

IT WON'T FAIL BECAUSE OF ME

Build Custom Business Apps | Mi... X Power BI | Interactive Data Visual... X Automate processes + tasks | Mi... X +

Microsoft | PowerApps

Sign in Sign up free

https://powerapps.microsoft.com/en-us/

Apps that mean business

Easily build the business apps you need and extend or customize the apps you already use.

GET STARTED FREE >

Sumario

- ★ Intro
- ★ Azure Data Studio Notebook
- ★ PowerApps
- ★ Microsoft Flow
- ★ Data Gateway
- ★ Cortana - Power BI
- ★ Publish & Share - Seguridad
- ★ Recursos

Recursos

- ★ dba2o.wordpress.com
- ★ [Microsoft Learn](https://docs.microsoft.com/en-us/learn)
- ★ [Precios](#)
- ★ [Integración de Bing Maps en PowerApps con GPS](#)
- ★ [Desplazamiento de Pantalla](#)
- ★ [Mostrar Foto de Perfil del Usuario](#)
- ★ [Pantalla Modal \(Pop-up\)](#)
- ★ [Recortar Imagen en Circulo](#)
- ★ [Cortana Intro](#)
- ★ [Ejemplo de apps en canvas](#)
- ★ [Listado de Webinars](#)
- ★ [ROI Caso de Estudio](#)
- ★ [MBAS Galleria](#)



Community

- Power BI
- PowerApps
- Microsoft Flow
- Data Stories Gallery
- Discuss, Connect, Feedback

The image shows a laptop screen with a white background. At the top, there's a dark header bar with the Microsoft logo and the text "Power Platform". Below this, the main content area has a light gray background. In the center, the text "Welcome to the Power Platform community" is displayed in a large, bold, black font. To the left, there's a yellow icon representing Power BI. To the right, there are two more icons: a purple one for PowerApps and a blue one for Microsoft Flow. Each icon has its respective name below it in a bold, black font. Underneath each name, there's a brief description and a link to the community. The overall layout is clean and organized, designed to guide users to different parts of the Power Platform ecosystem.

IT WON'T FAIL BECAUSE OF ME

Home - Power Platform Commu x https://powerusers.microsoft.com

Microsoft | Power Platform


Welcome to the Power Platform community

 **Power BI**
The Power BI community brings together business intelligence experts and peers to network and share knowledge.
[POWER BI COMMUNITY >](#)

 **PowerApps**
Share questions, tips, and ideas for building apps with other users and the PowerApps product team.
[POWERAPPS COMMUNITY >](#)

 **Microsoft Flow**
Discuss automating your workflows and business processes, share your ideas and get help from the community.
[FLOW COMMUNITY >](#)

Sponsor



fleitasarts.com



```
Locallyhost:5432 -> [attached] @code @test Other hosts @...  
[1]: % upload b.py -- "%select b()"  
[2]: % powershell.exe write-host "Hello, welcome!"  
Hello, welcome!
```

Evaluaciones de sesión

Su opinión es muy
importante.



Este es el enlace:

fletiasarts.com

Envíe sus comentarios al final de esta presentación.

Hiram Fleitas

Presidente Fleitas Arts



@hiramfleitas



hiram@fleitasarts.com



fleitasarts.com



/hfleitas



hiramfleitas

Gracias



Comience ahora en PowerApps.com

Microsoft | PowerApps

Overview

Pricing

Partners

Learn

Community

Sign in

Sign up free

Apps that mean business

Easily build the business apps you need and extend or customize the apps you already use.

GET STARTED FREE >

