

SQL Saturday 918

Charlotte, NC

December 7, 2019
10:30am - 11:20am

Hiram Fleitas

Download: bit.ly/CLT918



SQL Saturday 918

The Game Changer

Hiram Fleitas

Download: bit.ly/CLT918





DBA2.o

Get data fast!

[Let's Work Together](#) [Contact](#) [About](#) [Training](#) [AI \(Demo\)](#)
[PBI \(Demo\)](#)

BIG News – PASS Summit 2019!

07/03/2019

Hiram

[Leave a comment](#)

[Edit](#)

Microsoft Data & AI South FL (Nov 2019) Azure Data Factory

10/24/2019

Hiram

[Leave a comment](#)

I'm very excited to announce that I've been accepted as a speaker at PASS Summit 2019. I'm extremely grateful for the opportunity and look forward to PASS Summit 2019.
Category Session Status General Session The Power Platform Game Changer Accepted General Session Real-time Sentiment Prediction in SQL Server Accepted See you in Seattle, WA... [Continue reading →](#)

Azure Data Factory From On-Prem to Data Warehouse Agenda: Azure Data Factory Data store Connectors 80x On-Premises DevOps Automation Notifications Resources by: Hiram Fleitas Twitter: @hiramfleitas Blog: <http://fleitasarts.com> Video Recording <https://youtu.be/TXxssUeqsOA> Resources fleitasarts.com github.com/hfleitas/rig netflix.com/trollhunters Azure Data Factory: GitHub Integration Azure Data Factory: Documentation Azure Data Factory: Copy Activity Performance Azure Data Factory: Connector Azure SQL Data Warehouse Connector... [Continue reading →](#)



Link to Eval:

bit.ly/CLT918

Your participation is very important.



Hiram Fleitas

Owner, Fleitas Arts



Bio

Father
Developer since 1995
SQL Server since 1999
Fleitas Arts, LLC since 2008
USCG Auxiliary Flotilla Staff Officer



 @hiramfleitas



 /hfleitas

 hiram@fleitasarts.com

 hiramfleitas

 fleitasarts.com



Demos

1. Azure Data Studio Notebook
2. PowerApps
3. Microsoft Flow
4. Data Gateway
5. Siri
6. Publish & Share Security

Demos

7. Ai Builder (Forms)
8. Row-Level-Security (RLS)
9. Approvals
- 10.ISS HTTP Web API
- 11.Power Virtual Agents

DEMO

one

Azure Data Studio Notebook





LeadSQLNotebook.ipynb •



GameChanger > LeadSQLNotebook.ipynb

+ Code

+ Text

Kernel: SQL

Attach To: master (Windows Authent)

Not Trusted

Run Cells

Clear Results

Schedule Notebook

ADS Lead SQL Notebook

Created by @HiramFleitas



Create database on **localhost** SQL Server 2019 RC1

```
[23] 1 if db_id('FleitasArts') is null create database FleitasArts;
      2 go
```

Use DB and Drop Tables If Exists



master*



1 use FleitasArts

X 1 A 0





LeadSQLNotebook.ipynb •

≡

GameChanger > LeadSQLNotebook.ipynb

⊕ Code

⊕ Text

Kernel: SQL

Attach To: master (Windows Authent)

Not Trusted

Run Cells

Clear Results

Schedule Notebook

Use DB and Drop Tables If Exists

```
1 use FleitasArts
2 go
3 drop table if exists Ticket
4 drop table if exists Lead
5 drop table if exists CustomerAccount
6 drop table if exists Customer
7 go
8 set nocount on;
```

Form Ref:

1. HO4 = apt can be assumed to rent
2. HO6 = condo and not rent
3. HO3 = home and live in
4. DP = home and rent out



Add Tables



master* 0 0 1 ▲ 0



LeadSQLNotebook.ipynb •
GameChanger > LeadSQLNotebook.ipynb

Code Text Kernel: SQL Attach To: master (Windows Authent Not Trusted Run Cells Clear Results Schedule Notebook

Add Tables

```
[10] 1 use FleitasArts
2 go
3 if object_id('Customer') is null
4 begin
5     create table Customer (
6         [CustomerId]    int identity(1,1)
7         ,[Name]        nvarchar(256)
8         ,[Email]        varchar(320)
9         constraint pkCustomer primary key clustered ([CustomerId] asc)
10    );
11 end
12 go
13 if object_id('CustomerAccount') is null
14 begin
15     create table CustomerAccount (
16         [CustomerAccountId]   int identity(1,1)
17         ,[CustomerId]          int foreign key references Customer(CustomerId)
18         ,[AcctNumEnding]       int
19         constraint pkCustomerAccount primary key clustered ([CustomerAccountId] asc)
20    );
21 end
22 go
23 if object_id('Lead') is null
24 begin
25     create table Lead (
26         [LeadId]      int identity(1001,1)
27         ,[Name]        nvarchar(256)
```



LeadSQLNotebook.ipynb •
GameChanger > LeadSQLNotebook.ipynb

⊕ Code ⊕ Text Kernel: SQL ▾ Attach To: .., master (Windows Authent ▾ Not Trusted Run Cells Clear Results Schedule Notebook

```
[10] 23 if object_id('Lead') is null
24 begin
25     create table Lead (
26         [LeadId] int identity(1001,1)
27         ,[Name] nvarchar(256)
28         ,[Email] varchar(320)
29         --,[Phone] varchar(20)
30         ,[Address] nvarchar(256)
31         --,[Type] varchar(25) --house, condo, apartment, townhouse
32         --,[Occupancy] varchar(25) --tenant, owner, seasonal, secondary, vacant.
33         --,[Use] varchar(25) --rent, rent out, live
34         ,[Status] bit default(0) -- 0 open / 1 closed
35         ,[CreatedBy] nvarchar(128) default suser_name()
36         ,[CreatedOn] datetime default getdate()
37         ,[ModifiedBy] nvarchar(128)
38         ,[ModifiedOn] datetime
39         constraint pkLeads primary key clustered ([LeadId] asc)
40     );
41 end
42 go
43 if object_id('Ticket') is null
44 begin
45     create table Ticket (
46         [TicketId] int identity(2001,1)
47         ,[CustomerId] int
48         ,[AcctNumEnding] int
49         ,[Status] bit default(0) -- 0 open / 1 closed
50         ,[LeadId] int foreign key references Lead(LeadId)
51         ,[CreatedBy] nvarchar(128) default suser_name()
52         ,[CreatedOn] datetime default getdate()
53         ,[ModifiedBy] nvarchar(128) default suser_name()
54         ,[ModifiedOn] datetime default getdate()
```





LeadSQLNotebook.ipynb •



GameChanger > LeadSQLNotebook.ipynb

⊕ Code

⊕ Text

Kernel: SQL

Attach To: „FleitasArts (Windows Auth”

Trusted

Run Cells

Clear Results

Schedule Notebook

```
40      );
41 end
42 go
43 if object_id('Ticket') is null
44 begin
45     create table Ticket (
46         [TicketId] int identity(2001,1)
47         ,[CustomerId] int
48         ,[AcctNumEnding] int
49         ,[Status] bit default(0) -- 0 open / 1 closed
50         ,[LeadId] int foreign key references Lead(LeadId)
51         ,[CreatedBy] nvarchar(128) default suser_name()
52         ,[CreatedOn] datetime default getdate()
53         ,[ModifiedBy] nvarchar(128) default suser_name()
54         ,[ModifiedOn] datetime default getdate()
55         constraint pkTicket primary key clustered ([TicketId] asc)
56     );
57 end
58 go
```

Commands completed successfully.

Total execution time: 00:00:00.014





LeadSQLNotebook.ipynb •



GameChanger > LeadSQLNotebook.ipynb

Code

Text

Kernel: SQL

Attach To: „FleitasArts (Windows Auth”

Trusted

Run Cells

Clear Results

Schedule Notebook

Add Data

```
1 use FleitasArts
2 go
3 insert Customer values
4 ('Don', 'dmoney@icloud.com')
5 ,('Lou', 'sweetlou@gmail.com')
6 ,('Jackie', 'hr@icloud.com')
7 go
8 insert CustomerAccount values
9 (1, 9256)
10 ,(2, 7146)
11 ,(3, 6401)
12 go
13 insert Lead values
14 ('Don', 'dmoney@icloud.com', '501 S Ocean Blvd, Palm Beach, FL 33480', 0, suser_name(), getdate(), null,null) --'561-805-9256', 'condo', 'seasonal', 'r
15 ,('Tony', 'wakeboard@live.com', '401 E 65th St, Hialeah, FL 33013', 0, suser_name(), getdate(), null,null) --'786-381-4056', 'house', 'owner', 'live',
16 ,('Jackie', 'hr@icloud.com', '401 E 65th St, Hialeah, FL 33013', 0, suser_name(), getdate(), null,null)
17
18 ,('Kim', 'ciokim@icloud.com', '700 Lake Dr, Boca Raton, FL 33432', 0, suser_name(), getdate(), null,null)
19 ,('Fabina', 'fabia@aol.com', '215 SE Spanish Trl, Boca Raton, FL 33432', 0, suser_name(), getdate(), null,null)
20 ,('Christina', 'csosa@live.com', '13 Sunset Key Dr, Key West, FL 33040', 0, suser_name(), getdate(), null,null)
21 go
22 insert Ticket values
23 (1, 9256, 0, 1001, suser_name(), getdate(), null, null)
24 ,(3, 6401, 0, 1003, suser_name(), getdate(), null, null)
25 go
```





LeadSQLNotebook.ipynb •

GameChanger > LeadSQLNotebook.ipynb

Code Text Kernel: SQL

Attach To: „FleitasArts (Windows Auth)

Trusted

Run Cells

Clear Results

Schedule Notebook

Get Tables

```
1 select * from Customer;
2 select * from CustomerAccount;
3 select * from Lead;
4 select * from Ticket;
```

Commands completed successfully.

Total execution time: 00:00:00.126

	CustomerId	Name	Email
1	1	Don	dmoney@icloud.com
2	2	Lou	sweetlou@gmail.com
3	3	Jackie	hr@icloud.com

	CustomerAccountId	CustomerId	AcctNumEnding
1	1	1	9256
2	2	2	7146
3	3	3	6401





LeadSQLNotebook.ipynb ×



GameChanger > LeadSQLNotebook.ipynb

+ Code

+ Text

Kernel: SQL

Attach To: „FleitasArts (Windows Auth)

Trusted

Run Cells

Clear Results

Schedule Notebook


3 | 3 | Jackie | hr@icloud.com

	CustomerAccountId	CustomerId	AcctNumEnding
1	1	1	9256
2	2	2	7146
3	3	3	6401

	LeadId	Name	Email	Address	Status	CreatedBy	CreatedOn	ModifiedBy	ModifiedOn
1	1001	Don	dmoney@icloud.com	501 S Ocean Blvd, Palm Beach, ...	0	UPCIC\hfleitas	2019-10-29 18:28:21.883	NULL	NULL
2	1002	Tony	wakeboard@live.com	401 E 65th St, Hialeah, FL 330...	0	UPCIC\hfleitas	2019-10-29 18:28:21.883	NULL	NULL
3	1003	Jackie	hr@icloud.com	401 E 65th St, Hialeah, FL 330...	0	UPCIC\hfleitas	2019-10-29 18:28:21.883	NULL	NULL
4	1004	Kim	ciovim@aol.com	700 Lake Dr, Boca Raton, FL 33...	0	UPCIC\hfleitas	2019-10-29 18:28:21.883	NULL	NULL
5	1005	Fabina	fabi@aol.com	215 SE Spanish Trl, Boca Raton...	0	UPCIC\hfleitas	2019-10-29 18:28:21.883	NULL	NULL
6	1006	Christina	csosa@live.com	13 Sunset Key Dr, Key West, FL...	0	UPCIC\hfleitas	2019-10-29 18:28:21.883	NULL	NULL

	TicketId	CustomerId	AcctNumEnding	Status	LeadId	CreatedBy	CreatedOn	ModifiedBy	ModifiedOn
1	2001	1	9256	0	1001	UPCIC\hfleitas	2019-10-29 18:28:21.890	NULL	NULL
2	2002	3	6401	0	1003	UPCIC\hfleitas	2019-10-29 18:28:21.890	NULL	NULL





Add CheckLead Proc





LeadSQLNotebook.ipynb •



GameChanger > LeadSQLNotebook.ipynb

⊕ Code

⊕ Text

Kernel: SQL

Attach To: „FleitasArts (Windows Auth”

Trusted

Run Cells

Clear Results

Schedule Notebook

```
22      select c.TicketId, c.LeadId  
23      from     Ticket t  
24      inner join #CheckLead cl  
25          on cl.AcctNumEnd = t.[AcctNumEnding]  
26      end try  
27      begin catch  
28          select 'Check Failed' as Error;  
29          throw;  
30      end catch  
31      end  
32 go  
33 exec CheckLead @email='dmoney@icloud.com';  
34 exec CheckLead @email='wakeboard@live.com';  
35 exec CheckLead @email='hr@icloud.com';
```

Commands completed successfully.

Commands completed successfully.

Total execution time: 00:00:00.062

	TicketId	LeadId
1	2001	1001

	TicketId	LeadId
1	2002	1003





LeadSQLNotebook.ipynb •



GameChanger > LeadSQLNotebook.ipynb

Code

Text

Kernel: SQL

Attach To: „FleitasArts (Windows Auth”

Trusted

Run Cells

Clear Results

Schedule Notebook


Add LinkLead Proc

```
1 create or alter proc LinkLead (
2     @LeadId      int
3     ,@Email       varchar(320)
4     ,@Name        nvarchar(256)
5 )
6 as
7     declare  @CustomerId    int
8             ,@TicketId      int
9             ,@date          datetime;
10
11    --select @CustomerId = CustomerId from Customer where Email=@Email;
12    select @LeadId = LeadId from Lead where Name=@Name and Email=@Email;
13
14    --if @TicketId is not null and @CustomerId is not null
15    begin try
16        /*update    Ticket
17        set      CustomerId = @CustomerId, LeadId = @LeadId,
18                  ModifiedBy = suser_name(), ModifiedOn = getdate()
19        where    TicketId = @TicketId*/
20        insert Ticket values (
21            null, null, 0, @LeadId, suser_name(), getdate(), null, null
22        )
23    end try
24    begin catch
25        select 'Link Failed' as Error;
26        throw;
```



LeadSQLNotebook.ipynb •
GameChanger > LeadSQLNotebook.ipynb

⊕ Code ⊕ Text Kernel: SQL ▾ Attach To: „FleitasArts (Windows Auth)



Run Cells

Clear Results

Schedule Notebook

```
16    / update TICKET
17    set   CustomerId = @CustomerId, LeadId = @LeadId,
18          ModifiedBy = suser_name(), ModifiedOn = getdate()
19    where  TicketId = @TicketId*/
20    insert Ticket values (
21        null, null, 0, @LeadId, suser_name(), getdate(), null, null
22    )
23 end try
24 begin catch
25     select 'Link Failed' as Error;
26     throw;
27 end catch
28
29 select TicketId, CustomerId, LeadId, Status, CreatedBy, CreatedOn, ModifiedBy
30 from   Ticket
31 where   LeadId = @LeadId
32 go
33 exec LinkLead 1002, 'wakeboard@live.com', 'Tony'
34 go
```

Commands completed successfully.

Commands completed successfully.

Total execution time: 00:00:00.030

	TicketId	CustomerId	LeadId	Status	CreatedBy	CreatedOn	ModifiedBy
1	2003	NULL	1002	0	UPCIC\hfleitas	2019-10-29 18:52:40.357	NULL





LeadSQLNotebook.ipynb •



GameChanger > LeadSQLNotebook.ipynb

Code Text Kernel: SQL

Attach To: „FleitasArts (Windows Auth)

Trusted

Run Cells

Clear Results

Schedule Notebook

Add DeleteLead Proc

```
1 create or alter proc DeleteLead (
2     @Name      nvarchar(256)
3     ,@Email     varchar(320)
4 )
5 as
6     declare @LeadId    int
7             ,@TicketId   int
8
9     select @LeadId = LeadId from Lead where Email=@Email and Name=@Name
10    select @TicketId = TicketId from Ticket where LeadId=@LeadId
11
12    if @LeadId is not null
13        begin try
14            delete top (1) from Ticket where @LeadId=LeadId
15            delete top (1) from Lead where Email=@Email and Name=@Name
16
17            select 'Deleted:' as Msg, @LeadId as LeadId, @TicketId as TicketId
18        end try
19        begin catch
20            select 'Delete Failed' as Error;
21            throw;
22        end catch
23    go
24 exec DeleteLead 'Jackie','hr@icloud.com';
```



master* 0 0 ▲ 0





LeadSQLNotebook.ipynb •



GameChanger > LeadSQLNotebook.ipynb

+ Code

+ Text

Kernel: SQL

Attach To: „FleitasArts (Windows Auth)

Trusted

Run Cells

Clear Results

Schedule Notebook

```
7      ,@TicketId int
8
9      select @LeadId = LeadId from Lead where Email=@Email and Name=@Name
10     select @TicketId = TicketId from Ticket where LeadId=@LeadId
11
12    if @LeadId is not null
13    begin try
14        delete top (1) from Ticket where @LeadId=LeadId
15        delete top (1) from Lead where Email=@Email and Name=@Name
16
17        select 'Deleted:' as Msg, @LeadId as LeadId, @TicketId as TicketId
18    end try
19    begin catch
20        select 'Delete Failed' as Error;
21        throw;
22    end catch
23 go
24 exec DeleteLead 'Jackie','hr@icloud.com';
25
```

Commands completed successfully.

Commands completed successfully.

Total execution time: 00:00:00.027

	Msg	LeadId	TicketId
1	Deleted:	1003	2002





LeadSQLNotebook.ipynb •



GameChanger > LeadSQLNotebook.ipynb

Code

Text

Kernel: SQL

Attach To: „FleitasArts (Windows Auth”

Trusted

Run Cells

Clear Results

Schedule Notebook

Add AddLead Proc

```
1 create or alter proc AddLead (
2     @Name      nvarchar(256)
3     ,@Email     varchar(320)
4     ,@Address   nvarchar(256)
5 )
6 as
7     declare @LeadId int;
8     if not exists (select top 1 LeadId
9                     from Lead
10                    where Name = @Name and Email = @Email and Address = @Address)
11 begin try
12         insert Lead (Name, Email, Address) values (@Name, @Email, @Address);
13         select max(LeadId) from Lead
14     end try
15     begin catch
16         select 'Add Failed' as Error;
17         throw;
18     end catch
19     select LeadId, Name, Email, Address
20     from Lead
21     where Name = @Name and Email = @Email and Address = @Address
22 go
23 exec AddLead 'Ryan', 'ryan@outlook.com', '750 Lake Dr, Boca Raton, FL 33432'
24 go
```

Commands completed successfully.



master* 0 0 ▲ 0





LeadSQLNotebook.ipynb •



GameChanger > LeadSQLNotebook.ipynb

⊕ Code

⊕ Text

Kernel: SQL

Attach To: „FleitasArts (Windows Auth

Trusted

Run Cells

Clear Results

Schedule Notebook

```
13     select max(LeadId) from Lead
14 end try
15 begin catch
16     select 'Add Failed' as Error;
17     throw;
18 end catch
19 select LeadId, Name, Email, Address
20 from Lead
21 where Name = @Name and Email = @Email and Address = @Address
22 go
23 exec AddLead 'Ryan', 'ryan@outlook.com', '750 Lake Dr, Boca Raton, FL 33432'
24 go
```

Commands completed successfully.

Commands completed successfully.

Total execution time: 00:00:00.061

	(No column name)
1	1007

	LeadId	Name	Email	Address
1	1007	Ryan	ryan@outlook.com	750 Lake Dr, Boca Raton, FL 33...





LeadSQLNotebook.ipynb ×



GameChanger > LeadSQLNotebook.ipynb

Code Text Kernel: SQL

Attach To: „FleitasArts (Windows Auth)

Trusted

Run Cells

Clear Results

Schedule Notebook

🔒 Creds

```
1 --Win Auth
2 use master
3 go
4 if suser_sid('FleitasArts\Leads') is null
5 begin
6     create login [FleitasArts\Leads] from windows with default_database = [tempdb];
7 end
8 use FleitasArts
9 go
10 if user_id('FleitasArts\Leads') is null
11 begin
12     create user [FleitasArts\Leads] for login [FleitasArts\Leads];
13 end
14 alter role [db_datareader] add member [FleitasArts\Leads];
15 alter role [db_datawriter] add member [FleitasArts\Leads];
16 grant execute to [FleitasArts\Leads];
17 go
18
19 --SQL Auth
20 use master
21 go
22 if suser_id('Leads') is null
23 begin
24     create login [Leads] with password = N'redacted',
25             default_database = [tempdb],
26             check_expiration = off,
27             check_policy = off.
```



master* 0 0 ▲ 0





LeadSQLNotebook.ipynb X



GameChanger > LeadSQLNotebook.ipynb

⊕ Code

⊕ Text

Kernel: SQL

Attach To: „FleitasArts (Windows Auth”

Trusted

Run Cells

Clear Results

Schedule Notebook

```
7 end
8 use FleitasArts
9 go
10 if user_id('FleitasArts\Leads') is null
11 begin
12     create user [FleitasArts\Leads] for login [FleitasArts\Leads];
13 end
14 alter role [db_datareader] add member [FleitasArts\Leads];
15 alter role [db_datawriter] add member [FleitasArts\Leads];
16 grant execute to [FleitasArts\Leads];
17 go
18
19 --SQL Auth
20 use master
21 go
22 if suser_id('Leads') is null
23 begin
24     create login [Leads] with password = N'redacted',
25         default_database = [tempdb],
26         check_expiration = off,
27         check_policy = off;
28 end
29 use FleitasArts
30 go
31 if user_id('Leads') is null
32 begin
33     create user Leads for login Leads;
34 end
35 alter role [db_datareader] add member [Leads];
36 grant execute to Leads;
37 go
```



master* 0 0 ▲ 0



DEMO

two PowerApps





Microsoft

PowerApps

Overview

Pricing

Partners

Learn

Community





Sign in

Sign up free

Apps that mean business

Easily build the business apps you need and extend or customize the apps you already use.

[GET STARTED FREE >](#)



Sign in to your account




IT WON'T FAIL BECAUSE OF ME



- X

https://login.microsoftonline.com/common/oauth2/authorize?client_id=d1208c34-6081-4127-96fa-8c97ecb420c1&response_mode=form_post&response_type=code+id_token&scope...





IT WON'T FAIL BECAUSE OF ME

Sign in to your account

https://login.microsoftonline.com/common/oauth2/authorize?client_id=d1208c34-6081-4127-96fa-8c97ecb420c1&response_mode=form_post&response_type=code+id_token&s...

← → C ⌂

Microsoft

hiram@fleitasarts.com

Enter password

.....

Forgot my password

Sign in

IT WON'T FAIL BECAUSE OF ME

PowerApps

make.powerapps.com/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/home

Apps Popular Fleitas Arts Education USCG UPCIC Dba2.0 – Get data f... MD Cheatsheet Code Tags Other bookmarks

PowerApps

Environment fleitasarts.com (default)

Home

Build business apps, fast

Create apps that connect to your data and work across web and mobile. [Learn about PowerApps](#)

Make your own app

Canvas app from blank

Model-driven app from blank

Portal from blank

Start from data

All templates →

Recent apps Shared with me

Name	Modified	Owner	Type
iss25544	1 wk ago	Hiram Fleitas	Canvas
PowerAppsRLS	2 wk ago	Hiram Fleitas	Canvas
Leads	4 mo ago	Hiram Fleitas	Canvas

All apps →

Learn

Apps

Create

Data

Flows

AI Builder

Solutions




Build a Canvas app from blank

App name *

Leads

Format

 Tablet
 Phone

Design the app you want, and connect it to hundreds of data sources.

[All templates →](#)

Canvas app

Create

Cancel



IT WON'T FAIL BECAUSE OF ME

Leads - PowerApps

PowerApps

Environment
fleitasarts.com (default)

File Home Insert View Action

New screen Theme / Reorder Align Group ?

Fill =

Screens

Search

App

Screen1

Welcome to PowerApps Studio

Here are a few ways to start building an app from a blank canvas.

Create a form >

Create a gallery >

Take an interactive tour to see how an app is built

Don't show me this again

SCREEN

Screen1

Properties Rules Advanced

Fill

Background image

Image position

Screen1

Microsoft PowerApps Leads - PowerApps + IT WON'T FAIL BECAUSE OF ME

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads

New screen Theme Fill Reorder Align Group

Fill = RGBA(255, 255, 255, 1)

Tree view Search App Screen1

SCREEN Screen1 Properties Rules Advanced

Fill Select an image... Image position Fit

Screen1

This screenshot shows the Microsoft PowerApps Studio interface. At the top, there are two tabs: "Microsoft PowerApps" and "Leads - PowerApps". A red circle with a plus sign is positioned between them. The main title bar displays "IT WON'T FAIL BECAUSE OF ME" and the environment "fleitasarts.com (default)". The navigation bar includes "File", "Home" (which is selected), "Insert", "View", "Action", and "Leads". Below the navigation bar is a toolbar with icons for "New screen", "Theme", "Fill" (set to "Fill"), "Reorder", "Align", and "Group". The "Fill" dropdown shows "Fill" and "RGB(255, 255, 255, 1)". On the left side, a "Tree view" sidebar lists "Search", "App", and "Screen1". The main workspace is currently empty. On the right, a "Properties" panel is open for "SCREEN Screen1", showing tabs for "Properties" (selected), "Rules", and "Advanced". Under "Properties", there are sections for "Fill" (with a color picker set to white), "Background image" (with a "Select an image..." button), and "Image position" (set to "Fit").

Microsoft PowerApps Leads - PowerApps IT WON'T FAIL BECAUSE OF ME

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action

New screen Label Button Text Controls Gall

Fill = f(x) RGBA(255, 255, 255, 1)

Tree view X

Search App Screen1

Image

Display an image from a file, data source, or other sources.

Set its properties to determine how this image control looks and behaves.

Media Charts Icons

Image Camera Barcode scanner Video Audio Microphone Add picture

SCREEN Screen1 Properties Rules Advanced

Fill Background image Select an image... Image position Fit

Screen1

The screenshot shows the Microsoft PowerApps Studio interface. The top navigation bar includes tabs for 'Microsoft PowerApps' and 'Leads - PowerApps'. The main toolbar has buttons for 'File', 'Home', 'Insert' (which is currently selected), 'View', and 'Action'. Below the toolbar, there's a row of icons for 'New screen', 'Label', 'Button', 'Text', 'Controls', and 'Gall'. A color palette shows 'Fill' set to white and 'Stroke' set to 'RGB(255, 255, 255, 1)'. On the left, a 'Tree view' pane shows a hierarchy with 'App' and 'Screen1' selected. The main workspace is currently empty. A tooltip for the 'Image' control is open, describing it as 'Display an image from a file, data source, or other sources.' and 'Set its properties to determine how this image control looks and behaves.' To the right of the workspace, the 'Properties' panel is open for 'SCREEN Screen1'. It shows tabs for 'Properties', 'Rules', and 'Advanced', with 'Properties' selected. Under 'Fill', there's a 'Background image' section with a 'Select an image...' button. Under 'Image position', there's a dropdown set to 'Fit'. The bottom of the screen shows a progress bar and a circular navigation icon.

Microsoft PowerApps Leads - PowerApps + IT WON'T FAIL BECAUSE OF ME

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads

Data sources Media Collections Variables Advanced

Fill = RGBA(255, 255, 255, 1)

Tree view X

Search

App

Screen1

Image1

Screen1

Data X

+ Add data source

SCREEN Screen1

Properties Rules Advanced

Fill

Background image Select an image...

Image position Fit

There aren't any data sources connected to this app.

IT WON'T FAIL BECAUSE OF ME

American flag icon

Navigation icons: back, forward, search, refresh, etc.

Microsoft PowerApps Leads - PowerApps + IT WON'T FAIL BECAUSE OF ME

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads

Data sources Media Collections Variables Advanced

Fill = RGBA(255, 255, 255, 1)

Tree view X

Search

App

Screen1

Image1

Screen1

Data X

Search

New connection Refresh

Import from Excel Add static data to your app

Notifications Notifications

Office 365 Outlook hfiletas@universalproperty.com

Office 365 Users hfiletas@universalproperty.com

Office 365 Users hiam@fleitasarts.com

SCREEN Screen1


Properties Rules Advanced

Fill

Select an image...

Background image

Image position Fit



Microsoft PowerApps Leads - PowerApps + IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/#/ PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads ?

Data sources Media Collections Variables Advanced

Image = fx Office365Users.UserPhotoV2(User().Email)

Tree view X

Search

App

Screen1

UserPhoto

Image

UserPhoto

Properties Rules Advanced

RadiusTopLeft UserPhoto.Height

RadiusTopRight UserPhoto.Height

RadiusBottomLeft UserPhoto.Height

RadiusBottomRight UserPhoto.Height

RadiusBottomRight UserPhoto.Height

DisabledBorderColor RGBA(166, 166, 166, 1)

PressedBorderColor ColorFade(UserPhoto.BorderColor, -20%)

HoverBorderColor ColorFade(UserPhoto.BorderColor, 20%)

BorderThickness 0

Screen1 UserPhoto

The screenshot shows the Microsoft PowerApps Studio interface. On the left, there's a tree view of the app structure with 'UserPhoto' selected. In the center, a preview window shows a circular user photo. On the right, the properties panel for 'UserPhoto' is open, specifically the 'Advanced' tab. A green box highlights the 'RadiusTopLeft' through 'RadiusBottomRight' properties, which are all set to 'UserPhoto.Height'. Other properties shown include 'DisabledBorderColor' (set to 'RGBA(166, 166, 166, 1)'), 'PressedBorderColor' (set to 'ColorFade(UserPhoto.BorderColor, -20%)'), 'HoverBorderColor' (set to 'ColorFade(UserPhoto.BorderColor, 20%)'), and 'BorderThickness' (set to '0').



Save as

New

Open

Account

Connections

Flows

App settings

Save

Save as

Share

Collections

Media

Variables

The cloud
Save to PowerAppsThis computer
Save a copy to my computer

Leads

This app will be saved in the environment fleitasarts.com (default).

My apps

Search ...



There aren't any apps saved here.



Save



Save as

New

Open

Account

Connections

Flows

App settings

Save

Save as

Share

Collections

Media

Variables

The cloud
Save to PowerAppsThis computer
Save a copy to my computer

Leads

This app will be saved in the environment fleitasarts.com (default).

My apps

Search ...



Saving to PowerApps

There aren't any apps saved here.





Save

Leads

Environment: fleitasarts.com (default)

Saved: 5/3/2019, 6:36:25 PM

All changes are saved.

[Share this app](#)[See all versions](#)

App settings

Save

Save as

Share


Collections

Media

Variables

Microsoft PowerApps Leads - Saved (Unpublished) + IT WON'T FAIL BECAUSE OF ME

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) 

New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

Image = fx SampleImage

Tree view X

Search App Screen1

Logo UserPhoto

Open

Name Date Type Size Tags

.git	4/25/2019 7:45 PM	File folder		
CortanaTest.jpg	5/3/2019 6:06 PM	JPG File	47 KB	
Cover.png	4/27/2019 4:38 PM	PNG File	124 KB	
Logo.png	5/3/2019 8:19 PM	PNG File	3 KB	
wow.jpg	4/28/2019 9:12 AM	JPG File	81 KB	

File name: Logo.png Custom Files (*.jpg;*.jpeg;*.gif) Open Cancel

Screen1 Logo

IMAGE Logo Properties Rules Advanced

Select an image... Add an image file Transparency Display mode Edit

Visible On Position X: 60 Y: 60

Size Width: 320 Height: 320

Padding Top: 0 Bottom: 0 Left: 0 Right: 0

Color Border

Microsoft PowerApps Leads - Saved (Unpublished) + IT WON'T FAIL BECAUSE OF ME

PowerApps Environment: filetasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished)

New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

Image = Logo_2

Tree view Search

App Screen1 Logo UserPhoto

IMAGE Logo Properties Rules Advanced

Image Logo_2

Image position Fit

Transparency 0

Display mode Edit

Visible On

Position 508 X 40 Y

Size 92 Width 92 Height

Padding 0 Top 0 Bottom 0 Left 0 Right 0

Color

Border

Screen1 Logo

A banner at the top reads "IT WON'T FAIL BECAUSE OF ME". A small American flag is visible in the top right corner.



← → ⌂ ⌂ https://us.create.powerapps.com/studio/#/



PowerApps

Environment
fleitasarts.com (default)

File Home Insert View Action

Leads



Data table

Forms

Media

Charts

Icons

New screen Label Button

Text Controls

Gallery

Data table

Forms

Media

Charts

Icons

Text input

A field for users to type text, numbers, and other data.

Set its properties to determine how this input control looks and behaves.


Label

Text input

HTML text

Rich text editor

Pen input



App

Screen1

TextInput1

Logo

UserPhoto

Screen1

TextInput1

TEXT INPUT

TextInput1

Properties

Rules Advanced

Default

Text input

Format

Text

Hint text

No value

Font

Open Sans

Font size

21

Font weight

Normal

Font style

/ U

Text alignment

Left Center Right

Line height

1.2

Clear button

Off

Maximum length

No value

Mode

Single line

Display mode

Edit

Microsoft PowerApps Leads - Saved (Unpublished) Create key - Bing Maps Dev Cent +

IT WON'T FAIL BECAUSE OF ME

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

Default = fx "Name"

Tree view

Search

App

Screen1

TextInput1

Logo

UserPhoto

Name

TEXT INPUT TextInput1 Properties Rules Advanced

Position 40 192 X Y

Size 560 70 Width Height

Padding 5 5 Top Bottom

12 5 Left Right

Color

Border — 2

Border radius 0

Disabled color

Hover color


Pressed color

Tooltip No value

Screen1 TextInput1

IT WON'T FAIL BECAUSE OF ME

Leads - Saved (Unpublished) Microsoft PowerApps





Microsoft PowerApps Leads - Saved (Unpublished) Create key - Bing Maps Dev Cent +

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

Default = fx "Name"

Tree view

- App
- Screen1
 - TextInput1_2
 - TextInput1_1
 - TextInput1
- Logo
- UserPhoto

TEXT INPUT TextInput1 Properties Rules Advanced

Default Name Format Text Hint text No value Font Open Sans Font size 21 Font weight Normal Font style Text alignment Line height 1.2 Clear button Off Maximum length No value Mode Single line Display mode Edit

Screen1 TextInput1



Microsoft PowerApps Leads - Saved (Unpublished) Create key - Bing Maps Dev Cent +

https://us.create.powerapps.com/studio/##

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

Default = fx "Name"

Tree view

- App
- Screen1
 - Address
 - Email
 - Name
- Logo
- UserPhoto

Text Input Name Properties Rules Advanced

Default Name

Format Text

Hint text No value

Font Open Sans

Font size 21

Font weight Normal

Font style / U

Text alignment

Line height 1.2

Clear button Off

Maximum length No value

Mode Single line

Display mode Edit

Screen1 Name

Microsoft PowerApps Leads - Saved (Unpublished) - Po Create key - Bing Maps Dev Cent +

IT WON'T FAIL BECAUSE OF ME

PowerApps

File Home Insert View Action

Leads - Saved (Unpublished)

Environment fleitasarts.com (default)

Fill = `RGB(255, 255, 255, 1)`

Tree view

Search

- App
- Screen1
 - Address
 - Email
 - Name
 - Logo
 - UserPhoto

Screen1

Data

Search

My connections

- 10to8 Appointment Scheduling
- Act!
- Acumatica
- Adobe Creative Cloud
- Adobe Sign
- Ahead
- Ally

SCREEN Screen1

Properties Rules Advanced

Fill

Background image Select an image...

Image position Fit



IT WON'T FAIL BECAUSE OF ME

PowerApps

File Home Insert View Action

Leads - Saved (Unpublished)

Environment [fletasarts.com \(default\)](#)

View

Data sources Media Collections Variables Advanced

Fill = `RGB(255, 255, 255, 1)`

Tree view

- App
- Screen1
 - Address
 - Email
 - Name
 - Logo
 - UserPhoto

bing

Name

Email

Address

Bing Maps

Bing Search

SCREEN Screen1

Properties Rules Advanced

Fill

Background image Select an image...

Image position Fit

Screen1

Microsoft PowerApps Leads - Saved (Unpublished) - Po Bing for Partners helps businesses + IT WON'T FAIL BECAUSE OF ME

https://www.bing.com/partners/developers#MapsAPIs

Bing for partners Essential services Advanced services Quick links

For businesses </> For developers Reference & tools

Maps APIs


The Bing Maps platform provides [multiple API options](#) for your application including an Web control, a Windows UWP apps control, a WPF control, REST Services, and Spatial Data Services. Key solution areas include consumer facing websites, Windows applications, and Geospatial data visualization in line of business solutions in the enterprise.

Backed by enterprise-grade 24/7 support, our Bing Maps API for Enterprise offers the simplest and fastest way to add location information to any business app. Getting started is easy, just register for a Bing Maps account and create a Bing Maps key to authenticate your app.


[Get started](#)

Enhance your mapping applications with a suite of Bing Maps fleet management API services. Whether you're looking for travel-time optimization, routing logistics, asset tracking, or all of the above, Bing Maps has an easy to use solution for your fleet management needs.

[Learn more](#)



The Bing Maps platform: a mapping solution from Microsoft, built for the enterprise.



Get Started Today

Create a key and start developing your app with Bing Maps

You don't need to be a map creator to develop with Bing Maps. When you register for a Bing Maps account, you'll create a Bing Maps key to authenticate your application, which allows you to include the power of Bing Maps directly in your app. Create a key to get started developing with Bing Maps, and start developing your app today.

Basic Key





Basic Key

Bing Maps Keys for Business and Personal Use

The Basic Bing Maps Key is for use with consumer-facing, education, and non-profit applications as well as for internal commercial Windows or Windows Phone applications that qualify for free use. See restrictions below.

Please see the Enterprise Key for business applications used by authenticated enterprise associates and agents.

Basic Key application types and parameters


• Website	Public and internal website, and mobile apps that are not on/for the Windows Phone: Maximum 125,000 cumulative billable transactions per calendar year at no charge
• Mobile App	
• Windows App	Public and private Windows App, Education and Non-profit: Maximum 50,000 cumulative billable transactions within any 24-hour period
• Education	
• Non-profit	
• Dev/Test	Applications used by authenticated enterprise users (employees or agents of the enterprise) over a private network. Maximum 125,000 cumulative billable transactions per calendar year at no charge.

Bing Maps Resources

- Fleet Management Services
- Windows 10 Map Control and Services
- Bing Maps Documentation
- Bing Maps Developer Support
- Licensing Solutions Partner Resources
- Community
- Other Resources



Bing maps | Dev Center



Welcome

The Bing Maps Dev Center provides the tools and resources you need to develop with Bing Maps. You can store, access, and keep track of your store locations or other spatial data through our online data source management system. You will also receive important announcements around your Bing Maps account.

[Sign in](#)

First time Bing Maps developer?

To get started developing with Bing Maps, you will need a Bing Maps key. To create a key:

1. [Sign in](#) to the Bing Maps Dev Center with your existing Microsoft Account or create a new one.
2. Or, if you're an Azure customer, you can add Bing Maps to your Azure subscription through the [Azure Marketplace](#).

Samples

[Interactive SDK for Bing Maps Web Control v8](#)
[Code samples](#)
[Case studies](#)

Help

[Getting started](#)
[API & Controls](#)
[Licensing](#)
[Technical support](#)

Community

[Bing Maps blog](#)
[Forum](#)
[Twitter](#)



Bing maps | Dev Center

Do you want to use the account **hiramfleitas@hotmail.com** for your new Bing Maps account? [Yes](#)

Or choose one of the following options:

[Sign in with another account](#) (This will sign you out of **hiramfleitas@hotmail.com**, so you can sign in with another account or create a new one.)

[Cancel, and think about it](#) (This will take you back to the Maps Dev Center home page.)

https://www.bingmapsportal.com/Account/Register?userConfirmation=False

Create account

Account details

Account name *

Contact name

Company name

Email address * - This email address will receive important service announcements and notifications.

Phone number

I agree to the [Bing Maps Platform APIs' Terms of Use \(TOU\)](#).

Contact Preferences

I would like information, tips and offers about Bing Maps. [Privacy Statement](#)

Email Telephone

Create

* Required field

Bing maps | Dev Center

[My account](#)[Data sources](#)[Announcements](#)[Contacts & Info](#)

(hiramfleitas@hotmail.com)

[Sign out](#)

Account Details

[My Keys](#)[Reports](#)

Announcement: No current service announcements.

To stay up-to-date on recent Bing Maps Platform releases and news, please visit the [Bing Maps Blog](#).

Important reminder regarding Bing Maps service notifications:

To ensure your company receives important Bing Maps service notifications and announcements that may affect your service availability, please make sure you always keep your organization's email contacts up-to-date in the 'Account Details' section of the Bing Maps Dev Center. **We recommend having multiple email address contacts listed there and the use of a distribution group email address is a suggested best practice (i.e.: bingmaps@contoso.com).**

© 2019 - Microsoft Corporation. All rights reserved. [Privacy and Cookies](#) [Legal](#) [Terms of Use](#)

https://www.bingmapsportal.com/Application

Bing maps | Dev Center

My account ▾ Data sources ▾ Announcements Contacts & Info (hiramfleitas@hotmail.com) Sign out

My keys

Create key

Application name *
PowerApps Leads

Application URL
<https://web.powerapps.com>

Key type * [What's This](#)
Basic

Application type *
Dev/Test

Create **Cancel**

* Required field

To create Education, Broadcast or Not-for-Profit keys, please contact the Bing Maps account team at mpnet@microsoft.com.

Bing maps | Dev Center

[My account](#) [Data sources](#) [Announcements](#) [Contacts & Info](#)(hiramfleitas@hotmail.com) [Sign out](#)

My keys

Key created successfully.

Click [here](#) to create a new key.

Click [here](#) to download complete list of keys.

View Specific Key:

Application name	Key details	
PowerApps Leads	<p>Key: Show key</p> <p>Application Url:</p> <p>Key type: Basic / Dev/Test</p> <p>Created date: 05/04/2019</p> <p>Expiration date: None</p> <p>Key Status: Enabled</p> <p>Security Enabled: No</p>	Update Copy key Usage Report Enable Security



https://www.bingmapsportal.com/Application#

Bing maps | Dev Center

My account ▾ Data sources ▾

Application Key Security Settings

Referrers IP Range

Rule Name	Referrer	Enabled	Action
		<input checked="" type="checkbox"/>	
PowerApps	powerapps.com	<input checked="" type="checkbox"/>	

Key created successfully.

Click [here](#) to create a new key.

Click [here](#) to download complete list of keys.

View Specific Key: Close

Application name	Key details
PowerApps Leads	<p>Key: Show key</p> <p>Application Url: Edit</p> <p>Key type: Basic / Dev/Test</p> <p>Created date: 05/04/2019</p> <p>Expiration date: None</p> <p>Key Status: Enabled</p> <p>Security Enabled: No</p> <p>Update Copy key Usage Report Enable Security</p>

© 2019 - Microsoft Corporation. All rights reserved. [Privacy and Cookies](#) [Legal](#) [Terms of Use](#)



Bing maps | Dev Center

[My account](#)[Data sources](#)[Announcements](#)[Contacts & Info](#)

(hiramfleitas@hotmail.com)

[Sign out](#)


My keys

Click [here](#) to create a new key.

Click [here](#) to download complete list of keys.

View Specific Key:

Application name	Key details
PowerApps Leads	<p>Key: Show key</p> <p>Application Url:</p> <p>Key type: Basic / Dev/Test</p> <p>Created date: 05/04/2019</p> <p>Expiration date: None</p> <p>Key Status: Enabled</p> <p>Security Enabled: Yes</p>



[Update](#)
[Copy key](#)
[Usage Report](#)
[Edit Security](#)



Microsoft PowerApps Leads - Saved (Unpublished) - Po Create key - Bing Maps Dev Cent +

IT WON'T FAIL BECAUSE OF ME

PowerApps

Environment
fletasarts.com (default)

File Home Insert View Action

Leads - Saved (Unpublished)

Data sources Media Collections Variables Advanced

Fill = `RGB(255, 255, 255, 1)`

Tree view

Search

App

Screen1

Address

Email

Name

Logo

UserPhoto

Screen1

Name

Email

Address

Bing Maps

Preview

Bing Maps

API Key*

Fill

Background image Select an image...

Image position Fit

Create Cancel

IT WON'T FAIL BECAUSE OF ME

American flag

Back Forward Home Lock Refresh Help

https://us.create.powerapps.com/studio/#/

Profile picture

More options



https://us.create.powerapps.com/studio/##

PowerApps

File Home Insert **View** Action

Leads - Saved (Unpublished)

Data sources Media Collections Variables Advanced

Fill = `RGB(255, 255, 255, 1)`

Tree view

- App
- Screen1
 - Address
 - Email
 - Name
 - Logo
 - UserPhoto

Screen1

 Data

Name
Email
Address

Data

+ Add data source

Office365Users hiram@fletasarts.com

BingMaps Bing Maps

Properties

Fill

Background image Select an image...

Image position Fit



PowerApps

Environment
fleitasarts.com (default)

File Home Insert View Action

Leads - Saved (Unpublished)


[New screen](#) [Label](#) [Button](#) [Text](#) [Controls](#) [Gallery](#) [Data table](#) [Forms](#) [Media](#) [Charts](#) [Icons](#)Image [BingMaps](#)

Tree view

BingMaps.GetMap

BingMaps.GetMapV2

BingMaps



Image

Image position

Transparency

Display mode

Visible

Position X Y

Size Width Height

Padding Top Bottom

Color

Border Left Right

Microsoft PowerApps Leads - Saved (Unpublished) - Po + IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/#/ PowerApps Environment fleitasarts.com (default)

File Home Insert View Action

GetMapV2(imagerySet, zoomLevel, latitude, longitude, ...)

New screen Label Button ABC

Image = BingMaps.GetMapV2()

Tree view

Search

App Screen1 Map Address Email Name Logo UserPhoto

"Aerial"

"AerialWithLabels"

"CanvasDark"

Name

Email

Address

Image Select an image... Image position Fit Transparency 0 Display mode Edit Visible On Position 40 463 X Y Size 560 320 Width Height Padding 0 0 Top Bottom Left Right Color Border

Screen1 Map

Microsoft PowerApps Leads - Saved (Unpublished) + IT WON'T FAIL BECAUSE OF ME

us.create.powerapps.com wants to Know your location Allow Block

File Home Insert New screen Image = BingMaps.GetMapV2("AerialWithLabels",11,Location.Latitude,Location.Longitude)

Tree view

Search

App Screen1 Map Address Email Name Logo UserPhoto

Leads - Saved (Unpublished)

Controls Gallery Data table Forms Media Charts Icons

Environment fleitasarts.com (default)

Image Map Properties Rules Advanced

Image Select an image... Image position Fit Transparency 0 Display mode Edit

Visible On Position X 40 Y 463 Size Width 560 Height 320 Padding Top 0 Bottom 0 Left 0 Right 0

Color Border

Screen1 Map

The screenshot shows the Microsoft PowerApps Studio interface. A modal dialog from 'us.create.powerapps.com' is displayed, asking for location permissions with the message 'us.create.powerapps.com wants to Know your location' and two buttons: 'Allow' and 'Block'. The main workspace displays a lead record titled 'Leads - Saved (Unpublished)'. The lead contains fields for Name, Email, and Address, each represented by a text input control. Below these fields is a 'Map' control, which is currently empty. To the right of the map is a properties panel for the 'Map' control, showing settings for image, position, transparency, and visibility. The 'Properties' tab is selected. The bottom of the screen shows the navigation bar with 'Screen1' and 'Map' tabs.

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) - Po Reports - Bing Maps Dev Center +

https://us.create.powerapps.com/studio/##

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action

GetMapV2(imagerySet, zoomLevel, latitude, longitude, ...)

zoomLevel: The level of zoom to display between 0 and 21. Default 10 Default: "10"

Image BingMaps.GetMapV2("AerialWithLabels",15,Location.Latitude,Location.Longitude)

Tree view

Search

App

Screen1

Map

Address

Email

Name

Logo

UserPhoto

Name

Email

Address

Aerial map

Properties Rules Advanced

Image Select an image...

Image position Fit

Transparency 0

Display mode Edit

Visible On

Position 40 463 X Y

Size 560 320 Width Height

Padding 0 0 Top Bottom 0 0 Left Right

Color

Border

Screen1 Map

Microsoft PowerApps Leads - Saved (Unpublished) Reports - Bing Maps Dev Center

IT WON'T FAIL BECAUSE OF ME

PowerApps Environment [fleitasarts.com \(default\)](#)

File Home Insert View Action Leads - Saved (Unpublished) [Ug](#) [D](#) [R](#) [P](#) ?

Navigation: Navigate, Collect, Remove, On select, On change, Flows

Action: OnChange = Set(vAddress, BingMaps.GetLocationByAddress({addressLine:Address.Text}))

Tree view:

- App
- Screen1
 - Map
 - Address
 - Email
 - Name
 - Logo
 - UserPhoto

Address Properties:

Properties	Rules	Advanced
Default	Address	
Format	Text	
Hint text	No value	
Font	Open Sans	
Font size	21	
Font weight	Normal	
Font style	/ U	
Text alignment	Left Center Right	
Line height	1.2	
Clear button	Off	
Maximum length	No value	
Mode	Single line	
Display mode	Edit	

Map showing address location:

Address: W 60th St, Spark Park, MN 55301

Microsoft PowerApps Leads - Saved (Unpublished) Reports - Bing Maps Dev Center

IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/#/

PowerApps

File Home Insert View Action

Leads - Saved (Unpublished)

Image

On select Flows

If(Address.Text="Address",BingMaps.GetMapV2("Road",15,Location.Latitude,Location.Longitude),BingMaps.GetMapV2("Road",15,vAddress.point.coordinates.latitude,vAddress.point.coordinates.longitude))

Tree view

Search

App Screen1 Map Address Email Name Logo UserPhoto

Format text Remove formatting

Name

Email

Address

W 60th St W 60th Terrace Sparks Park W 60th St W 59th Pl W 58th St W 57th St W 56th St W 55th Pl W 54th St W 53rd St W 52nd St W 51st St W 50th St W 49th St W 48th St W 47th St W 46th St W 45th St W 44th St W 43rd St W 42nd St W 41st St W 40th St W 39th St W 38th St W 37th St W 36th St W 35th St W 34th St W 33rd St W 32nd St W 31st St W 30th St W 29th St W 28th St W 27th St W 26th St W 25th St W 24th St W 23rd St W 22nd St W 21st St W 20th St W 19th St W 18th St W 17th St W 16th St W 15th St W 14th St W 13th St W 12th St W 11th St W 10th St W 9th St W 8th St W 7th St W 6th St W 5th St W 4th St W 3rd St W 2nd St W 1st St W 0th St W 60th Ave W 59th Ave W 58th Ave W 57th Ave W 56th Ave W 55th Ave W 54th Ave W 53rd Ave W 52nd Ave W 51st Ave W 50th Ave W 49th Ave W 48th Ave W 47th Ave W 46th Ave W 45th Ave W 44th Ave W 43rd Ave W 42nd Ave W 41st Ave W 40th Ave W 39th Ave W 38th Ave W 37th Ave W 36th Ave W 35th Ave W 34th Ave W 33rd Ave W 32nd Ave W 31st Ave W 30th Ave W 29th Ave W 28th Ave W 27th Ave W 26th Ave W 25th Ave W 24th Ave W 23rd Ave W 22nd Ave W 21st Ave W 20th Ave W 19th Ave W 18th Ave W 17th Ave W 16th Ave W 15th Ave W 14th Ave W 13th Ave W 12th Ave W 11th Ave W 10th Ave W 9th Ave W 8th Ave W 7th Ave W 6th Ave W 5th Ave W 4th Ave W 3rd Ave W 2nd Ave W 1st Ave W 0th Ave W 60th St W 60th Terrace Sparks Park W 60th St W 59th Pl W 58th St W 57th St W 56th St W 55th Pl W 54th St W 53rd St W 52nd St W 51st St W 50th St W 49th St W 48th St W 47th St W 46th St W 45th St W 44th St W 43rd St W 42nd St W 41st St W 40th St W 39th St W 38th St W 37th St W 36th St W 35th St W 34th St W 33rd St W 32nd St W 31st St W 30th St W 29th St W 28th St W 27th St W 26th St W 25th St W 24th St W 23rd St W 22nd St W 21st St W 20th St W 19th St W 18th St W 17th St W 16th St W 15th St W 14th St W 13th St W 12th St W 11th St W 10th St W 9th St W 8th St W 7th St W 6th St W 5th St W 4th St W 3rd St W 2nd St W 1st St W 0th St W 60th Ave W 59th Ave W 58th Ave W 57th Ave W 56th Ave W 55th Ave W 54th Ave W 53rd Ave W 52nd Ave W 51st Ave W 50th Ave W 49th Ave W 48th Ave W 47th Ave W 46th Ave W 45th Ave W 44th Ave W 43rd Ave W 42nd Ave W 41st Ave W 40th Ave W 39th Ave W 38th Ave W 37th Ave W 36th Ave W 35th Ave W 34th Ave W 33rd Ave W 32nd Ave W 31st Ave W 30th Ave W 29th Ave W 28th Ave W 27th Ave W 26th Ave W 25th Ave W 24th Ave W 23rd Ave W 22nd Ave W 21st Ave W 20th Ave W 19th Ave W 18th Ave W 17th Ave W 16th Ave W 15th Ave W 14th Ave W 13th Ave W 12th Ave W 11th Ave W 10th Ave W 9th Ave W 8th Ave W 7th Ave W 6th Ave W 5th Ave W 4th Ave W 3rd Ave W 2nd Ave W 1st Ave W 0th Ave

Properties

Image Select an image... Fill Transparency 0 Display mode Edit Visible On Position X: 40 Y: 463 Size Width: 560 Height: 320 Padding Top: 0 Bottom: 0 Left: 0 Right: 0 Color Border

Microsoft PowerApps Leads - Saved (Unpublished) Reports - Bing Maps Dev Center

IT WON'T FAIL BECAUSE OF ME

PowerApps

File Home Insert View Action

Leads - Saved (Unpublished)

Environment fleetasarts.com (default)

Image

Tree view

Search

App

Screen1

Map

Address

Email

Name

Logo

UserPhoto

On select Flows

If(

Address.Text = "Address",
BingMaps.GetMapV2(
"Road",
15,
Location.Latitude,
Location.Longitude
),
BingMaps.GetMapV2(
"Road",
15,
vAddress.point.coordinates.latitude,
vAddress.point.coordinates.longitude
)

Evaluate Then true Else false

Format text Remove formatting

Size 560 320

Width Height

Padding 0 0

Top Bottom

Left Right

Color

Border

Screen1 Map

Image

Tree view

Search

App

Screen1

Map

Address

Email

Name

Logo

UserPhoto

On select Flows

If(

Address.Text = "Address",
BingMaps.GetMapV2(
"Road",
15,
Location.Latitude,
Location.Longitude
),
BingMaps.GetMapV2(
"Road",
15,
vAddress.point.coordinates.latitude,
vAddress.point.coordinates.longitude
)

Evaluate Then true Else false

Format text Remove formatting

Size 560 320

Width Height

Padding 0 0

Top Bottom

Left Right

Color

Border

Screen1 Map



GetMapV2(imagerySet, zoomLevel, latitude, longitude, {format:Text, mapSize:Text, pushpinLatitude:Number, pushpinLongitude:Number, pushpinIconStyle:Number, pushpinLabel:Text})

```
If(  
    Address.Text = "Address",  
    BingMaps.GetMapV2(  
        "Road",  
        15,  
        Location.Latitude,  
        Location.Longitude,  
        {  
            pushpinLatitude: Location.Latitude,  
            pushpinLongitude: Location.Longitude,  
            pushpinIconStyle: 37  
        }  
    ),  
    BingMaps.GetMapV2(  
        "Road",  
        15,  
        vAddress.point.coordinates.latitude,  
        vAddress.point.coordinates.longitude,  
        {  
            pushpinLatitude: vAddress.point.coordinates.latitude,  
            pushpinLongitude: vAddress.point.coordinates.longitude,  
            pushpinIconStyle: 86  
        }  
    )  
)
```

Format text

Remove formatting



PowerApps

File Home Insert View Action

New screen Theme Open Sans

Image

GetMapV2(imagerySet, zoomLevel, latitude, longitude, {format:Text, mapSize:Text, pushpinLatitude:Number, pushpinLongitude:Number, pushpinIconStyle:Number, pushpinLabel:Text})

```
If(  
    Address.Text = "Address",  
    BingMaps.GetMapV2(  
        "Road",  
        13,  
        Location.Latitude,  
        Location.Longitude,  
        {  
            pushpinLatitude: Location.Latitude,  
            pushpinLongitude: Location.Longitude,  
            pushpinIconStyle: 37  
        }  
,  
    BingMaps.GetMapV2(  
        "Road",  
        15,  
        vAddress.point.coordinates.latitude,  
        vAddress.point.coordinates.longitude,  
        {  
            pushpinLatitude: vAddress.point.coordinates.latitude,  
            pushpinLongitude: vAddress.point.coordinates.longitude,  
            pushpinIconStyle: 86,  
            pushpinLabel: Name.Text  
        }  
)  
)
```

Format text Remove formatting

Acceleration

Environment
fleitasarts.com (default)

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) + https://us.create.powerapps.com/studio/ PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) New screen Theme Open Sans 21 / A Fill Border Reorder Align Group AccessibleLabel = fx ... Tree view Search App Screen1 txtLeadID Map txtAddress txtEmail txtName Logo UserPhoto Name Email Address Lead ID

txtLeadID Properties Rules Advanced Default Lead ID Format Text Hint text No value Font Open Sans Font size 21 Font weight Normal Font style / Text alignment Lead ID Line height 1.2 Clear button Off Maximum length No value Mode Single line Display mode Edit

Screen1 txtLeadID

A tree view sidebar on the left lists components: App, Screen1, txtLeadID, Map, txtAddress, txtEmail, txtName, Logo, and UserPhoto. The main canvas displays a lead record with fields for Name, Email, Address, and Lead ID, along with a map showing a location in Palm Springs Estates. The properties pane on the right is open for the 'txtLeadID' text input field, showing settings for Default (Lead ID), Format (Text), Hint text (No value), Font (Open Sans), Font size (21), Font weight (Normal), Font style (/), Text alignment (Lead ID), Line height (1.2), Clear button (Off), Maximum length (No value), Mode (Single line), and Display mode (Edit).



PowerApps

Environment
fleitasarts.com (default)

File Home Insert View Action

Leads - Saved (Unpublished)



New screen Theme Open Sans 21 / Fill Border Reorder Align Group

OnSelect = Launch("http://fleitasarts.com")

Tree view

- App
- Screen1
 - txtLeadID
 - Map
 - txtAddress
 - txtEmail
 - txtName
 - Logo
 - UserPhoto

Name

Email

Address

Lead ID

IMAGE	
Properties	
Image	Logo_2
Image position	Fit
Transparency	0
Display mode	Edit
Visible	<input checked="" type="checkbox"/>
Position	508 X 40 Y
Size	92 Width 92 Height
Padding	0 Top 0 Bottom
Color	<input type="color"/>
Border	<input type="button"/>





PowerApps

Environment
fleitasarts.com (default)

File Home Insert View Action

Leads - Saved (Unpublished)

[New screen](#) [Theme](#) [Open Sans](#) [21](#) [B](#) [U](#) [A](#) [Fill](#) [Border](#) [Reorder](#) [Align](#) [Group](#)OnSelect =

Tree view

 Search

- App
- Screen1
 - txtLeadID
 - Map
 - txtAddress
 - txtEmail
 - txtName
 - Logo
 - UserPhoto

Name

Email

Address

Lead ID

IMAGE UserPhoto

Properties Rules Advanced

Image

Image position

Transparency

Display mode

Visible

Position X Y

Size Width Height

Padding Top Bottom Left Right

Color

Border

Microsoft PowerApps Leads - Saved (Unpublished) + IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/ Environment fleitasarts.com (default)

PowerApps Insert View Action

New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

Fill

Button

A(255, 255, 255, 1)

Lets users click or tap to perform an action.

Set its properties to determine how this button looks and behaves.

Tree view

Search

App

Screen1

- txtLeadID
- Map
- txtAddress
- txtEmail
- txtName
- Logo
- UserPhoto

SCREEN Screen1 Properties Rules Advanced

Fill

Background image Select an image... Image position Fit

Name

Email

Address

Palm Springs Estates

Lead ID

Screen1

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) + https://us.create.powerapps.com/studio/ PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

BorderColor = ColorFade(btnAdd.Fill, -15%)

Tree view Search App Screen1 btnAdd txtLeadID Map txtAddress txtEmail txtName Logo UserPhoto

Email Address Lead ID Add

Map showing Palm Springs Estates location

Properties Rules Advanced

Text Add

Display mode Edit

Visible On

Position X 40 Y 895

Size Width 560 Height 70

Padding Top 5 Bottom 5 Left 5 Right 5

Color A

Border Width 2

Border radius 5

Font Open Sans

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) +

https://us.create.powerapps.com/studio/

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) Icons

New screen Label Button Text Controls Gallery Data table Forms Media Charts

OnSelect = fx false

Tree view X

Search

App

Screen1

Icon1

btnAdd

txtLeadID

Map

txtAddress

txtEmail

txtName

Logo

UserPhoto

Westland Mall NW 103rd St 932

Ave W 49th St E 49th St NW

Lead ID

Add

+ Add

X Cancel

✓ Edit

✓ Check

Search

Filter

Sort

Reload

Trash

Save

On 898 Y 64 Height

Padding Top Bottom Left Right

Color

Border 0

Focused border 2

Screen1 Icon1

IT WON'T FAIL BECAUSE OF ME

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) + https://us.create.powerapps.com/studio/ PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

OnSelect = fx false

Tree view X

Search App Screen1 Icon1 btnAdd txtLeadID Map txtAddress txtEmail txtName Logo UserPhoto

Westland Mall NW 103rd St 932 NW Ave W 49th St E 49th St Immetto Expy

Lead ID

Add

ICON Icon1 Properties Rules Advanced

Standard Custom

Theme colors

White	Blue	Dark Blue	Light Blue	Light Gray	Gray	Dark Gray	Green	Orange	Red
Light Gray	Medium Blue	Medium Dark Blue	Medium Light Blue	Medium Gray	Medium Gray	Medium Dark Gray	Medium Green	Medium Orange	Medium Red
Medium Gray	Dark Blue	Dark Medium Blue	Dark Medium Light Blue	Dark Medium Gray	Dark Medium Gray	Dark Medium Dark Gray	Dark Medium Green	Dark Medium Orange	Dark Medium Red
Dark Gray	Medium Dark Blue	Medium Dark Medium Blue	Medium Dark Medium Light Blue	Medium Dark Medium Gray	Medium Dark Medium Gray	Medium Dark Medium Dark Gray	Medium Dark Green	Medium Dark Orange	Medium Dark Red
Dark Gray	Dark Blue	Dark Medium Blue	Dark Medium Light Blue	Dark Medium Gray	Dark Medium Gray	Dark Medium Dark Gray	Dark Green	Dark Orange	Dark Red

Standard colors

Red	Orange	Yellow	Light Green	Green	Dark Green	Dark Blue	Blue	Dark Blue
Black	White	Light Gray	Medium Gray	Medium Light Gray	Medium Gray	Medium Dark Gray	Medium Dark Gray	Medium Dark Gray

Icon A

On

Tooltip No value

Screen1 Icon1

American Flag

Microsoft PowerApps Leads - Saved (Unpublished) + IT WON'T FAIL BECAUSE OF ME

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished)

New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

OnSelect = fx false

Tree view

- App
- Screen1
 - Icon1
 - btnAdd
 - txtLeadID
 - Map
 - txtAddress
 - txtEmail
 - txtName
 - Logo
 - UserPhoto

Lead ID

Add

ICON
Icon1
Properties Rules Advanced

Standard Custom

Theme colors

White	Blue	Dark Blue	Light Blue	Grey	Light Grey	Green	Light Green	Red	Light Red
Light Blue	Medium Blue	Dark Grey	Light Grey	Medium Grey	Light Grey	Light Green	Medium Green	Orange	Light Orange
Medium Blue	Dark Blue	Dark Blue	Dark Grey	Dark Grey	Dark Grey	Medium Green	Dark Green	Dark Red	Dark Red
Dark Blue	Dark Blue	Dark Blue	Dark Blue	Dark Blue	Dark Blue	Dark Green	Dark Green	Dark Red	Dark Red

Standard colors

Red	Orange	Yellow	Light Green	Green	Light Blue	Blue	Purple
Light Red	Light Orange	Light Yellow	Light Green	Light Green	Light Blue	Light Blue	Light Purple
White	Black	Grey	Light Grey	Dark Grey	Dark Grey	Dark Blue	Dark Purple

Height Bottom Right On Tooltip No value

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) + IT WON'T FAIL BECAUSE OF ME

PowerApps Environment fleitasarts.com (default)

File Home Insert View Leads - Saved (Unpublished) New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

OnSelect = fx false

Tree view

Search

- App
- Screen1
 - icoAdd
 - btnAdd
- txtLeadID
- Map
- txtAddress
- txtEmail
- txtName
- Logo
- UserPhoto

Copy these items Paste Delete these items Group Reorder Align

Properties Rules Advanced

Display mode Edit On

Visible Position

Size

Padding

Color

Border

Auto disable on select On

Disabled color


2 controls selected

America Flag

Map showing Palm Springs Estates area with a red pin. Below the map is a text input field labeled "Lead ID" and a blue button labeled "Add".

Lead ID

Add



IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) + https://us.create.powerapps.com/studio/ PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) New screen Theme Open Sans 21 / U A Fill Border Reorder Align Group

Fill = RGBA(255, 255, 255, 1)

Tree view

- App
- Home
- grpLink
 - icoLink
 - btnLink
- grpDelete
 - icoDelete
 - btnDelete
- grpCheck
 - icoCheck
 - btnCheck
- grpAdd
 - icoAdd
 - btnAdd

SCREEN

Home Properties Rules Advanced

Fill

Background image Select an image... Image position Fit

Name
Email
Address
Lead ID

Palm Springs, California

Add
Check
Delete
Link



PowerApps

Environment
fleitasarts.com (default)

File Home Insert View Action

Leads - Saved (Unpublished)



New screen

Theme

Open Sans

21

B

U

A

Fill

Border

Reorder

Align

Group


OnSelect

fx

false

Tree view

- App
- Home
 - grpLink
 - icoLink
 - btnLink
 - grpDelete
 - icoDelete
 - btnDelete
 - grpCheck
 - icoCheck
 - btnCheck
 - grpAdd
 - icoAdd
 - btnAdd



ICON
icoCheck

Properties Rules Advanced

+ Add

Actions

- + Add
- X Cancel
- ✓ Check
- Search
- Filter
- Sort
- Reload
- Trash
- Save
- Download
- Copy

On

112	893
X	Y
64	64
Width	Height
0	0
Top	Bottom
0	0
Left	Right
A	
B	
C	
D	
E	
F	
G	
H	
I	
J	
K	
L	
M	
N	
O	
P	
Q	
R	
S	
T	
U	
V	
W	
X	
Y	
Z	

0

Microsoft PowerApps Leads - Saved (Unpublished) + IT WON'T FAIL BECAUSE OF ME

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) New screen Theme Open Sans 21 / A Fill Border Reorder Align Group

OnSelect = fx false

Tree view X

- App
- Home
- grpLink
 - icoLink
 - btnLink
- grpDelete
 - icoDelete
 - btnDelete
- grpCheck
 - icoCheck
 - btnCheck
- grpAdd
 - icoAdd
 - btnAdd
- grpThumbnail

ICON icoLink Properties Rules Advanced

Search Filter

Emoji - Smile Emoji - Sad Emoji - Neutral

Warning Information Database

Hashtag

Trending upward

Items Layers Trending

Line weight 3D Printing

Layers 0 Edit On 112 1053 X Y 64 64 Width Height 0 0 Top Bottom 0 0 Left Right A

Lead ID

Name Email Address

Palm Springs Estate


Add Check Delete Link

Home icoLink



Office UI Fabric Icons

link X Get subset Select Unicodes 1 selected View ▾



Subset options

Font file name

The name given to font, .ts, HTML, and CSS files.

Font-family name

font-family name given in the @font-face definition.

Create subset chunks ⓘ

Exclude selection from subset ⓘ

Hash font file name ⓘ

File size previews

File size previews are an approximation and may not match the final file sizes.

File Type	Size
fabric-icons.woff	2.1 KB
fabric-icons.css	3.2 KB

Microsoft PowerApps Leads - Saved (Unpublished) + IT WON'T FAIL BECAUSE OF ME

PowerApps Environment
fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) New screen Theme Open Sans 24 B / U A Fill Border Reorder Align Group

OnSelect = fx false

Tree view X

- App
- Home
- grpLink
- grpDelete
- grpCheck
- grpAdd
 - icoAdd
 - btnAdd
- grpTextInput
- Map
- Logo
- UserPhoto

Search

Check Delete Link

Properties Advanced

Text No value

Display mode Edit

Visible On

Position 40 810

Size 92 92 Width Height

Padding 5 5 Top Bottom 5 5 Left Right

Color A

Border — 2

Border radius 92

Font Open Sans

Home btnAdd

Microsoft PowerApps Leads - Saved (Unpublished) + IT WON'T FAIL BECAUSE OF ME

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) New screen Theme Open Sans 24 B U A Fill Border Reorder Align Group

OnSelect Add a new screen (Ctrl+M) = fx false

Tree view X

Search

- App
- Home
- grpLink
- grpDelete
- grpCheck
- grpAdd
 - icoAdd
 - btnAdd
- grpTextInput
- Map
- Logo
- UserPhoto

826 Palmetto Expy Westland Mall NW 103rd St 932 W 4th Ave W 49th St E 49th St


Check Delete Link

Properties Rules Advanced

RadiusTopLeft btnAdd.Height
RadiusTopRight btnAdd.Height
RadiusBottomLeft btnAdd.Height
RadiusBottomRight btnAdd.Height

rad

The screenshot shows the Microsoft PowerApps studio environment. At the top, there are tabs for 'File', 'Home' (which is selected), 'Insert', 'View', and 'Action'. The 'Home' tab has a sub-menu with options like 'New screen', 'Theme', 'Open Sans', '24', 'B', 'U', 'A', 'Fill', 'Border', 'Reorder', 'Align', and 'Group'. Below the tabs, there's an 'OnSelect' field containing the formula '= fx false'. To the left, a 'Tree view' pane lists various app components such as 'App', 'Home', 'grpLink', 'grpDelete', 'grpCheck', 'grpAdd' (which includes 'icoAdd' and 'btnAdd'), 'grpTextInput', 'Map', 'Logo', and 'UserPhoto'. In the center, there's a map of a street area with roads labeled 'Westland Mall', 'NW 103rd St', 'Palmetto Expy', 'W 4th Ave', 'W 49th St', and 'E 49th St'. Overlaid on the map are three blue rectangular buttons with white icons and text: the top button has a checkmark icon and the text 'Check'; the middle button has a delete/cross icon and the text 'Delete'; the bottom button has a diamond icon and the text 'Link'. On the right side, there's a properties panel for a 'BUTTON' control named 'btnAdd'. The 'Advanced' tab is selected, showing settings for 'RadiusTopLeft', 'RadiusTopRight', 'RadiusBottomLeft', and 'RadiusBottomRight', all set to 'btnAdd.Height'. A green box highlights the 'RadiusBottomLeft' setting.



IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) +

https://us.create.powerapps.com/studio/

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action

Data sources Media Collections Variables Advanced

Fill = RGBA(255, 255, 255, 1)

Tree view

- App
- Home
- grpLink
- grpDelete
- grpCheck
- grpAdd
- Map
- Logo
- UserPhoto
- grpTextInput

Name

Email

Address

Lead ID

Palm Springs Estate

Map showing Palm Springs Estate area with a red marker indicating a specific location.

SCREEN Properties Rules Advanced

Fill

Background image Select an image...

Image position Fit

Microsoft PowerApps Leads - Saved (Unpublished) + IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/ Environment fleitasarts.com (default)

PowerApps

File Home Insert View Action Leads - Saved (Unpublished)

New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

Fill = f_x

Tree view

App

Home

- grpLink
- grpDelete
- grpCheck
- grpAdd
- Map
- Logo
- UserPhoto
- grpTextInput

Name Email Address Lead ID

Palm Springs Estate

Icons:

Line weight

3D printing

Back arrow

Next arrow

Circle

Rectangle

Triangle

Right triangle

Pentagon

Hexagon

an image...

Home

File Home Insert View Action Leads - Saved (Unpublished)

New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

Fill = f_x

Tree view

App

Home

- grpLink
- grpDelete
- grpCheck
- grpAdd
- Map
- Logo
- UserPhoto
- grpTextInput

Name Email Address Lead ID

Palm Springs Estate

Icons:

Line weight

3D printing

Back arrow

Next arrow

Circle

Rectangle

Triangle

Right triangle

Pentagon

Hexagon

an image...

Home

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) +

https://us.create.powerapps.com/studio/

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) ?

New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

OnSelect = fx false

Tree view X

Search

App

Home

Rectangle1

- grpLink
- grpDelete
- grpCheck
- grpAdd
- Map
- Logo
- UserPhoto
- grpTextInput

RECTANGLE Rectangle1 Properties Rules Advanced

Display mode Edit

Visible On

Position X 0 Y 0

Size Width 640 Height 1136

Color

Border

Disabled color

Hover color

Pressed color

Tooltip No value

Tab index -1

Home Rectangle1

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) + https://us.create.powerapps.com/studio/ Environment fleitasarts.com (default)

PowerApps

File Home Insert View Action Leads - Saved (Unpublished) ?

New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

Visible = fx true

Tree view X

App Home popShade

- grpLink
- grpDelete
- grpCheck
- grpAdd
 - icoAdd
 - btnAdd
- Map
- Logo
- UserPhoto
- grpTextInput

RECTANGLE popShade Properties Rules Advanced Search for a property ... ACTION OnSelect false DATA AccessibleLabel ... **RGB(red_value, green_value, blue_value, alpha_value)** alpha_value: The alpha component, 0 to 1 (or a percentage, such as 49%). **RGB(255, 255, 255, 0.98)** DisabledFill popShade.Fill

Home popShade

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) + https://us.create.powerapps.com/studio/ Environment fleitasarts.com (default)

PowerApps

File Home Insert View Leads - Saved (Unpublished) ?

New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

OnSelect = fx UpdateContext({vPopUp:false})

Tree view X

Search

- App
- Home
 - grpModal
 - popLabel
 - icoDone
 - btnDone
 - popShade
 - grpLink
 - grpDelete
 - grpCheck
 - grpAdd
 - Map
 - Logo
 - UserPhoto

Properties Rules Advanced

Display mode Edit

Visible On

Position Multiple X Multiple Y

Size Multiple Multiple Width Height

Padding Multiple Multiple Top Bottom Multiple Multiple Left Right

Color A

Border Multiple

Auto disable on select On

Disabled color A

2 controls selected

A

Microsoft PowerApps Leads - Saved (Unpublished) + IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/ Environment fleetasarts.com (default)

PowerApps

File Home Insert View Action Leads - Saved (Unpublished)

New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

Visible = fx vPopUp

Tree view X

App Home grpModal popLabel icoDone btnDone popShade grpLink grpDelete grpCheck grpAdd Map Logo UserPhoto

GROUP grpModal Properties Rules Advanced

Display mode Edit

Visible Off

Position Multiple X Multiple Y

Size Multiple Width Multiple Height

Border Multipl [Color]

Tooltip No value

Tab index Multiple

Microsoft PowerApps Leads - Saved (Unpublished) + IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/ Environment fleitasarts.com (default)

PowerApps

File Home Insert View Action Leads - Saved (Unpublished)

New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

OnSelect = UpdateContext({vOutLead:AddLead.Run(txtName.Text, txtEmail.Text, txtAddress.Text)});UpdateContext({vPopUp:true})

Tree view X

Search

- App
- Home
- grpModal
 - popLabel
 - icoDone
 - btnDone
 - popShade
- grpLink
- grpDelete
- grpCheck
- grpAdd
 - icoAdd
 - btnAdd
- Map
- Leads

Properties Rules Advanced

Display mode Edit

Visible On

Position X Y

Size Multiple Multiple Width Height

Padding Multiple Multiple Top Bottom Multiple Multiple Left Right

Color A

Border Multipl

Auto disable on select On

Disabled color A

A form with fields for Name, Email, Address, and Lead ID. Below the form is a map showing a location in Palm Springs Estates. At the bottom are four blue circular buttons with white icons: a refresh symbol, a cross, a checkmark, and a plus sign.

Microsoft PowerApps Leads - Saved (Unpublished) + IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/ Environment fleetasarts.com (default)

PowerApps

File Home Insert View Action Leads - Saved (Unpublished) New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

OnSelect = fx UpdateContext({vOutLead:CheckLead.Run(txtEmail.Text)});UpdateContext({vPopUp:true})

Tree view

- App
- Home
 - grpModal
 - popLabel
 - icoDone
 - btnDone
 - popShade
 - grpLink
 - grpDelete
 - grpCheck
 - grpAdd
 - icoAdd
 - btnAdd
 - Map
 - Leads

Name Email Address Lead ID

Palm Springs Estates

Map controls

Properties

Display mode Edit

Visible On

Position Multiple X Multiple Y

Size Multiple Multiple Width Height

Padding Multiple Multiple Top Bottom Multiple Multiple Left Right

Color A

Border Multiples

Auto disable on select On

Disabled color A

GROUP grpCheck

Rules Advanced

Edit

Microsoft PowerApps Leads - Saving ... - PowerApps + IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/ Environment fleetasarts.com (default)

PowerApps

File Home Insert View Action Leads

New screen Theme Reorder Align Group

OnSelect = UpdateContext({vOutLead:DeleteLead.Run(txtName.Text, txtEmail.Text)});UpdateContext({vPopUp:true})

Tree view

Search

- App
- Home
 - grpModal
 - grpLink
 - grpDelete
 - icoDelete
 - btnDelete
 - grpCheck
 - grpAdd
 - Map
 - Logo
 - UserPhoto
 - grpTextInput

Name Email Address Lead ID

Palm Springs Estates

Map icons: Refresh, Delete, Checkmark, Plus

Properties

Display mode Edit

Visible On

Position Multiple X Multiple Y

Size Multiple Multiple Width Height

Padding Multiple Multiple Top Bottom Multiple Multiple Left Right

Color A

Border

Auto disable on select On

Disabled color A

grpDelete



PowerApps

File Home Insert View Action

Leads - Saved (Unpublished)



New screen



Theme



OnSelect

= fx

UpdateContext({vOutLead:LinkLead.Run(txtLeadID.Text, txtName.Text, txtEmail.Text)});UpdateContext({vPopUp:true})

Tree view



App

Home

grpModal

grpLink

grpDelete

grpCheck

grpAdd

Map

Logo

UserPhoto

grpTextInput



Name

Email

Address

Lead ID



Home

grpLink

GROUP

grpLink

Properties

Rules

Advanced

Display mode

Edit

Visible

On

Position

Multiple

Multiple

X

Y

Size

Multiple

Multiple

Width

Height

Padding

Multiple

Multiple

Top

Bottom

Multiple

Multiple

Left

Right

Color



Border

--

Multiple

Auto disable on select

On

Disabled color

A

B

C

D

Microsoft PowerApps Leads - Saved (Unpublished) + IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/ Environment fleitasarts.com (default)

PowerApps

File Home Insert View Action Leads - Saved (Unpublished)

Fill =

Navigate Collect Remove On visible On hidden Flows

Tree view App Home grpModal grpLink grpDelete grpCheck grpAdd Map Logo UserPhoto grpTextInput

Data Name Email Address Lead ID

SCREEN Home Properties Rules Advanced

Fill Background image Select an image... Image position Fit

Looks like you haven't created any flows yet. To get started, select 'Create a new flow' below.

Create a new flow

DEMO

three

Power Automate



IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps

Leads - Saved (Unpublished) - Po

Create your flow | Microsoft Flow

American Flag

https://us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows/new?gallery=public&template=05ed784f63df4ac7b8cbb465005d6068

Star

Profile

More

Flow

PowerApps button

Smile

Bell

Download

Gears

Question

Hiram Fleitas
fleitasarts.com (default)

Save

Flow Checker

Test

Home

Approvals

My flows

Templates

Connectors

Data

Learn

PowerApps

No additional information is needed for this step. You will be able to use the outputs in subsequent steps.

Green curved arrow pointing from the PowerApps button in the top left to the + New step button below.

+ New step

Save



← PowerApps button

Save Flow Checker Test

Home

Approvals

My flows

Templates

Connectors

Data

Learn




execute stored procedure

All Built-in Standard Premium Custom



Triggers Actions



IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) - Po Create your flow | Microsoft Flow

<https://us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows/new?gallery=public&template=05ed784f63df4ac7b8ccb465005d6068>

Hiram Fleitas fleitasarts.com (default)

Flow

PowerApps button

Save Flow Checker Test

Home Approvals My flows Templates Connectors Data Learn

SQL Server

Gateways

Connect via on-premises data gateway

*Connection Name
Enter name for connection

*SQL server name
SQL server name

*SQL database name
FleitasArts

Authentication Type
Windows

*Username
Username credential

*Password
Password credential

*gateway
Hiram

Create

A red box highlights the 'SQL Server' configuration dialog.



← PowerApps button

Save Flow Checker Test

Hiram Fleitas
fleitasarts.com (default)

Flow

Home Approvals My flows Templates Connectors Data Learn

SQL Server

Gateways

Connect via on-premises data gateway

*Connection Name: localhost

*SQL server name: localhost

*SQL database name: FleitasArts

Authentication Type: Basic

*Username: Leads

*Password:

*gateway: Hiram

Create Cancel

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps

Leads - Saved (Unpublished) - Po

Create your flow | Microsoft Flow

American Flag

Flow

PowerApps button

Save Flow Checker Test

Home Approvals My flows Templates Connectors Data Entities Connections Custom connectors Gateways Learn

PowerApps

Execute stored procedure

*Procedure name Name of stored procedure

- AddLead
- CheckLead
- DeleteLead
- LinkLead
- Enter custom value

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) - Po Create your flow | Microsoft Flow

https://us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows/new?gallery=public&template=05ed784f63df4ac7b8ccb465005d6068

Flow

PowerApps button

Save Flow Checker Test

Home Approvals My flows Templates Connectors Data Entities Connections Custom connectors Gateways Learn

PowerApps

Execute stored procedure

* Procedure name: AddLead

Name, Email, Address

+ New step Save

Dynamic content Expression

Search dynamic content

PowerApps Ask in PowerApps

A screenshot of the Microsoft Flow 'Create your flow' interface. The main area shows a step titled 'Execute stored procedure' with the procedure name set to 'AddLead'. Three input fields ('Name', 'Email', 'Address') are grouped together and highlighted with a green box. Below this step are two buttons: '+ New step' and 'Save'. To the right, there's a sidebar titled 'Dynamic content' with tabs for 'Expression' and 'Search dynamic content'. A section for 'PowerApps' contains a step titled 'Ask in PowerApps', which is also highlighted with a green box. The top navigation bar includes links for Microsoft PowerApps, Leads - Saved (Unpublished), Create your flow | Microsoft Flow, and various account and settings icons. The overall theme is 'IT WON'T FAIL BECAUSE OF ME'.

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps

Leads - Saved (Unpublished) - Po

Create your flow | Microsoft Flow

American Flag

Flow

AddLead

Save Flow Checker Test

Home Approvals My flows Templates Connectors Data Entities Connections Custom connectors Gateways Learn

PowerApps

Execute stored procedure

*Procedure name: AddLead

Name: Executestoredprocedure_Name

Email: Executestoredprocedure_Email

Address: Executestoredprocedure_Address

+ New step Save




Flow

Hiram Fleitas
fleitasarts.com (default)

- Home
- Approvals
- My flows
- Templates
- Connectors
- Data
 - Entities
 - Connections
 - Custom connectors
 - Gateways
- Learn

AddLead

Save Flow Checker Test



Dynamic content Expression

Search dynamic content

Execute stored procedure

ReturnCode

PowerApps See more

Executestoredprocedure_Address

Executestoredprocedure_Email

Executestoredprocedure_Name



Flow

AddLead

PowerApps

Execute stored procedure

Initialize variable

Name: output
Type: String
Value: Enter initial value

+ New step Save

body('Execute_stored_procedure')?['resultsets']

Dynamic content Expression

OK

String functions See more

- concat(text_1, text_2, ...)
- Combines any number of strings together

Collection See more

- contains(collection, value)
- Returns true if a dictionary contains a key, if an array cont...

- length(collection)
- Returns the number of elements in an array or string

Logical functions See more

- if(expression, valueIfTrue, valueIfFalse)
- Returns a specified value based on whether the expressio...

Hiram Fleitas
fleitasarts.com (default)

```
graph TD; PowerApps[PowerApps] --> Execute[Execute stored procedure]; Execute --> Initialize[Initialize variable]; Initialize --> NewStep[+ New step]; Initialize --> Save[Save]
```

IT WON'T FAIL BECAUSE OF ME

PowerApps Leads - Saved (Unpublished) - Po Edit your flow | Microsoft Flow Edit your flow | Microsoft Flow + Paused

us.flow.microsoft.com/manage/environments/5dceb218-1634-4296-bdc3-8614602f009c/flows/new?newFlowName=AddForm&trigger=providers%2FMicrosoft.ProcessSimple%2FoperationGroups%2FPowerAp... Other bookmarks

Apps Popular Fleitas Arts Education USCG UPCIC Dba2.0 - Get data f... MD Cheatsheet Code Tags

Flow AddForm Save Flow checker Test

Hiram Fleitas aiaday (org3f000378)

Home Action items My flows Create Templates Connectors Data Entities Connections Custom connectors Gateways AI Builder Solutions Learn

AddForm

PowerApps Execute stored procedure (V2)

{x} Initialize variable

- *Name: output
- *Type: String
- Value: fx body(..) x

+ New step Save

Dynamic content Expression

body('Execute_stored_procedure_(v2)?[' resultsets']')

body('Execute_stored_procedure_(v2)?[' resultsets']')

Update

Execute stored procedure (V2)

Body

OutputParameters

ResultSets

ReturnCode

PowerApps

Executestoredprocedure(V2)_Amount

Executestoredprocedure(V2)_BalanceDue

Executestoredprocedure(V2)_DUE

A green arrow points from the red text at the bottom left towards the 'Value' field of the 'Initialize variable' step.

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) - Po Create your flow | Microsoft Flow

https://us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows/new?gallery=public&template=05ed784f63df4ac7b8ccb465005d6068

Hiram Fleitas fleitasarts.com (default)

Flow

AddLead

Save Flow Checker Test

Home Approvals My flows Templates Connectors Data Entities Connections Custom connectors Gateways Learn

PowerApps

Execute stored procedure

Initialize variable

Name: output
Type: String
Value: body(..) x

Rename Add a comment Settings Configure run after Peek code Delete

+ New step Save

```
graph TD; A[PowerApps] --> B[Execute stored procedure]; B --> C{Initialize variable};
```

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) - Po Create your flow | Microsoft Flow

<https://us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows/new?gallery=public&template=05ed784f63df4ac7b8ccb465005d6068>

Hiram Fleitas fleitasarts.com (default)

Flow AddLead Save Flow Checker Test

Home Approvals My flows Templates Connectors Data Entities Connections Custom connectors Gateways Learn

PowerApps Execute stored procedure

'Initialize variable' (code view)

```
1 {
2   "inputs": {
3     "variables": [
4       {
5         "name": "output",
6         "type": "String",
7         "value": "@{body('Execute_stored_procedure')?
8           ['resultsets']}"
9       }
10    ]
11 }
```

Done

+ New step Save

The screenshot shows a Microsoft Flow canvas with two main steps: a 'PowerApps' step and an 'Execute stored procedure' step. Below these is a code view window titled "'Initialize variable' (code view)' showing the JSON configuration for the variable. A specific line of code is highlighted with a green box: 'value": "@{body('Execute_stored_procedure')?['resultsets']}"'. This line retrieves the result sets from the previous 'Execute stored procedure' step.

Flow

AddForm

Save Flow checker Test

PowerApps

Execute stored procedure (V2)

'Initialize variable' (code view)

```
1 {
2     "inputs": {
3         "variables": [
4             {
5                 "name": "output",
6                 "type": "String",
7                 "value": "@{body('Execute_stored_procedure_(V2)').resultsets}"
8             }
9         ]
10    }
11 }
```

Done

Home Action items My flows Create Templates Connectors Data Entities Connections Custom connectors Gateways AI Builder Solutions Learn

Hiram Fleitas aiaday (org3f000378)

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps

Leads - Saved (Unpublished) - Po

Edit your flow | Microsoft Flow

American Flag

https://us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows/new?gallery=public&template=05ed784f63df4ac7b8ccb465005d6068

Profile Picture

Flow

Smile Bell Download Help Hiram Fleitas fleitasarts.com (default)

← AddLead • Saved

Save Flow Checker Test

Home

Approvals

My flows

Templates

Connectors

Data

Flow Diagram:
PowerApps → Execute stored procedure → Initialize variable → Respond to PowerApps

A

Respond to PowerApps

result

{x} output

Add an output

+ New step

Save



← → ⌂ ⌂ Leads - Saved (Unpublished) - Po Manage your flows | Microsoft Fl +

https://us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows/9f680b62-a840-47d8-8444-da7ddfc244ec/details

Flow

AddLead

Edit More On

Home Approvals My flows Templates Connectors Data Entities Connections Custom connectors Gateways Learn

AddLead

Create one or more actions to happen when a button or link in PowerApps is selected. To use this flow from a PowerApp, select the control you want to trigger the flow and go to the Action tab in the PowerApps ribbon and select Flows.

Edit description

Analytics

SQL Server localhost

See all >

Connections

Owners

Hiram Fleitas hiram@fleitasarts.com Add another owner

See all >

RUN HISTORY

Action	Time Ago	Duration	More
Succeeded	42 minutes ago	1 second	>
Test Succeeded	44 minutes ago	1 second	>
Succeeded	9 hours ago	0 seconds	>
Succeeded	9 hours ago	1 second	>
Succeeded	9 hours ago	1 second	>

Office 365 PowerApps button

reminder in 10 minutes

forecast for my current location

email attachments to OneDrive for Business

PowerApps button

Microsoft PowerApps Leads - Saved (Unpublished) + IT WON'T FAIL BECAUSE OF ME

PowerApps Environment: fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) ?

On select: UpdateContext({vOutLead:AddLead.Run(txtName.Text, txtEmail.Text, txtAddress.Text)});UpdateContext({vPopUp:true})

Tree view

- Home
- grpModal
 - popLabel
 - icoDone
 - btnDone
 - popShade
- grpLink
- grpDelete
- grpCheck
- grpAdd
 - icoAdd
 - btnAdd
- Map
- Logo

Data

Flows associated with 'grpAdd'

No flows have been selected.

Flows

AddLead

Create a new flow

GROUP grpAdd

Properties Rules Advanced

Display mode Edit

Visible On

Position Multiple X Multiple Y

Size Multiple Multiple Width Height

Padding Multiple Multiple Top Bottom Left Right

Color A

Border Multip


Auto disable on select On

Disabled color A

Map

Logo

Home grpAdd





PowerApps

Environment
fleitasarts.com (default)

File Home Insert View Action

Leads - Saved (Unpublished)



Navigate ▾ Collect ▾ Remove ▾ On select Flows

OnSelect = fx UpdateContext({vOutLead:AddLead.Run(txtName.Text, txtEmail.Text, txtAddress.Text)});UpdateContext({vPopUp:true})

Tree view

Search

- Home
- grpModal
 - popLabel
 - icoDone
 - btnDone
 - popShade
- grpLink
- grpDelete
- grpCheck
- grpAdd
 - icoAdd
 - btnAdd
- Map
- Logo

Name

Email

Address

Lead ID

Data

Flows associated with 'grpAdd'

No flows have been selected.

Flows

- AddLead
- CheckLead
- DeleteLead
- LinkLead

[Create a new flow](#)

GROUP grpAdd

Properties Rules Advanced

Display mode **Edit**

Visible **On**

Position **Multiple** **Multiple**
X **Y**

Size **Multiple** **Multiple**
Width **Height**

Padding **Multiple** **Multiple**
Top **Bottom**
Left **Right**

Color **A**

Border

Auto disable on select **On**

Disabled color **A**



PowerApps

File Home Insert View Action

Leads - Saved (Unpublished)



Navigate ▾ Collect ▾ Remove ▾ On select Flows

OnSelect



UpdateContext({vOutLead:LinkLead.Run(txtLeadID.Text, txtName.Text, txtEmail.Text)});UpdateContext({vPopUp:true})

Tree view

Search

- App
- Home
- grpModal
- grpLink
- grpDelete
- grpCheck
- grpAdd
- Map
- Logo
- UserPhoto
- grpTextInput



Name

Email

Address

Lead ID



Data

Flows associated with 'grpLink'

No flows have been selected.

Flows

AddLead

CheckLead

DeleteLead

LinkLead

① Complete flow's parameters in formula bar

Create a new flow

GROUP
grpLink

Properties

Rules

Advanced

Display mode

Edit

On

Visible

Multiple X Multiple Y

Position

Multiple X Multiple Y

Size

Multiple X Multiple Y

Width Height

Padding

Multiple X Multiple Y

Top Bottom

Multiple X Multiple Y

Left Right

Color

A

B

Border

Multiple X Multiple Y

Left Right

Auto disable on select

On

Disabled color

A

B

Home

grpLink



IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) +

https://us.create.powerapps.com/studio/

PowerApps Environment: fleitasarts.com (default)

File Home Insert View Action UpdateContext(context)

New screen Theme Open Sans context: A record that specifies new values for some or all of the context variables in the current screen. For example: { Price: Price + 1 }

OnSelect = fx UpdateContext({vOutLead:AddLead.Run(txtName.Text, txtEmail.Text, txtAddress.Text});UpdateContext({vPopUp:true})

Tree view vOutLead

App

Home

grpModal

- popLabel
- icoDone
- btnDone
- popShade

grpLink

grpDelete

grpCheck

grpAdd

- Map
- Logo
- UserPhoto

Name

Email

Address

Lead ID

Palm Springs Estate

Map icons: Swap, X, Checkmark, Plus

Properties

Rules Advanced

Display mode Edit

Visible On

Position Multiple X Multiple Y

Size Multiple Multiple Width Height

Padding Multiple Multiple Top Bottom Left Right

Color

Border

Auto disable on select On

Disabled color

Microsoft PowerApps Leads - Saved (Unpublished) + IT WON'T FAIL BECAUSE OF ME

PowerApps Home Insert View Action Leads - Saved (Unpublished) New screen Theme Open Sans 21 B / U A Fill Border Reorder Align Group

Text = If(vOutLead.result = "{}", "", vOutLead.result)

Tree view X

Search

- App
- Home
- grpModal
 - popLabel
 - icoDone
 - btnDone
 - popShade
- grpLink
- grpDelete
- grpCheck
- grpAdd
 - Map
 - Logo
 - UserPhoto

popLabel Properties Rules Advanced

Text: No value

Font: Open Sans

Font size: 21

Font weight: Normal

Font style: / U

Text alignment: Off

Auto height: Off

Line height: 1.2

Overflow: Hidden

Display mode: Edit

Visible: Off

Position: X: 0 Y: 60

Size: W: 80 H: 60

IT WON'T FAIL BECAUSE OF ME

A green arrow points to the 'Run' button in the top right corner of the PowerApps interface.

The screenshot shows the Microsoft PowerApps Studio interface. A modal window is displayed over a lead form. The modal contains fields for Name, Email, Address, and Lead ID, along with a map showing a location in Palm Springs Estates. The 'popLabel' properties panel is open on the right side of the screen, showing settings for text, font, size, and alignment. A green arrow points to the 'Run' button in the top right corner of the studio interface.




Name

dmoney@icloud.com

Address

Lead ID





Name

dmoney@icloud.com

Address

LeadId

Palm Springs Estate

LeadId: 1001

Table1: [{"TicketId":2001,"LeadId":1001}]]



IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps

Leads - Saved (Unpublished) - Po

Edit your flow | Microsoft Flow

American Flag

Star

User

More

Flow

CheckLead

Save Flow Checker Test

Home Approvals My flows Templates Connectors Data Learn

+ New step Save

```
graph TD; A[PowerApps] --> B[Execute stored procedure]; B --> C[Initialize variable]; C --> D[Respond to PowerApps]
```



← CheckLead

```
graph TD; A[PowerApps] --> B[Execute stored procedure]; B --> C[Initialize variable]; C --> D[Respond to PowerApps]
```

+ New step Save

Test Flow

I'll perform the trigger action

Using data from previous runs
Choose data from a list of previous runs:


<input checked="" type="radio"/> Succeeded	8 hours ago
<input type="radio"/> Succeeded	8 hours ago
<input type="radio"/> Succeeded	9 hours ago

Save & Test **Cancel**



← CheckLead

Your flow ran successfully.



IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) - Po Run History | Microsoft Flow

https://us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows/27af8f7b-9ef7-42b4-95ae-3b3ec5fc5d68

Hiram Fleitas fleitasarts.com (default)

Flow CheckLead

Your flow ran successfully.

PowerApps

0s

INPUTS

Schema

```
[{"type": "object", "required": ["Executestoredprocedure_Email"], "properties": {"Executestoredprocedure_Email": {"type": "string", "value": "dmoney@icloud.com"}}}
```

OUTPUTS

Executestoredprocedure_Email

dmoney@icloud.com

Show more ▾

Execute_stored_procedure

SQL



← CheckLead

Hiram Fleitas
fleitasarts.com (default)


- Home
- Approvals
- My flows
- Templates
- Connectors
- Data
- Learn

Your flow ran successfully.

americansoldier.com

Headers	
Key	Value
Cache-Control	no-store, no-cache
Accept	/*
Accept-Encoding	br,gzip,deflate
Accept-Language	en-US

Show less ^





← CheckLead

Edit

- Home
- Approvals
- My flows
- Templates
- Connectors
- Data
- Learn

SQL Execute stored procedure 1s

INPUTS

Procedure name: [dbo].[CheckLead]

parameters:

```
{ "Email": "dmoney@icloud.com" }
```

Email: dmoney@icloud.com

OUTPUTS

Body:

```
{"OutputParameters": {}, "ResultSets": { "Table1": [ { "TicketId": 2001, "LeadId": 1001 } ] }}
```

https://us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows/27af8f7b-9ef7-42b4-95ae-3b3ec5fc5d68

Flow Hiram Fleitas fleitasarts.com (default) Edit

CheckLead

Initialize variable

INPUTS

Name: output

Type: String

Value: {"Table1":[{"TicketId":2001,"LeadId":1001}]}
0s

Respond to PowerApps

ActionResponseSkipped. The execution of template action 'Respond_to_PowerApps' is skipped: the client application is not waiting for a response from service.

0s

Home Approvals My flows Templates Connectors Data Learn



Hiram Fleitas

fleitasarts.com (default)



Flow

[Edit flow](#) [Get .csv file](#)

All runs

[Home](#)[Approvals](#)[My flows](#)[Templates](#)[Connectors](#)[Data](#)

CheckLead > Run history

	Start time	Duration	Status	
	May 5, 12:33 PM (31 min ago)	00:00:01	Succeeded	
	May 5, 12:31 PM (33 min ago)	00:00:01	Test succeeded	
	May 5, 3:32 AM (9 h ago)	00:00:00	Succeeded	
	May 5, 3:32 AM (9 h ago)	00:00:01	Succeeded	
	May 5, 3:32 AM (9 h ago)	00:00:01	Succeeded	



https://us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows

Flow

+ New ▾ ▶ Run now ⚑ Edit ⚑ Share ⚑ Save As ⚑

Search

Flows

My flows Team flows Business process flows

	Name	Modified	Type
	CheckLead	34 min ago	Instant
	DeleteLead		Instant
	LinkLead		Instant
	AddLead		Instant
	Get a push notification when you receive an email fro...		Automated

More options

- Run now
- Edit
- Share
- Save As
- Send a copy (Preview)
- Export >
- Run history
- Analytics**
- Turn flow off
- Delete
- Details



- Home
- Approvals

Usage Errors

Select range

Last 30 days



My flows




Templates

Connectors

Data



Learn



DEMO

four

Data Gateway






Good afternoon, Hiram

Welcome to your Power BI home

Everything you need in one place: Your top visuals are displayed for easy consumption. Your favorites, frequents, and recents are close at hand. And you can explore learning opportunities to improve your Power BI experience.

Watch video

Dismiss



Power BI Desktop

Data Gateway

Paginated Report Builder

Power BI for Mobile

Power BI publisher for Excel

Analyze in Excel updates


- Home
- Favorites >
- Recent >
- Apps
- Shared with me
- Workspaces >
- My Workspace > ▾

VanArsdel i

VanArsdel Market Share


47.48%

% Growth
BY MANUFACTURER



Revenue
BY YEAR, MANUFACTURER

Manuf... ● Aliqui ● Curus ● Natura






Keep your dashboards and reports up-to-date with your on-premises data sources





One gateway for all services

Install once and deploy multiple connections across Power BI, Flow and Azure Logic Apps using a single gateway.

With the on-premises gateways, you can keep your data fresh by connecting to your on-premises data sources without the need to move the data. Query large datasets and benefit from your existing investments. The gateways provide the flexibility you need to meet individual needs, and the needs of your organization.

[DOWNLOAD GATEWAY](#)[LEARN MORE >](#)





Power BI
DesktopOn-premises
data gateway

On-premises data gateway

Your gateway is all set up.
Sign in for more information on your gateway.

Gateway version number: 3000.3.138 (2019-04-09)

Help us improve the on-premises data gateway by sending usage information to Microsoft.
[Read the privacy statement online](#)

[Sign in](#) [Close](#)

On-premises data gateway

Email address to use with this gateway:
hiram@fleitasarts.com

Help us improve the on-premises data gateway by sending usage information to Microsoft.
[Read the privacy statement online](#)

[Next](#) [Cancel](#)

Microsoft Azure

Microsoft

← hiram@fleitasarts.com

Enter password

••••••••••

[Forgot my password](#)

[Sign in](#)

Power BI
DesktopOn-premises
data gateway

On-premises data gateway

The gateway Hiram is online and ready to be used.

Gateway version number: 3000.3.138 (2019-04-09)

Help us improve the on-premises data gateway by sending usage information to Microsoft.
[Read the privacy statement online](#)


Logic Apps, Azure Analysis Services [Create a gateway in Azure](#)
East US 2


PowerApps, Microsoft Flow Default environment Ready

Power BI Default environment Ready

Close





Power BI
DesktopOn-premises
data gateway

Cloud On-premises data gateway installer

Start your on-premises data gateway installation.

A gateway acts as a bridge between on-premises data (not in the cloud), and Power BI, PowerApps, Logic Apps, and Microsoft Flow.

Gateways should be installed on a computer that is always on.

Performance may be slower on a wireless network.

[Learn more](#)

Next

Cancel



Power BI
Desktop



On-premises
data gateway



On-premises data gateway installer

x

Start your on-premises data gateway installation.

A gateway acts as a bridge between on-premises data (not in the cloud), and Power BI, PowerApps, Logic Apps, and Microsoft Flow.

Gateways should be installed on a computer that is always on.

Performance may be slower on a wireless network.

[Learn more](#)

Next

Cancel





Power BI
Desktop



On-premises
data gateway



On-premises data gateway installer

x

Choose the type of gateway you need.

On-premises data gateway (recommended)

- Can be shared and reused by multiple users
- Can be used by Power BI, PowerApps, Logic Apps, and Microsoft Flow
- Supports schedule refresh and live query for Power BI

[Learn more](#)


On-premises data gateway (personal mode)

- Can only be used by you
- Can only be used in Power BI
- Only schedule refresh is supported

[Learn more](#)

Next

Cancel





Power BI
Desktop



On-premises
data gateway



On-premises data gateway installer

x

Getting ready to install the on-premises data gateway.

Time remaining 2 seconds

A horizontal progress bar consisting of a long blue segment followed by a shorter grey segment.

Next

Cancel





Power BI
Desktop



On-premises
data gateway



On-premises data gateway installation

Reminder before you install.

⚠ Make sure to install the gateway on a computer that is always on.

The gateway will perform slowly over a wireless network.

?

x

Next

Cancel







Power BI
Desktop



On-premises
data gateway






Power BI
Desktop



On-premises
data gateway





Power BI
Desktop



On-premises
data gateway



On-premises data gateway



Almost done.

Installation was successful!

Email address to use with this gateway:

hiram@fleitasarts.com

Next, you need to sign in to register your gateway.

Sign in


Cancel



Power BI
Desktop



On-premises
data gateway



Power BI
DesktopOn-premises
data gateway

On-premises data gateway

You are signed in as hiram@fleitasarts.com and are ready to register the gateway.

New on-premises data gateway name

Hiram

Add to an existing gateway cluster

Recovery key (8 character minimum)

ⓘ This key is needed to restore the gateway and can't be changed. Record it in a safe place.

Confirm recovery key

[Learn more about gateway clusters](#)

We'll use this region to connect the gateway to cloud services: East US 2 [Change Region](#)

Configure

Cancel

Power BI
DesktopOn-premises
data gateway

On-premises data gateway

The gateway Hiram is online and ready to be used.

Gateway version number: 3000.1.257 (February 2019)

Help us improve the on-premises data gateway by sending usage information to Microsoft.
[Read the privacy statement online](#)

Logic Apps, Azure Analysis Services [Create a gateway in Azure](#)
East US 2

PowerApps, Microsoft Flow Default environment Ready

Power BI Default environment Ready

[Close](#)



Power BI
DesktopOn-premises
data gateway

On-premises data gateway



Status

Service Settings

Diagnostics

Network

Connectors

Restart the gateway


It is recommended to restart the gateway everytime you make changes to the gateway configuration files.

[Restart now](#)

Gateway service account

Change the service account your gateway is running as. The gateway is currently running as NT SERVICE\PBIEgwService.

You need to be signed in to change service account.

[Sign in](#)[Close](#)

Power BI
DesktopOn-premises
data gateway

On-premises data gateway



Status

Service Settings

Diagnostics

Network

Connectors

Additional logging



You can enable additional logging to output queries and their timings to help understand what is performing slow. It is not recommended to leave this setting enabled long term.

[Learn more](#)

Gateway logs

Export all of the gateway's configuration and service logs to a single .zip file.


[Sign in](#)

Network ports test

Check to see if your gateway can access all of the correct network ports.

[Learn more](#)

Sign in to start a test.

[Sign in](#)[Close](#)

Power BI
DesktopOn-premises
data gateway

On-premises data gateway

?

X

Status

Service Settings

Diagnostics

Network

Connectors

Network status: Connected

Check to see if your gateway can reach outside your network.

[Check now](#)


HTTPS mode

You can force the gateway to communicate through Azure Service Bus using HTTPS instead of direct TCP. This may slow performance.

[Learn more](#)

We need to restart the gateway in order to apply this change. Are you sure you want to continue?

Close



Power BI
DesktopOn-premises
data gateway

On-premises data gateway

?

X

Status

Custom data connectors

[Learn more](#)

Service Settings

Diagnostics

Network

Connectors

Load custom data connectors from folder:

C:\Users\PBIEgwService\Documents\Power BI Desktop\Custom

...

Folder not found.

Ensure the gateway service account has permission to access the selected folder.
The gateway service account is NT SERVICE\PBIEgwService.

Close



DEMO

five

Siri



AT&T LTE 11:02 PM 71%

< PowerAppsRLS ▾

total ...

90

accounts ...

9

Microphone icon Siri shortcut
Create a Siri shortcut for opening this dashboard

Document icon Q&A

Person icon Invite

Star icon Favorite

Comment icon Comment

AT&T LTE 11:02 PM 71%

Cancel



Add to Siri

Add a custom phrase Siri can use to tell Power BI to run this shortcut.

When I say:

Open PowerAppsRLS

Do:



Open your dashboard in Power BI

Add to Siri

[Cancel](#)

Edit Shortcut

When I say:

Growth by country 

Do:



Open your dashboard in Power BI

Save Shortcut

Delete Shortcut

country's

countryman



Show growth by [country](#)



DEMO

six

Publish & Share Security Governance





Build business apps, fast

Create apps that connect to your data and work across web and mobile. [Learn about PowerApps](#)

Make your own app

Canvas app from blank

Canvas app

Model-driven app from blank

Model-driven app

Blank app

PowerApps Training for Office

Canvas app

[All templates →](#)

Recent apps

Shared with me

Name	Owner	Type
Leads	You	Canvas



- Edit
- Play
- Share
- Export package (preview)
- Analytics (preview)
- Settings
- Delete
- Details



PowerApps

File Home Insert View Action Leads - Saved (Unpublished) ?

New screen / Fill Border Reorder Align Group

Fill = **RGB(255, 255, 255, 1)**

Tree view

App

Home

- grpModal
- grpLink
- grpDelete
- grpCheck
- grpAdd
- Map
- Logo
- UserPhoto
- grpTextInput

SCREEN
Home

Properties Rules Advanced

Fill

Background image

Image position

Home

Microsoft PowerApps Leads - Saved (Unpublished) - Po +

IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/#/

PowerApps

←

New

Open

Account

Connections

Flows

App settings

Save

Save as

Share

Collections

Media

Variables

Save

Leads

Environment: fleitasarts.com (default)

Saved: 5/5/2019, 6:07:05 PM

✓ All changes are saved.

Publish See all versions

A green arrow points upwards from the 'Save' button in the sidebar to the 'Publish' button in the main content area, highlighting the transition from saving locally to publishing online.

Microsoft PowerApps Leads - Saved (Unpublished) - Po + https://us.create.powerapps.com/studio/# PowerApps ← Save Leads Environment: fleitasarts.com (default) New Open Account Connections Flows App settings Save as Share Collections Media Variables

IT WON'T FAIL BECAUSE OF ME

Save

Leads

Environment: fleitasarts.com (default)

Saved: 5/5/2019, 6:07:05 PM

✓ All changes are saved.

Publish See all versions

Publish

Publishing will make this version available to everyone who has Can use permissions.
[Learn more about publishing apps](#)

Leads

Description
no description

Publish this version **Edit details**





App settings

New

Open

Account

Connections

Flows

App settings

Save

Save as

Share

Collections

Media

Variables



App name + icon
Change the name or icon for the app



Screen size + orientation
Change the aspect ratio for your app



Advanced settings
Includes preview & experimental features

App name

Leads


[Edit app name](#)

Icon


Preview



Background color



Icons

[Browse](#)

Description

Describe what people can do with this app. This will appear with your app on users' Dynamics 365 home page.

[Learn about Dynamics 365](#)

Leads App by Hiram

Microsoft PowerApps Leads - Saved (Unpublished) - Po +

IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/#/

PowerApps

←

New

Open

Account

Connections

Flows

App settings

Save

Save as

Share

Collections

Media

Variables

Save

Leads

Environment: fleitasarts.com (default)

Saved: 5/23/2019, 12:58:32 AM

✓ All changes are saved.

Publish See all versions

A green arrow points upwards from the 'Save' button in the sidebar to the 'Publish' button in the main content area, highlighting the transition from saving locally to publishing online.

Microsoft PowerApps Leads - Saved (Unpublished) - Po + https://us.create.powerapps.com/studio/# PowerApps ← Save Leads Environment: fleitasarts.com (default) New Open Account Connections Flows App settings Save Save as Share Collections Media Variables

IT WON'T FAIL BECAUSE OF ME

Save

Leads

Environment: fleitasarts.com (default)

Saved: 5/23/2019, 12:58:32 AM

✓ All changes are saved.

Publish See all versions

Publish

Publishing will make this version available to everyone who has Can use permissions.
[Learn more about publishing apps](#)

Leads

Description
Leads App by Hiram

Publish this version Edit details

A screenshot of the Microsoft PowerApps studio interface showing a modal dialog titled "Publish". The dialog explains that publishing makes the app version available to everyone with "Can use" permissions and provides a link to learn more. It shows the app name "Leads" and its description "Leads App by Hiram". At the bottom, there are two buttons: a green-outlined "Publish this version" button and a "Edit details" button. The background shows the "Leads" app page with various options like "New", "Open", and "Save".



Save

Leads

Environment: fleitasarts.com (default)

Saved: 5/23/2019, 12:59:50 AM

All changes are saved and published.

[Share this app](#)[See all versions](#)

New

Open

Account

Connections

Flows

App settings

Save

Save as

Share

Collections

Media

Variables

https://web.powerapps.com/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/apps/daece9ba-da58-4f99-8093-5f997efe6e12/share

PowerApps

Edit Play Share Export package (preview) Analytics (p)

Apps > Leads

Details Versions Connections Flows Analytics (preview)

Owner Hiram Fleitas

Created 5/3/2019, 6:36:06 PM

Modified 5/23/2019, 12:59:50 AM

Web link <https://web.powerapps.com/apps/daece9ba-da58-4f99-8093-5f997efe6e12>

App ID daece9ba-da58-4f99-8093-5f997efe6e12

Share Leads

Add people as Users and Co-owners to your app. Make sure your data connections have been shared with all users.

Enter a name, email address, or Everyone

Shared with Christina

Sort by Name

Christina User

Hiram Fleitas Owner

Co-owner

Can use, edit, share app but not delete or change owner.

Data permissions ⓘ

Office 365 Users

Bing Maps Implicitly Shared

SQL Server Implicitly Shared

Logic flows

Logic flows


Logic flows

Logic flows


Send an email invitation to new users

Share Cancel

A green arrow points from the bottom right towards the 'Share' button.



Productivity



Hello

Sign in to start using PowerApps



Sign in with your work or school email account

Sign in



[Terms of service](#) | [Privacy statement](#)

Cancel

Pick account



Azure AD

hfleitas@universalproperty.com



https://sts.windows.net/cb6db...

hf0524@universalproperty.com



Azure AD

hiram@fleitasarts.com

[Cancel](#)[Get Codes](#)

hiram@fleitasarts.com

Enter password

Password

[Forgot my password](#)[Sign in with another account](#)[Sign in](#)PowerApps ▾
MY APPS



Leads

Hiram Fleitas

fleitasarts.com (default)

...

Looking for more? [Go to All apps.](#)



data:



Cancel

Add to Home Screen

Add



Leads



data:text/html;charset=UTF-8;base6...

An icon will be added to your home screen so you can quickly access this website.



Almost there ...

Leads needs your permission to use:



Bing Maps ⓘ Pre...
Bing Maps

✓ Signed in ⋮




SQL Server
localhost

✓ Signed in ⋮



Location

Swipe from the left edge to close app





Got it


Don't show again

Allow

Don't Allow

BingMaps.GetMapV2 failed: The method 'GetMapV2' has an invalid value for parameter 'latitude'








Name

Dmoney@icloud.com

Address

Lead ID

○ ○ ○



{"Table1": [{"TicketId":2001, "LeadId":1001}]}







Tony

Wakeboard@live.com

Address

Lead ID






Jackie

Hr@icloud.com

Address

Lead ID



Name

Hr@icloud.com

Address

```
{"Table1":[{"TicketId":2002,"LeadId":1003}]}
```






Tony

Wakeboard@live.com

Address

1002



Tony

Wakeboard@live.com

Address

```
{"Table1":  
[{"TicketId":2003,"CustomerId":null,"LeadId":100  
2,"Status":false,"CreatedBy":"Leads","CreatedOn  
":"2019-05-24T15:34:33.15","ModifiedBy":null}]}  
}
```





Ryan

Ryan@outlook.com

750 Lake Dr, Boca Raton, FL 33432

Lead ID




Ryan

Ryan@outlook.com

750 Lake Dr, Boca Raton, FL 33432

{"Table1": [{"Column1":1007}]}







← → ⌂ ⌂ Leads - PowerApps × Microsoft PowerApps +

https://web.powerapps.com/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/apps/daece9ba-da58-4f99-8093-5f997efe6e12/details

PowerApps Environment fleitasarts.com (default) ⌂ ⌂ ⌂ ?

☰ PowerApps

Edit Play Share Export package (preview) Analytics (preview) Settings Delete

Home Learn Apps Create Data Business logic Solutions

Apps > Leads

Details Versions Connections Flows Analytics (preview)

Owner Hiram Fleitas

Created 5/3/2019, 6:36:06 PM

Modified 5/23/2019, 12:59:50 AM

Web link <https://web.powerapps.com/apps/daece9ba-da58-4f99-8093-5f997efe6e12>

App ID daece9ba-da58-4f99-8093-5f997efe6e12

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps

Leads - PowerApps

Microsoft PowerApps

American Flag

X

Back

Forward

Home

Lock

Address Bar

Star

User Profile

PowerApps

Environment
fleitasarts.com (default)

Down

Bell

Settings

Help

User Picture

Edit Play Share Export package (preview) Analytics (preview) Settings Delete

Search

Apps > Leads

Details Versions Connections Flows Analytics (preview)

	Version	Modified	Modified by	PowerApps release	Published	Comment
	Version 14	...	5/23/2019, 12:58:32 AM	Hiram Fleitas	3.19051.20	Live
	Version 13	...	5/5/2019, 6:07:04 PM	Hiram Fleitas	3.19044.15	
	Version 12	...	5/5/2019, 12:30:32 PM	Hiram Fleitas	3.19044.15	
	Version 11	...	5/5/2019, 3:28:52 AM	Hiram Fleitas	3.19044.15	
	Version 10	...	5/5/2019, 3:26:57 AM	Hiram Fleitas	3.19044.15	
	Version 9	...	5/4/2019, 4:06:17 PM	Hiram Fleitas	3.19044.13	
	Version 8	...	5/4/2019, 2:32:55 PM	Hiram Fleitas	3.19044.13	
	Version 7	...	5/4/2019, 1:24:36 PM	Hiram Fleitas	3.19044.13	
	Version 6	...	5/4/2019, 11:59:46 AM	Hiram Fleitas	3.19044.13	
	Version 5	...	5/4/2019, 10:19:38 AM	Hiram Fleitas	3.19044.13	
	Version 4	...	5/4/2019, 12:41:00 AM	Hiram Fleitas	-	

IT WON'T FAIL BECAUSE OF ME

The screenshot shows the Microsoft PowerApps interface. At the top, there are two tabs: "Leads - Saved (Unpublished) - Po" and "Microsoft PowerApps". The main title bar displays the URL: <https://web.powerapps.com/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/apps/daece9ba-da58-4f99-8093-5f997efe6e12/connections>. The environment is listed as "fleitasarts.com (default)". The top navigation bar includes icons for Back, Forward, Refresh, Home, and a search bar labeled "Search".

The left sidebar has a "PowerApps" icon and lists categories: Home, Learn, Apps (selected), Create, Data, Entities, Connections, Custom connectors, Gateways, Business logic (with a dropdown arrow), Flows, and Solutions.

The main content area shows the "Leads" app details. The "Connections" tab is selected. The table lists three connections:

Name
Bing Maps Bing Maps (preview)
hiram@fleitasarts.com Office 365 Users
localhost SQL Server

IT WON'T FAIL BECAUSE OF ME

The screenshot shows the Microsoft PowerApps interface. The top navigation bar has three tabs: "Microsoft PowerApps" (active), "Leads - Saved (Unpublished) - Po" (inactive), and "Microsoft PowerApps". The top right corner features the American flag icon. The main header includes a "PowerApps" logo, a "Edit" button, a "Play" button, a "Share" button, a "Export package (preview)" button, an "Analytics (preview)" button, a "Settings" button, a "Delete" button, a "Search" bar, and a user profile icon.

The left sidebar has a vertical navigation menu with the following items:

- Home
- Learn
- Apps** (selected)
- Create
- Data
- Entities
- Connections
- Custom connectors
- Gateways
- Business logic
- Flows
- Solutions

The main content area displays the "Leads" app details. The breadcrumb navigation shows "Apps > Leads". Below this, there are tabs for "Details", "Versions", "Connections", "Flows" (which is selected and highlighted in purple), and "Analytics (preview)".

The "Flows" section lists four flows:

Name
CheckLead
LinkLead
AddLead
DeleteLead

A blue circular button with a white arrow is located in the bottom right corner of the page.



PowerApps

[Edit](#) [Play](#) [Share](#) [Export package \(preview\)](#) [Analytics \(preview\)](#) [Settings](#) [Delete](#)Environment
fleitasarts.com (default)



Home

Learn

Apps



Create

Data



Device platform

- Select all
- iPhone-ReactNativePlayer



App version

- Select all
- 3.19051

Country or region

- Select all
- United States



PowerApps

[Edit](#) [Play](#) [Share](#) [Export package \(preview\)](#) [Analytics \(preview\)](#) [Settings](#) [Delete](#)Environment
fleitasarts.com (default)


Home

Learn

Apps

Create

Data





PowerApps

Environment
fleitasarts.com (default)

Edit Play Share Export package (preview) Analytics (preview) Settings Delete

Home

Learn

Apps

Create

Data

Entities

Connections

Custom connectors

Gateways

Business logic

Flows

Solutions


App launches across the world



Device platform

- Select all
- iPhone-ReactNativePlayer

App launches by country



App version

- Select all
- 3.19051

IT WON'T FAIL BECAUSE OF ME

The screenshot shows the Microsoft PowerApps web interface. At the top, there are three tabs: "Microsoft PowerApps", "Leads - Saved (Unpublished) - Po", and "Microsoft PowerApps". The central content area is titled "Gateways" and displays a table with one row. The table has columns for "Name" and "Contact information". The single entry is "Hiram" with the contact info "hiram@fleitasarts.com". A "New gateway" button is located at the top left of the main content area. The left sidebar contains navigation links: Home, Learn, Apps, Create, Data, Entities, Connections, Custom connectors, Gateways (which is selected and highlighted in purple), Business logic, Flows, and Solutions. The top right corner includes a search bar, a user profile icon, and several small icons for filtering and help.

Microsoft PowerApps Leads - Saved (Unpublished) - Po Microsoft PowerApps

PowerApps

Environment
fleitasarts.com (default)

New gateway

Gateways

Name Contact information

Hiram	... hiram@fleitasarts.com
-------	---------------------------

Canvas

Entities

Connections

Custom connectors

Gateways

Business logic

Flows

Solutions

Search

Downward arrow

Bell icon

Gear icon

Question mark icon

User profile icon

IT WON'T FAIL BECAUSE OF ME

The screenshot shows the Microsoft PowerApps interface with the following details:

- Top Navigation:** Three tabs are visible: "Microsoft PowerApps" (active), "Leads - Saved (Unpublished) - Po" (inactive), and "Microsoft PowerApps".
- Header:** The URL is <https://web.powerapps.com/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/logicflows>. The environment is listed as "fleitasarts.com (default)".
- Sidebar:** The sidebar on the left includes links for Home, Learn, Apps, Create, Data (with sub-links for Entities, Connections, Custom connectors, and Gateways), Business logic (with sub-links for Flows and Solutions), and Flows (which is the active section).
- Main Content:** The main area is titled "Flows" and shows four entries under "My flows":

	Name	Modified	Type
	CheckLead	2 wk ago	Instant
	DeleteLead	2 wk ago	Instant
	LinkLead	2 wk ago	Instant
	AddLead	2 wk ago	Instant
- Top Right:** A search bar labeled "Search" and several icons for navigation and settings.

≡

-  Home
-  Favorites >
-  Recent >
-  Apps
-  Shared with me
-  Workspaces >
-  My Workspace >

Admin portal

Usage metrics

Users

Audit logs

Tenant settings

Capacity settings

Embed Codes

Organization visuals

Dataflow settings

Workspaces

Audit logs are managed in the Office 365 Admin Center

Go there to view tenant activity and export logs.

Auditing is only available in certain regions while the feature is in preview. [Learn more about audit logs](#)

[Go to O365 Admin Center](#)



Office 365 Security & Compliance



Audit log search

Need to find out if a user deleted a document or if an admin reset someone's password? Search the Office 365 audit log to find out what the users and admins in your organization have been doing. You'll be able to find activity related to email, groups, documents, permissions, directory services, and much more. [Learn more about searching the audit log](#)

Search

[Clear](#)

Results 43 results found

[Filter results](#)[Export results ▾](#)

Activities	Date	IP address	User	Activity	Item	Detail
Created app, ... (10)	2019-05-24 11:50:05		hiram@fleitasarts.com	Edited app	daece9ba-da58-4f99-80...	

[Clear all to show results for all activities](#)[App](#)


Power BI activities

Created Power BI app	Installed Power BI app	Updated Power BI app
Unpublished Power BI app	Created workspace for Power BI template app	Deleted workspace for Power BI template app
Updated settings for Power BI template app	Updated testing permissions for Power BI template app	Created Power BI template app
Deleted Power BI template app	Promoted Power BI template app	Installed Power BI template app
Updated parameters for installed Power BI template app		

PowerApps app activities

Created app	✓	Edited app	✓	Deleted app	✓
Launched app	✓	Published app	✓	Marked app as Hero	✓
Marked app as Featured	✓	Edited app permission	✓	Deleted app permission	✓
Restored app version	✓				

[+ New alert policy](#)



Office 365 Security & Compliance



Home > Audit log search

Audit log search

Need to find out if a user deleted a document or if an admin reset someone's password? Search the Office 365 audit log to find out what the users and admins in your organization have been doing. You'll be able to find activity related to email, groups, documents, permissions, directory services, and much more. [Learn more about searching the audit log](#)

Search

[Clear](#)

Results 43 results found

[Filter results](#)[Export results ▾](#)

Activities


Start date

End date

Users

File, folder, or site [i](#)[Search](#)

Date	IP address	User	Activity	Item	Detail
2019-05-24 11:50:05		hiram@fleitasarts.com	Edited app	daece9ba-da58-4f99-80...	
2019-05-24 11:46:28		hiram@fleitasarts.com	Edited app	daece9ba-da58-4f99-80...	
2019-05-24 11:09:41		hiram@fleitasarts.com	Launched app	daece9ba-da58-4f99-80...	
2019-05-23 21:08:04		christina@fleitasarts.com	Launched app	daece9ba-da58-4f99-80...	
2019-05-23 21:07:24		christina@fleitasarts.com	Launched app	daece9ba-da58-4f99-80...	
2019-05-23 20:59:04		hiram@fleitasarts.com	Launched app	daece9ba-da58-4f99-80...	
2019-05-23 17:02:45		hiram@fleitasarts.com	Launched app	daece9ba-da58-4f99-80...	
2019-05-23 17:02:45		hiram@fleitasarts.com	Launched app	daece9ba-da58-4f99-80...	



Office 365 Security & Compliance



Audit log search

Need to find out if a user deleted a document or if an admin reset someone's password? Search the Office 365 audit log to find out what the users and admins in your organization have been doing. You'll be able to find activity related to email, groups, documents, permissions, directory services, and much more. [Learn more about searching the audit log](#)

Search

[Clear](#)

Results 43 results found

[Filter results](#)[Export results ▾](#)

Activities	Date	IP address	User	Activity	Item	Detail
Created flow, ... (7)	2019-05-24 11:50:05		hiram@fleitasarts.com	Edited app	daece9ba-da58-4f99-80...	

[Clear all to show results for all activities](#)

flow

Enabled legacy workflow

Power BI activities

Generated Power BI dataflow SAS token	Created Power BI dataflow	Updated Power BI dataflow
Deleted Power BI dataflow	Viewed Power BI dataflow	Exported Power BI dataflow
Set scheduled refresh on Power BI dataflow	Requested Power BI dataflow refresh	Received Power BI dataflow secret from Key Vault
Attached dataflow storage account	Migrated dataflow storage location	Updated dataflow storage assignment permissions
Set dataflow storage location for workspace	Took ownership of Power BI dataflow	Canceled Power BI dataflow refresh

Microsoft Flow activities

Created flow	✓	Edited flow	✓	Deleted flow	✓
Edited flow permissions	✓	Deleted flow permissions	✓	Started a Flow paid trial	✓
Renewed a Flow paid trial	✓				

[+ New alert policy](#)



https://protection.office.com/unifiedauditlog

Audit log search

Need to find out if a user deleted a document or if an admin reset someone's password? Search the Office 365 audit log to find out what the users and admins in your organization have been doing. You'll be able to find activity related to email, groups, documents, permissions, directory services, and much more. [Learn more about searching the audit log](#)

Search Clear

Activities
Created flow, ... (7)

Start date
2019-04-13 00:00

End date
2019-05-25 00:00

Users
Show results for all users

File, folder, or site ⓘ
Add all or part of a file name, folder name, or URL.

Results 21 results found

Date	IP address	User	Activity	Item	Detail
2019-05-23 08:15:20	73.204.201.129	hiram@fleitasarts.com	Deleted flow	https://admin.flow.micro...	
2019-05-05 12:31:48	73.204.201.129	hiram@fleitasarts.com	Edited flow	https://admin.flow.micro...	
2019-05-05 03:24:42	73.204.201.129	hiram@fleitasarts.com	Edited flow	https://admin.flow.micro...	
2019-05-05 03:24:28	73.204.201.129	hiram@fleitasarts.com	Edited flow	https://admin.flow.micro...	
2019-05-05 03:21:56	73.204.201.129	hiram@fleitasarts.com	Created flow	https://admin.flow.micro...	
2019-05-05 03:19:51	73.204.201.129	hiram@fleitasarts.com	Deleted flow	https://admin.flow.micro...	
2019-05-05 03:19:09	73.204.201.129	hiram@fleitasarts.com	Edited flow	https://admin.flow.micro...	
2019-05-05 03:18:55	73.204.201.129	hiram@fleitasarts.com	Edited flow	https://admin.flow.micro...	

Filter results Export results

Search

+ New alert policy



Office 365 Security & Compliance

Audit log search

Need to find out if a user deleted a document or if an admin reset someone's password? Search the Office 365 audit log to find out what the users and admins in your organization have been doing. You'll be able to find activity related to email, groups, documents, permissions, directory services, and much more. [Learn more about searching the audit log](#)

Search

[Clear](#)

Results 21 results found

[Filter results](#)[Export results ▾](#)

Activities	Date	IP address	User	Activity	Item	Detail
Viewed Power BI dashboard ... (38) ▾	2019-05-23 08:15:20	73.204.201.129	hiram@fleitasarts.com	Deleted flow	https://admin.flow.micro...	


[Clear all to show results for all activities](#)

Power BI

Power BI activities

Viewed Power BI dashboard	✓	Created Power BI dashboard	✓	Edited Power BI dashboard
Deleted Power BI dashboard	✓	Shared Power BI dashboard		Printed Power BI dashboard
Copied Power BI dashboard	✓	Viewed Power BI tile		Exported Power BI tile data
Viewed Power BI report	✓	Deleted Power BI report		Printed Power BI report page
Downloaded Power BI report	✓	Published Power BI report to web		Exported Power BI report visual data
Created Power BI report	✓	Edited Power BI report		Copied Power BI report
Created Power BI dataset	✓	Deleted Power BI dataset		Created Power BI group
Deleted Power BI group	✓	Added Power BI group members	✓	Removed Power BI group members
Created organizational Power BI content pack	✓	Created Power BI app		Installed Power BI app
Updated Power BI app		Updated organization's Power BI settings		Started Power BI trial

[+ New alert policy](#)



Office 365 Security & Compliance



Audit log search

Need to find out if a user deleted a document or if an admin reset someone's password? See activity related to email, groups, documents, permissions, directory services, and much more.

Search

[Clear](#)

Activities

[Viewed Power BI dashboard... \(38\)](#)

Start date

2019-05-17 00:00

End date

2019-05-25 00:00

Users

[Show results for all users](#)

File, folder, or site

[Add all or part of a file name, folder name, or URL.](#)[+ New alert policy](#)

Results

17 results found

Date	IP address
2019-05-24 12:06:14	73.204.201.129
2019-05-22 20:47:47	73.204.201.129
2019-05-22 16:19:20	73.204.201.129
2019-05-22 13:54:09	73.204.201.129
2019-05-21 21:39:26	73.204.201.129
2019-05-21 21:27:56	73.204.201.129
2019-05-21 21:27:41	73.204.201.129
2019-05-21 21:19:35	73.204.201.129

Details

Date: 2019-05-24 12:06:14**IP address:** 73.204.201.129**User:** hiram@fleitasarts.com**Activity:** Viewed Power BI dashboard**Item:** VanArsdel**Detail:** Data classification undefined

More information

Activity: ViewDashboard**ActivityId:** c5f279f3-b8f0-4dc1-bade-3fbf52bbe2e2**ClientIP:** 73.204.201.129**CreationTime:** 2019-05-24T16:06:14**DashboardId:** 1a5682b5-8a99-4ecb-9a74-224763e3d12e**DashboardName:** VanArsdel**Datasets:**

```
[  
 {  
 "DatasetId": "6c66dc3a-1511-4279-b720-ce3b498b1461",  
 "DatasetName": "DIAD Final Report"  
 },  
 {  
 "DatasetId": "fb4b8e0a-0a20-4a20-a330-1a2a2a2a2a2a",  
 "DatasetName": "Power BI Metrics"  
 }]
```



Office 365 Security & Compliance



Audit log search

Need to find out if a user deleted a document or if an admin reset someone's password? See activity related to email, groups, documents, permissions, directory services, and much more.

Search

Clear

Activities

Edited flow

Start date

2019-04-13



00:00

Results 14 results found

Date	IP address
2019-05-05 12:31:48	73.204.201.
2019-05-05 03:24:42	73.204.201.
2019-05-05 03:24:28	73.204.201.
2019-05-05 03:19:09	73.204.201.
2019-05-05 03:18:55	73.204.201.
2019-05-05 03:17:11	73.204.201.
2019-05-05 03:17:08	73.204.201.
2019-05-05 03:15:09	73.204.201.

End date

2019-05-25



00:00

Users

Show results for all users

File, folder, or site

Add all or part of a file name, folder name, or URL.

Search

+ New alert policy

New alert policy

Name *

Edited Flow

Description

Alert type

Custom

Send this alert when...*

Activities *

Edited flow

Users:

Show results for all users



Office 365 Security & Compliance

Home > Audit log search

Audit log search

Need to find out if a user deleted a document or if an admin reset someone's password? See activity related to email, groups, documents, permissions, directory services, and much more.

Search

Clear

Activities

Edited flow

Start date

2019-04-13 00:00

End date

2019-05-25 00:00

Users

Show results for all users

File, folder, or site

Add all or part of a file name, folder name, or URL.

Search

Results 14 results found

Date	IP address
2019-05-05 12:31:48	73.204.201.
2019-05-05 03:24:42	73.204.201.
2019-05-05 03:24:28	73.204.201.
2019-05-05 03:19:09	73.204.201.
2019-05-05 03:18:55	73.204.201.
2019-05-05 03:17:11	73.204.201.
2019-05-05 03:17:08	73.204.201.
2019-05-05 03:15:09	73.204.201.

Alert type

Custom

Send this alert when...*

Activities *

Edited flow

Users:

Show results for all users

Send this alert to...*

Recipients *

Hiram Fleitas

Save

Cancel

Microsoft 365 security

[Home](#)[Alerts](#)[Monitoring & reports](#)[Secure score](#)[Hunting](#)[Classification](#)[Policies](#)[Permissions](#)[More resources](#)[Customize navigation](#)

Prevent

Microsoft Secure Score

Total score: 69/707

This score reflects the collective security state of your identities, data, devices, apps, and infrastructure.

Updated Yesterday at 8:00 PM

**Identity** 26 / 223**Data** 23 / 219**Device** 0 / 245**Apps** 20 / 20**Infrastructure** No data to show

Identity protection

1 users at risk■ High Risk ■ Medium Risk ■ Low risk[View all users](#)

Device compliance

Intune device compliance status

[View details](#)

Cloud App Security - OAuth apps

0 privileged OAuth a...

Apps that users gave permissions to. Discovered by Cloud App Security

Devices with active malware

No managed devices

Track security events and enforce configuration and compliance policies through Intune device management

Updated 12/31/0000



Microsoft 365 compliance

[Home](#)[Alerts](#)[Monitoring & reports](#)[Classification](#)[Policies](#)

Solutions

[eDiscovery](#)[Supervision](#)[Data subject requests](#)[Permissions](#)[More resources](#)

Assess

Microsoft Compliance Score

Total score: 2926/4536

This score reflects your organization's data protection posture and cloud service compliance with various standards and regulations. Improve your score in Compliance Manager.

ISO 27001:2013 794 / 1078**NIST 800-53** 1868 / 2832**GDPR** 264 / 626

Assessment score Incomplete actions

Cloud app compliance

Review cloud app co...

Some of your cloud apps might not meet compliance requirements for these regulations

GDPR**HIPAA****ISO-27001****SOC1****FINRA**

Non-compliant apps Non-compliant apps

Users with the most shared files

Users currently sharing the most files from cloud apps

User	Files shared





Service Trust Portal

Compliance Manager

Trust Documents

Industries & Regions

More



Compliance Manager

[Help](#)

Notice: Compliance Manager data has been refreshed. Some of the changes to customer managed controls may require the controls to be reassessed. Please review the list of changes and the Microsoft recommended actions for customers in the [Controls Change Log](#).

[Assessments](#) [Action Items](#) Show Archived [+ Add Assessment](#) [Filter](#) ▾**Default Group****Office 365 - GDPR**[Actions](#) ▾Created
5/5/2019Modified
5/5/2019**Compliance Score****Customer Managed Actions**

0 of 65

Microsoft Managed Actions

49 of 49

Default Group**Office 365 - NIST 800-53**[Actions](#) ▾Created
5/5/2019Modified
5/5/2019**Compliance Score****Customer Managed Actions**

0 of 215

Microsoft Managed Actions

853 of 853

Default Group**Office 365 - ISO 27001:2013**[Actions](#) ▾Created
5/5/2019Modified
5/5/2019**Compliance Score****Customer Managed Actions**

0 of 60

Microsoft Managed Actions

232 of 232

Default Group**Assessment Status****Default Group****Assessment Status**



Microsoft 365

Check out the new homes for Microsoft 365 security and compliance

Check out the new [Microsoft 365 security center](#) and [Microsoft 365 compliance center](#) - your specialized workspaces for managing security and compliance across Microsoft 365.

Office 365

[Customize](#)

Welcome to the Security & Compliance Center



We're busy building a one-stop shop for security and compliance across Office 365. Keep an eye out for new features coming your way. As always, your feedback is a critical part of our blueprint, so take a look around and let us know what you think.

[Take a tour](#)

[Search for users](#)

Search for users



[Recommendations](#)

Let users classify their content



Let you apply their classification to their content

✓ We're committed to helping on your GDPR journey




GDPR is all about protecting and enabling individuals' privacy rights inside the European Union (EU). Our tools can help you detect, classify, and secure this sensitive info across locations (like Exchange, OneDrive, and more) and can

[Microsoft Secure Score](#)

Total score: 69/707

This score reflects the collective security state of your identities and assets.

+ Get started



DEMO

seven

Forms – Ai builder





Leads






Name

Email

Address

Lead ID





From

wing tip Toys
4 7th St
NY 98052
<http://www.wingtiptoys.com/>
SS-321

INVOICE

Date: Jan 10, 2015
Due Date: Mar 10, 2015
Balance due: \$ 0.00

Bill To

Proseware, Inc.
4 7th St
NY 98052
<http://www.proseware.com/>
SS-429

Item	Quantity	Rate	Amount
10% Anuck DE34	24 10%	\$ 1 10%	\$ 24.00
10% Charlie-334Q1	19 10%	\$ 2 10%	\$ 38.00
10% For princess	15 10%	\$ 1 10%	\$ 15.00

Subtotal: \$ 77.00
Tax (2%): \$ 1.54
Shipping: \$ 0.00
Total: \$ 78.54

Analyze

{"Table1": [{"BalanceDue": 1013.5}]}
Analyze



From

wing tip Toys
4 7th St
NY 98052
<http://www.wingtiptoys.com/>
SS-325

INVOICE

Date: Jan 10, 2015
Due Date: Mar 10, 2015
Balance due: \$ 0.00

Bill To

Proseware, Inc.
4 7th St
NY 98052
<http://www.proseware.com/>
SS-426

Item	Quantity	Rate	Amount
10% Anuck DE34	24 10%	\$ 1 10%	\$ 24.00
10% Charlie-334Q1	19 10%	\$ 2 10%	\$ 38.00
10% For princess	15 10%	\$ 1 10%	\$ 15.00

Subtotal: \$ 77.00
Tax (2%): \$ 1.54
Shipping: \$ 0.00
Total: \$ 78.54

Analyze



Leads





Name


Email

Address

Lead ID









30 days remaining in your AI Builder free trial. You won't be able to use your premium models after your trial ends. [Learn more](#)

Enhance your business with AI

Add intelligence to your business. Create tailored AI models to automate processes and find insights. [Learn more](#)

Make your own AI model

Form Processing (preview)

Read and save information from standard documents.

Object Detection (preview)

Recognize and count things in images.

Prediction

Predict whether something will happen.

Text Classification (preview)

Categorize text by its meaning so it's easier to analyze.

IT WON'T FAIL BECAUSE OF ME

make.powerapps.com/environment/5dceb218-1634-4296-bdc3-8614602f009c/aibuilder/models/e9b692fe-b7fa-e911-a813-000d3a368be7

PowerApps Environment aiaday

PowerApps AI Builder

Share (preview) Settings

Models > invoices

Form Processing (preview) • Published • Hiram Fleitas

Training document See details

Selected fields See all (11)

How your model is used

From

INVOICE

Date

Bill To

Due Date

Balance due

Subtotal

Tax (2%)

Shipping

Total

PowerApps See documentation

Microsoft Flow See documentation

Build

Models

Solutions

Use model

A green box highlights the "Models" option in the AI Builder sidebar.

PowerApps Leads - PowerApps

IT WON'T FAIL BECAUSE OF ME

us.create.powerapps.com/studio/#

PowerApps

PowerApps

File Home Insert View Action

New screen Label Button Text Input Gallery Data table Forms Media Charts Icons AI Builder

DefaultImage fx ...

Tree view

Search

grpDonePDF
grpAddPDF
aiFormPDFInvoices
popShadePDF
grpContentPDF
lblDate
lblBalanceDue
lblShipping
lblTax
lblSubtotal
tblItem
tblTotal
lblDueDate
lblFrom
lblBillTo
lblInvoice

Form processor (preview)

Detects and extracts text in documents. Requires training of an AI model.

Business card reader
Form processor (preview)
Object detector (preview)

Properties Advanced

Text Analyze
Display mode Edit
Show form On
AI model invoices (e9b692fe-b7fa-...
Visible On
Position 40 40 X 40 Y
Size 570 1056 Width Height
Show confidence On

Analyze

scrPDF aiFormPDFInvo...

A screenshot of the Microsoft PowerApps studio interface. The top navigation bar shows 'PowerApps' and 'Leads - PowerApps'. The main menu includes 'File', 'Home', 'Insert', 'View', and 'Action'. The 'Insert' tab is currently selected. The toolbar below the menu contains icons for 'New screen', 'Label', 'Button', 'Text', 'Input', 'Gallery', 'Data table', 'Forms', 'Media', 'Charts', 'Icons', and 'AI Builder'. The 'AI Builder' icon is highlighted with a red circle. A dropdown menu for 'Form processor (preview)' is open, showing its description: 'Detects and extracts text in documents. Requires training of an AI model.' Below this are other AI components: 'Business card reader', 'Form processor (preview)', and 'Object detector (preview)'. The central workspace shows a 'Tree view' panel on the left containing a hierarchical list of components, with several items highlighted by green boxes. In the center, there is a preview area showing a PDF document with several redacted sections. At the bottom of this preview is a blue 'Analyze' button with a circular arrow icon. To the right of the preview is the 'Properties' pane, which is divided into 'Advanced' and 'Properties' tabs. Under 'Properties', the 'Text' field is set to 'Analyze', 'Display mode' is 'Edit', 'Show form' is turned 'On', and the 'AI model' is set to 'invoices (e9b692fe-b7fa-...)'. Other settings include 'Visible' (on), 'Position' (40, 40), 'Size' (570, 1056), and 'Show confidence' (on). The bottom of the screen shows the URL 'us.create.powerapps.com/studio/#' and the user information 'Environment aiaday (org3f000378)' with a profile picture.

DEMO

eight

Row-Level-Security (RLS)



PowerAppsRLS - Power BI Desktop

File Home Modeling Help

Cut Copy Format Painter Paste Get Data Sources Enter Data Refresh New Page New Visual Ask A Question Buttons Text box Image From Marketplace From File Switch Theme Manage Relationships Publish Clipboard External data Insert Custom visuals Themes Relationships Share

Fields

Search

data

- account
- amount
- sales rep**

roles

- role**
- sales rep**

Edit relationship

Select tables and columns that are related.

data

sales rep	account	amount
hiram fleitas	sealand	10
Christina	solomiani	10
Brent Carpenetti	hannover	10

roles

sales rep	role
hiram fleitas	ceo
Christina	vp
Brent Carpenetti	mgr

Cardinality

Many to one (*:1)

Cross filter direction

Both



Make this relationship active

Apply security filter in both directions

Assume referential integrity

OK Cancel

All tables +



PowerAppsRLS - Power BI Desktop

File Home View Modeling Help

Manage Relationships New Measure Column New Table New Parameter Sort by Column Sort Data type: \$ % , .00 Auto Data Category: Uncategorized Default Summarization: Don't summarize Properties

Manage Roles View as Roles Security Groups Calendars Q&A Setup Language Linguistic Schema

Relationships Calculations What If Sort Formatting

sales rep

admin	Christina
Brent Carpenetti	hiram fleitas

ceo IT mgr vp

90 total accounts

amount by sales rep

sales rep	amount
hiram fleitas	40
Brent Carpenetti	20
Christina	20
admin	10

amount by account

account	amount
fleitas arts	40
hannover	10
jlaudio	10
sealand	10
solomiani	10
upcic	10

Visualizations Fields

Search

data

- account
- Σ amount
- sales rep

roles

- role
- sales rep

Values Add data fields here

Drillthrough

Cross-report Off

Keep all filters On

Add drillthrough fields here

RLS +

PAGE 1 OF 1

PowerAppsRLS - Power BI Desktop

File Home View Modeling Help

Manage Relationships New Measure Column New Table New Parameter What If Sort by Column Sort Data type: \$ % .00 Auto Data Category: Uncategorized Default Summarization: Don't summarize Properties Manage Roles View as Roles Security Groups Edit Groups Mark as Date Table Calendars Q&A Setup Language Linguistic Schema Q&A

Relationships Calculations What If Sort Formatting

Manage roles

Roles

- ceo
- it
- mgr
- vp

Tables

- data
- roles

Table filter DAX expression

```
[role] = "vp"
```

Filter the data that this role can see by entering a DAX filter expression that returns a True/False value. For example: [Entity ID] = "Value"

Save Cancel

amount by sales rep

sales rep

Sales Rep	Amount
hiram fleitas	10
Brent Carpenetti	10
Christina	10
admin	10

amount

RLS +

Fields

Search

data

- account
- Σ amount
- sales rep

roles

- role
- sales rep

data fields here

through report filters

illthrough fields here

PAGE 1 OF 1

Power BI

app.powerbi.com/groups/62b400f3-739c-4958-837e-89a4a92d0ca5/list/datasets

Power BI DIAD

Home Favorites Recent Apps Shared with me Workspaces DIAD

Search content... Dashboards Reports Workbooks Datasets Dataflows

Showing 6 items

NAME ↑	ENDORSEMENT	REFRESHED	NEXT REFRESH	API ACCESS
DIAD Final Report		3/19/2019, 10:37:34	N/A	--
DIAD Final Report with Cortana		5/12/2019, 2:05:09	N/A	--
DIAD Final Report with RLS		3/10/2019, 10:04:01	N/A	--
FA Year Over Year		5/12/2019, 2:08:18	N/A	--
PowerAppsRLS		10/14/2019, 5:00:45	N/A	--
Social		3/9/2019, 12:18:08	N/A	--

Settings
Rename
Delete
Analyze in Excel
Quick insights
Security
Manage permissions
Download .pbix

Get data

IT WON'T FAIL BECAUSE OF ME

Power BI

app.powerbi.com/groups/62b400f3-739c-4958-837e-89a4a92d0ca5/list/datasets

Power BI DIAD

Home Favorites Recent Apps Shared with me Workspaces DIAD

Search content... Dashboards Reports Workbooks Datasets Dataflows

Showing 6 items

NAME ↑	ENDORSEMENT	REFRESHED	NEXT REFRESH	API ACCESS
DIAD Final Report		3/19/2019, 10:37:34	N/A	--
DIAD Final Report with Cortana		5/12/2019, 2:05:09	N/A	--
DIAD Final Report with RLS		3/10/2019, 10:04:01	N/A	--
FA Year Over Year		5/12/2019, 2:08:18	N/A	--
PowerAppsRLS		10/14/2019, 5:00:45	N/A	--
Social		3/9/2019, 12:18:08	N/A	--

Settings
Rename
Delete
Analyze in Excel
Quick insights
Security
Manage permissions
Download .pbix

Get data

Power BI

IT WON'T FAIL BECAUSE OF ME

app.powerbi.com/groups/62b400f3-739c-4958-837e-89a4a92d0ca5/rowLevelSecurity/3896284

Power BI DIAD > Row-Level Security

New look on

Home

Favorites

Recent

Apps

Shared with me

Workspaces

DIAD

Row-Level Security

Members (1)

People or groups who belong to this role

Enter email addresses

Add

Christina

Save Cancel

Get data

Get data

IT WON'T FAIL BECAUSE OF ME

PowerAppsRLS - Power BI

app.powerbi.com/groups/62b400f3-739c-4958-837e-89a4a92d0ca5/reports/b3c1d4f0-d1f5-4e91-9ec0-90fbcd4cd7e/ReportSection

Power BI DIAD > PowerAppsRLS

PowerAppsRLS | Data updated 10/30/19

New look on

Reset to default

Bookmarks

View

Home

Favorites

Recent

Apps

Shared with me

Workspaces

DIAD

Export Share Subscribe Comments Favorite ...

Pin visual

ceo IT ... mgr vp

90 total 9 accounts

amount by sales rep

sales rep	amount
hiram fleitas	40
Brent Carpenetti	20
Christina	20
admin	10

amount by account

account	amount
fleitas arts	40
hannover	10
jlaudio	10
sealand	10
solomiani	10
upcic	10

Get data

The dashboard displays the following data:

- Matrix Visual:** Sales Rep (rows) vs. Admin (columns). Data:

Admin	Christina
Brent Carpenetti	hiram fleitas
- Summary Card:** CEO: 90 (total), IT: 9 (accounts)
- Horizontal Bar Chart 1 (Sales Rep):** Sales Rep (Y-axis) vs. Amount (X-axis). Data:

Sales Rep	Amount
hiram fleitas	40
Brent Carpenetti	20
Christina	20
admin	10
- Horizontal Bar Chart 2 (Account):** Account (Y-axis) vs. Amount (X-axis). Data:

Account	Amount
fleitas arts	40
hannover	10
jlaudio	10
sealand	10
solomiani	10
upcic	10
- Large Blue Circle:** A large blue circle with a white logo in the center.

IT WON'T FAIL BECAUSE OF ME

PowerAppsRLS - Power BI

app.powerbi.com/groups/62b400f3-739c-4958-837e-89a4a92d0ca5/reports/b3c1d4f0-d1f5-4e91-9ec0-90fbcd4cd7e/ReportSection

Power BI DIAD > PowerAppsRLS

PowerAppsRLS | Data updated 10/30/19

New look on

Reset to default

Bookmarks

View

Home

Favorites

Recent

Apps

Shared with me

Workspaces

DIAD

Export Share Subscribe Comments Favorite ...

sales rep

	admin	Christina
Brent Carpenetti		
hiram fleitas		

ceo IT mgr vp

90 9

total accounts

Pin visual

amount by sales rep

sales rep	amount
hiram fleitas	40
Brent Carpenetti	20
Christina	20
admin	10

amount by account

account	amount
fleitas arts	40
hannover	10
jlaudio	10
sealand	10
solomiani	10
upcic	10

Get data

A blue circular icon with a white swirl logo.

IT WON'T FAIL BECAUSE OF ME

PowerAppsRLS - Power BI

app.powerbi.com/groups/62b400f3-739c-4958-837e-89a4a92d0ca5/reports/b3c1d4f0-d1f5-4e91-9ec0-90fbcd4cd7e/ReportSection

Power BI DIAD > PowerAppsRLS

PowerAppsRLS | Data updated 10/30/19

New look on

Reset to default

Bookmarks

View

Home

Favorites

Recent

Apps

Shared with me

Workspaces

DIAD

Export Share Subscribe Comments Favorite ...

Reset to default Bookmarks View

Filters

sales rep

sales rep	admin	Christina
Brent Carpenetti		hiram fleitas

ceo IT mgr vp

90 9

total accounts

amount by sales rep

sales rep	amount
hiram fleitas	40
Brent Carpenetti	20
Christina	20
admin	10

amount by account

account	amount
fleitas arts	40
hannover	10
jlaudio	10
sealand	10
solomiani	10
upcic	10

Pin visual

Get data

The dashboard displays the following data:

- Matrix Table:** Sales rep (rows) vs. Position (columns). Data:

Position	admin	Christina
sales rep		
Brent Carpenetti		
hiram fleitas		
- Large Numbers:** 90 (total) and 9 (accounts).
- Blue Circle:** A large blue circle with a white logo.
- Bar Charts:**
 - amount by sales rep:** Total amount per sales rep: hiram fleitas (40), Brent Carpenetti (20), Christina (20), admin (10).
 - amount by account:** Total amount per account: fleitas arts (40), hannover (10), jlaudio (10), sealand (10), solomiani (10), upcic (10).
- Navigation Sidebar:** Home, Favorites, Recent, Apps, Shared with me, Workspaces, DIAD.

PowerAppsRLS - Power BI

IT WON'T FAIL BECAUSE OF ME

app.powerbi.com/groups/62b400f3-739c-4958-837e-89a4a92d0ca5/dashboards/0988839a-9d21-4bde-ae4e-948e33bedca8

Power BI DIAD > PowerAppsRLS

PowerAppsRLS

New look on

Export Share Subscribe Comments Favorite ...

Ask a question about your data

total accounts

90 9

super BY ACCOUNT

account	amount
fleitas arts	40
hannover	10
jlaudio	10
sealand	10
solomiani	10
upcic	10

amount BY SALES REP

Get data

Get data

IT WON'T FAIL BECAUSE OF ME



Power BI

app.powerbi.com/groups/62b400f3-739c-4958-837e-89a4a92d0ca5/list/dashboards

Power BI DIAD

New look on

Create List view Update app

Search content...

Dashboards Reports Workbooks Datasets Dataflows

NAME ↑	ACTIONS	OWNER
FA PIF and PREM	🔗 ↱ 🔍 ⚙️ 🗑️	DIAD
PowerAppsRLS	🔗 ↱ 🔍 ⚙️ 🗑️	DIAD
Quick Insights	🔗 ↱ 🔍 ⚙️ 🗑️	DIAD <input checked="" type="checkbox"/> Yes
VanArsdel	🔗 ↱ 🔍 ⚙️ 🗑️	DIAD <input checked="" type="checkbox"/> Yes

Files
Members
Calendar
Conversations

Edit this workspace
Leave workspace
Unpublish App

Get data

Power BI

IT WON'T FAIL BECAUSE OF ME

app.powerbi.com/groups/62b400f3-739c-4958-837e-89a4a92d0ca5/list/dashboards

New look on

Home

Favorites

Recent

Apps

Shared with me

Workspaces

DIAD

Search content...

Dashboards Reports Workbooks Datasets Dataflows

NAME ↑ ACTION

FA PIF and PREM

PowerAppsRLS

Quick Insights

VanArsdel

Edit workspace

Name

DIAD

Privacy

Private - Only approved members can see what's inside

Members can only view Power BI content

Workspace members

Enter email addresses

Add

christina@fleitasarts.com Member

hiram@fleitasarts.com Admin

Advanced

Delete workspace


Save

Cancel

Get data

Hello

Sign in to start using PowerApps




Sign in with your work or school email account

christina@fleitasarts.com



New to PowerApps? [Explore plans](#)

By signing in, you agree to the PowerApps
[terms of service](#) and [privacy statement](#).



DEMO

nine

Approvals



IT WON'T FAIL BECAUSE OF ME

PowerApps | Device Ordering App4 - PowerApp | Edit your flow | Microsoft Flow | Manage your flows | Microsoft Flow

us.flow.microsoft.com/manage/environments/5dceb218-1634-4296-bdc3-861460f009c/flows

Hiram Fleitas
aiaday (org3f000378)

Flow

+ New ⏪ Import

Flows

My flows

Invoice Approval

Choose your flow's trigger *

- When an item is created (V2) SQL Server
- When an item is modified (V2) SQL Server
- When a new issue is returned by a JQL ... JIRA

Free yourself from repetitive work just by connecting the apps you already use—automate alerts, reports, and other tasks.

Examples:

- Automatically collect and store data in business solutions
- Generate reports via custom queries on your SQL database

Skip Create Cancel

IT WON'T FAIL BECAUSE OF ME

PowerApps Device Ordering App4 - PowerApp Edit your flow | Microsoft Flow Create your flow | Microsoft Flow + us.flow.microsoft.com/manage/environments/5dceb218-1634-4296-bdc3-8614602f009c/flows/new?newFlowName=Invoice%20Approval&trigger=%2Fproviders%2FMicrosoft.PowerApps%2Fapis%2Fshare...

Hiram Fleitas aiaday (org3f000378)

Flow

Invoice Approval

Save Flow checker Test

Home Action items My flows Create Templates Connectors Data AI Builder Solutions Learn

When an item is created (V2)

Server name: Use connection settings (localhost)
Database name: Use connection settings (fleitasarts)
Table name: Form

Show advanced options

Choose an action

start approval

All Built-in Standard Premium Custom My clipboard

Approvals SharePoint Microsoft Flow for... Serverless360 BAM &... K2 Workflow Company Connect AtBot Logic

Triggers Actions

Start and wait for an approval Approvals

Create an approval Approvals

This screenshot shows the Microsoft Flow interface. On the left, there's a navigation bar with links like Home, Action items, My flows (which is selected), Create, Templates, Connectors, Data, AI Builder, Solutions, and Learn. The main area has a title 'Invoice Approval' with a back arrow. Above the main content, there are four tabs: PowerApps, Device Ordering App4 - PowerApp, Edit your flow | Microsoft Flow, and Create your flow | Microsoft Flow. A red '+' button is also visible. The main content area shows a 'When an item is created (V2)' trigger configuration with fields for Server name (localhost), Database name (fleitasarts), and Table name (Form). Below this is a 'Choose an action' dialog with a search bar containing 'start approval'. It lists several categories: Approvals, SharePoint, Microsoft Flow for..., Serverless360, BAM &..., K2 Workflow, Company Connect, and AtBot Logic. Under the 'Actions' tab, two items are listed: 'Start and wait for an approval' (Approvals) and 'Create an approval' (Approvals). The 'Start and wait for an approval' item is highlighted with a green box.

IT WON'T FAIL BECAUSE OF ME

PowerApps - Edit your flow | Microsoft Flow + Edit your flow | Microsoft Flow ?

us.flow.microsoft.com/manage/environments/5dceb218-1634-4296-bdc3-8614602f009c/flows/new?newFlowName=Invoice%20Approval&trigger=%2Fproviders%2FMicrosoft.PowerApps%2Fapis%2Fshare... Save

Hiram Fleitas aiaday (org3f000378) Dynamic content Expression

Flow Smile

Home Action items My flows Create Templates Connectors Data AI Builder Solutions Learn

Invoice Approval

Start and wait for an approval

*Approval type: Approve/Reject - First to respond

*Title: Please Approve/Reject FormId Add dynamic content

*Assigned to: approver@fleitasarts.com

Details:
A new invoice has been created.
BalanceDue: BalanceDue

Invoice: Invoice

From: From

BillTo: BillTo

Item: Item

Item link: Add a link to the item to approve

Item link description: Describe the link to the item

Requestor: Hiram Fleitas

Enable notifications: Yes

Enable reassignment: No

Hide advanced options

Dynamic content Expression

Search dynamic content: When an item is created (V2)

Amount

BalanceDue

BillTo

Date

DueDate

FormId

From

Invoice

IT WON'T FAIL BECAUSE OF ME

PowerApps - Edit your flow | Microsoft Flow - Edit your flow | Microsoft Flow +

us.flow.microsoft.com/manage/environments/5dceb218-1634-4296-bdc3-8614602f009c/flows/new?newFlowName=Invoice%20Approval&trigger=%2Fproviders%2FMicrosoft.PowerApps%2Fapis%2Fshare... ★ 

Flow Save  Test

Home Action items My flows Create Templates Connectors Data AI Builder Solutions Learn

Invoice Approval

Condition

Response is equal to Approve

+ Add

If yes

Update row (V2)

* Server name: Use connection settings (localhost)
* Database name: Use connection settings (fleitasarts)
* Table name: Form
* Row id: FormId
BalanceDue
BillTo
Date
DueDate: Completion date
From
Invoice

If no

Update row (V2) 2

* Server name: Use connection settings (localhost)
* Database name: Use connection settings (fleitasarts)
* Table name: Form
* Row id: FormId
BalanceDue: 0
BillTo
Date
DueDate
From
Invoice

Save  Test

Hiram Fleitas aiaday (org3f000378)

IT WON'T FAIL BECAUSE OF ME

PowerApps - Edit your flow | Microsoft Flow + Edit your flow | Microsoft Flow ?

us.flow.microsoft.com/manage/environments/5dceb218-1634-4296-bdc3-8614602f009c/flows/new?newFlowName=Invoice%20Approval&trigger=%2Fproviders%2FMicrosoft.PowerApps%2Fapis%2Fshare... Save Test

Hiram Fleitas aiaday (org3f000378)

Flow

Home Action items My flows Create Templates Connectors Data AI Builder Solutions Learn

Invoice Approval

Rate
Quantity
Item
Amount

Apply to each

*Select an output from previous steps

Send an email

*To
*Subject
*Body

Show advanced options

Quantity
Item
Amount

Apply to each 2

*Select an output from previous steps

Send an email 2

*To
*Subject
*Body

Show advanced options



From

Right Toys
123 Main St.
Anytown USA
http://www.righttoys.com/
123456789

Bill To

Pro Newware Inc.
123 Main St.
Anytown USA
http://www.pronewware.com/
123456789

INVOICE

Date: Jan 15, 2018
Due Date: Mar 15, 2018
Balance due: \$ 1,000.00

Item	Quantity	Rate	Amount
Wii Remote DEXA	2	\$ 100.00	\$ 200.00
Wii Nunchuk 334OU	10	\$ 100.00	\$ 1,000.00
Wii Fit Balance Board	10	\$ 100.00	\$ 1,000.00

Subtotal: \$ 1,400.00
Tax (2%): \$ 28.00
Shipping: \$ 0.00
Total: \$ 1,428.00

Analyze



apps.powerapps.com/play/034bac28-9fc1-4c7a-aaf9-463ea5374db5?tenantId=800d472c-8288-4f27-8978-f726a7a3d1f0&source=portal&screenColor=rgba(1%2C%2060%2C%2096%2C%201)

PowerApps | Leads

INVOICE

From
Bill To
Comments
Line Items
Totals
Print
Email
Share
Edit

{"Table1": [{"BalanceDue": 1013.5}]}
Analyze

Back Next

Reply Reply all Forward Archive Delete Set flag ...

Please Approve/Reject FormId 20



Microsoft Flow <macount@microsoft.com>

12:52 AM

To: hiram@fleitasarts.com



Requested by Hiram Fleitas <hiram@fleitasarts.com>

Please Approve/Reject FormId 20

A new invoice has been created.

BalanceDue: 1013.5

Invoice:

From:

BillTo:

Item:

Date Created: Thursday, October 31, 2019 4:52 AM GMT

ApproveReject

IT WON'T FAIL BECAUSE OF ME

PowerApps Leads - PowerApps Edit your flow | Microsoft Flow Manage your flows | Microsoft Flow + us.flow.microsoft.com/manage/environments/5dceb218-1634-4296-bdc3-8614602f009c/approvals/received/55a294f4-b723-4679-b55b-40097abd4431/requests/e6b6d3b2-c97e-4471-9d63-48b1046... Hiram Fleitas aiaday (org3f000378)

Flow

Approvals

Received Sent History

Request	Received	Details
Please Approve/Reject FormId 20	Oct 31, 12:52 AM (36 sec ago)	A new invoice has been created. Bala...

Overview

Approval Please Approve/Reject FormId 20

Requester  Hiram Fleitas

Received Oct 31, 12:52 AM (36 sec ago)

Details

A new invoice has been created.
BalanceDue: 1013.5
Invoice:
From:
BillTo:
Item:

Approve

Add a comment (optional)

Looks good, Thank you!

Confirm Cancel

Home Action items Approvals Business process flows My flows Create Templates Connectors Data AI Builder Solutions Learn

Reply Reply all Forward Archive Delete Set flag ...

Your form was approved!



Hiram Fleitas <hiramfleitas@hotmail.com>

12:59 AM

To: hiram@fleitasarts.com

Your form id 20 has been approved by Hiram Fleitas.

Comments: Looks good, Thank you!

BalanceDue: 1013.5

Invoice:

From:

BillTo:


Item:

DEMO

ten

International Space Station





PowerApps X iss25544 - PowerApps X +

us.create.powerapps.com/studio/#

PowerApps Environment fleitasarts.com (default)

File Home Insert View iss25544 U D C R P ?

New screen Theme V B U A E F B Reorder Align Group V

OnStart = fx //onstart
Set(apiresponse, iss25544.Run())

Tree view X

Search

App ...

Main

- lblVisibility
- lblVelocity
- lblAltitude
- lblLongitude
- lblLatitude
- lblDate
- lblSatelite
- imgDay
- imgMap

Format text Remove formatting

AUS
Great Aust Bight
© 2019 Microsoft Corporation. All rights reserved.
Earthstar Geographics
© 2019 Microsoft Corporation. All rights reserved.
© 2019 Microsoft Corporation. All rights reserved.

App

IT WON'T FAIL BECAUSE OF ME

PowerApps iss25544 - PowerApps

us.create.powerapps.com/studio/#

PowerApps

Environment
fleitasarts.com (default)

File Home Insert View Action iss25544

New screen Theme

B / U A Fill Border Reorder Align Group

Image

BingMaps.GetMapV2(
 "AerialWithLabels",
 3,
 apiresponse.latitude,
 apiresponse.longitude,
 {
 pushpinLabel: apiresponse.name & " " & apiresponse.id,
 pushpinIconStyle: 38,
 pushpinLatitude: apiresponse.latitude,
 pushpinLongitude: apiresponse.longitude
 }
)

Tree view

Search

App

Main

lblVisibility

lblVelocity

lblAltitude

lblLongitude

lblLatitude

lblDate

lblSatelite

imgDay

imgMap

Format text Remove formatting

AUS

Great Aust Bigh

© 2019 Microsoft Co Earthstar Geogeo © 2019 © 2019

Position X: 0 Y: 300

Size Width: 640 Height: 835

Padding Top: 0 Bottom: 0

Left: 0 Right: 0

Color

Border

Main imgMap

PowerApps



PowerApps

Environment
fleitasarts.com (default)

File Home Insert View Action

iss25544



New screen

Theme

Open Sans

21

B

/

U

A

E

F

Fill

Border

Reorder

Align

Group

Image

If(apiresponse.visibility="daylight",issday,issnight)

Data sources

Search

In your app

BingMaps
Bing Mapsiss25544
iss25544

Entities

Connectors

Format text

Remove formatting



Position

0 0

X Y

Size

640 300

Width Height

Padding

0 0

Top Bottom

0 0

Left Right

Color

0 0

Border

Main

imgDay

IT WON'T FAIL BECAUSE OF ME

The screenshot shows the Microsoft Flow interface. The left sidebar has sections for Home, Action items, My flows (selected), Create, Templates, Connectors, Data, AI Builder, Solutions, and Learn. The main area displays a list of flows under 'My flows'. The columns are Name, Modified, and Type. The 'iss25544' flow is highlighted with a green box around its 'Type' column entry 'Instant'.

	Name	Modified	Type
	iss25544	1 wk ago	Instant
	CheckLead	5 mo ago	Instant
	DeleteLead	5 mo ago	Instant
	LinkLead	5 mo ago	Instant
	AddLead	5 mo ago	Instant

PowerApps | iss25544 - PowerApps | Edit your flow | Microsoft Flow

us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows

Flow

Home Action items My flows Create Templates Connectors Data AI Builder Solutions Learn

New Import

Search

Hiram Fleitas fleitasarts.com (default)

IT WON'T FAIL BECAUSE OF ME

PowerApps us.flow.microsoft.com/flows/1e9b1a96-6e05-46d3-b408-0e1cc6a82edd

Flow

Hiram Fleitas fleitasarts.com (default)

Save Flow checker Test

iss25544

PowerApps

HTTP

Method: GET
URI: https://api.wheretheiss.at/v1/satellites/25544

Headers: Enter key | Enter value

Queries: Enter key | Enter value

Body: Enter request content

Show advanced options

Parse JSON

Respond to a PowerApp or flow

+ New step Save

```
graph TD; PowerApps[PowerApps] --> HTTP[HTTP]; HTTP --> ParseJSON[Parse JSON]; ParseJSON --> Respond[Respond to a PowerApp or flow]
```

IT WON'T FAIL BECAUSE OF ME



PowerApps iss25544 - PowerApps Edit your flow | Microsoft Flow Where the ISS at? +

WHERE THE ISS AT? Home Sign in with twitter

satellites/[id]

Returns position, velocity, and other related information about a satellite for a given point in time. [id] is required and should be the NORAD catalog id. For the ISS, that id is 25544.

Example Resource URL

<https://api.wheretheiss.at/v1/satellites/25544>

Example Response

```
{  
  "name": "iss",  
  "id": 25544,  
  "latitude": 50.11496269845,  
  "longitude": 118.07900427317,  
  "altitude": 408.05526028199,  
  "velocity": 27635.971970874,  
  "visibility": "daylight",  
  "footprint": 4446.1877699772,  
  "timestamp": 1364069476,  
  "daynum": 2456375.3411574,  
  "solar_lat": 1.3327003598631,  
  "solar_lon": 238.78610691196,  
  "units": "kilometers"  
}
```

Resource Information

API Version	1
Response Format	json
Rate Limited?	Yes

feedback

Parameters

Name	Description	Required	Default
units	Whether to use miles or kilometers	no	kilometers
timestamp	Optionally specify a timestamp for orbital position	no	current timestamp

satellites/[id]/positions

IT WON'T FAIL BECAUSE OF ME

PowerApps | iss25544 - PowerApps | Edit your flow | Microsoft Flow

us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows/1e9b1a96-6e05-46d3-b408-0e1cc6a82edd

Hiram Fleitas
fleitasarts.com (default)

Flow

Home Action items My flows Create Templates Connectors Data AI Builder Solutions Learn

iss25544

PowerApps

HTTP

Parse JSON

*Content Body

*Schema

```
{ "type": "object", "properties": { "name": { "type": "string" }, "id": { "type": "integer" } } }
```

Use sample payload to generate schema

Respond to a PowerApp or flow

Add dynamic content from the apps and connectors used in this flow. Hide

Dynamic content Expression

Search dynamic content

HTTP

- Body
- Headers
- Status code

PowerApps

- Ask in PowerApps
- Body

Save Flow checker Test

```
graph TD; PowerApps[PowerApps] --> HTTP[HTTP]; HTTP --> ParseJSON[Parse JSON]; ParseJSON --> Respond[Respond to a PowerApp or flow]
```

IT WON'T FAIL BECAUSE OF ME

PowerApps | iss25544 - PowerApps | Edit your flow | Microsoft Flow

us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows/1e9b1a96-6e05-46d3-b408-0e1cc6a82edd

Hiram Fleitas
fleitasarts.com (default)

Flow

iss25544


Save Flow checker Test

Home Action items My flows Create Templates Connectors Data AI Builder Solutions Learn

Respond to a PowerApp or flow

- Longitude (x) longitude x
- Latitude (x) latitude x
- Altitude (x) altitude x
- Velocity (x) velocity x
- Visibility (x) visibility x
- Name (x) name x
- id (x) id x
- units (x) units x

Add an output



◀ Untitled



4:05 PM

46%





iss25544

• • • •

Opening ...



iss 25544

Date: 10/31/2019 4:17 PM


Latitude: -50.192505818094

Longitude: -49.781338338897

Altitude: 430.33283280917

Velocity: 27557.241831407

Visibility: daylight



iss 25544

Date: 10/31/2019 4:17 PM


Latitude: -50.192505818094

Longitude: -49.781338338897

Altitude: 430,332,832,809,17

Velocity: 27557.241831407

Visibility: daylight



DEMO

five

aka.ms/TryPVA



End

The screenshot shows the Microsoft PowerApps website at https://powerapps.microsoft.com/en-us/. The page features a large banner with the text "IT WON'T FAIL BECAUSE OF ME" and "Apps that mean business". Below the banner, there's a section about building business apps and a "GET STARTED FREE >" button. To the right, there are images of a tablet displaying a mobile app interface and a laptop displaying a desktop app interface.

IT WON'T FAIL BECAUSE OF ME

Build Custom Business Apps | Mi | Power BI | Interactive Data Visualiz | Automate processes + tasks | Mi | +

https://powerapps.microsoft.com/en-us/

Microsoft | PowerApps

Sign in | Sign up free

Apps that mean business

Easily build the business apps you need and extend or customize the apps you already use.

GET STARTED FREE >

Summary

1. Azure Data Studio Notebook
2. PowerApps
3. Microsoft Flow
4. Data Gateway
5. Siri
6. Publish & Share – Security

Summary

7. Ai Builder (Forms)
8. Row-Level-Security (RLS)
9. Approvals
- 10.ISS HTTP Web API
- 11.Power Virtual Agents

Resources

1. fleitasarts.com
2. github.com/hfleitas/charlotte918
3. [Microsoft Learn](#)
4. [Pricing](#)
5. [Integrating Bing Maps with GPS](#)
6. [Scrolling Screen](#)
7. [Display User Profile Photo](#)

Resources

8. Modal (Pop-up) Screen
9. Image Circle Crop
10. Siri Shortcuts
11. Sample canvas apps (Expense Report, Help Desk, Meeting Capture)
12. Webinar Listing
13. ROI Case Study

Community

- Power BI
- PowerApps
- Microsoft Flow
- Data Stories Gallery
- Discuss, Connect, Feedback

IT WON'T FAIL BECAUSE OF ME

Home - Power Platform Community

https://powerusers.microsoft.com

Microsoft | Power Platform

Welcome to the Power Platform community

 **Power BI**
The Power BI community brings together business intelligence experts and peers to network and share knowledge.

[POWER BI COMMUNITY >](#)

 **PowerApps**
Share questions, tips, and ideas for building apps with other users and the PowerApps product team.

[POWERAPPS COMMUNITY >](#)

 **Microsoft Flow**
Discuss automating your workflows and business processes, share your ideas and get help from the community.

[FLOW COMMUNITY >](#)



Link to Eval:

bit.ly/CLT918

Your participation is very important.



Hiram Fleitas

Owner, Fleitas Arts



@hiramfleitas



hiram@fleitasarts.com



fleitasarts.com



/hfleitas



hiramfleitas

Thank
You

