



Power Platform

The Game Changer

Hiram Fleitas

Download: github.com/hfleitas/seattle2019





Please silence cell phones



Explore everything PASS has to offer

Free Online Resources
Newsletters
PASS.org



24HOURS
OF PASS

Free online
webinar events



PASS
LOCAL
GROUPS



PASS
SQLSATURDAY

Local user groups
around the world

Free 1-day local
training events



PASS
MARATHON

Online special
interest user groups



PASS
VIRTUAL
GROUPS



PASS
VOLUNTEERS

Business analytics
training

Get involved



DBA2.o

Get data fast!

[Let's Work Together](#) [Contact](#) [About](#) [Training](#) [AI \(Demo\)](#)
[PBI \(Demo\)](#)

BIG News – PASS Summit 2019!

07/03/2019

Hiram

[Leave a comment](#)

[Edit](#)

Microsoft Data & AI South FL (Nov 2019) Azure Data Factory

10/24/2019

Hiram

[Leave a comment](#)

I'm very excited to announce that I've been accepted as a speaker at PASS Summit 2019. I'm extremely grateful for the opportunity and look forward to PASS Summit 2019.
Category Session Status General Session The Power Platform Game Changer Accepted General Session Real-time Sentiment Prediction in SQL Server Accepted See you in Seattle, WA... [Continue reading →](#)

Azure Data Factory From On-Prem to Data Warehouse Agenda: Azure Data Factory Data store Connectors 80x On-Premises DevOps Automation Notifications Resources by: Hiram Fleitas Twitter: @hiramfleitas Blog: <http://fleitasarts.com> Video Recording <https://youtu.be/TXxssUeqsOA> Resources fleitasarts.com github.com/hfleitas/rig netflix.com/trollhunters Azure Data Factory: GitHub Integration Azure Data Factory: Documentation Azure Data Factory: Copy Activity Performance Azure Data Factory: Connector Azure SQL Data Warehouse Connector... [Continue reading →](#)



Link to Poll:

bit.ly/mssql2019

Your participation is very important.

Session Evaluations

Submit by 5pm Friday,
November 15th to
win prizes.

3 WAYS TO ACCESS



Go to PASSsummit.com



Download the GuideBook App
and search: PASS Summit 2019



Follow the QR code link on session
signage



SCAN ME

Hiram Fleitas

Principal Database Architect,
Universal Property Casualty & Insurance Company



 @hiramfleitas

 hiram@fleitasarts.com

 fleitasarts.com



 /hfeitas

 hiramfleitas



Bio


Father
Developer since 1995
SQL Server since 1999
Fleitas Arts, LLC since 2008
USCG Auxiliary Flotilla Staff Officer

Universal Insurance Holdings (UVE): Growth Story

Doing business

Licensed

Leading holding company of personal residential
homeowners insurance and services



\$1B+

FY18 Direct Premium Written

#1

Best-in-class Return on Equity
(5-yr Average)

18

States actively doing business

>800K

Customer policies managed

800+

Full time equivalent employees

9,000+

Independent agents in the
distribution channel

Ft. Lauderdale, FL

Headquarters

A

Exceptional

Demotech financial stability rating



Agenda

1. Azure Data Studio Notebook
2. PowerApps
3. Microsoft Flow
4. Data Gateway
5. Cortana – Power BI
6. Publish & Share – Security
7. Forms – AI Builder

Agenda

8. RLS

9. Approvals

10.ISS HTTP Web API

11.Resources



Intro



Microsoft Power Platform

The image displays three separate screenshots of Microsoft Power Platform applications, each showing a different aspect of the platform's functionality:

- Power BI (Top Left):** Shows a dashboard titled "Executive Metrics" with various visualizations. It includes a card for "Campaign revenue vs target" (\$83.2K, Goal: \$32.6K (+155.21%)), a bar chart for "Number of visits THIS QUARTER" (200, Goal: 550 (-63.63%)), and a horizontal bar chart for "Response status BY THOUSANDS" (Awareness: 79, Inquiries: 70, Consideration: 52, Intent: 31, Purchase: 23). There is also a donut chart and a gauge chart.
- Power Automate (Bottom Left):** Shows a "Complete the flow" screen with a title "Create". It lists several flows:
 - "On new email (webhook)"
 - "Get my profile"
 - "Get manager"
 - "Check if it is my manager"Each flow has a "..." button to its right.
- Power Apps (Bottom Right):** Shows the "PowerApps" interface with a "Home" tab selected. It displays a "Screens" list containing "WelcomeScreen" and "MapScreen". A preview of the "MapScreen" is shown, featuring a world map with colored dots representing data points across continents like North America, Europe, and Africa.

Microsoft Power Platform

One low-code platform that spans Office 365, Dynamics 365, and standalone applications


Analyze. Act. Automate.



Power BI
Business analytics



PowerApps
Application development



Flow
Workflow automation



**Data
connectors**



**Common
data service**

My Workspace

Filter content

Dashboards

- Executive Metrics Dash...
- New Technology Adoption
- Our company
- People View

Reports

- 30 dollar
- New Technology Adoptio...
- Our Company
- People View

Datasets

- Financial Sample
- New Technology Adopti...
- People View

Get Data

Executive Metrics Dashboard

Share Dashboard

Ask a question about the data on this dashboard

Expected Revenue
THIS YEAR

\$85.22M

Total Invoice
THIS MONTH

\$2.22M

Discount Savings
THIS MONTH



\$4.07M

Marketing Site Traffic
BY DATE


Hits ● Bounces

Feedback Ratings
BY SCORE

Feedback Ratings BY SCORE

AccountCount
BY INDUSTRYCustomer Feedback Trend
AVERAGE SCOREVariance to Budget
BY MONTHAccountCount
BY SHIPPINGPOINT, INDUSTRYNumber of Visits, Expenditures (\$Mil)
BY MONTHTotal Invoice
BY MONTH, CATEGORY\$0.12M
\$0.1M
\$0.08M
\$0.06M
\$0.04M
\$0.02M
\$0M


January February March April May June

Category
● Direct
● Indirect
● Logistics
● OtherTotal Invoice
BY SUB-CATEGORYSales Pipeline
BY STAGENAMECustomer Size vs Revenue
CUSTOMER GROUPTotal Invoice, Budget Amount
BY MONTH, CATEGORYMarketing Campaign Stats
BY DATE


Marketing Campaign Metrics

9521	Blocked
7223	Bounces
771666	Delivered
7053	Clicks
	Spam Drop
	Spam Reports
	Unsubscribes

Run your business in real time with live dashboards



Ask questions
of your data



Fastest Growing BI Vendor

5 Million +
users

200,000
organizations


200+
countries

The collage illustrates the versatility of Microsoft Power BI across different devices and report types:

- Power BI Desktop:** A desktop application window titled "Executive Report - Power BI Desktop" showing a dashboard with KPIs, variance to budget, and revenue charts.
- Mobile Device:** A smartphone displaying an "Executive Report - Executive Summary" with a large \$1.523M KPI, followed by charts for Actual Revenue by Product and VTB by Country.
- Tablet:** A tablet showing a detailed "Executive Dashboard" with sections for KPIs, Profits by Campaign Tactic, Product Category, and Variance to Budget.
- Power BI Service:** A screenshot of the Power BI service interface showing the "Visualizations" and "Fields" panes, along with a "Filters" section and a "Drillthrough" configuration.


Build apps without limits

Use a variety of development and application lifecycle management tools to meet your needs—whether simple or complex. Pro developers can use the Common Data Service for Apps software development kit (SDK) and code plugins to build apps and create customizations using familiar tools like Visual Studio.



Innovate faster

Build apps fast with a point-and-click approach to app design. Choose from a large selection of templates or start from a blank canvas. Easily connect your app to data and use Excel-like expressions to easily add logic. Publish your app to the web, iOS, Android, and Windows 10. It's that easy.



New screen Theme Fill Border Reorder Align Group

Fill = **RGB(0,0,0,1)**

Screens

Search

VisitorSignIn

- Rectangle1_1
- Rectangle1
- ConfirmPictureIcon
- ConfirmPictureLabel
- ConfirmPictureCircle
- CompanyLogo
- AgreeIcon
- CompleteFormIcon_1
- WelcomeText
- TakePictureIcon
- PrimaryButton
- IbiErrorMessage
- ddimeetingwith
- Signbox
- IbiSignature
- txtPurposeOfVisit

FABRIKAM RESIDENCES MOVE OUT INSPECTION

Residence Info

Floor Plan: 2bed, 2 bath

RESIDENT NAME	INSPECTION TYPE
<input type="text"/>	Moving out
APT #	MOVING OUT DATE
<input type="text"/>	04/09/2018
INSPECTED BY	INSPECTION DATE
<input type="text"/>	04/11/2018

Inspection Checklist

Kitchen Bathroom Master Bedroom Living Room

ITEMS	PASSED	REPAIR	REPLACE	NOTES
Flooring				
Appliance				
Ceiling				

Top 9 Repairs Average cost

Repair Type	Average Cost
Light	150
Knobs	150
Floor	120
Ceiling	150
Fridge	180
Microwave	150
Walls	120
Alarm	150
Washer	120

Repair needed? YES Cleaning crew? YES

Kitchen Bathroom Master Bedroom Living Room

SCREEN

Screen1

Properties

Rules

Advanced

Image position

Color

Have Staff/Team Be
No

Notes

Findings and Actions

* Title:

Notes:

Attachments: There is nothing attached.
 Attach file or take photo

Assign Action

Assign To: Select person

Due Date: 13/Oct/2018

Priority:

Action Details:

Submit

Next



Pre-Task Task Post-Task

Compliance Monitoring
v75.0

virgin atlantic

Compliance Monitoring: Pre-Task

MAN JNB JFK BGI

A346 B744 B789

G-VIK G-VMNK G-VWND

Maintenance Task Unscheduled Maintenance Task

T123

* Task Description: TEST

Next

Get from insights to actions quickly

Engine Maintenance

Saturday, November 5, 2016

10:00 AM - 11:00 AM
Bay-C15
B777-212ER | 1ABYD
Engine ID 32568

1:00 PM - 2:00 PM
Bay-C26
B777-212ER | 1ABCK
Engine ID 34532

3:00 PM - 4:00 PM
Bay-A13
B777-212ER | 1AOJF
Engine ID 87698

4:00 PM - 6:00 PM
Bay-B24
B777-212ER | 1ABQJ
Engine ID 28765


Engine Details

Recommended Action
Needs Inspection

B777-212ER | 1ABYD
Engine ID 34532



Component Failure Probability



High Pressure Compressor

Component Failure Probability

High Pressure Compressor
ID: 499588726

Bleed air channel
ID: 388499216

Fuel filter
ID: 599282645

None Repair Replace

Repair/Replace By 11/5/2016

Inspection Checklist

Photo Attachment

Microsoft Flow

The image displays the Microsoft Flow platform across two devices. On the left, a smartphone screen shows the Flow mobile app's interface, featuring a sidebar with icons for various services like Twitter, SharePoint, and Slack, and a main list of flows. One flow is visible: "Get a notification when #Contoso gets tweeted". On the right, a laptop screen shows the Microsoft Flow web interface. At the top, there's a navigation bar with "Flow", "My flows", "Activity", "Browse", "Learn", and a search bar. Below the navigation, a template card is shown with the title "Get a Slack message and email for new Dropbox item". The template consists of two main boxes: "Dropbox" (blue) and "Slack and Email" (green). An arrow points from the Dropbox box to the Slack and Email box. Below the boxes, a description explains: "Get a notification on your Slack channel when a file is uploaded or modified in a designated folder in your Dropbox account. And if it's important, get an email as well." A large blue button at the bottom right of the template card says "Use this template".

Get a Slack message and email for new Dropbox item

Dropbox

Slack and Email

Get a notification on your Slack channel when a file is uploaded or modified in a designated folder in your Dropbox account. And if it's important, get an email as well.


Use this template




Flow name [Internal] Webinar Form + Approval + Email

✓ Update flow


X Close




Embed and integrate




OneDrive + SharePoint Lists and Document Libraries




Microsoft Teams as an entry point for collaboration apps or workflows



Excel as an entry point for apps and workflows on sheets/tables



LinkedIn as a source for creating mobile applications



Dynamics as starting point to create contextual apps

Global Scale and Enterprise Readiness



EU Model Clauses



18,000
Cities globally access
the service daily

190
Countries & territories


43
Languages

Global coverage
19 datacenters worldwide

National Clouds
US Government
China
Germany



China GB 18030



Shaded areas show countries with Power BI usage. The darker the color the greater the number of users



Q1 2019

Named Microsoft as a leader in
The Forrester Wave™: Low-Code
Development Platforms For
AD&D Professionals

[READ REPORT >](#)



The Forrester Wave™ is copyrighted by Forrester Research, Inc. Forrester and Forrester Wave™ are trademarks of Forrester Research, Inc. The Forrester Wave™ is a graphical representation of Forrester's call on a market and is plotted using a detailed spreadsheet with exposed scores, weightings, and comments. Forrester does not endorse any vendor, product, or service depicted in the Forrester Wave™. Information is based on best available resources. Opinions reflect judgment at the time and are subject to change.



July 2019

Named Microsoft as a
Challenger in the Magic
Quadrant for Multiexperience
Development Platforms

[READ REPORT >](#)



This graphic was published by Gartner, Inc. as part of a larger research document and should be evaluated in the context of the entire document. The Gartner document is available upon request from Microsoft. Gartner does not endorse any vendor, product or service depicted in its research publications, and does not advise technology users to select only those vendors with the highest ratings or other designation. Gartner research publications consist of the opinions of Gartner's research organization and should not be construed as statements of fact. Gartner disclaims all warranties, expressed or implied, with respect to this research, including any warranties of merchantability or fitness for a particular purpose.

© Gartner, Inc.



February 2019

Recognized as a leader
for Analytics and Business
Intelligence Platforms—for
12 consecutive years

[READ REPORT >](#)



This graphic was published by Gartner, Inc. as part of a larger research document and should be evaluated in the context of the entire document. The Gartner document is available upon request from Microsoft. Gartner does not endorse any vendor, product or service depicted in its research publications, and does not advise technology users to select only those vendors with the highest ratings or other designation. Gartner research publications consist of the opinions of Gartner's research organization and should not be construed as statements of fact. Gartner disclaims all warranties, expressed or implied, with respect to this research, including any warranties of merchantability or fitness for a particular purpose.

As of January 2019

© Gartner, Inc.

DEMO

Azure Data Studio Notebook (DEMO 1)





LeadSQLNotebook.ipynb •

≡ ...

GameChanger > LeadSQLNotebook.ipynb

⊕ Code

⊕ Text

Kernel: SQL

Attach To: master (Windows Authent)

Not Trusted

Run Cells

Clear Results

Schedule Notebook

ADS Lead SQL Notebook

Created by @HiramFleitas



Create database on **localhost** SQL Server 2019 RC1

```
[23] 1 if db_id('FleitasArts') is null create database FleitasArts;
      2 go
```

Use DB and Drop Tables If Exists



1 use FleitasArts

master* 0 0 1 0

<default>





LeadSQLNotebook.ipynb •

...

GameChanger > LeadSQLNotebook.ipynb

⊕ Code

⊕ Text

Kernel: SQL

Attach To: master (Windows Authent)

Not Trusted

Run Cells

Clear Results

Schedule Notebook

Use DB and Drop Tables If Exists

```
1 use FleitasArts
2 go
3 drop table if exists Ticket
4 drop table if exists Lead
5 drop table if exists CustomerAccount
6 drop table if exists Customer
7 go
8 set nocount on;
```

Form Ref:

1. HO4 = apt can be assumed to rent
2. HO6 = condo and not rent
3. HO3 = home and live in
4. DP = home and rent out



Add Tables



master* 0 0 1 ▲ 0

.: <default>





LeadSQLNotebook.ipynb •



GameChanger > LeadSQLNotebook.ipynb

Code



Text



Kernel:



SQL



Attach To: .., master (Windows Authent



Not Trusted



Run Cells



Clear Results



Schedule Notebook



Add Tables

```
[10] 1 use FleitasArts
2 go
3 if object_id('Customer') is null
4 begin
5     create table Customer (
6         [CustomerId]    int identity(1,1)
7         ,[Name]        nvarchar(256)
8         ,[Email]        varchar(320)
9         constraint pkCustomer primary key clustered ([CustomerId] asc)
10    );
11 end
12 go
13 if object_id('CustomerAccount') is null
14 begin
15     create table CustomerAccount (
16         [CustomerAccountId]   int identity(1,1)
17         ,[CustomerId]          int foreign key references Customer(CustomerId)
18         ,[AcctNumEnding]       int
19         constraint pkCustomerAccount primary key clustered ([CustomerAccountId] asc)
20    );
21 end
22 go
23 if object_id('Lead') is null
24 begin
25     create table Lead (
26         [LeadId]      int identity(1001,1)
27         ,[Name]        nvarchar(256)
```

LeadSQLNotebook.ipynb •
GameChanger > LeadSQLNotebook.ipynb

⊕ Code ⊕ Text Kernel: SQL ▾ Attach To: .., master (Windows Authent ▾ ⚠ Not Trusted ⚡ Run Cells ⚡ Clear Results 🗑 Schedule Notebook

```
[10] 23 if object_id('Lead') is null
24 begin
25     create table Lead (
26         [LeadId] int identity(1001,1)
27         ,[Name] nvarchar(256)
28         ,[Email] varchar(320)
29         --,[Phone] varchar(20)
30         ,[Address] nvarchar(256)
31         --,[Type] varchar(25) --house, condo, apartment, townhouse
32         --,[Occupancy] varchar(25) --tenant, owner, seasonal, secondary, vacant.
33         --,[Use] varchar(25) --rent, rent out, live
34         ,[Status] bit default(0) -- 0 open / 1 closed
35         ,[CreatedBy] nvarchar(128) default suser_name()
36         ,[CreatedOn] datetime default getdate()
37         ,[ModifiedBy] nvarchar(128)
38         ,[ModifiedOn] datetime
39         constraint pkLeads primary key clustered ([LeadId] asc)
40     );
41 end
42 go
43 if object_id('Ticket') is null
44 begin
45     create table Ticket (
46         [TicketId] int identity(2001,1)
47         ,[CustomerId] int
48         ,[AcctNumEnding] int
49         ,[Status] bit default(0) -- 0 open / 1 closed
50         ,[LeadId] int foreign key references Lead(LeadId)
51         ,[CreatedBy] nvarchar(128) default suser_name()
52         ,[CreatedOn] datetime default getdate()
53         ,[ModifiedBy] nvarchar(128) default suser_name()
54         ,[ModifiedOn] datetime default getdate()
```





LeadSQLNotebook.ipynb •



GameChanger > LeadSQLNotebook.ipynb

⊕ Code

⊕ Text

Kernel: SQL

Attach To: „FleitasArts (Windows Auth”

Trusted

Run Cells

Clear Results

Schedule Notebook

```
40      );
41 end
42 go
43 if object_id('Ticket') is null
44 begin
45     create table Ticket (
46         [TicketId] int identity(2001,1)
47         ,[CustomerId] int
48         ,[AcctNumEnding] int
49         ,[Status] bit default(0) -- 0 open / 1 closed
50         ,[LeadId] int foreign key references Lead(LeadId)
51         ,[CreatedBy] nvarchar(128) default suser_name()
52         ,[CreatedOn] datetime default getdate()
53         ,[ModifiedBy] nvarchar(128) default suser_name()
54         ,[ModifiedOn] datetime default getdate()
55         constraint pkTicket primary key clustered ([TicketId] asc)
56     );
57 end
58 go
```

Commands completed successfully.

Total execution time: 00:00:00.014





LeadSQLNotebook.ipynb •



GameChanger > LeadSQLNotebook.ipynb

Code

Text

Kernel: SQL

Attach To: .. FleitasArts (Windows Auth)

Trusted

Run Cells

Clear Results

Schedule Notebook

Add Data

```
1 use FleitasArts
2 go
3 insert Customer values
4 ('Don', 'dmoney@icloud.com')
5 ,('Lou', 'sweetlou@gmail.com')
6 ,('Jackie', 'hr@icloud.com')
7 go
8 insert CustomerAccount values
9 (1, 9256)
10 ,(2, 7146)
11 ,(3, 6401)
12 go
13 insert Lead values
14 ('Don', 'dmoney@icloud.com', '501 S Ocean Blvd, Palm Beach, FL 33480', 0, suser_name(), getdate(), null,null) --'561-805-9256', 'condo', 'seasonal', 'r
15 ,('Tony', 'wakeboard@live.com', '401 E 65th St, Hialeah, FL 33013', 0, suser_name(), getdate(), null,null) --'786-381-4056', 'house', 'owner', 'live',
16 ,('Jackie', 'hr@icloud.com', '401 E 65th St, Hialeah, FL 33013', 0, suser_name(), getdate(), null,null)
17
18 ,('Kim', 'ciokim@icloud.com', '700 Lake Dr, Boca Raton, FL 33432', 0, suser_name(), getdate(), null,null)
19 ,('Fabina', 'fabia@aol.com', '215 SE Spanish Trl, Boca Raton, FL 33432', 0, suser_name(), getdate(), null,null)
20 ,('Christina', 'csosa@live.com', '13 Sunset Key Dr, Key West, FL 33040', 0, suser_name(), getdate(), null,null)
21 go
22 insert Ticket values
23 (1, 9256, 0, 1001, suser_name(), getdate(), null, null)
24 ,(3, 6401, 0, 1003, suser_name(), getdate(), null, null)
25 go
```



master* 0 ▲ 0





LeadSQLNotebook.ipynb •

GameChanger > LeadSQLNotebook.ipynb

Code Text Kernel: SQL

Attach To: „FleitasArts (Windows Auth)

Trusted

Run Cells

Clear Results

Schedule Notebook

Get Tables

```
1 select * from Customer;
2 select * from CustomerAccount;
3 select * from Lead;
4 select * from Ticket;
```

Commands completed successfully.

Total execution time: 00:00:00.126

	CustomerId	Name	Email
1	1	Don	dmoney@icloud.com
2	2	Lou	sweetlou@gmail.com
3	3	Jackie	hr@icloud.com

	CustomerAccountId	CustomerId	AcctNumEnding
1	1	1	9256
2	2	2	7146
3	3	3	6401





LeadSQLNotebook.ipynb ×



GameChanger > LeadSQLNotebook.ipynb

+ Code

+ Text

Kernel: SQL

Attach To: „FleitasArts (Windows Auth

Trusted

Run Cells

Clear Results

Schedule Notebook

3 | 3 | Jackie | hr@icloud.com

	CustomerAccountId	CustomerId	AcctNumEnding
1	1	1	9256
2	2	2	7146
3	3	3	6401

	LeadId	Name	Email	Address	Status	CreatedBy	CreatedOn	ModifiedBy	ModifiedOn
1	1001	Don	dmoney@icloud.com	501 S Ocean Blvd, Palm Beach, ...	0	UPCIC\hfleitas	2019-10-29 18:28:21.883	NULL	NULL
2	1002	Tony	wakeboard@live.com	401 E 65th St, Hialeah, FL 330...	0	UPCIC\hfleitas	2019-10-29 18:28:21.883	NULL	NULL
3	1003	Jackie	hr@icloud.com	401 E 65th St, Hialeah, FL 330...	0	UPCIC\hfleitas	2019-10-29 18:28:21.883	NULL	NULL
4	1004	Kim	ciovim@aol.com	700 Lake Dr, Boca Raton, FL 33...	0	UPCIC\hfleitas	2019-10-29 18:28:21.883	NULL	NULL
5	1005	Fabina	fabi@aol.com	215 SE Spanish Trl, Boca Raton...	0	UPCIC\hfleitas	2019-10-29 18:28:21.883	NULL	NULL
6	1006	Christina	csosa@live.com	13 Sunset Key Dr, Key West, FL...	0	UPCIC\hfleitas	2019-10-29 18:28:21.883	NULL	NULL

	TicketId	CustomerId	AcctNumEnding	Status	LeadId	CreatedBy	CreatedOn	ModifiedBy	ModifiedOn
1	2001	1	9256	0	1001	UPCIC\hfleitas	2019-10-29 18:28:21.890	NULL	NULL
2	2002	3	6401	0	1003	UPCIC\hfleitas	2019-10-29 18:28:21.890	NULL	NULL





LeadSQLNotebook.ipynb •



GameChanger > LeadSQLNotebook.ipynb

+ Code

+ Text

Kernel: SQL

Attach To: „FleitasArts (Windows Auth”

Trusted

Run Cells

Clear Results

Schedule Notebook

```
22     select t.TicketId, t.LeadId  
23     from      Ticket t  
24     inner join #CheckLead cl  
25       on cl.AcctNumEnd = t.[AcctNumEnding]  
26   end try  
27   begin catch  
28     select 'Check Failed' as Error;  
29     throw;  
30   end catch  
31 end  
32 go  
33 exec CheckLead @email='dmoney@icloud.com';  
34 exec CheckLead @email='wakeboard@live.com';  
35 exec CheckLead @email='hr@icloud.com';
```

Commands completed successfully.

Commands completed successfully.

Total execution time: 00:00:00.062

	TicketId	LeadId
1	2001	1001

	TicketId	LeadId
1	2002	1003





LeadSQLNotebook.ipynb •



GameChanger > LeadSQLNotebook.ipynb

Code

Text

Kernel: SQL

Attach To: „FleitasArts (Windows Auth”

Trusted

Run Cells

Clear Results

Schedule Notebook

Add LinkLead Proc

```
1 create or alter proc LinkLead (
2     @LeadId      int
3     ,@Email       varchar(320)
4     ,@Name        nvarchar(256)
5 )
6 as
7     declare  @CustomerId    int
8             ,@TicketId      int
9             ,@date          datetime;
10
11    --select @CustomerId = CustomerId from Customer where Email=@Email;
12    select @LeadId = LeadId from Lead where Name=@Name and Email=@Email;
13
14    --if @TicketId is not null and @CustomerId is not null
15    begin try
16        /*update    Ticket
17        set      CustomerId = @CustomerId, LeadId = @LeadId,
18                  ModifiedBy = suser_name(), ModifiedOn = getdate()
19        where    TicketId = @TicketId*/
20        insert Ticket values (
21            null, null, 0, @LeadId, suser_name(), getdate(), null, null
22        )
23    end try
24    begin catch
25        select 'Link Failed' as Error;
26        throw;
```



LeadSQLNotebook.ipynb •
GameChanger > LeadSQLNotebook.ipynb

+ Code

+ Text

Kernel: SQL

Attach To: „FleitasArts (Windows Auth)

Trusted

Run Cells

Clear Results

Schedule Notebook

```
16    / update TICKET
17    set    CustomerId = @CustomerId, LeadId = @LeadId,
18           ModifiedBy = suser_name(), ModifiedOn = getdate()
19    where   TicketId = @TicketId*/
20    insert Ticket values (
21      null, null, 0, @LeadId, suser_name(), getdate(), null, null
22    )
23  end try
24  begin catch
25    select 'Link Failed' as Error;
26    throw;
27  end catch
28
29  select TicketId, CustomerId, LeadId, Status, CreatedBy, CreatedOn, ModifiedBy
30  from   Ticket
31  where   LeadId = @LeadId
32 go
33 exec LinkLead 1002, 'wakeboard@live.com', 'Tony'
34 go
```

Commands completed successfully.

Commands completed successfully.

Total execution time: 00:00:00.030

	TicketId	CustomerId	LeadId	Status	CreatedBy	CreatedOn	ModifiedBy
1	2003	NULL	1002	0	UPCIC\hfleitas	2019-10-29 18:52:40.357	NULL



master* 0 0 ▲ 0





LeadSQLNotebook.ipynb •



GameChanger > LeadSQLNotebook.ipynb

Code Text Kernel: SQL

Attach To: FleitasArts (Windows Auth)

Trusted

Run Cells

Clear Results

Schedule Notebook

Add DeleteLead Proc

```
1 create or alter proc DeleteLead (
2     @Name      nvarchar(256)
3     ,@Email     varchar(320)
4 )
5 as
6     declare @LeadId    int
7             ,@TicketId   int
8
9     select @LeadId = LeadId from Lead where Email=@Email and Name=@Name
10    select @TicketId = TicketId from Ticket where LeadId=@LeadId
11
12    if @LeadId is not null
13    begin try
14        delete top (1) from Ticket where @LeadId=LeadId
15        delete top (1) from Lead where Email=@Email and Name=@Name
16
17        select 'Deleted:' as Msg, @LeadId as LeadId, @TicketId as TicketId
18    end try
19    begin catch
20        select 'Delete Failed' as Error;
21        throw;
22    end catch
23 go
24 exec DeleteLead 'Jackie','hr@icloud.com';
```





LeadSQLNotebook.ipynb •



GameChanger > LeadSQLNotebook.ipynb

+ Code

+ Text

Kernel: SQL

Attach To: „FleitasArts (Windows Auth)

Trusted

Run Cells

Clear Results

Schedule Notebook

```
7      ,@TicketId int
8
9      select @LeadId = LeadId from Lead where Email=@Email and Name=@Name
10     select @TicketId = TicketId from Ticket where LeadId=@LeadId
11
12    if @LeadId is not null
13    begin try
14        delete top (1) from Ticket where @LeadId=LeadId
15        delete top (1) from Lead where Email=@Email and Name=@Name
16
17        select 'Deleted:' as Msg, @LeadId as LeadId, @TicketId as TicketId
18    end try
19    begin catch
20        select 'Delete Failed' as Error;
21        throw;
22    end catch
23 go
24 exec DeleteLead 'Jackie','hr@icloud.com';
25
```

Commands completed successfully.

Commands completed successfully.

Total execution time: 00:00:00.027

	Msg	LeadId	TicketId
1	Deleted:	1003	2002





LeadSQLNotebook.ipynb •



GameChanger > LeadSQLNotebook.ipynb

Code

Text

Kernel: SQL

Attach To: „FleitasArts (Windows Auth)

Trusted

Run Cells

Clear Results

Schedule Notebook

Add AddLead Proc

```
1 create or alter proc AddLead (
2     @Name      nvarchar(256)
3     ,@Email     varchar(320)
4     ,@Address   nvarchar(256)
5 )
6 as
7     declare @LeadId int;
8     if not exists (select top 1 LeadId
9                     from Lead
10                    where Name = @Name and Email = @Email and Address = @Address)
11 begin try
12         insert Lead (Name, Email, Address) values (@Name, @Email, @Address);
13         select max(LeadId) from Lead
14     end try
15     begin catch
16         select 'Add Failed' as Error;
17         throw;
18     end catch
19     select LeadId, Name, Email, Address
20     from Lead
21     where Name = @Name and Email = @Email and Address = @Address
22 go
23 exec AddLead 'Ryan', 'ryan@outlook.com', '750 Lake Dr, Boca Raton, FL 33432'
24 go
```

Commands completed successfully.



master* 0 0 ▲ 0





LeadSQLNotebook.ipynb •



GameChanger > LeadSQLNotebook.ipynb

⊕ Code

⊕ Text

Kernel: SQL

Attach To: „FleitasArts (Windows Auth

Trusted

Run Cells

Clear Results

Schedule Notebook

```
13     select max(LeadId) from Lead
14 end try
15 begin catch
16     select 'Add Failed' as Error;
17     throw;
18 end catch
19 select LeadId, Name, Email, Address
20 from Lead
21 where Name = @Name and Email = @Email and Address = @Address
22 go
23 exec AddLead 'Ryan', 'ryan@outlook.com', '750 Lake Dr, Boca Raton, FL 33432'
24 go
```

Commands completed successfully.

Commands completed successfully.

Total execution time: 00:00:00.061

	(No column name)
1	1007

	LeadId	Name	Email	Address
1	1007	Ryan	ryan@outlook.com	750 Lake Dr, Boca Raton, FL 33...





LeadSQLNotebook.ipynb ×



GameChanger > LeadSQLNotebook.ipynb

Code Text Kernel: SQL

Attach To: , FleitasArts (Windows Auth)

Trusted

Run Cells

Clear Results

Schedule Notebook

🔒 Creds

```
1 --Win Auth
2 use master
3 go
4 if suser_sid('FleitasArts\Leads') is null
5 begin
6     create login [FleitasArts\Leads] from windows with default_database = [tempdb];
7 end
8 use FleitasArts
9 go
10 if user_id('FleitasArts\Leads') is null
11 begin
12     create user [FleitasArts\Leads] for login [FleitasArts\Leads];
13 end
14 alter role [db_datareader] add member [FleitasArts\Leads];
15 alter role [db_datawriter] add member [FleitasArts\Leads];
16 grant execute to [FleitasArts\Leads];
17 go
18
19 --SQL Auth
20 use master
21 go
22 if suser_id('Leads') is null
23 begin
24     create login [Leads] with password = N'redacted',
25             default_database = [tempdb],
26             check_expiration = off,
27             check_policy = off.
```



master* 0 0 0





LeadSQLNotebook.ipynb X



GameChanger > LeadSQLNotebook.ipynb

⊕ Code

⊕ Text

Kernel: SQL

Attach To: „FleitasArts (Windows Auth”

Trusted

Run Cells

Clear Results

Schedule Notebook

```
7 end
8 use FleitasArts
9 go
10 if user_id('FleitasArts\Leads') is null
11 begin
12     create user [FleitasArts\Leads] for login [FleitasArts\Leads];
13 end
14 alter role [db_datareader] add member [FleitasArts\Leads];
15 alter role [db_datawriter] add member [FleitasArts\Leads];
16 grant execute to [FleitasArts\Leads];
17 go
18
19 --SQL Auth
20 use master
21 go
22 if suser_id('Leads') is null
23 begin
24     create login [Leads] with password = N'redacted',
25         default_database = [tempdb],
26         check_expiration = off,
27         check_policy = off;
28 end
29 use FleitasArts
30 go
31 if user_id('Leads') is null
32 begin
33     create user Leads for login Leads;
34 end
35 alter role [db_datareader] add member [Leads];
36 grant execute to Leads;
37 go
```



DEMO

PowerApps (DEMO 2)





Microsoft

PowerApps

Overview

Pricing

Partners

Learn

Community





Sign in

Sign up free

Apps that mean business

Easily build the business apps you need and extend or customize the apps you already use.

[GET STARTED FREE >](#)



Sign in to your account




IT WON'T FAIL BECAUSE OF ME



https://login.microsoftonline.com/common/oauth2/authorize?client_id=d1208c34-6081-4127-96fa-8c97ecb420c1&response_mode=form_post&response_type=code+id_token&scope...





Sign in to your account



https://login.microsoftonline.com/common/oauth2/authorize?client_id=d1208c34-6081-4127-96fa-8c97ecb420c1&response_mode=form_post&response_type=code+id_token&s...



← hiram@fleitasarts.com

Enter password

.....|

[Forgot my password](#)

Sign in

IT WON'T FAIL BECAUSE OF ME

PowerApps

make.powerapps.com/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/home

Apps Popular Fleitas Arts Education USCG UPCIC Dba2.0 – Get data f... MD Cheatsheet Code Tags Other bookmarks

PowerApps

Environment fleitasarts.com (default)

Home

Build business apps, fast

Create apps that connect to your data and work across web and mobile. [Learn about PowerApps](#)

Make your own app

Canvas app from blank

Model-driven app from blank

Portal from blank

Start from data

All templates →

Recent apps Shared with me

Name	Modified	Owner	Type
iss25544	1 wk ago	Hiram Fleitas	Canvas
PowerAppsRLS	2 wk ago	Hiram Fleitas	Canvas
Leads	4 mo ago	Hiram Fleitas	Canvas

All apps →



Build a Canvas app from blank

Create

Make

Create

Data

Business logic

Canvas

Recent

Solutions

Design the app you want, and connect it to hundreds of

data sources.

Canvas app

App name *

Leads

Format

 Tablet Phone[All templates →](#)

Create

Cancel

Microsoft PowerApps Leads - PowerApps + IT WON'T FAIL BECAUSE OF ME

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads

New screen Theme Fill Reorder Align Group ?

Fill = RGBA(255, 255, 255, 1)

Screens Search App Screen1

Welcome to PowerApps Studio

Here are a few ways to start building an app from a blank canvas.

Create a form >

Create a gallery >

Take an interactive tour to see how an app is built ☰

Don't show me this again Skip

SCREEN Screen1 Properties Rules Advanced

Fill Background image Select an image... Image position Fit

Screen1 - 30% ↕

This screenshot shows the Microsoft PowerApps Studio interface. At the top, there are two tabs: 'Microsoft PowerApps' and 'Leads - PowerApps'. The main title bar says 'IT WON'T FAIL BECAUSE OF ME' with an American flag icon. The navigation bar includes 'File', 'Home' (which is selected), 'Insert', 'View', 'Action', 'Leads', and various icons for theme, fill, reordering, alignment, grouping, and help. Below the navigation is a toolbar with buttons for 'New screen', 'Theme', 'Fill' (set to 'Fill'), 'Reorder', 'Align', 'Group', and a question mark. A color palette shows 'Fill' set to 'RGB(255, 255, 255, 1)'. On the left, a 'Screens' sidebar lists 'Search', 'App', and 'Screen1' (which is selected). The central area displays a 'Welcome to PowerApps Studio' dialog box with text and links: 'Create a form >', 'Create a gallery >', 'Take an interactive tour to see how an app is built ☰', 'Don't show me this again' checkbox, and a 'Skip' button. To the right of the dialog is the 'Properties' panel for 'Screen1', showing tabs for 'Properties' (selected), 'Rules', and 'Advanced', and settings for 'Fill' and 'Background image'. The bottom status bar shows 'Screen1' and a zoom level of '30%'.

Microsoft PowerApps Leads - PowerApps + IT WON'T FAIL BECAUSE OF ME

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads

New screen Theme Fill Reorder Align Group

Fill = f_x RGBA(255, 255, 255, 1)

Tree view X

Search App Screen1

SCREEN Screen1 Properties Rules Advanced

Fill

Select an image... Background image

Fit Image position

Screen1 45 %

This screenshot shows the Microsoft PowerApps Studio interface. At the top, there are two tabs: "Microsoft PowerApps" and "Leads - PowerApps". A red circle with a plus sign is positioned between them. The main title bar says "IT WON'T FAIL BECAUSE OF ME". On the right side of the title bar is a small American flag icon.

The top navigation bar includes "File", "Home" (which is currently selected), "Insert", "View", and "Action". To the right of these are "Leads" and several icons for file operations like copy, paste, and search.

The left sidebar is titled "Tree view" and contains a search bar and a list with "App" and "Screen1" items. The main workspace is currently empty.

The right panel is titled "SCREEN Screen1" and has tabs for "Properties" (which is selected), "Rules", and "Advanced". Under "Properties", there are sections for "Fill" (set to white), "Background image" (with a "Select an image..." button), and "Image position" (set to "Fit").

At the bottom, there's a zoom control showing "45%" and a small preview of the screen.

Microsoft PowerApps Leads - PowerApps + IT WON'T FAIL BECAUSE OF ME

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action

New screen Label Button Text Controls Gall

Fill = f_x RGBA(255, 255, 255, 1)

Tree view X

Search App Screen1

Image

Display an image from a file, data source, or other sources.

Set its properties to determine how this image control looks and behaves.

Media Charts Icons

Image Camera Barcode scanner Video Audio Microphone Add picture

SCREEN Screen1 Properties Rules Advanced

Fill Background image Select an image... Image position Fit

Screen1 45 %

The screenshot shows the Microsoft PowerApps studio interface. At the top, there are two tabs: "Microsoft PowerApps" and "Leads - PowerApps". A red circle with a plus sign is positioned between them. The main title bar says "IT WON'T FAIL BECAUSE OF ME". On the right side, there's a small American flag icon. The navigation bar includes "File", "Home", "Insert" (which is currently selected), "View", and "Action". Below the navigation bar is a toolbar with icons for "New screen", "Label", "Button", "Text", "Controls", and "Gall". A color palette shows "Fill" set to white and "Stroke" set to black. An "fx" button and an "RGBA(255, 255, 255, 1)" color swatch are also present. To the left, a tree view pane titled "Tree view" shows a search bar and items for "App" and "Screen1". The main workspace is currently empty. A context menu is open over the workspace, with the "Image" option highlighted and surrounded by a green box. The menu describes the "Image" control as displaying an image from a file, data source, or other sources, and allows setting properties for its appearance. Other options in the menu include "Media", "Charts", "Icons", "Camera", "Barcode scanner", "Video", "Audio", "Microphone", and "Add picture". On the right, the "Properties" panel is open for "SCREEN Screen1", showing tabs for "Properties", "Rules", and "Advanced". Under "Properties", there are fields for "Fill" (set to white), "Background image" (with a "Select an image..." button), and "Image position" (set to "Fit"). The bottom of the screen shows a zoom level of "45%".

Microsoft PowerApps Leads - PowerApps + IT WON'T FAIL BECAUSE OF ME

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads

Data sources Media Collections Variables Advanced

Fill = RGBA(255, 255, 255, 1)

Tree view X

Search

App

Screen1

Image1

Screen1

Data X

+ Add data source

SCREEN Screen1

Properties Rules Advanced

Fill

Background image Select an image...

Image position Fit

There aren't any data sources connected to this app.

The screenshot shows the Microsoft PowerApps Studio interface. At the top, there are two tabs: "Microsoft PowerApps" and "Leads - PowerApps". A banner with the text "IT WON'T FAIL BECAUSE OF ME" and an American flag graphic is visible. The main menu includes "File", "Home", "Insert", "View" (which is selected), and "Action". Below the menu, there are tabs for "Data sources", "Media", "Collections", "Variables", and "Advanced". The "View" tab has a dropdown set to "Fill" and a color picker set to "RGBA(255, 255, 255, 1)". On the left, a "Tree view" sidebar shows the app structure: "App" contains "Screen1", which in turn contains "Image1". The main workspace displays "Screen1" with a placeholder image of a mountain and sun. To the right, the "Data" panel for "Screen1" is open, showing the "Properties" tab selected. It includes fields for "Fill" (set to white), "Background image" (with a "Select an image..." button), and "Image position" (set to "Fit"). A message at the bottom of the panel states, "There aren't any data sources connected to this app." The overall theme of the interface is light gray with purple accents.

Microsoft PowerApps Leads - PowerApps IT WON'T FAIL BECAUSE OF ME

PowerApps

File Home Insert View Action

Data sources Media Collections Variables Advanced

Fill = `RGBA(255, 255, 255, 1)`

Tree view

- App
- Screen1
 - Image1

Search

Screen1

Leads

Environment
fleitasarts.com (default)

?

Fill

SCREEN Screen1

Properties Rules Advanced

Background image Select an image...

Image position Fit

Data

Search

New connection Refresh

- Import from Excel Add static data to your app
- Notifications Notifications
- Office 365 Outlook hleitas@universalproperty.com
- Office 365 Users hleitas@universalproperty.com
- Office 365 Users hiam@fleitasarts.com

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - PowerApps + IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/#

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads

Data sources Media Collections Variables Advanced

Image = fx Office365Users.UserPhotoV2(User().Email)

Tree view X

Search App Screen1 Image1

Image1 Properties Rules Advanced

BorderColor: RGBA(0, 18, 107, 1)
RadiusTopLeft: 0
RadiusTopRight: 0
RadiusBottomLeft: 0
RadiusBottomRight: 0
DisabledBorderColor: RGBA(166, 166, 166, 1)
PressedBorderColor: ColorFade(Image1.BorderColor, -20%)
HoverBorderColor: ColorFade(Image1.BorderColor, 20%)
BorderThickness: 0

Screen1 Image1 45% ↕

Microsoft PowerApps Leads - PowerApps + IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/#

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads

Data sources Media Collections Variables Advanced

Image = fx Office365Users.UserPhotoV2(User().Email)

Tree view

Search

App Screen1 Image1

Image1

Properties Rules Advanced

Color `Office365Users.UserPhotoV2(User().Email)`

BorderColor `RGB(0, 18, 107, 1)`

RadiusTopLeft `Image1.Height`

RadiusTopRight `Image1.Height`

RadiusBottomLeft `Image1.Height`

RadiusBottomRight `Image1.Height`

DisabledBorderColor `RGB(166, 166, 166, 1)`

PressedBorderColor `ColorFade(Image1.BorderColor, -20%)`

HoverBorderColor `ColorFade(Image1.BorderColor, 20%)`

BorderThickness `0`

Screen1 Image1 45% ↕

Microsoft PowerApps Leads - PowerApps + IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/#/ PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads

Data sources Media Collections Variables Advanced

Image = fx Office365Users.UserPhotoV2(User().Email)

Tree view X

Search

App Screen1 UserPhoto

UserPhoto

IMAGE UserPhoto Properties Rules Advanced

RadiusTopLeft UserPhoto.Height

RadiusTopRight UserPhoto.Height

RadiusBottomLeft UserPhoto.Height

RadiusBottomRight UserPhoto.Height

DisabledBorderColor RGBA(166, 166, 166, 1)

PressedBorderColor ColorFade(UserPhoto.BorderColor, -20%)

HoverBorderColor ColorFade(UserPhoto.BorderColor, 20%)

BorderThickness 0

FocusedBorderColor

Screen1 UserPhoto

40 %

The screenshot displays the Microsoft PowerApps Studio interface. At the top, there are two tabs: "Microsoft PowerApps" and "Leads - PowerApps". The main title bar includes the text "IT WON'T FAIL BECAUSE OF ME" and the URL "https://us.create.powerapps.com/studio/#/". The navigation bar below the title bar includes "File", "Home", "Insert", "View" (which is currently selected), and "Action". To the right of the navigation bar are icons for "Leads", "Edit", "Save", "Run", "Share", and "Help". The "View" menu has sub-options: "Data sources", "Media", "Collections", "Variables", and "Advanced". The "Advanced" option is highlighted with a green box. The main workspace shows a "Tree view" on the left with a search bar and a list of items: "App", "Screen1", and "UserPhoto". The "UserPhoto" item is selected and highlighted with a green box. In the center, there is a preview area showing a circular user photo. On the right, the properties panel is open for the "UserPhoto" control. The "Advanced" tab is selected and highlighted with a green box. Inside this tab, there are several properties listed: "RadiusTopLeft" (set to "UserPhoto.Height"), "RadiusTopRight" (set to "UserPhoto.Height"), "RadiusBottomLeft" (set to "UserPhoto.Height"), "RadiusBottomRight" (set to "UserPhoto.Height"), "DisabledBorderColor" (set to "RGBA(166, 166, 166, 1)"), "PressedBorderColor" (set to "ColorFade(UserPhoto.BorderColor, -20%)"), "HoverBorderColor" (set to "ColorFade(UserPhoto.BorderColor, 20%)"), "BorderThickness" (set to "0"), and "FocusedBorderColor". The bottom of the screen shows the status bar with "Screen1" and "UserPhoto" selected, along with zoom controls and a 40% scale indicator.



Save as

New

Open

Account

Connections

Flows

App settings

Save

Save as

Share

Collections

Media

Variables

The cloud
Save to PowerAppsThis computer
Save a copy to my computer

Leads

This app will be saved in the environment fleitasarts.com (default).

My apps

Search ...



There aren't any apps saved here.



Save



Save as

New

Open

Account

Connections ▾

Flows ▾

App settings

Save

Save as

Share ▾

Collections

Media

Variables


The cloud
Save to PowerAppsThis computer
Save a copy to my computer

Leads

This app will be saved in the environment fleitasarts.com (default).

My apps

Search ...



Saving to PowerApps

There aren't any apps saved here.

Save



Save

Leads

Environment: fleitasarts.com (default)

Saved: 5/3/2019, 6:36:25 PM

All changes are saved.

[Share this app](#)[See all versions](#)

App settings

Save

Save as

Share


Collections

Media

Variables

Microsoft PowerApps Leads - Saved (Unpublished) + IT WON'T FAIL BECAUSE OF ME

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) 

New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

Image = fx SampleImage

Tree view X

Search App Screen1

Logo UserPhoto

Open

Name	Date	Type	Size	Tags
.git	4/25/2019 7:45 PM	File folder		
CortanaTest.jpg	5/3/2019 6:06 PM	JPG File	47 KB	
Cover.png	4/27/2019 4:38 PM	PNG File	124 KB	
Logo.png	5/3/2019 8:19 PM	PNG File	3 KB	
wow.jpg	4/28/2019 9:12 AM	JPG File	81 KB	

File name: Logo.png Custom Files (*.jpg;*.jpeg;*.gif;) Open Cancel

Screen1 Logo


40 %

IMAGE Logo Properties Rules Advanced

Image Select an image... Add an image file Transparency 0 Display mode Edit

Visible On Position X: 60 Y: 60 Size Width: 320 Height: 320 Padding Top: 0 Bottom: 0 Left: 0 Right: 0

Color Border Border radius 0





PowerApps

Environment
fleitasarts.com (default)

File Home Insert View Action

Leads |

New screen | Label | Button

Text | Controls | Gallery | Data table | Forms | Media | Charts | Icons

Text input

A field for users to type text, numbers, and other data.

Set its properties to determine how this input control looks and behaves.

Label

Text input

HTML text

Rich text editor

Pen input



TEXT INPUT

TextInput1

Properties

Rules Advanced

Default	Text input
Format	Text
Hint text	No value
Font	Open Sans
Font size	21
Font weight	Normal
Font style	/ <u> </u> <i> </i>
Text alignment	
Line height	1.2
Clear button	Off <input checked="" type="checkbox"/>
Maximum length	No value
Mode	Single line
Display mode	Edit
Visible	On <input checked="" type="checkbox"/>

Screen1

TextInput1

- + 40% ↕

Visible On

Microsoft PowerApps Leads - Saved (Unpublished) Create key - Bing Maps Dev Cent +

IT WON'T FAIL BECAUSE OF ME

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

Default = fx "Name"

Tree view

Search

App

Screen1

TextInput1

Logo

UserPhoto

Name

TEXT INPUT TextInput1 Properties Rules Advanced

Position 40 192 X 192 Y

Size 560 70 Width 70 Height

Padding 5 5 Top 5 Bottom

12 5 Left Right

Color A

Border — 2 Blue

Border radius 0

Disabled color A

Hover color A

Pressed color A

Tooltip No value


Tab index 0

Screen1 TextInput1

40 %

Leads - Saved (Unpublished)

PowerApps



Microsoft PowerApps Leads - Saved (Unpublished) Create key - Bing Maps Dev Cent +

IT WON'T FAIL BECAUSE OF ME

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

Default = fx "Name"

Tree view

Search

- App
- Screen1
 - TextInput1_2
 - TextInput1_1
 - TextInput1
- Logo
- UserPhoto

Name Name Name

TEXT INPUT TextInput1 Properties Rules Advanced

Default Name Format Text Hint text No value Font Open Sans Font size 21 Font weight Normal Font style / Text alignment Line height 1.2 Clear button Off Maximum length No value Mode Single line Display mode Edit Visible On

Screen1 TextInput1

40 %

Leads - Saved (Unpublished)

PowerApps

Environment fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

Default = fx "Name"

Tree view

Search

- App
- Screen1
 - TextInput1_2
 - TextInput1_1
 - TextInput1
- Logo
- UserPhoto

Name Name Name

TEXT INPUT TextInput1 Properties Rules Advanced

Default Name Format Text Hint text No value Font Open Sans Font size 21 Font weight Normal Font style / Text alignment Line height 1.2 Clear button Off Maximum length No value Mode Single line Display mode Edit Visible On

Screen1 TextInput1

40 %



PowerApps

Environment
fleitasarts.com (default)

File Home Insert View Action

Leads - Saved (Unpublished)

[New screen](#) [Label](#) [Button](#) [Text](#) [Controls](#) [Gallery](#) [Data table](#) [Forms](#) [Media](#) [Charts](#) [Icons](#)

Default = fx "Name"

Tree view

 Search

App

Screen1

Address

Email

Name

Logo

UserPhoto



Name
Email
Address

TEXT INPUT

Name

Properties

Rules

Advanced

Default

Name

Format

Text

Hint text

No value

Font

Open Sans

Font size

21

Font weight

Normal

Font style

/ U

Text alignment

Left Center Right

Line height

1.2

Clear button

Off

Maximum length

No value

Mode

Single line

Display mode

Edit

Visible

On

Screen1

Name

- + 40 % ↕

On

Microsoft PowerApps Leads - Saved (Unpublished) - Po Create key - Bing Maps Dev Cent +

IT WON'T FAIL BECAUSE OF ME

PowerApps

Environment
fleitasarts.com (default)

File Home Insert View Action

Leads - Saved (Unpublished)

Data sources Media Collections Variables Advanced

Fill = `RGB(255, 255, 255, 1)`

Tree view

- App
- Screen1
 - Address
 - Email
 - Name
 - Logo
 - UserPhoto

Search

My connections

Name Email Address

10to8 Appointment Scheduling

Act!

Acumatica

Adobe Creative Cloud

Adobe Sign

Ahead

Ally

Amazon Redshift

SCREEN Screen1

Properties Rules Advanced

Fill

Background image Select an image...

Image position Fit

Fill

Background image Select an image...

Image position Fit

Microsoft PowerApps Leads - Saved (Unpublished) - Po Create key - Bing Maps Dev Cent +

IT WON'T FAIL BECAUSE OF ME

PowerApps

Environment
fleitasarts.com (default)

File Home Insert View Action

Leads - Saved (Unpublished)

Data sources Media Collections Variables Advanced

Fill = `RGB(255, 255, 255, 1)`

Tree view

- App
- Screen1
 - Address
 - Email
 - Name
 - Logo
 - UserPhoto

bing

Name Email Address

Bing Maps

Bing Search

SCREEN Screen1

Properties Rules Advanced

Fill

Background image Select an image... 

Image position Fit 

Screen1

Microsoft PowerApps Leads - Saved (Unpublished) - Po Bing for Partners helps businesses + IT WON'T FAIL BECAUSE OF ME

https://www.bing.com/partners/developers#MapsAPIs

Bing for partners Essential services Advanced services Quick links

For businesses </> For developers Reference & tools

Maps APIs

The Bing Maps platform provides [multiple API options](#) for your application including an Web control, a Windows UWP apps control, a WPF control, REST Services, and Spatial Data Services. Key solution areas include consumer facing websites, Windows applications, and Geospatial data visualization in line of business solutions in the enterprise.

Backed by enterprise-grade 24/7 support, our Bing Maps API for Enterprise offers the simplest and fastest way to add location information to any business app. Getting started is easy, just register for a Bing Maps account and create a Bing Maps key to authenticate your app.


[Get started](#)

Enhance your mapping applications with a suite of Bing Maps fleet management API services. Whether you're looking for travel-time optimization, routing logistics, asset tracking, or all of the above, Bing Maps has an easy to use solution for your fleet management needs.

[Learn more](#)



The Bing Maps platform: a mapping solution from Microsoft, built for the enterprise.



Get Started Today

Create a key and start developing your app with Bing Maps

You don't need to be a map creator to develop with Bing Maps. When you register for a Bing Maps account, you'll create a Bing Maps key to authenticate your application, which allows you to include the power of Bing Maps directly in your app. Create a key to get started developing with Bing Maps, and start developing your app today.

Basic Key



Basic Key

Bing Maps Keys for Business and Personal Use

The Basic Bing Maps Key is for use with consumer-facing, education, and non-profit applications as well as for internal commercial Windows or Windows Phone applications that qualify for free use. See restrictions below.

Please see the Enterprise Key for business applications used by authenticated enterprise associates and agents.


Basic Key application types and parameters

• Website	Public and internal website, and mobile apps that are not on/for the Windows Phone: Maximum 125,000 cumulative billable transactions per calendar year at no charge
• Mobile App	
• Windows App	Public and private Windows App, Education and Non-profit: Maximum 50,000 cumulative billable transactions within any 24-hour period
• Education	
• Non-profit	
• Dev/Test	Applications used by authenticated enterprise users (employees or agents of the enterprise) over a private network. Maximum 125,000 cumulative billable transactions per calendar year at no charge.

Bing Maps Resources

- Fleet Management Services
- Windows 10 Map Control and Services
- Bing Maps Documentation
- Bing Maps Developer Support
- Licensing Solutions Partner Resources
- Community
- Other Resources

Bing maps | Dev Center



Welcome

The Bing Maps Dev Center provides the tools and resources you need to develop with Bing Maps. You can store, access, and keep track of your store locations or other spatial data through our online data source management system. You will also receive important announcements around your Bing Maps account.

[Sign in](#)

First time Bing Maps developer?

To get started developing with Bing Maps, you will need a Bing Maps key. To create a key:

1. [Sign in](#) to the Bing Maps Dev Center with your existing Microsoft Account or create a new one.
2. Or, if you're an Azure customer, you can add Bing Maps to your Azure subscription through the [Azure Marketplace](#).

Samples

[Interactive SDK for Bing Maps Web Control v8](#)
[Code samples](#)
[Case studies](#)

Help

[Getting started](#)
[API & Controls](#)
[Licensing](#)
[Technical support](#)

Community

[Bing Maps blog](#)
[Forum](#)
[Twitter](#)

Bing maps | Dev Center

Do you want to use the account **hiramfleitas@hotmail.com** for your new Bing Maps account? [Yes](#)

Or choose one of the following options:

[Sign in with another account](#) (This will sign you out of **hiramfleitas@hotmail.com**, so you can sign in with another account or create a new one.)

[Cancel, and think about it](#) (This will take you back to the Maps Dev Center home page.)

https://www.bingmapsportal.com/Account/Register?userConfirmation=False

Create account

Account details

Account name *

Contact name

Company name

Email address * - This email address will receive important service announcements and notifications.

Phone number

I agree to the [Bing Maps Platform APIs' Terms of Use \(TOU\)](#).

Contact Preferences

I would like information, tips and offers about Bing Maps. [Privacy Statement](#)

Email Telephone

Create

* Required field

Bing maps | Dev Center

[My account](#)[Data sources](#)[Announcements](#)[Contacts & Info](#)

(hiramfleitas@hotmail.com)

[Sign out](#)

Account Details

[My Keys](#)[Reports](#)

Announcement: No current service announcements.

To stay up-to-date on recent Bing Maps Platform releases and news, please visit the [Bing Maps Blog](#).

Important reminder regarding Bing Maps service notifications:

To ensure your company receives important Bing Maps service notifications and announcements that may affect your service availability, please make sure you always keep your organization's email contacts up-to-date in the 'Account Details' section of the Bing Maps Dev Center. **We recommend having multiple email address contacts listed there and the use of a distribution group email address is a suggested best practice (i.e.: bingmaps@contoso.com).**

© 2019 - Microsoft Corporation. All rights reserved. [Privacy and Cookies](#) [Legal](#) [Terms of Use](#)

https://www.bingmapsportal.com/Application

Bing maps | Dev Center

My account ▾ Data sources ▾ Announcements Contacts & Info (hiramfleitas@hotmail.com) Sign out

My keys

Create key

Application name *
PowerApps Leads

Application URL
https://web.powerapps.com

Key type * What's This
Basic

Application type *
Dev/Test

Create **Cancel**

* Required field

To create Education, Broadcast or Not-for-Profit keys, please contact the Bing Maps account team at mpnet@microsoft.com.

Bing maps | Dev Center

[My account](#)[Data sources](#)[Announcements](#)[Contacts & Info](#)

(hiramfleitas@hotmail.com)

[Sign out](#)

My keys

Key created successfully.

Click [here](#) to create a new key.

Click [here](#) to download complete list of keys.

View Specific Key:

Application name	Key details	
PowerApps Leads	<p>Key: Show key</p> <p>Application Url:</p> <p>Key type: Basic / Dev/Test</p> <p>Created date: 05/04/2019</p> <p>Expiration date: None</p> <p>Key Status: Enabled</p> <p>Security Enabled: No</p>	Update Copy key Usage Report Enable Security

Bing maps | Dev Center

[My account](#) [Data sources](#)

My keys

Key created successfully.

Click [here](#) to create a new key.

Click [here](#) to download complete list of keys.

[View Specific Key:](#)

Enter key to



Application Key Security Settings

[Referrers](#)[IP Range](#)

Rule Name	Referrer	Enabled	Action
		<input checked="" type="checkbox"/>	
PowerApps	powerapps.com	<input checked="" type="checkbox"/>	

[Close](#)

Application name	Key details	
PowerApps Leads	<p>Key: Show key</p> <p>Application Url:</p> <p>Key type: Basic / Dev/Test</p> <p>Created date: 05/04/2019</p> <p>Expiration date: None</p> <p>Key Status: Enabled</p> <p>Security Enabled: No</p>	Update Copy key Usage Report Enable Security



Bing maps | Dev Center

[My account](#)[Data sources](#)[Announcements](#)[Contacts & Info](#)

(hiramfleitas@hotmail.com)

[Sign out](#)

My keys

Click [here](#) to create a new key.

Click [here](#) to download complete list of keys.

View Specific Key:

Application name	Key details
PowerApps Leads	<p>Key: Show key</p> <p>Application Url:</p> <p>Key type: Basic / Dev/Test</p> <p>Created date: 05/04/2019</p> <p>Expiration date: None</p> <p>Key Status: Enabled</p> <p>Security Enabled: Yes</p>



- [Update](#)
- [Copy key](#)
- [Usage Report](#)
- [Edit Security](#)

Microsoft PowerApps Leads - Saved (Unpublished) - Po Create key - Bing Maps Dev Cent +

IT WON'T FAIL BECAUSE OF ME

PowerApps

Environment
fleitasarts.com (default)

File Home Insert View Action

Leads - Saved (Unpublished)

Data sources Media Collections Variables Advanced

Fill = `RGB(255, 255, 255, 1)`

Tree view

Search

App

Screen1

Address

Email

Name

Logo

UserPhoto

Name

Email

Address

Bing Maps

Preview

Bing Maps

API Key*

Fill

Background image Select an image...

Image position Fit

SCREEN Screen1

Properties Rules Advanced

Create Cancel

Screen1

IT WON'T FAIL BECAUSE OF ME

Leads - Saved (Unpublished)

PowerApps

Environment
fleitasarts.com (default)

File Home Insert View Action

Leads - Saved (Unpublished)

Data sources Media Collections Variables Advanced

Fill = `RGB(255, 255, 255, 1)`

Tree view

Search

App

Screen1

Address

Email

Name

Logo

UserPhoto

Name

Email

Address

Bing Maps

Preview

Bing Maps

API Key*

Fill

Background image Select an image...

Image position Fit

SCREEN Screen1

Properties Rules Advanced

Create Cancel

Screen1

Microsoft PowerApps Leads - Saved (Unpublished) - Po Create key - Bing Maps Dev Cent +

IT WON'T FAIL BECAUSE OF ME

PowerApps

Environment
fleitasarts.com (default)

File Home Insert View Action

Leads - Saved (Unpublished)

Data sources Media Collections Variables Advanced

Fill = `RGB(255, 255, 255, 1)`

Tree view

Search

- App
- Screen1
 - Address
 - Email
 - Name
 - Logo
 - UserPhoto

Screen1

Data

Add data source

Office365Users hiram@fleitasarts.com

BingMaps Bing Maps

SCREEN Screen1


Properties Rules Advanced

Fill

Background image Select an image...

Image position Fit

A screenshot of the Microsoft PowerApps studio interface. The top navigation bar shows tabs for Microsoft PowerApps, Leads - Saved (Unpublished), Create key - Bing Maps Dev Cent, and a new item. The environment is set to fleitasarts.com (default). The main menu includes File, Home, Insert, View (which is selected), and Action. Below the menu is a toolbar with icons for Data sources, Media, Collections, Variables, and Advanced. A search bar contains the formula `RGB(255, 255, 255, 1)`. On the left, a tree view pane lists an App and a Screen1 component, which further contains Address, Email, Name, Logo, and UserPhoto sub-components. The central workspace displays a screen titled "Screen1" featuring a user profile picture, three text input fields for Name, Email, and Address, and a "Data" section showing two data sources: Office365Users (hiram@fleitasarts.com) and BingMaps (Bing Maps). The right side of the screen shows the "Properties" tab for the screen, with options for Fill, Background image (set to "Select an image..."), and Image position (set to "Fit"). The overall theme includes a large American flag graphic at the top.





PowerApps

Environment
fleitasarts.com (default)

File Home Insert View Action

GetMapV2(imagerySet, zoomLevel, latitude, longitude, ...)

New screen Label Button

ABC

imagerySet: The type of imagery.

Image

Image = fx BingMaps . GetMapV2

Tree view

"Aerial"

"AerialWithLabels"

"CanvasDark"

- App
- Screen1
 - Map
 - Address
 - Email
 - Name
 - Logo
 - UserPhoto




Image Select an image...

Image position Fit

Transparency 0

Display mode Edit

Visible On

Position 40 463

Size 560 320

Width 560 Height 320

Padding 0 0

Top 0 Bottom 0

Left 0 Right 0

Color

Border

Border radius 0

Screen1

Map

- + 40 % ↕

Microsoft PowerApps Leads - Saved (Unpublished) +

IT WON'T FAIL BECAUSE OF ME

us.create.powerapps.com wants to Know your location

Allow Block

File Home Insert New screen

Controls Gallery Data table Forms Media Charts Icons

Image = BingMaps.GetMapV2("AerialWithLabels",11,Location.Latitude,Location.Longitude)

Tree view

Search

App Screen1 Map Address Email Name Logo UserPhoto

Name Email Address

Map

Properties Rules Advanced

Image Select an image... Image position Fit Transparency 0 Display mode Edit

Visible On Position X 40 Y 463 Size Width 560 Height 320 Padding Top 0 Bottom 0 Left 0 Right 0

Color Border Border radius 0

Screen1 Map 40 %

IT WON'T FAIL BECAUSE OF ME

leads-saved-unpublished.html

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) - Po Reports - Bing Maps Dev Center +

https://us.create.powerapps.com/studio/#/

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action

GetMapV2(imagerySet, zoomLevel, latitude, longitude, ...)

zoomLevel: The level of zoom to display between 0 and 21. Default 10 Default: "10"

Image = fx BingMaps.GetMapV2("AerialWithLabels",15,Location.Latitude,Location.Longitude)

Tree view

Search

App

Screen1

Map

Address

Email

Name

Logo

UserPhoto

Name

Email

Address

Map

Properties Rules Advanced

Image Select an image...

Image position Fit

Transparency 0

Display mode Edit

Visible On

Position 40 463 X Y

Size 560 320 Width Height

Padding 0 0 Top Bottom 0 0 Left Right

Color

Border

Border radius 0

Screen1 Map

- + 40 % ↕

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) - Po Reports - Bing Maps Dev Center +

https://us.create.powerapps.com/studio/##

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action

GetMapV2(imagerySet, **zoomLevel**, latitude, longitude, ...)

zoomLevel: The level of zoom to display between 0 and 21. Default 10 Default: "10"

Image **BingMaps.GetMapV2("Road", 15, Location.Latitude, Location.Longitude)**

Tree view

Search

App

Screen1

Map

Address

Email

Name

Logo

UserPhoto

Map

Name

Email

Address

W 60th St W 60th Terrace Sparks Park W 60th St W 59th Pl W 58th St W 57th St W 56th St W 55th Pl W 54th St W 53rd St W 52nd St W 51st St W 50th St W 49th Pl W 48th St W 47th St W 46th St W 45th St W 44th St W 43rd St W 42nd St W 41st St W 40th St W 39th Pl W 38th St W 37th St W 36th St W 35th Pl W 34th St W 33rd St W 32nd St W 31st St W 30th St W 29th Pl W 28th St W 27th St W 26th St W 25th Pl W 24th St W 23rd St W 22nd St W 21st Pl W 20th St W 19th Pl W 18th St W 17th Pl W 16th St W 15th Pl W 14th St W 13th Pl W 12th St W 11th Pl W 10th St W 9th Pl W 8th St W 7th Pl W 6th St W 5th Pl W 4th St W 3rd Pl W 2nd St W 1st Pl W 0th St W 60th Terrace Sparks Park W 60th St W 59th Pl W 58th St W 57th St W 56th St W 55th Pl W 54th St W 53rd St W 52nd St W 51st St W 50th St W 49th Pl W 48th St W 47th St W 46th St W 45th St W 44th St W 43rd St W 42nd St W 41st St W 40th St W 39th Pl W 38th St W 37th St W 36th St W 35th Pl W 34th St W 33rd St W 32nd St W 31st St W 30th St W 29th Pl W 28th St W 27th St W 26th St W 25th Pl W 24th St W 23rd St W 22nd St W 21st Pl W 20th St W 19th Pl W 18th St W 17th Pl W 16th St W 15th Pl W 14th St W 13th Pl W 12th St W 11th Pl W 10th St W 9th Pl W 8th St W 7th Pl W 6th St W 5th Pl W 4th St W 3rd Pl W 2nd St W 1st Pl W 0th St

IMAGE Map

Properties Rules Advanced

Image Select an image...

Image position Fill

Transparency 0

Display mode Edit

Visible On

Position 40 463

Size 560 320

Padding 0 0

Color

Border

Border radius 0

Screen1 Map 40 %

Microsoft PowerApps Leads - Saved (Unpublished) Reports - Bing Maps Dev Center

IT WON'T FAIL BECAUSE OF ME

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished)

OnChange = fx Set(vAddress, BingMaps.GetLocationByAddress({addressLine:Address.Text}))

Tree view

- App
- Screen1
 - Map
 - Address
 - Email
 - Name
 - Logo
 - UserPhoto

Address

Properties

Default Address

Format Text

Hint text No value

Font Open Sans

Font size 21

Font weight Normal

Font style / U

Text alignment

Line height 1.2

Clear button Off

Maximum length No value

Mode Single line

Display mode Edit

Visible On

Screen1 Address

40 %

A screenshot of the Microsoft PowerApps studio interface. The top navigation bar shows tabs for Microsoft PowerApps, Leads - Saved (Unpublished), and Reports - Bing Maps Dev Center. A banner at the top right reads "IT WON'T FAIL BECAUSE OF ME". The main workspace displays a "Tree view" on the left with items like App, Screen1, Map, Address, Email, Name, Logo, and UserPhoto. The "Address" item is selected and shown in the center preview area. The preview shows a user profile picture, a blue circular icon, and three input fields for Name, Email, and Address. Below these fields is a map snippet showing a location near W 60th St and W 59th Pl, with labels for Spark Park, Tahoe, and W 60th Terrace. The "Properties" panel on the right is open for the "Address" control, showing settings for Default (Address), Format (Text), Hint text (No value), Font (Open Sans), Font size (21), Font weight (Normal), Font style (/ U), Text alignment (left, center, right, justify), Line height (1.2), Clear button (Off), Maximum length (No value), Mode (Single line), Display mode (Edit), and Visible (On). The bottom of the screen shows a toolbar with icons for back, forward, search, and other controls.



PowerApps

File Home Insert View **Action**

↗ Navigate ▾ ⚡ Collect ▾ ✖ Remove ▾ ⌂ On select ⌂ Flows

Image

```
If(Address.Text=="Address",BingMaps.GetMapV2("Road",15,Location.Latitude,Location.Longitude),BingMaps.GetMapV2("Road",15,vAddress.point.coordinates.latitude,vAddress.point.coordinates.longitude))
```

Tree view

Search

App

Screen1

A small icon of a map with a sun and mountains, followed by the word "Map".

 Address

 Email


Name _____

 Logo

 UserPh

 Format text

 Remove formatting



Properties	Rules	Advanced
Image	<input type="button" value="Select an image..."/>	
Image position	Fill	
Transparency	0	
Display mode	<input type="button" value="Edit"/>	
Visible	On <input checked="" type="checkbox"/>	
Position	<input type="text" value="40"/>	<input type="text" value="463"/>
Size	<input type="text" value="560"/>	<input type="text" value="320"/>
Padding	<input type="text" value="0"/>	<input type="text" value="0"/>
Color	<input type="color"/>	
Border	<input type="button" value="—"/>	<input type="text" value="0"/>
Border radius	<input type="text" value="0"/>	

Microsoft PowerApps Leads - Saved (Unpublished) Reports - Bing Maps Dev Center

IT WON'T FAIL BECAUSE OF ME

PowerApps

File Home Insert View Action

Leads - Saved (Unpublished)

Environment fleetasarts.com (default)

Image

Tree view

Search

App

Screen1

Map

Address

Email

Name

Logo

UserPhoto

On select Flows

If(

Address.Text = "Address",
BingMaps.GetMapV2(
"Road",
15,
Location.Latitude,
Location.Longitude
),
BingMaps.GetMapV2(
"Road",
15,
vAddress.point.coordinates.latitude,
vAddress.point.coordinates.longitude
)

Evaluate Then true Else false

Format text Remove formatting

Size 560 320

Width Height

Padding 0 0

Top Bottom

Left Right

Color

Border

Border radius 0

Screen1 Map

40 %

IT WON'T FAIL BECAUSE OF ME

A screenshot of the Microsoft PowerApps studio interface. The top navigation bar shows tabs for Microsoft PowerApps, Leads - Saved (Unpublished), Reports - Bing Maps Dev Center, and a plus sign. The main title bar says 'IT WON'T FAIL BECAUSE OF ME'. The left sidebar has a tree view with 'Screen1' selected. The main workspace shows an 'Image' control with an 'On select' formula. The formula uses an 'If' function to check if 'Address.Text' equals 'Address'. If true, it calls 'BingMaps.GetMapV2' with parameters 'Road', '15', 'Location.Latitude', and 'Location.Longitude'. If false, it calls 'BingMaps.GetMapV2' with parameters 'Road', '15', 'vAddress.point.coordinates.latitude', and 'vAddress.point.coordinates.longitude'. The formula is annotated with 'Evaluate', 'Then true', and 'Else false'. The right side of the screen shows the properties panel for the 'Image' control, including size (560x320), padding (0), and border radius (0). A preview window shows a map of a street area.

Microsoft PowerApps Leads - Saved (Unpublished) Reports - Bing Maps Dev Center

IT WON'T FAIL BECAUSE OF ME

PowerApps

File Home Insert View Action

Leads - Saved (Unpublished)

Environment fleitasarts.com (default)

Image

Tree view

Search

App

Screen1

Map

Address

Email

Name

Logo

UserPhoto

If(

```
Address.Text = "Address",
BingMaps.GetMapV2(
    "Road",
    15,
    Location.Latitude,
    Location.Longitude,
    {
        pushpinLatitude: Location.Latitude,
        pushpinLongitude: Location.Longitude,
        pushpinIconStyle: 37
    }
),
BingMaps.GetMapV2(
    "Road",
    15,
    vAddress.point.coordinates.latitude,
    vAddress.point.coordinates.longitude,
    {
        pushpinLatitude: vAddress.point.coordinates.latitude,
        pushpinLongitude: vAddress.point.coordinates.longitude,
        pushpinIconStyle: 86
    }
)
)
```

Format text Remove formatting

Border Border radius 0

Screen1 Map 40 % 0

Leads - Saved (Unpublished)

Navigation: Back, Forward, Stop, Home, URL: https://us.create.powerapps.com/studio/##



PowerApps

File Home Insert View Action

New screen Theme Open Sans

Image

GetMapV2(imagerySet, zoomLevel, latitude, longitude, {format:Text, mapSize:Text, pushpinLatitude:Number, pushpinLongitude:Number, pushpinIconStyle:Number, pushpinLabel:Text})

```
If(  
    Address.Text = "Address",  
    BingMaps.GetMapV2(  
        "Road",  
        13,  
        Location.Latitude,  
        Location.Longitude,  
        {  
            pushpinLatitude: Location.Latitude,  
            pushpinLongitude: Location.Longitude,  
            pushpinIconStyle: 37  
        }  
,  
    BingMaps.GetMapV2(  
        "Road",  
        15,  
        vAddress.point.coordinates.latitude,  
        vAddress.point.coordinates.longitude,  
        {  
            pushpinLatitude: vAddress.point.coordinates.latitude,  
            pushpinLongitude: vAddress.point.coordinates.longitude,  
            pushpinIconStyle: 86,  
            pushpinLabel: Name.Text  
        }  
)  
)
```

Format text Remove formatting

Acceleration

Environment
fleitasarts.com (default)

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) + https://us.create.powerapps.com/studio/ PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) New screen Theme Open Sans 21 / A Fill Border Reorder Align Group AccessibleLabel fx ... Tree view Search App Screen1 txtLeadID Map txtAddress txtEmail txtName Logo UserPhoto Name Email Address Lead ID

txtLeadID Properties Rules Advanced Default Lead ID Format Text Hint text No value Font Open Sans Font size 21 Font weight Normal Font style / Text alignment Horizontal Line height 1.2 Clear button Off Maximum length No value Mode Single line Display mode Edit Visible On

Tree view

- App
- Screen1
 - txtLeadID
 - Map
 - txtAddress
 - txtEmail
 - txtName
 - Logo
 - UserPhoto

Search

Name

Email

Address

Lead ID

Lead ID

Properties

Rules

Advanced

Default

Format

Hint text

Font

Font size

Font weight

Font style

Text alignment

Line height

Clear button

Maximum length

Mode

Display mode

Visible

Lead ID

Text

No value

Open Sans

21

Normal

/

Horizontal

1.2

Off

No value

Single line

Edit

On

Screen1

txtLeadID

40 %

40 %

On



OnSelect = fx Launch("http://fleitasarts.com")

Tree view X

- App
- Screen1
 - txtLeadID
 - Map
 - txtAddress
 - txtEmail
 - txtName
 - Logo
 - UserPhoto




Name

Email

Address



Lead ID

IMAGE	
Properties	
Logo	Logo_2
Image	Logo_2
Image position	Fit
Transparency	0
Display mode	Edit
Visible	On
Position	508 40
Size	92 92
Padding	0 0
Color	
Border	0
Border radius	92

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) My account +

https://us.create.powerapps.com/studio/ PowerApps

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) New screen Theme Open Sans 21 / U A Fill Border Reorder Align Group

OnSelect = fx Launch("https://portal.office.com/account/#personalinfo")

Tree view

Search

- App
- Screen1
 - txtLeadID
 - Map
 - txtAddress
 - txtEmail
 - txtName
 - Logo
 - UserPhoto

Name

Email

Address

Palm Springs Estates

Lead ID

IMAGE UserPhoto Properties Rules Advanced

Image Select an image... Image position Fit Transparency 0 Display mode Edit

Visible On Position X 40 Y 40 Size Width 92 Height 92 Padding Top 0 Bottom 0 Left Right

Color Border Border radius 0 92

Screen1 UserPhoto 40 %

The screenshot displays the Microsoft PowerApps Studio interface. At the top, there are tabs for 'Microsoft PowerApps', 'Leads - Saved (Unpublished)', 'My account', and a '+' button. The main title bar says 'Leads - Saved (Unpublished)'. The ribbon menu includes 'File', 'Home', 'Insert', 'View', and 'Action'. Below the ribbon, there are various toolbar icons for creating new screens, themes, fonts, and styling. A dropdown menu for 'OnSelect' contains the formula: `Launch("https://portal.office.com/account/#personalinfo")`. The central workspace shows a 'Tree view' pane on the left listing controls like 'App', 'Screen1' (which contains 'txtLeadID', 'Map', 'txtAddress', 'txtEmail', 'txtName', 'Logo', and 'UserPhoto'), and a search bar. The main canvas area displays a lead record with fields for Name, Email, Address, and Lead ID, and a map showing the location of Palm Springs Estates. The 'UserPhoto' control is currently selected, and its properties are shown in the 'Properties' tab of the right-hand pane. The properties include 'Image' (Select an image...), 'Image position' (Fit), 'Transparency' (0), 'Display mode' (Edit), 'Visible' (On), 'Position' (X: 40, Y: 40), 'Size' (Width: 92, Height: 92), 'Padding' (Top: 0, Bottom: 0, Left: 0, Right: 0), and color and border settings. The status bar at the bottom shows 'Screen1' and 'UserPhoto'.

Microsoft PowerApps Leads - Saved (Unpublished) + IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/ Environment fleitasarts.com (default)

PowerApps Insert View Action

New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

Fill

Button

A(255, 255, 255, 1)

Lets users click or tap to perform an action.

Set its properties to determine how this button looks and behaves.

Tree view

Search

App

Screen1

- txtLeadID
- Map
- txtAddress
- txtEmail
- txtName
- Logo
- UserPhoto

SCREEN Screen1 Properties Rules Advanced

Fill

Background image Select an image... Image position Fit

Name

Email

Address

Palm Springs Estates

Lead ID

Screen1 40 %

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) + https://us.create.powerapps.com/studio/ PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

BorderColor = ColorFade(btnAdd.Fill, -15%)

Tree view

Search

App

Screen1

btnAdd

txtLeadID

Map

txtAddress

txtEmail

txtName

Logo

UserPhoto

Email

Address

Palm Springs Estates

4th Ave NW 122nd St Amelia Earhart Gratigny Rd

826 W 12th Ave 932 W 4th Ave W 40th St E 49th St

Lead ID

Add

BUTTON btnAdd Properties Rules Advanced

Text Add

Display mode Edit

Visible On

Position 40 895 X Y

Size 560 70 Width Height

Padding 5 5 Top Bottom

5 5 Left Right

Color A

Border — 2

Border radius 5

Font Open Sans

Font size 24

Screen1 btnAdd

60 %

American Flag

Microsoft PowerApps Leads - Saved (Unpublished) + IT WON'T FAIL BECAUSE OF ME

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

OnSelect = fx false

Tree view X

Search App Screen1

Icon1 btnAdd txtLeadID Map txtAddress txtEmail txtName Logo UserPhoto

Westland Mall NW 103rd St 932 W 49th St E 49th St Ave NW

Lead ID

Add

Icons Add Cancel Edit Check Search Filter Sort Reload Trash Save

Width 898 Height 64 Padding Top 0 Bottom 0 Left 0 Right 0 Color Border Focused border 2

Screen1 Icon1

110%

America flag

Navigation icons: back, forward, search, refresh, etc.

Microsoft PowerApps Leads - Saved (Unpublished) + IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/ Environment fleitasarts.com (default)

PowerApps

File Home Insert View Action Leads - Saved (Unpublished) New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

OnSelect = fx false

Tree view X

Search App Screen1 Icon1 btnAdd txtLeadID Map txtAddress txtEmail txtName Logo UserPhoto

Westland Mall NW 103rd St 932 Ave NW W 49th St E 49th St Immetto Expy

Lead ID

Add

ICON Icon1 Properties Rules Advanced

Standard Custom Theme colors Standard colors

Color palette A

Height 898 Y 64 th 0 Bottom 0 ft 0 Right 0

On

Tooltip No value Tab index -1

Screen1 Icon1

110% 110%

American flag watermark




Microsoft PowerApps Leads - Saved (Unpublished) + IT WON'T FAIL BECAUSE OF ME


PowerApps Environment filetarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished)   Add

New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

OnSelect = fx false

Tree view  App Screen1         

ICON Icon1 Properties Rules Advanced    

Standard Custom Theme colors Standard colors               

Height Bottom Right On 

Tooltip No value Tab index -1

PowerApps ▾

File Home Insert View

New screen ▾ Label Button Text ▾ Controls ▾ Gallery ▾ Data table Forms ▾ Media ▾ Charts ▾ Icons ▾

OnSelect = false

Tree view

 Search

App

Screen1

A small icon representing addition or a new item.

txtLeadID

A small square icon containing a stylized green and blue mountain range, representing a map or geographical information.

txtAddress

txtEmail

Untitled Name

1

三



Lead ID

Add


- Copy these items
- Paste
- Delete these items
- Group**
- Reorder >
- Align >

? controls selected

\pm 70 %

Environment
fleitasarts.com (default)

Properties		Rules	Advanced
Display mode		Edit	<input type="button" value="▼"/>
Visible		On	<input checked="" type="checkbox"/>
Position	Multiple	Multiple	X Y
Size	Multiple	Multiple	Width Height
Padding	Multiple	Multiple	Top Bottom
	Multiple	Multiple	Left Right
Color	A	<input type="color"/>	<input type="button" value="Color"/>
Border	<input type="button" value="—"/>	<input type="button" value="Multipl"/>	<input type="color"/>
Auto disable on select		On	<input checked="" type="checkbox"/>
Disabled color	A	<input type="color"/>	<input type="button" value="Color"/>
Hover color	A	<input type="color"/>	<input type="button" value="Color"/>



IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) + https://us.create.powerapps.com/studio/ PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) New screen Theme Open Sans 21 / U A Fill Border Reorder Align Group

Fill = RGBA(255, 255, 255, 1)

Tree view

- App
- Home
- grpLink
 - icoLink
 - btnLink
- grpDelete
 - icoDelete
 - btnDelete
- grpCheck
 - icoCheck
 - btnCheck
- grpAdd
 - icoAdd
 - btnAdd

SCREEN

Home Properties Rules Advanced

Fill

Background image Select an image... Image position Fit

NAME
EMAIL
ADDRESS
Lead ID

Palm Springs, California

Add
Check
Delete
Link

Home

40 %

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) + https://us.create.powerapps.com/studio/ PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) New screen Theme Open Sans 21 / U A Fill Border Reorder Align Group

OnSelect = fx false

Tree view

- App
- Home
- grpLink
 - icoLink
 - btnLink
- grpDelete
 - icoDelete
 - btnDelete
- grpCheck
 - icoCheck
 - btnCheck
- grpAdd
 - icoAdd
 - btnAdd

Search

Name

Email

Address

Lead ID

Palm Springs, California

Add

Check

Delete

Link

ICON icoCheck

Properties Rules Advanced

+ Add

Actions

- Add**
- Cancel**
- Check**
- Search**
- Filter**
- Sort**
- Reload**
- Trash**
- Save**
- Download**
- Copy**

On 112 64 0 0 0 2

Microsoft PowerApps Leads - Saved (Unpublished) + IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/ Environment fleitasarts.com (default)

PowerApps

File Home Insert View Action Leads - Saved (Unpublished) 

New screen Theme Open Sans 21 /         Fill Border Reorder Align Group

OnSelect =  false

Tree view 

Search 

- App
- Home
- grpLink
 - icoLink 
 - btnLink 
- grpDelete
 - icoDelete 
 - btnDelete 
- grpCheck
 - icoCheck 
 - btnCheck 
- grpAdd
 - icoAdd 
 - btnAdd 

ICO  icoLink Properties Rules Advanced

Search  

Emoji - Smile  Emoji - Sad  Emoji - Neutral 

Warning  Information  Database 


Weather  Hashtag  Trending upward 

Items  Layers  Trending 

Line weight  3D Printing 

Layers  0 

On  112 1053 X Y 64 64 Width Height 0 0 Top Bottom 0 0 Left Right A  0 0 Line weight 2 3D Printing


Name 
Email 
Address 
Lead ID 

Add  Check  Delete 
Link 

Home  icoLink 



Office UI Fabric Icons

link X Get subset Select Unicodes 1 selected View ▾



Subset options

Font file name

The name given to font, .ts, HTML, and CSS files.

Font-family name

font-family name given in the @font-face definition.

Create subset chunks ⓘ

Exclude selection from subset ⓘ

Hash font file name ⓘ

File size previews

File size previews are an approximation and may not match the final file sizes.

File Type	Size
fabric-icons.woff	2.1 KB
fabric-icons.css	3.2 KB

App version 2.34.0 • FabMDL2 v3.27

Microsoft PowerApps Leads - Saved (Unpublished) + IT WON'T FAIL BECAUSE OF ME

PowerApps Environment
fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) New screen Theme Open Sans 24 B / U A Fill Border Reorder Align Group

OnSelect = fx false

Tree view X

- App
- Home
- grpLink
- grpDelete
- grpCheck
- grpAdd
 - icoAdd
 - btnAdd
- grpTextInput
- Map
- Logo
- UserPhoto

Search

826

Westland Mall NW 103rd St 932

W 12th Ave W 4th Ave W 49th St E 49th St

Map

Check

Delete

Link

Properties Advanced

Text No value

Display mode Edit

Visible On

Position 40 810

Size 92 92 Width Height

Padding 5 5 Top Bottom 5 5 Left Right

Color A

Border — 2

Border radius 92

Font Open Sans

Font size 24

Microsoft PowerApps Leads - Saved (Unpublished) +

IT WON'T FAIL BECAUSE OF ME

PowerApps

File Home Insert View Action Leads - Saved (Unpublished)

New screen Theme Open Sans 24 B U A Fill Border Reorder Align Group

OnSelect Add a new screen (Ctrl+M) = fx false

Tree view X

Search

- App
- Home
- grpLink
- grpDelete
- grpCheck
- grpAdd
 - icoAdd
 - btnAdd
- grpTextInput
- Map
- Logo
- UserPhoto

826 Palmetto Expy Westland Mall NW 103rd St 932 W 12th Ave W 4th Ave W 49th St E 49th St W 4th Ave

Check Delete Link

BUTTON btnAdd Properties Rules Advanced rad RadiusTopLeft btnAdd.Height RadiusTopRight btnAdd.Height RadiusBottomLeft btnAdd.Height RadiusBottomRight btnAdd.Height

PowerApps Environment filetasarts.com (default)

Leads - Saved (Unpublished)

Home btnAdd

100%

The screenshot shows the Microsoft PowerApps studio environment. At the top, there are two tabs: "Microsoft PowerApps" and "Leads - Saved (Unpublished)". The "Leads - Saved (Unpublished)" tab is active. The interface includes a toolbar with various icons for file operations, a ribbon menu, and a toolbar for styling elements like font, size, and alignment.


In the center, there is a map of a street area with labels for "Westland Mall", "NW 103rd St", "W 12th Ave", "W 4th Ave", "W 49th St", and "E 49th St". Overlaid on the map are three blue rectangular buttons with white icons and text:

- A top button with a plus sign icon and the text "Check".
- A middle button with a crossed-out circle icon and the text "Delete".
- A bottom button with a diamond icon and the text "Link".

To the left of the map is a "Tree view" sidebar containing a search bar and a list of components:

- App
- Home
- grpLink
- grpDelete
- grpCheck
- grpAdd
 - icoAdd
 - btnAdd
- grpTextInput
- Map
- Logo
- UserPhoto

On the right side, there is a "BUTTON" section for the "btnAdd" component, showing properties like "Properties", "Rules", and "Advanced". The "Advanced" tab is selected, displaying height values for different corner radii: "RadiusTopLeft", "RadiusTopRight", "RadiusBottomLeft", and "RadiusBottomRight", all set to "btnAdd.Height". A green box highlights the "RadiusTopLeft" field.



IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) +

https://us.create.powerapps.com/studio/

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action

Data sources Media Collections Variables Advanced

Fill = RGBA(255, 255, 255, 1)

Tree view

- App
- Home
- grpLink
- grpDelete
- grpCheck
- grpAdd
- Map
- Logo
- UserPhoto
- grpTextInput

Name

Email

Address

Lead ID

Palm Springs Estate

Map showing Palm Springs Estate area with a red marker indicating a specific location.

SCREEN Properties Rules Advanced

Fill

Background image Select an image...

Image position Fit

Microsoft PowerApps Leads - Saved (Unpublished) + IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/ Environment fleitasarts.com (default)

PowerApps

File Home Insert View Action Leads - Saved (Unpublished)

New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

Fill = Line weight

Tree view App Home grpLink grpDelete grpCheck grpAdd Map Logo UserPhoto grpTextInput

Name Email Address Lead ID

Palm Springs Estate

Icons:

3D printing Back arrow Next arrow Circle Rectangle Triangle Right triangle Pentagon Hexagon

an image...

Line weight

3D printing

Back arrow

Next arrow

Circle

Rectangle

Triangle

Right triangle

Pentagon

Hexagon

40 %

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) +

https://us.create.powerapps.com/studio/

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) ?

New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

OnSelect = fx false

Tree view X

Search

App

Home

Rectangle1

- grpLink
- grpDelete
- grpCheck
- grpAdd
- Map
- Logo
- UserPhoto
- grpTextInput

RECTANGLE Rectangle1 Properties Rules Advanced

Display mode Edit

Visible On

Position 0 0 X Y

Size 640 1136 Width Height

Color

Border 0

Disabled color

Hover color

Pressed color

Tooltip No value

Tab index -1

Home Rectangle1

- + 40 %

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) + https://us.create.powerapps.com/studio/ Environment fleitasarts.com (default)

PowerApps

File Home Insert View Action Leads - Saved (Unpublished) ?

New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

Visible = fx true

Tree view

App Home popShade

- grpLink
- grpDelete
- grpCheck
- grpAdd
 - icoAdd
 - btnAdd
- Map
- Logo
- UserPhoto
- grpTextInput

Name Email Address

RECTANGLE popShade Properties Rules Advanced

Search for a property ...

ACTION

OnSelect false

DATA

AccessibleLabel

...
RGB(red_value, green_value, blue_value, alpha_value)
alpha_value: The alpha component, 0 to 1 (or a percentage, such as 49%).
RGB(255, 255, 255, 0.98)

DisabledFill
popShade.Fill
PressedFill

Home popShade

40 %

The screenshot shows the Microsoft PowerApps Studio interface. A tree view on the left lists various components like App, Home, and popShade. The popShade node has several children: grpLink, grpDelete, grpCheck, grpAdd (which contains icoAdd and btnAdd), Map, Logo, UserPhoto, and grpTextInput. In the center, there's a preview of a screen with fields for Name, Email, and Address. On the right, the properties panel is open for a 'RECTANGLE' named 'popShade'. The 'Advanced' tab is selected. It shows the 'Properties' section with 'OnSelect' set to 'false'. The 'DATA' section includes an 'AccessibleLabel' field with three dots. Below it, a code block defines a color using 'RGB(red_value, green_value, blue_value, alpha_value)' with 'alpha_value' described as 'The alpha component, 0 to 1 (or a percentage, such as 49%)'. A specific value 'RGB(255, 255, 255, 0.98)' is entered, and a 'fx' button is available. Other tabs in the properties panel include 'Rules' and 'DisabledFill' (which is currently selected). The bottom right shows 'popShade.Fill' and 'PressedFill'.

Microsoft PowerApps Leads - Saved (Unpublished) + IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/ Environment fleitasarts.com (default)

PowerApps

File Home Insert View Leads - Saved (Unpublished)

New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

OnSelect = fx UpdateContext({vPopUp:false})

Tree view

App

Home

grpModal

- popLabel
- icoDone
- btnDone

popShade

grpLink

grpDelete

grpCheck

grpAdd

Map

Logo

UserPhoto

Properties Rules Advanced

Display mode Edit

Visible On

Position Multiple X Multiple Y

Size Multiple Multiple Width Height

Padding Multiple Multiple Top Bottom Multiple Multiple Left Right

Color

Border

Auto disable on select On

Disabled color

Hover color

2 controls selected 40%

A B

IT WON'T FAIL BECAUSE OF ME

Leads - Saved (Unpublished)

2 controls selected 40%

Microsoft PowerApps Leads - Saved (Unpublished) + IT WON'T FAIL BECAUSE OF ME

PowerApps Environment: filetasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

Visible = fx vPopUp

Tree view

App

Home

grpModal

popLabel

icoDone

btnDone

popShade

grpLink

grpDelete

grpCheck

grpAdd

Map

Logo

UserPhoto

grpModal

Name

Email

Address

Lead ID

Palm Springs Estates

Amelia Earhart Grangely Rd

Map controls

Home grpModal

Properties Advanced

Display mode Edit

Visible Off

Position Multiple X Multiple Y

Size Multiple Width Multiple Height

Border Multiplied

Tooltip No value

Tab index Multiple

40 %



OnSelect

```
UpdateContext({vOutLead:AddLead.Run(txtName.Text, txtEmail.Text, txtAddress.Text)});UpdateContext({vPopUp:true})
```

Tree view



- ```
graph TD; App[App] --> Home[Home]; App --> grpModal[grpModal]; App --> grpLink[grpLink]; App --> grpDelete[grpDelete]; App --> grpCheck[grpCheck]; App --> grpAdd[grpAdd]; App --> Map[Map];
```

  - App
    - Home
    - grpModal
      - popLabel
      - icoDone
      - btnDone
      - popShade
    - grpLink
    - grpDelete
    - grpCheck
    - grpAdd
      - icoAdd
      - btnAdd
    - Map







---

---

---



P  
**Palm Springs  
Estate**  
●



Microsoft PowerApps Leads - Saved (Unpublished) + IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/ Environment fleetasarts.com (default)

PowerApps

File Home Insert View Action Leads - Saved (Unpublished)

New screen Label Button Text Controls Gallery Data table Forms Media Charts Icons

OnSelect = fx UpdateContext({vOutLead:CheckLead.Run(txtEmail.Text)});UpdateContext({vPopUp:true})

Tree view X

App

Home

grpModal

- popLabel
- icoDone
- btnDone
- popShade

grpLink

grpDelete

grpCheck

grpAdd

- icoAdd
- btnAdd

Map

Leads

Name Email Address Lead ID

Palm Springs Estates

Map controls: back, forward, zoom in, zoom out, checkmark, plus

Properties

Display mode Edit

Visible On

Position Multiple X Multiple Y

Size Multiple Multiple Width Height

Padding Multiple Multiple Top Bottom Multiple Multiple Left Right

Color A

Border Multiples

Auto disable on select On

Disabled color A

Hover color A

40 %

Microsoft PowerApps Leads - Saving ... - PowerApps + IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/ Environment fleetasarts.com (default)

PowerApps

File Home Insert View Action Leads

New screen Theme Reorder Align Group

OnSelect = UpdateContext({vOutLead:DeleteLead.Run(txtName.Text, txtEmail.Text)});UpdateContext({vPopUp:true})

Tree view

Search

- App
- Home
  - grpModal
  - grpLink
  - grpDelete
    - icoDelete
    - btnDelete
  - grpCheck
  - grpAdd
  - Map
  - Logo
  - UserPhoto
  - grpTextInput

Name Email Address Lead ID

Palm Springs Estates

Map

grpDelete Properties

Display mode Edit

Visible On

Position Multiple X Multiple Y

Size Multiple Multiple Width Height

Padding Multiple Multiple Top Bottom Multiple Multiple Left Right

Color A


Border

Auto disable on select On

Disabled color

Hover color

40 %



IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) +

https://us.create.powerapps.com/studio/ Leads - Saved (Unpublished)

PowerApps Environment fleitasarts.com (default)

Action

File Home Insert View Action

Fill = RGBA(255, 255, 255, 1)

Tree view

App

Home

grpModal

grpLink

grpDelete

grpCheck

grpAdd

Map

Logo

UserPhoto

grpTextInput

Screen Home

Properties Rules Advanced

Fill

Background image Select an image...

Image position Fit

Tree view

App

Home

grpModal

grpLink

grpDelete

grpCheck

grpAdd

Map

Logo

UserPhoto

grpTextInput

Name

Email

Address

Lead ID

Looks like you haven't created any flows yet.  
To get started, select 'Create a new flow' below.

Create a new flow

Palm Springs Estates

Westland Mall

Newstead St

Map

Home

DEMO

# Microsoft Flow (DEMO 3)



IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps

Leads - Saved (Unpublished) - Po

Create your flow | Microsoft Flow

American Flag

https://us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows/new?gallery=public&template=05ed784f63df4ac7b8cbb465005d6068

Star Bell Download Help

Profile Picture

Flow

PowerApps button

Save Flow Checker Test

Home

Approvals

My flows

Templates

Connectors

Data

Learn

PowerApps  
No additional information is needed for this step. You will be able to use the outputs in subsequent steps.

Green curved arrow pointing to the + New step button

+ New step

Save



## Flow

PowerApps button

Save Flow Checker Test

- Home
- Approvals
- My flows
- Templates
- Connectors
- Data
- Learn

PowerApps

Choose an action

execute stored procedure

All Built-in Standard Premium Custom

Oracle Database SQL Server Azure SQL Data... Azure Cosmos DB Dynamics 365 for Fi... Business Central Ethereum Blockchain

Triggers Actions

Execute stored procedure Oracle Database Execute stored procedure SQL Server Execute stored procedure Azure SQL Data Warehouse Execute stored procedure Azure Cosmos DB

Hiram Fleitas  
fleitasarts.com (default)

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) - Po Create your flow | Microsoft Flow

<https://us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows/new?gallery=public&template=05ed784f63df4ac7b8ccb465005d6068>

Hiram Fleitas fleitasarts.com (default)

Flow

PowerApps button

Save Flow Checker Test

Home Approvals My flows Templates Connectors Data Learn

SQL Server

Gateways

Connect via on-premises data gateway

\*Connection Name  
Enter name for connection

\*SQL server name  
SQL server name

\*SQL database name  
FleitasArts

Authentication Type  
Windows

\*Username  
Username credential

\*Password  
Password credential

\*gateway  
Hiram

Create

A red box highlights the 'SQL Server' configuration dialog.



← PowerApps button

Save Flow Checker Test

Hiram Fleitas  
fleitasarts.com (default)

Flow

Home Approvals My flows Templates Connectors Data Learn

SQL Server

Gateways

Connect via on-premises data gateway

\*Connection Name: localhost

\*SQL server name: localhost

\*SQL database name: FleitasArts

Authentication Type: Basic

\*Username: Leads

\*Password:

\*gateway: Hiram

Create Cancel

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps

Leads - Saved (Unpublished) - Po

Create your flow | Microsoft Flow

American Flag

# Flow

PowerApps button

Save Flow Checker Test

Home Approvals My flows Templates Connectors Data Entities Connections Custom connectors Gateways Learn

PowerApps

Execute stored procedure

\*Procedure name Name of stored procedure

- AddLead
- CheckLead
- DeleteLead
- LinkLead
- Enter custom value

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) - Po Create your flow | Microsoft Flow

https://us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows/new?gallery=public&template=05ed784f63df4ac7b8ccb465005d6068

Hiram Fleitas fleitasarts.com (default)

# Flow

PowerApps button

Save Flow Checker Test

Home Approvals My flows Templates Connectors Data Entities Connections Custom connectors Gateways Learn

PowerApps

Execute stored procedure

\* Procedure name: AddLead

Name, Email, Address

+ New step Save

Dynamic content Expression

Search dynamic content

PowerApps Ask in PowerApps

The screenshot shows the Microsoft Flow 'Create your flow' interface. On the left, there's a navigation sidebar with links like Home, Approvals, My flows, Templates, Connectors, Data, Entities, Connections, Custom connectors, Gateways, and Learn. The main area has tabs for PowerApps and Flow. A 'PowerApps' button is visible at the top left. The main content area shows a flow step titled 'Execute stored procedure' with a red border. Inside, it says 'Procedure name: AddLead' and lists 'Name', 'Email', and 'Address' fields. To the right, there's a 'Dynamic content' pane with a 'PowerApps' section containing an 'Ask in PowerApps' step, which is also highlighted with a green box.

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) - Po Create your flow | Microsoft Flow

<https://us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows/new?gallery=public&template=05ed784f63df4ac7b8cbb465005d6068>

Flow

AddLead

Save Flow Checker Test

Home Approvals My flows Templates Connectors Data Entities Connections Custom connectors Gateways Learn

PowerApps

Execute stored procedure

\*Procedure name: AddLead

Name: Executestoredprocedure\_Name

Email: Executestoredprocedure\_Email

Address: Executestoredprocedure\_Address

+ New step Save




## Flow

Hiram Fleitas  
fleitasarts.com (default)

- Home
- Approvals
- My flows
- Templates
- Connectors
- Data
  - Entities
  - Connections
  - Custom connectors
  - Gateways
- Learn

AddLead

Save Flow Checker Test



The sidebar on the right lists various dynamic content options under the "Expression" tab:

- Search dynamic content
- Execute stored procedure
- ReturnCode
- PowerApps
  - Executestoredprocedure\_Address
  - Executestoredprocedure\_Email
  - Executestoredprocedure\_Name




Flow

Hiram Fleitas  
fleitasarts.com (default)

AddLead

Save Flow Checker Test

- Home
- Approvals
- My flows
- Templates
- Connectors
- Data
  - Entities
  - Connections
  - Custom connectors
  - Gateways
- Learn



body('Execute\_stored\_procedure')?['resultsets']

A green arrow points from the text above to the 'Expression' tab of the dynamic content builder. The expression 'body('Execute\_stored\_procedure')?['resultsets']' is highlighted in red. The dialog shows other functions like concat, contains, length, and if.

| Dynamic content                                    | Expression                                                       |
|----------------------------------------------------|------------------------------------------------------------------|
| fx body('Execute_stored_procedure')?['resultsets'] | OK                                                               |
| String functions See more                          |                                                                  |
| fx concat(text_1, text_2, ...)                     | concat(text_1, text_2, ...)                                      |
| Collection See more                                |                                                                  |
| fx contains(collection, value)                     | Returns true if a dictionary contains a key, if an array cont... |
| fx length(collection)                              | Returns the number of elements in an array or string             |
| Logical functions See more                         |                                                                  |
| fx if(expression, valueIfTrue, valueIfFalse)       | If(expression, valueIfTrue, valueIfFalse)                        |

IT WON'T FAIL BECAUSE OF ME

PowerApps Leads - Saved (Unpublished) - Po Edit your flow | Microsoft Flow Edit your flow | Microsoft Flow + us.flow.microsoft.com/manage/environments/5dceb218-1634-4296-bdc3-8614602f009c/flows/new?newFlowName=AddForm&trigger=providers%2FMicrosoft.ProcessSimple%2FoperationGroups%2FPowerAp... Paused

Apps Popular Fleitas Arts Education USCG UPCIC Dba2.0 - Get data f... MD Cheatsheet Code Tags Other bookmarks

Flow AddForm Save Flow checker Test

Home Action items My flows Create Templates Connectors Data Entities Connections Custom connectors Gateways AI Builder Solutions Learn

AddForm

PowerApps Execute stored procedure (V2)

{x} Initialize variable

- \*Name: output
- \*Type: String
- Value: fx body(..) x

+ New step Save

Dynamic content Expression

body('Execute\_stored\_procedure\_(V2)?['resultsets']')

body('Execute\_stored\_procedure\_(V2)?[body]')

Update

Execute stored procedure (V2)

Body

OutputParameters

ResultSets

ReturnCode

PowerApps

- Executestoredprocedure(V2)\_Amount
- Executestoredprocedure(V2)\_BalanceDue
- Executestoredprocedure(V2)\_BillTo

A red arrow points from the text "body('Execute\_stored\_procedure\_(V2)?['resultsets']') to the "body" field in the "Dynamic content" pane.

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) - Po Create your flow | Microsoft Flow

https://us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows/new?gallery=public&template=05ed784f63df4ac7b8ccb465005d6068

Hiram Fleitas fleitasarts.com (default)

# Flow

AddLead

Save Flow Checker Test

Home Approvals My flows Templates Connectors Data Entities Connections Custom connectors Gateways Learn

PowerApps

Execute stored procedure

Initialize variable

Name: output  
Type: String  
Value: body(..)

Rename Add a comment Settings Configure run after Peek code Delete

+ New step Save

```
graph TD; A[PowerApps] --> B[Execute stored procedure]; B --> C{Initialize variable};
```

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) - Po Create your flow | Microsoft Flow

https://us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows/new?gallery=public&template=05ed784f63df4ac7b8ccb465005d6068

Hiram Fleitas fleitasarts.com (default)

# Flow

AddLead

Save Flow Checker Test

Home Approvals My flows Templates Connectors Data Entities Connections Custom connectors Gateways Learn

PowerApps

Execute stored procedure

'Initialize variable' (code view)

```
1 {
2 "inputs": {
3 "variables": [
4 {
5 "name": "output",
6 "type": "String",
7 "value": "@{body('Execute_stored_procedure')?
8 ['resultsets']}"
9 }
10]
11 }
```

Done

+ New step Save

The screenshot shows the Microsoft Flow interface. On the left, there's a navigation sidebar with options like Home, Approvals, My flows, Templates, Connectors, Data (with sub-options Entities, Connections, Custom connectors, Gateways), and Learn. The main workspace has two steps: a PowerApps step (purple icon) and an Execute stored procedure step (red SQL icon). Below these is a modal window titled "'Initialize variable' (code view)" containing JSON code. A green box highlights the "value" field of the variable definition, which contains a reference to the previous step's body. At the bottom of the modal are "Done" and "Save" buttons, along with "+ New step".

Flow

≡

Home

Action items

My flows

Create

Templates

Connectors

Data

Entities

Connections

Custom connectors

Gateways

AI Builder

Solutions

Learn

AddForm

Save

Flow checker

Test

PowerApps

Execute stored procedure (V2)

'Initialize variable' (code view)

```
1 {
2 "inputs": {
3 "variables": [
4 {
5 "name": "output",
6 "type": "String",
7 "value": "@{body('Execute_stored_procedure_(V2')?['resultsets'])}"
8 }
9]
10 }
11 }
```

Done

Hiram Fleitas  
aiaday (org3f000378)

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps

Leads - Saved (Unpublished) - Po

Edit your flow | Microsoft Flow

American Flag

# Flow

AddLead • Saved

Save Flow Checker Test

Home Approvals My flows Templates Connectors Data Entities Connections Custom connectors Gateways Learn

+ New step Save

```
graph TD; A[PowerApps] --> B[Execute stored procedure]; B --> C[Initialize variable]; C --> D[Respond to PowerApps];
```

The flow consists of four sequential steps:

- Step 1: PowerApps (purple box)
- Step 2: Execute stored procedure (red box)
- Step 3: Initialize variable (purple box)
- Step 4: Respond to PowerApps (purple box)

The "Respond to PowerApps" step includes input fields for "result" and "output".



← AddLead

Edit More On

Home Approvals My flows Templates Connectors Data Entities Connections Custom connectors Gateways Learn

AddLead

Create one or more actions to happen when a button or link in PowerApps is selected. To use this flow from a PowerApp, select the control you want to trigger the flow and go to the Action tab in the PowerApps ribbon and select Flows.

Edit description

Analytics

RUN HISTORY

Succeeded 42 minutes ago 1 second >

Test Succeeded 44 minutes ago 1 second >

Succeeded 9 hours ago 0 seconds >

Succeeded 9 hours ago 1 second >

Succeeded 9 hours ago 1 second >

reminder in 10 minutes

forecast for my current location

Office 365 email attachments to OneDrive for Business

PowerApps button

Microsoft PowerApps Leads - Saved (Unpublished) + IT WON'T FAIL BECAUSE OF ME

PowerApps Environment: fleitasarts.com (default)

File Home Insert View Action Leads - Saved (Unpublished) ?

On select: UpdateContext({vOutLead:AddLead.Run(txtName.Text, txtEmail.Text, txtAddress.Text)});UpdateContext({vPopUp:true})

Tree view

- Home
- grpModal
  - popLabel
  - icoDone
  - btnDone
  - popShade
- grpLink
- grpDelete
- grpCheck
- grpAdd
  - icoAdd
  - btnAdd
- Map
- Logo

Data

Flows associated with 'grpAdd'

No flows have been selected.

Flows

AddLead

Create a new flow

GROUP grpAdd

Properties Rules Advanced

Display mode Edit

Visible On

Position Multiple X Multiple Y

Size Multiple Multiple Width Height

Padding Multiple Multiple Top Bottom Multiple Multiple Left Right


Color A

Border Multip

Auto disable on select On

Disabled color A

Hover color A



IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) +

https://us.create.powerapps.com/studio/ PowerApps Environment fleitasarts.com (default)

Action

On select: UpdateContext({vOutLead:AddLead.Run(txtName.Text, txtEmail.Text, txtAddress.Text)});UpdateContext({vPopUp:true})

Tree view

- Home
- grpModal
  - popLabel
  - icoDone
  - btnDone
  - popShade
- grpLink
- grpDelete
- grpCheck
- grpAdd
  - icoAdd
  - btnAdd
- Map
- Logo

Name Email Address Lead ID

AddLead CheckLead DeleteLead LinkLead

Create a new flow

Flows associated with 'grpAdd'  
No flows have been selected.

Properties Rules Advanced

Display mode Edit

Visible On

Position Multiple X Multiple Y

Size Multiple Multiple Width Height

Padding Multiple Multiple Top Bottom Left Right

Color A

Border Multip

Auto disable on select On

Disabled color A

Hover color A



## PowerApps

File Home Insert View Action

Leads - Saved (Unpublished)



?

Navigate ▾ Collect ▾ Remove ▾ On select Flows

OnSelect



UpdateContext({vOutLead:LinkLead.Run(txtLeadID.Text, txtName.Text, txtEmail.Text)});UpdateContext({vPopUp:true})

## Tree view

Search

- App
- Home
  - grpModal
  - grpLink
  - grpDelete
  - grpCheck
  - grpAdd
  - Map
  - Logo
  - UserPhoto
  - grpTextInput

Name

Email

Address

Lead ID

Home

grpLink

## Data

Flows associated with 'grpLink'

No flows have been selected.

## Flows

- AddLead
- CheckLead
- DeleteLead
- LinkLead

① Complete flow's parameters in formula bar

Create a new flow

GROUP  
grpLink

Properties Rules Advanced

Display mode

Edit

Visible

On

Position

Multiple X Multiple Y

Size

Multiple Multiple Width Height

Padding

Multiple Multiple Top Bottom

Color

Border

Auto disable on select

On

Disabled color

Hover color



## PowerApps

File Home Insert View Action

UpdateContext(context)

New screen

Theme

Open Sans

**context:** A record that specifies new values for some or all of the context variables in the current screen. For example: { Price: Price + 1 }

OnSelect

fx

UpdateContext({vOutLead:AddLead.Run(txtName.Text, txtEmail.Text, txtAddress.Text});UpdateContext({vPopUp:true})

## Tree view

 Search

- App
- Home
- grpModal
  - popLabel
  - icoDone
  - btnDone
  - popShade
- grpLink
- grpDelete
- grpCheck
- grpAdd
  - Map
  - Logo
  - UserPhoto

## vOutLead



|         |
|---------|
| Name    |
| Email   |
| Address |
| Lead ID |



## grpAdd

## Properties Rules Advanced

Display mode

Edit

Visible

On

Position

Multiple X Multiple Y

Size

Multiple Width Height

Padding

Multiple Top Bottom Left Right

Color



Border



Auto disable on select

On

Disabled color



Hover color



Home

grpAdd

- + 40 % ↻

Microsoft PowerApps Leads - Saved (Unpublished) + IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/ PowerApps Home Insert View Action Leads - Saved (Unpublished) New screen Theme Open Sans 21 / A Fill Border Reorder Align Group Text If(vOutLead.result = "{}", "", vOutLead.result)

Tree view X

Search

- App
- Home
- grpModal
  - popLabel
  - icoDone
  - btnDone
  - popShade
- grpLink
- grpDelete
- grpCheck
- grpAdd
  - Map
  - Logo
  - UserPhoto
- grpThumbnail

popLabel Properties Rules Advanced

Text: No value  
Font: Open Sans  
Font size: 21  
Font weight: Normal  
Font style: / U   
Text alignment:   
Auto height: Off  
Line height: 1.2  
Overflow: Hidden  
Display mode: Edit

Visible: Off  
Position: X: 0 Y: 60  
Size: Width: 640 Height: 902

IT WON'T FAIL BECAUSE OF ME

Environment: fleetasarts.com (default)



Lead Details

Profile Picture:

Save Lead:

Name:

Email:  dmoney@icloud.com

Address:

Lead ID:

Map:

Actions:



Name

dmoney@icloud.com

Address

Lead ID

Palm Springs Events

Lead ID: 1001

Table1: [{"TicketId":2001,"LeadId":1001}]]



IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps

Leads - Saved (Unpublished) - Po

Edit your flow | Microsoft Flow

American Flag

Star Bell Download Gear Help

Profile

https://us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows/27af8f7b-9ef7-42b4-95ae-3b3ec5fc5d68

Hiram Fleitas  
fleitasarts.com (default)

Flow

CheckLead

Save Flow Checker Test

Home Approvals My flows Templates Connectors Data Learn

PowerApps Execute stored procedure Initialize variable Respond to PowerApps

Downward arrows indicating flow direction

+ New step

Save

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) - Po Edit your flow | Microsoft Flow

https://us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows/27af8f7b-9ef7-42b4-95ae-3b3ec5fc5d68

Flow

CheckLead

Home Approvals My flows Templates Connectors Data Learn

+ New step Save

PowerApps Execute stored procedure Initialize variable Respond to PowerApps

I'll perform the trigger action  
Using data from previous runs  
Choose data from a list of previous runs:  
Succeeded 8 hours ago  
Succeeded 8 hours ago  
Succeeded 9 hours ago

Save & Test Cancel

Hiram Fleitas fleitasarts.com (default)

The screenshot shows the Microsoft Flow editor interface. On the left is a navigation sidebar with options like Home, Approvals, My flows, Templates, Connectors, Data, and Learn. The main workspace displays a workflow titled 'CheckLead' with four steps: 'PowerApps', 'Execute stored procedure', 'Initialize variable', and 'Respond to PowerApps'. To the right of the workspace is a 'Test Flow' panel. It contains a radio button group for 'I'll perform the trigger action' and 'Using data from previous runs'. Under 'Using data from previous runs', there are three entries: 'Succeeded' at '8 hours ago', 'Succeeded' at '8 hours ago', and 'Succeeded' at '9 hours ago'. At the bottom of the test panel are 'Save & Test' and 'Cancel' buttons.

https://us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows/27af8f7b-9ef7-42b4-95ae-3b3ec5fc5d68

Flow

CheckLead

Your flow ran successfully.

PowerApps

Execute stored procedure

Initialize variable

Respond to PowerApps

Edit

Home Approvals My flows Templates Connectors Data Learn

```
graph TD; A[PowerApps] --> B[Execute stored procedure]; B --> C[Initialize variable]; C --> D[Respond to PowerApps]
```

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) - Po Run History | Microsoft Flow

https://us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows/27af8f7b-9ef7-42b4-95ae-3b3ec5fc5d68

Hiram Fleitas fleitasarts.com (default)

Flow

CheckLead

Your flow ran successfully.

PowerApps

0s

INPUTS

Schema

```
[{"type": "object", "required": ["Executestoredprocedure_Email"], "properties": {"Executestoredprocedure_Email": {"type": "string", "value": "dmoney@icloud.com"}}}
```

OUTPUTS

Executestoredprocedure\_Email

dmoney@icloud.com

Show more ▾

Execute\_stored\_procedure

SQl



## Flow

CheckLead

Hiram Fleitas  
fleitasarts.com (default)

Edit

Home

Your flow ran successfully.

X

Approvals

My flows

Templates


Connectors

Data

▼

Learn

| Headers         |                    |
|-----------------|--------------------|
| Key             | Value              |
| Cache-Control   | no-store, no-cache |
| Accept          | /*                 |
| Accept-Encoding | br,gzip,deflate    |
| Accept-Language | en-US              |

[Show less ^](#)



← CheckLead

Edit

- Home
- Approvals
- My flows
- Templates
- Connectors
- Data
- Learn

SQL Execute stored procedure 1s

**INPUTS**

Procedure name: [dbo].[CheckLead]

parameters:

```
[{"Email": "dmoney@icloud.com"}]
```

Email: dmoney@icloud.com

**OUTPUTS**

Body:

```
{"OutputParameters": {}, "ResultSets": { "Table1": [{ "TicketId": 2001, "LeadId": 1001 }] }}
```

https://us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows/27af8f7b-9ef7-42b4-95ae-3b3ec5fc5d68

Flow

CheckLead

Edit

Home Approvals My flows Templates Connectors Data Learn

{x} Initialize variable 0s

INPUTS

Name: output  
Type: String  
Value: {"Table1":[{"TicketId":2001,"LeadId":1001}]}

Respond to PowerApps 0s

ActionResponseSkipped. The execution of template action 'Respond\_to\_PowerApps' is skipped: the client application is not waiting for a response from service.



## Flow

[Edit flow](#) [Get .csv file](#)

All runs

[Home](#)[Approvals](#)[My flows](#)[Templates](#)[Connectors](#)[Data](#)

CheckLead &gt; Run history

|  | Start time                   | Duration | Status         |  |
|--|------------------------------|----------|----------------|--|
|  | May 5, 12:33 PM (31 min ago) | 00:00:01 | Succeeded      |  |
|  | May 5, 12:31 PM (33 min ago) | 00:00:01 | Test succeeded |  |
|  | May 5, 3:32 AM (9 h ago)     | 00:00:00 | Succeeded      |  |
|  | May 5, 3:32 AM (9 h ago)     | 00:00:01 | Succeeded      |  |
|  | May 5, 3:32 AM (9 h ago)     | 00:00:01 | Succeeded      |  |



## Flow

[+ New](#) [Run now](#) [Edit](#) [Share](#) [Save As](#) [...](#)[Search](#)[Home](#)[Approvals](#)[My flows](#)[Templates](#)[Connectors](#)[Data](#)[Learn](#)

## Flows

[My flows](#)[Team flows](#)[Business process flows](#)

| Name                                                     | Modified   | Type      |
|----------------------------------------------------------|------------|-----------|
| CheckLead                                                | 34 min ago | Instant   |
| DeleteLead                                               |            | Instant   |
| LinkLead                                                 |            | Instant   |
| AddLead                                                  |            | Instant   |
| Get a push notification when you receive an email fro... |            | Automated |

- [Run now](#)
- [Edit](#)
- [Share](#)
- [Save As](#)
- [Send a copy \(Preview\)](#)
- [Export](#)
- [Run history](#)
- [Analytics](#)
- [Turn flow off](#)
- [Delete](#)
- [Details](#)



Home



Approvals

Usage   Errors

Select range

Last 30 days



My flows




Templates

Connectors

Data



Learn



DEMO

# Data Gateway (DEMO 4)







Power BI Home





Good afternoon, Hiram



VanArsdel ①



47.48%






# Keep your dashboards and reports up-to-date with your on-premises data sources





## One gateway for all services

Install once and deploy multi connections across Power BI, Flow and Azure Logic Apps using one gateway.

With the on-premises gateways, you can keep your data fresh by connecting to your on-premises data sources without the need to move the data. Query large datasets and benefit from your existing investments. The gateways provide the flexibility you need to meet individual needs, and the needs of your organization.

[DOWNLOAD GATEWAY](#)[LEARN MORE >](#)





Power BI  
Desktop



On-premises  
data gateway

Power BI  
DesktopOn-premises  
data gateway

## On-premises data gateway

### Status

### Service Settings

### Diagnostics

### Network

### Connectors

Your gateway is all set up.

Sign in for more information on your gateway.

Gateway version number: 3000.3.138 (2019-04-09)

- Help us improve the on-premises data gateway by sending usage information to Microsoft.

[Read the privacy statement online](#)

Sign in

Close

## On-premises data gateway

Email address to use with this gateway:

hiram@fleitasarts.com



← hiram@fleitasarts.com

## Enter password

••••••••••

[Forgot my password](#)

Sign in

Next

Cancel

Power BI  
DesktopOn-premises  
data gateway

## On-premises data gateway

The gateway Hiram is online and ready to be used.

Gateway version number: 3000.3.138 (2019-04-09)

Help us improve the on-premises data gateway by sending usage information to Microsoft.  
[Read the privacy statement online](#)


**Logic Apps, Azure Analysis Services** [Create a gateway in Azure](#)  
East US 2



**PowerApps, Microsoft Flow** Default environment Ready

**Power BI** Default environment Ready

[Close](#)





Power BI  
DesktopOn-premises  
data gateway



Power BI  
Desktop



On-premises  
data gateway



## On-premises data gateway installer



Start your on-premises data gateway installation.

A gateway acts as a bridge between on-premises data (not in the cloud), and Power BI, PowerApps, Logic Apps, and Microsoft Flow.

Gateways should be installed on a computer that is always on.

Performance may be slower on a wireless network.

[Learn more](#)

Next

Cancel





Power BI  
Desktop



On-premises  
data gateway



## On-premises data gateway installer

x

Choose the type of gateway you need.

On-premises data gateway (recommended)

- Can be shared and reused by multiple users
- Can be used by Power BI, PowerApps, Logic Apps, and Microsoft Flow
- Supports schedule refresh and live query for Power BI

[Learn more](#)

On-premises data gateway (personal mode)

- Can only be used by you
- Can only be used in Power BI
- Only schedule refresh is supported

[Learn more](#)

Next

Cancel





Power BI  
Desktop



On-premises  
data gateway



## On-premises data gateway installer

x

Getting ready to install the on-premises data gateway.

Time remaining 2 seconds

A horizontal progress bar consisting of a long blue segment followed by a shorter grey segment, indicating the time remaining for the installation process.

Next

Cancel



Power BI  
Desktop



On-premises  
data gateway



## On-premises data gateway installation

### Reminder before you install.

Make sure to install the gateway on a computer that is always on.

The gateway will perform slowly over a wireless network.

?

X

Next


Cancel



Power BI  
Desktop



On-premises  
data gateway





Power BI  
Desktop



On-premises  
data gateway



## On-premises data gateway installation

?

x

Installing your on-premises data gateway.

Please wait

Cancel





Power BI  
Desktop



On-premises  
data gateway



## On-premises data gateway



Almost done.

Installation was successful!

Email address to use with this gateway:

hiram@fleitasarts.com

Next, you need to sign in to register your gateway.

Sign in


Cancel



Power BI  
Desktop



On-premises  
data gateway



Power BI  
DesktopOn-premises  
data gateway

## On-premises data gateway

You are signed in as hiram@fleitasarts.com and are ready to register the gateway.

New on-premises data gateway name

Hiram

Add to an existing gateway cluster

Recovery key (8 character minimum)

\*\*\*\*\*

ⓘ This key is needed to restore the gateway and can't be changed. Record it in a safe place.

Confirm recovery key

\*\*\*\*\*

[Learn more about gateway clusters](#)

We'll use this region to connect the gateway to cloud services: East US 2 [Change Region](#)

Configure

Cancel

Power BI  
DesktopOn-premises  
data gateway

## On-premises data gateway

The gateway Hiram is online and ready to be used.

Gateway version number: 3000.1.257 (February 2019)

Help us improve the on-premises data gateway by sending usage information to Microsoft.  
[Read the privacy statement online](#)

**Logic Apps, Azure Analysis Services** [Create a gateway in Azure](#)  
East US 2

**PowerApps, Microsoft Flow** Default environment Ready

**Power BI** Default environment Ready

[Close](#)



Power BI  
DesktopOn-premises  
data gateway

## On-premises data gateway


?

X

|                  |                                                                                                                                                                                                                       |
|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Status           | Restart the gateway                                                                                                                                                                                                   |
| Service Settings | <p>It is recommended to restart the gateway everytime you make changes to the gateway configuration files.</p> <p><a href="#">Restart now</a></p>                                                                     |
| Diagnostics      |                                                                                                                                                                                                                       |
| Network          |                                                                                                                                                                                                                       |
| Connectors       | <p>Gateway service account</p> <p>Change the service account your gateway is running as. The gateway is currently running as NT SERVICE\PBIEgwService.</p> <p>You need to be signed in to change service account.</p> |

Sign in

Close



Power BI  
DesktopOn-premises  
data gateway

## On-premises data gateway



Status

Service Settings

Diagnostics

Network

Connectors

### Additional logging



You can enable additional logging to output queries and their timings to help understand what is performing slow. It is not recommended to leave this setting enabled long term.

[Learn more](#)

### Gateway logs

Export all of the gateway's configuration and service logs to a single .zip file.

[Sign in](#)

### Network ports test

Check to see if your gateway can access all of the correct network ports.

[Learn more](#)

Sign in to start a test.

[Sign in](#)[Close](#)

Power BI  
DesktopOn-premises  
data gateway

## On-premises data gateway

?

X

Status

Service Settings

Diagnostics

Network

Connectors

Network status: Connected

Check to see if your gateway can reach outside your network.

[Check now](#)

HTTPS mode

You can force the gateway to communicate through Azure Service Bus using HTTPS instead of direct TCP. This may slow performance.

[Learn more](#)

We need to restart the gateway in order to apply this change. Are you sure you want to continue?

Close

The screenshot shows the 'On-premises data gateway' configuration window from Power BI Desktop. The 'Network' tab is selected. It displays the network status as 'Connected' and provides a link to check if the gateway can reach outside the network. A toggle switch for 'HTTPS mode' is turned on. A modal dialog box is displayed in the foreground, asking for confirmation to apply changes and restart the gateway. The 'Apply & Restart' button is highlighted with a dashed border. The background features a blue Windows 10 desktop environment with a blurred window title bar.

Power BI  
DesktopOn-premises  
data gateway

## On-premises data gateway

?

X

Status

Service Settings

Diagnostics

Network

Connectors

Custom data connectors

[Learn more](#)

Load custom data connectors from folder:

C:\Users\PBIEgwService\Documents\Power BI Desktop\Custom

...

Folder not found.

Ensure the gateway service account has permission to access the selected folder.  
The gateway service account is NT SERVICE\PBIEgwService.

Close

DEMO

# Cortana (DEMO 5)



Power BI

IT WON'T FAIL BECAUSE OF ME

<https://app.powerbi.com/groups/me/settings/datasets/bd5196da-3416-4d48-bfc5-ad5455108b66>

Power BI Settings

Home

Favorites >

Recent >

Apps

Shared with me

Workspaces >

My Workspace ▾

Get Data

General Dashboards Datasets Workbooks Alerts Subscriptions

Customer Profitability Sample

DIAD Final Report

Sales and Marketing Sample

Social

Year over year

Settings for DIAD Final Report

Refresh history

► Gateway connection

► Data source credentials

► Parameters

► Scheduled refresh

▲ Q&A and Cortana

Allow Cortana to access this dataset

Cortana will only share this information with Power BI users who have access to it.

Apply Discard

► Featured Q&A questions

Power BI Admin portal

IT WON'T FAIL BECAUSE OF ME

https://app.powerbi.com/admin-portal/tenantSettings

Home Favorites Recent Apps Shared with me Workspaces My Workspace Get Data

## Admin portal

Usage metrics  
Users  
Audit logs  
**Tenant settings**  
Capacity settings  
Embed Codes  
Organization visuals  
Dataflow settings  
Workspaces

### Integration settings

Ask questions about data using Cortana  
*Enabled for the entire organization*  
Users in the organization can ask questions about their data using Cortana.  
 Enabled

Apply Cancel

ⓘ This setting applies to the entire organization

▶ Use Analyze in Excel with on-premises datasets  
*Enabled for the entire organization*

▶ Use ArcGIS Maps for Power BI  
*Enabled for the entire organization*

▶ Use global search for Power BI (Preview)  
*Enabled for the entire organization*

### Custom visual settings




Utterance: **growth by**

Interpretations:

**growth by Country**  
from Dataset: DIAD Final Report

Show Diagnostics information:



Best match

 show growth by Country  
Dataset: DIAD Final Report

Search the web

 show growth by country - See web results

 show growth by




show growth by Country

Dataset: DIAD Final Report

 Open



 show growth by Country





All Apps Documents Settings Web More ▾

Feedback ...

Best match

show year over year  
See web results

'Year Over Year' report  
Owner: Hiram Fleitas

Search the web

- show year over year tableau - See web results >
- show year over year increase >
- show year over year in tableau >
- show year over year in power bi >
- show year over year with pivot table >
- excel show year over year growth >
- how to show year over year growth % >


show year over year



Search the web for "show year over year"

Open in browser





+

C


X





Try, "when does summer begin?"

show growth by country ↗









IT WON'T FAIL BECAUSE OF ME

DIAD Final Report - Power BI

<https://app.powerbi.com/groups/me/reports/8a17bf77-6fba-4b41-b868-e8f221d2d1eb/ReportSection1f7a3ced29980e760505>

Power BI My Workspace > DIAD Final Report

File View Reading view Mobile Layout Ask a qu... Ex... Tex... S... Bu... Visual inter... Re... Duplicate thi... Pin Live... ...

Home Favorites Recent Apps Shared with me Workspaces My Workspace

Market Share Rev & PY Sales

47.04% \$3bn

Growth by Country Growth by Manufact...

| Country | Growth (%) | Manufacture | Growth (%) |
|---------|------------|-------------|------------|
| 1       | 23.22%     | 2           | 23.77%     |
| 3       | 20.52%     | 4           | 21.32%     |
| 5       | 20.12%     | 6           | 20.91%     |
| 7       | 19.54%     | 8           | 19.01%     |
| 9       | 18.19%     | 10          | 16.42%     |

% Growth by Country

EUROPE ASIA  
Atlantic Ocean Indian Ocean  
AFRICA  
SOUTH AMERICA

Bing Microsoft Corporation terms

VISUALIZATIONS FIELDS

Search Date Geography Manufacturer Product Sales

Market Share

Tooltip Off

Q&A On

Growth by Country, Growth by Manufacture, Previous Year Sales

A green arrow points from the 'Market Share' visualization in the main area to the 'Market Share' entry in the 'FIELDS' pane.

A green arrow points from the 'Growth by Country' visualization in the main area to the 'Growth by Country, Growth by Manufacture, Previous Year Sales' entry in the 'FIELDS' pane.

A green arrow points from the 'Edit' icon in the 'FIELDS' pane to the 'Edit' icon in the 'Visualizations' pane.

IT WON'T FAIL BECAUSE OF ME

DIAD Final Report - Power BI

+

https://app.powerbi.com/groups/me/reports/8a17bf77-6fba-4b41-b868-e8f221d2d1eb/ReportSection1f7a3ced29980e760505

Star  More

Power BI



My Workspace > DIAD Final Report



- Home
- Favorites
- Recent
- Apps
- Shared with me
- Workspaces
- My Workspace

- File
- View
- Reading view
- Mobile Layout
- Ask a qu...
- Ex...
- Tex...
- S...
- Bu...
- Visual inter...
- Re...
- Duplicate thi...
- ...
- Pin Live...
- ...

Market Share Rev & PY Sales

47.04% \$3bn



50bn \$5bn

Growth by Country Growth by Manufact...

|        |        |
|--------|--------|
| 23.22% | 23.77% |
| 20.52% | 21.32% |
| 20.12% | 20.91% |
| 19.54% | 19.01% |
| 18.19% | 16.42% |

% Growth by Country



EUROPE ASIA

Atlantic Ocean Indian Ocean

AFRICA

SOUTH AMERICA

Bing Microsoft Corporation Terms

VISUALIZATIONS >

FIELDS >

Search

- Date
- Geography
- Manufacturer
- Product
- Sales

page size

Type: Cortana

Width: 296 Pixels

Height: 592 Pixels

Market Share

+

## Windows Settings

Find a setting 



### System

Display, sound, notifications, power



### Devices

Bluetooth, printers, mouse



### Phone

Link your Android, iPhone



### Network & Internet

Wi-Fi, airplane mode, VPN



### Personalization

Background, lock screen, colors



### Apps

Uninstall, defaults, optional features



### Accounts

Your accounts, email, sync, work, other people



### Time & Language

Speech, region, date



### Gaming

Game bar, captures, broadcasting, Game Mode



### Ease of Access

Narrator, magnifier, high contrast



### Cortana

Cortana language, permissions, notifications



### Privacy

Location, camera



### Update & Security

Windows Update, recovery, backup

The image shows the Windows Settings application window. On the left, a sidebar lists various settings categories: Home, Accounts (selected), Your info, Email & accounts, Sign-in options, Access work or school (highlighted with a blue bar), Other users, and Sync your settings. A search bar at the top says "Find a setting". The main content area is titled "Access work or school" and contains the following text:

Get access to resources like email, apps, and the network. Connecting means your work or school might control some things on this device, such as which settings you can change. For specific info about this, ask them.

**Connect**

 Work or school account  
hiram@fletasarts.com

 Connected to AD domain

**Connect with work and school**

Select Manage or disconnect from work or school, and then select Connect to access resources on your work or school network. The Connect option will also let you set up a work or school account if you don't have one already.

[Get more tips](#)

**Related settings**

Settings

Home

Find a setting

Cortana

Talk to Cortana

Permissions & History

Cortana across my devices

More details

## Talk to Cortana

### Microphone

Make sure Cortana can hear me.

[Check the microphone](#)

### Hey Cortana

Let Cortana respond to "Hey Cortana"

Off

Cortana uses more battery when this is on.

### Keyboard shortcut

Let Cortana listen for my commands when I press the Windows logo key + C

On

### Lock Screen

Use Cortana even when my device is locked

On


To get Cortana tips on the lock screen, choose Picture or Slideshow as your background in Lock Screen Settings.

[Lock screen settings](#)

DEMO

# Publish & Share Security Governance (DEMO 6)






## Build business apps, fast


Create apps that connect to your data and work across web and mobile. [Learn about PowerApps](#)

### Make your own app




Canvas app from blank

Canvas app



Model-driven app from blank

Model-driven app



PowerApps Training for Office

Canvas app

[All templates →](#)

- Edit
- Play
- Share
- Export package (preview)
- Analytics (preview)
- Settings
- Delete
- Details

... 2 wk ago

Owner

Type

### Recent apps

Shared with me

Name

Leads

You

Canvas



[All apps →](#)



Microsoft PowerApps Leads - Saved (Unpublished) - Po +

IT WON'T FAIL BECAUSE OF ME

https://us.create.powerapps.com/studio/#/

PowerApps

←

New

Open

Account

Connections ▾

Flows ▾

App settings

Save

Save as

Share ▾

Collections

Media

Variables

# Save

## Leads

Environment: fleitasarts.com (default)

Saved: 5/5/2019, 6:07:05 PM

✓ All changes are saved.

Publish See all versions

A green arrow points upwards from the 'Save' button in the sidebar to the 'Publish' button in the main content area, highlighting the transition from saving locally to publishing online.





## App settings

New

Open

Account

Connections

Flows

App settings

Save

Save as

Share

Collections

Media

Variables



App name + icon  
Change the name or icon for the app



Screen size + orientation  
Change the aspect ratio for your app



Advanced settings  
Includes preview & experimental features

## App name

Leads

[Edit app name](#)

## Icon


Preview



Background color



Icons

[Browse](#)

## Description

Describe what people can do with this app. This will appear with your app on users' Dynamics 365 home page.

[Learn about Dynamics 365](#).

Leads App by Hiram

Microsoft PowerApps Leads - Saved (Unpublished) - Po +

IT WON'T FAIL BECAUSE OF ME

← PowerApps

New

Open

Account

Connections ▾

Flows ▾

App settings

Save

Save as

Share ▾

Collections

Media

Variables

# Save

## Leads

Environment: fleitasarts.com (default)

Saved: 5/23/2019, 12:58:32 AM

✓ All changes are saved.

**Publish** See all versions



A screenshot of the Microsoft PowerApps Studio interface showing a 'Save' operation for a 'Leads' app. The left sidebar lists various options like New, Open, Account, etc. The main area shows the 'Leads' environment, its save date (5/23/2019, 12:58:32 AM), and a confirmation message that all changes are saved. At the bottom right, there are 'Publish' and 'See all versions' buttons. A green arrow points upwards from the bottom of the 'Save' section towards the 'Publish' button.



## Save

## Leads

Environment: fleitasarts.com (default)

Saved: 5/23/2019, 12:58:32 AM

All changes are saved.

Publish

See all versions

App settings

Save

Save as

Share

Collections

Media

Variables

## Publish



Publishing will make this version available to everyone who has Can use permissions.

[Learn more about publishing apps](#)

Leads

Description

Leads App by Hiram

Publish this version

Edit details



## Save

### Leads

Environment: fleitasarts.com (default)

Saved: 5/23/2019, 12:59:50 AM

All changes are saved and published.

[Share this app](#)[See all versions](#)

- New
- Open
- Account
- Connections ▾
- Flows ▾
- App settings
- Save
- Save as
- Share ▾
- Collections
- Media
- Variables

https://web.powerapps.com/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/apps/daece9ba-da58-4f99-8093-5f997efe6e12/share

## PowerApps

Edit Play Share Export package (preview) Analytics (p)

### Apps > Leads

Details Versions Connections Flows Analytics (preview)

Owner Hiram Fleitas

Created 5/3/2019, 6:36:06 PM

Modified 5/23/2019, 12:59:50 AM

Web link <https://web.powerapps.com/apps/daece9ba-da58-4f99-8093-5f997efe6e12>

App ID daece9ba-da58-4f99-8093-5f997efe6e12

## Share Leads

Add people as Users and Co-owners to your app. Make sure your data connections have been shared with all users.

Enter a name, email address, or Everyone

Shared with Sort by Name

Christina

This user can use this app.

Co-owner

Can use, edit, share app but not delete or change owner.

Data permissions ⓘ

Office 365 Users

Bing Maps Implicitly Shared

SQL Server Implicitly Shared

Logic flows

Logic flows

Logic flows

Logic flows

Send an email invitation to new users

Share Cancel

A green arrow points from the bottom right of the main content area towards the bottom right corner of the "Data permissions" section.




## Productivity



# Hello

Sign in to start using PowerApps



Sign in with your work or school email account

Sign in



Cancel

Pick account



Azure AD

hfleitas@universalproperty.com



<https://sts.windows.net/cb6db...>

hf0524@universalproperty.com



Azure AD

hiram@fleitasarts.com

[Cancel](#)[Get Codes](#)

hiram@fleitasarts.com

## Enter password

Password

[Forgot my password](#)[Sign in with another account](#)[Sign in](#)PowerApps ▾  
MY APPS



Leads

Hiram Fleitas

fleitasarts.com (default)

...

Looking for more? [Go to All apps.](#)



data:



Cancel

Add to Home Screen

Add



Leads



data:text/html;charset=UTF-8;base6...

An icon will be added to your home screen so you can quickly access this website.



Almost there ...

Leads needs your permission to use:



Bing Maps ⓘ Pre...  
Bing Maps

✓ Signed in ⋮




SQL Server  
localhost

✓ Signed in ⋮



Location

Swipe from the left edge to close app





Got it


Don't show again

Allow

Don't Allow

BingMaps.GetMapV2 failed: The method 'GetMapV2' has an invalid value for parameter 'latitude'






Name

Email

Address

Lead ID






Name

Dmoney@icloud.com

Address

Lead ID



Name

Dmoney@icloud.com

Address

{"Table1": [{"TicketId":2001,"LeadId":1001}]}







Tony

Wakeboard@live.com

Address

Lead ID

...  
...






Jackie

Hr@icloud.com

Address

Lead ID



Name

Hr@icloud.com

Address

{"Table1": [{"TicketId":2002, "LeadId":1003}]}  







Tony

Wakeboard@live.com

### Address

1002



```
[{"TicketId":2003,"CustomerId":null,"LeadId":1002,"Status":false,"CreatedBy":"Leads","CreatedOn":"2019-05-24T15:34:33.15","ModifiedBy":null}]]
```



Ryan

Ryan@outlook.com

750 Lake Dr, Boca Raton, FL 33432


Lead ID




Ryan

Ryan@outlook.com

750 Lake Dr, Boca Raton, FL 33432

{"Table1": [{"Column1":1007}]}







← → ⌂ ⌂ Leads - PowerApps × Microsoft PowerApps +

https://web.powerapps.com/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/apps/daece9ba-da58-4f99-8093-5f997efe6e12/details

PowerApps Environment fleitasarts.com (default) ⌂ ⌂ ⌂ ?

☰

Home

Learn

**Apps**

Create

Data

Business logic

Solutions

Edit Play Share Export package (preview) Analytics (preview) Settings Delete

Apps > Leads

**Details** Versions Connections Flows Analytics (preview)

Owner  
Hiram Fleitas

Created  
5/3/2019, 6:36:06 PM

Modified  
5/23/2019, 12:59:50 AM

Web link  
<https://web.powerapps.com/apps/daece9ba-da58-4f99-8093-5f997efe6e12>

App ID  
daece9ba-da58-4f99-8093-5f997efe6e12

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - PowerApps Microsoft PowerApps

https://web.powerapps.com/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/apps/daece9ba-da58-4f99-8093-5f997efe6e12/versions

PowerApps

Environment fleitasarts.com (default)

Edit Play Share Export package (preview) Analytics (preview) Settings Delete Search

Home Learn Apps Create Data Business logic Solutions

Apps > Leads

Details Versions Connections Flows Analytics (preview)

| Version    | Modified               | Modified by   | PowerApps release | Published | Comment |
|------------|------------------------|---------------|-------------------|-----------|---------|
| Version 14 | 5/23/2019, 12:58:32 AM | Hiram Fleitas | 3.19051.20        | Live      |         |
| Version 13 | 5/5/2019, 6:07:04 PM   | Hiram Fleitas | 3.19044.15        |           |         |
| Version 12 | 5/5/2019, 12:30:32 PM  | Hiram Fleitas | 3.19044.15        |           |         |
| Version 11 | 5/5/2019, 3:28:52 AM   | Hiram Fleitas | 3.19044.15        |           |         |
| Version 10 | 5/5/2019, 3:26:57 AM   | Hiram Fleitas | 3.19044.15        |           |         |
| Version 9  | 5/4/2019, 4:06:17 PM   | Hiram Fleitas | 3.19044.13        |           |         |
| Version 8  | 5/4/2019, 2:32:55 PM   | Hiram Fleitas | 3.19044.13        |           |         |
| Version 7  | 5/4/2019, 1:24:36 PM   | Hiram Fleitas | 3.19044.13        |           |         |
| Version 6  | 5/4/2019, 11:59:46 AM  | Hiram Fleitas | 3.19044.13        |           |         |
| Version 5  | 5/4/2019, 10:19:38 AM  | Hiram Fleitas | 3.19044.13        |           |         |
| Version 4  | 5/4/2019, 12:41:00 AM  | Hiram Fleitas | 3.19044.13        |           |         |

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps Leads - Saved (Unpublished) - Po Microsoft PowerApps

https://web.powerapps.com/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/apps/daece9ba-da58-4f99-8093-5f997efe6e12/connections

PowerApps

Edit Play Share Export package (preview) Analytics (preview) Settings Delete

Search

Home Learn Apps Create Data Entities Connections Custom connectors Gateways Business logic Flows Solutions

Environment fleitasarts.com (default)

Apps > Leads

Details Versions **Connections** Flows Analytics (preview)

| Name                                      |
|-------------------------------------------|
| Bing Maps<br>Bing Maps (preview)          |
| hiram@fleitasarts.com<br>Office 365 Users |
| localhost<br>SQL Server                   |

IT WON'T FAIL BECAUSE OF ME

Microsoft PowerApps X

Leads - Saved (Unpublished) - Po X

Microsoft PowerApps X

+

← → C Home 🔒 https://web.powerapps.com/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/apps/daece9ba-da58-4f99-8093-5f997efe6e12/flows ☆ ...

PowerApps

Environment fleitasarts.com (default) ↓ 🔔 ⚙️ ?

☰ Edit Play Share Export package (preview) Analytics (preview) Settings Delete

Search

Home

Learn

Apps

Create

Data

Entities

Connections

Custom connectors

Gateways

Business logic

Flows

Solutions

## Apps > Leads

Details Versions Connections Flows Analytics (preview)







| Name       |
|------------|
| CheckLead  |
| LinkLead   |
| AddLead    |
| DeleteLead |



## PowerApps

[Edit](#) [Play](#) [Share](#) [Export package \(preview\)](#) [Analytics \(preview\)](#) [Settings](#) [Delete](#)Environment  
feilitarts.com (default)

- [Home](#)
- [Learn](#)
- [Apps](#)
- [Create](#)
- [Data](#)
- [Entities](#)
- [Connections](#)
- [Custom connectors](#)
- [Gateways](#)
- [Business logic](#)
- [Flows](#)
- [Solutions](#)







## PowerApps

Environment  
feilitarts.com (default)[Edit](#) [Play](#) [Share](#) [Export package \(preview\)](#) [Analytics \(preview\)](#) [Settings](#) [Delete](#)

- [Home](#)
- [Learn](#)
- [Apps](#)
- [Create](#)
- [Data](#)
- [Entities](#)
- [Connections](#)
- [Custom connectors](#)
- [Gateways](#)
- [Business logic](#)
- [Flows](#)
- [Solutions](#)



Device platform



- Select all
- iPhone-ReactNativePlayer

App version

- Select all
- 3.19051

App open scenario

- Select All
- Regular open



Country or region

- Select all
- United States



## PowerApps

Environment  
fleitasarts.com (default)

Edit Play Share Export package (preview) Analytics (preview) Settings Delete

Home

Learn

Apps

Create

Data



Entities

Connections

Custom connectors

Gateways

Business logic



Flows

Solutions

App launches across the world



Device platform

- Select all
- iPhone-ReactNativePlayer

App launches by country

United States

0 1 2 3 4 5 6 7 8

App version

- Select all
- 3.19051

IT WON'T FAIL BECAUSE OF ME

The screenshot shows the Microsoft PowerApps interface. At the top, there are three tabs: "Microsoft PowerApps", "Leads - Saved (Unpublished) - Po", and "Microsoft PowerApps". The central content area displays the "Gateways" page. On the left, a sidebar menu includes "Home", "Learn", "Apps", "Create", "Data", "Entities", "Connections", "Custom connectors", "Gateways" (which is selected and highlighted in purple), "Business logic", "Flows", and "Solutions". The main content area has a header "Gateways" with a "New gateway" button. Below it is a table with one row, showing a gateway named "Hiram" with contact information "hiram@fleitasarts.com". The top right corner shows the environment "fleitasarts.com (default)" and various navigation icons.

Microsoft PowerApps

Leads - Saved (Unpublished) - Po

Microsoft PowerApps

<https://web.powerapps.com/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/gateways>

PowerApps

Environment  
fleitasarts.com (default)

New gateway

Gateways

Canvas

| Name  | Contact information       |
|-------|---------------------------|
| Hiram | ... hiram@fleitasarts.com |

Search

Home

Learn

Apps

Create

Data

Entities

Connections

Custom connectors

Gateways

Business logic

Flows

Solutions

Downward arrow




Bell icon

Gear icon

Question mark icon

User profile icon

IT WON'T FAIL BECAUSE OF ME



https://web.powerapps.com/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/logicflows



PowerApps

- Home
- Learn
- Apps
- Create
- Data
  - Entities
  - Connections
  - Custom connectors
  - Gateways
- Business logic
  - Flows
  - Solutions

+ New ▾

## Flows

My flows Team flows Business process flows

| # <sup>a</sup>                                                                    | Name       | Modified | Type    |
|-----------------------------------------------------------------------------------|------------|----------|---------|
|  | CheckLead  | 2 wk ago | Instant |
|  | DeleteLead | 2 wk ago | Instant |
|  | LinkLead   | 2 wk ago | Instant |
|  | AddLead    | 2 wk ago | Instant |

≡

-  Home
-  Favorites >
-  Recent >
-  Apps
-  Shared with me
-  Workspaces >
-  My Workspace >

## Admin portal

Usage metrics

Users

Audit logs

Tenant settings

Capacity settings

Embed Codes

Organization visuals

Dataflow settings

Workspaces

Audit logs are managed in the Office 365 Admin Center

Go there to view tenant activity and export logs.

Auditing is only available in certain regions while the feature is in preview. [Learn more about audit logs](#)

[Go to O365 Admin Center](#)



## Office 365 Security &amp; Compliance



## Audit log search

Need to find out if a user deleted a document or if an admin reset someone's password? Search the Office 365 audit log to find out what the users and admins in your organization have been doing. You'll be able to find activity related to email, groups, documents, permissions, directory services, and much more. [Learn more about searching the audit log](#)

## Search

[Clear](#)

Results 43 results found

[Filter results](#)[Export results ▾](#)

## Activities

Created app, ... (10) ▾

Date ▾

IP address

User

Activity

Item

Detail

2019-05-24 11:50:05

hiram@fleitasarts.com

Edited app

daece9ba-da58-4f99-80...

[Clear all to show results for all activities](#)

App

## Power BI activities

|                                                        |                                                       |                                             |
|--------------------------------------------------------|-------------------------------------------------------|---------------------------------------------|
| Created Power BI app                                   | Installed Power BI app                                | Updated Power BI app                        |
| Unpublished Power BI app                               | Created workspace for Power BI template app           | Deleted workspace for Power BI template app |
| Updated settings for Power BI template app             | Updated testing permissions for Power BI template app | Created Power BI template app               |
| Deleted Power BI template app                          | Promoted Power BI template app                        | Installed Power BI template app             |
| Updated parameters for installed Power BI template app |                                                       |                                             |

## PowerApps app activities

|                        |   |                       |   |                        |   |
|------------------------|---|-----------------------|---|------------------------|---|
| Created app            | ✓ | Edited app            | ✓ | Deleted app            | ✓ |
| Launched app           | ✓ | Published app         | ✓ | Marked app as Hero     | ✓ |
| Marked app as Featured | ✓ | Edited app permission | ✓ | Deleted app permission | ✓ |
| Restored app version   | ✓ |                       |   |                        |   |

[+ New alert policy](#)[Need help?](#)[Feedback](#)



## Office 365 Security &amp; Compliance



Home &gt; Audit log search

## Audit log search

Need to find out if a user deleted a document or if an admin reset someone's password? Search the Office 365 audit log to find out what the users and admins in your organization have been doing. You'll be able to find activity related to email, groups, documents, permissions, directory services, and much more. [Learn more about searching the audit log](#)

## Search

[Clear](#)

Results 43 results found

[Filter results](#)[Export results](#)

## Activities

 Created app... (10)

| Date                | IP address | User                      | Activity     | Item                     | Detail |
|---------------------|------------|---------------------------|--------------|--------------------------|--------|
| 2019-05-24 11:50:05 |            | hiram@fleitasarts.com     | Edited app   | daece9ba-da58-4f99-80... |        |
| 2019-05-24 11:46:28 |            | hiram@fleitasarts.com     | Edited app   | daece9ba-da58-4f99-80... |        |
| 2019-05-24 11:09:41 |            | hiram@fleitasarts.com     | Launched app | daece9ba-da58-4f99-80... |        |
| 2019-05-23 21:08:04 |            | christina@fleitasarts.com | Launched app | daece9ba-da58-4f99-80... |        |
| 2019-05-23 21:07:24 |            | christina@fleitasarts.com | Launched app | daece9ba-da58-4f99-80... |        |
| 2019-05-23 20:59:04 |            | hiram@fleitasarts.com     | Launched app | daece9ba-da58-4f99-80... |        |
| 2019-05-23 17:02:45 |            | hiram@fleitasarts.com     | Launched app | daece9ba-da58-4f99-80... |        |
| 2019-05-23 17:02:45 |            | hiram@fleitasarts.com     | Launched app | daece9ba-da58-4f99-80... |        |

## Start date

 2019-05-17  00:00

## End date

 2019-05-25  00:00

## Users

 Show results for all users

## File, folder, or site

 Add all or part of a file name, folder name, or URL.[Search](#)[Need help?](#)[Feedback](#)



## Office 365 Security &amp; Compliance



## Audit log search

Need to find out if a user deleted a document or if an admin reset someone's password? Search the Office 365 audit log to find out what the users and admins in your organization have been doing. You'll be able to find activity related to email, groups, documents, permissions, directory services, and much more. [Learn more about searching the audit log](#)

## Search

[Clear](#)

Results 43 results found

[Filter results](#)[Export results](#)

| Activities            | Date                | IP address | User                  | Activity   | Item                     | Detail |
|-----------------------|---------------------|------------|-----------------------|------------|--------------------------|--------|
| Created flow, ... (7) | 2019-05-24 11:50:05 |            | hiram@fleitasarts.com | Edited app | daece9ba-da58-4f99-80... |        |

[Clear all to show results for all activities](#)

flow

Enabled legacy workflow

## Power BI activities

|                                             |                                     |                                                  |
|---------------------------------------------|-------------------------------------|--------------------------------------------------|
| Generated Power BI dataflow SAS token       | Created Power BI dataflow           | Updated Power BI dataflow                        |
| Deleted Power BI dataflow                   | Viewed Power BI dataflow            | Exported Power BI dataflow                       |
| Set scheduled refresh on Power BI dataflow  | Requested Power BI dataflow refresh | Received Power BI dataflow secret from Key Vault |
| Attached dataflow storage account           | Migrated dataflow storage location  | Updated dataflow storage assignment permissions  |
| Set dataflow storage location for workspace | Took ownership of Power BI dataflow | Canceled Power BI dataflow refresh               |

## Microsoft Flow activities

|                           |   |                          |   |                           |   |
|---------------------------|---|--------------------------|---|---------------------------|---|
| Created flow              | ✓ | Edited flow              | ✓ | Deleted flow              | ✓ |
| Edited flow permissions   | ✓ | Deleted flow permissions | ✓ | Started a Flow paid trial | ✓ |
| Renewed a Flow paid trial | ✓ |                          |   |                           |   |

[+ New alert policy](#)[Need help?](#)[Feedback](#)



https://protection.office.com/unifiedauditlog

## Audit log search

Need to find out if a user deleted a document or if an admin reset someone's password? Search the Office 365 audit log to find out what the users and admins in your organization have been doing. You'll be able to find activity related to email, groups, documents, permissions, directory services, and much more. [Learn more about searching the audit log](#)

**Search** Clear

Activities  
Created flow, ... (7)

Start date  
2019-04-13 00:00

End date  
2019-05-25 00:00

Users  
Show results for all users

File, folder, or site (i)  
Add all or part of a file name, folder name, or URL.

**Results** 21 results found

| Date                | IP address     | User                  | Activity     | Item                                        | Detail |
|---------------------|----------------|-----------------------|--------------|---------------------------------------------|--------|
| 2019-05-23 08:15:20 | 73.204.201.129 | hiram@fleitasarts.com | Deleted flow | <a href="#">https://admin.flow.micro...</a> |        |
| 2019-05-05 12:31:48 | 73.204.201.129 | hiram@fleitasarts.com | Edited flow  | <a href="#">https://admin.flow.micro...</a> |        |
| 2019-05-05 03:24:42 | 73.204.201.129 | hiram@fleitasarts.com | Edited flow  | <a href="#">https://admin.flow.micro...</a> |        |
| 2019-05-05 03:24:28 | 73.204.201.129 | hiram@fleitasarts.com | Edited flow  | <a href="#">https://admin.flow.micro...</a> |        |
| 2019-05-05 03:21:56 | 73.204.201.129 | hiram@fleitasarts.com | Created flow | <a href="#">https://admin.flow.micro...</a> |        |
| 2019-05-05 03:19:51 | 73.204.201.129 | hiram@fleitasarts.com | Deleted flow | <a href="#">https://admin.flow.micro...</a> |        |
| 2019-05-05 03:19:09 | 73.204.201.129 | hiram@fleitasarts.com | Edited flow  | <a href="#">https://admin.flow.micro...</a> |        |
| 2019-05-05 03:18:55 | 73.204.201.129 | hiram@fleitasarts.com | Edited flow  | <a href="#">https://admin.flow.micro...</a> |        |

Filter results Export results

**Search**

**+ New alert policy** (i) Need help? Feedback



## Office 365 Security &amp; Compliance



## Audit log search

Need to find out if a user deleted a document or if an admin reset someone's password? Search the Office 365 audit log to find out what the users and admins in your organization have been doing. You'll be able to find activity related to email, groups, documents, permissions, directory services, and much more. [Learn more about searching the audit log](#)

## Search

[Clear](#)

Results 21 results found

[Filter results](#)[Export results ▾](#)

| Activities                           | Date                | IP address     | User                  | Activity     | Item                        | Detail |
|--------------------------------------|---------------------|----------------|-----------------------|--------------|-----------------------------|--------|
| Viewed Power BI dashboard ... (38) ▾ | 2019-05-23 08:15:20 | 73.204.201.129 | hiram@fleitasarts.com | Deleted flow | https://admin.flow.micro... |        |

[Clear all to show results for all activities](#)

Power BI

## Power BI activities

|                                              |   |                                          |   |                                      |
|----------------------------------------------|---|------------------------------------------|---|--------------------------------------|
| Viewed Power BI dashboard                    | ✓ | Created Power BI dashboard               | ✓ | Edited Power BI dashboard            |
| Deleted Power BI dashboard                   | ✓ | Shared Power BI dashboard                |   | Printed Power BI dashboard           |
| Copied Power BI dashboard                    | ✓ | Viewed Power BI tile                     |   | Exported Power BI tile data          |
| Viewed Power BI report                       | ✓ | Deleted Power BI report                  |   | Printed Power BI report page         |
| Downloaded Power BI report                   | ✓ | Published Power BI report to web         |   | Exported Power BI report visual data |
| Created Power BI report                      | ✓ | Edited Power BI report                   |   | Copied Power BI report               |
| Created Power BI dataset                     | ✓ | Deleted Power BI dataset                 |   | Created Power BI group               |
| Deleted Power BI group                       | ✓ | Added Power BI group members             | ✓ | Removed Power BI group members       |
| Created organizational Power BI content pack | ✓ | Created Power BI app                     |   | Installed Power BI app               |
| Updated Power BI app                         |   | Updated organization's Power BI settings |   | Started Power BI trial               |

[+ New alert policy](#)[Need help?](#)[Feedback](#)



## Office 365 Security &amp; Compliance

## Audit log search

Need to find out if a user deleted a document or if an admin reset someone's password? See activity related to email, groups, documents, permissions, directory services, and much more.

## Search

Clear

## Activities

Viewed Power BI dashboard, ... (38)

## Start date

2019-05-17 00:00

## End date

2019-05-25 00:00

## Users

Show results for all users

## File, folder, or site

Add all or part of a file name, folder name, or URL.

Search

## Results

17 results found

| Date                | IP address     |
|---------------------|----------------|
| 2019-05-24 12:06:14 | 73.204.201.129 |
| 2019-05-22 20:47:47 | 73.204.201.129 |
| 2019-05-22 16:19:20 | 73.204.201.129 |
| 2019-05-22 13:54:09 | 73.204.201.129 |
| 2019-05-21 21:39:26 | 73.204.201.129 |
| 2019-05-21 21:27:56 | 73.204.201.129 |
| 2019-05-21 21:27:41 | 73.204.201.129 |
| 2019-05-21 21:19:35 | 73.204.201.129 |

New alert policy

## Details

**Date:** 2019-05-24 12:06:14  
**IP address:** 73.204.201.129  
**User:** hiram@fleitasarts.com  
**Activity:** Viewed Power BI dashboard  
**Item:** VanArsdel  
**Detail:** Data classification undefined

## More information

**Activity:** ViewDashboard  
**ActivityId:** c5f279f3-b8f0-4dc1-bade-3fbf52bbe2e2  
**ClientIP:** 73.204.201.129  
**CreationTime:** 2019-05-24T16:06:14  
**DashboardId:** 1a5682b5-8a99-4ecb-9a74-224763e3d12e  
**DashboardName:** VanArsdel  
**Datasets:**

```
[
 {
 "DatasetId": "6c66dc3a-1511-4279-b720-ce3b498b1461",
 "DatasetName": "DIAD Final Report"
 },
 {
 "DatasetId": "fb32b502-2c42-495f-a...
 "DatasetName": "Social"
 }
```

Need help?

Feedback



## Office 365 Security & Compliance

### Audit log search

Need to find out if a user deleted a document or if an admin reset someone's password? Search for activity related to email, groups, documents, permissions, directory services, and much more.

Clear

#### Search

##### Activities

Edited flow

##### Start date

2019-04-13 00:00

##### End date

2019-05-25 00:00

##### Users

Show results for all users

##### File, folder, or site

Add all or part of a file name, folder name, or URL.

Search

Results 14 results found

| Date                | IP address  |
|---------------------|-------------|
| 2019-05-05 12:31:48 | 73.204.201. |
| 2019-05-05 03:24:42 | 73.204.201. |
| 2019-05-05 03:24:28 | 73.204.201. |
| 2019-05-05 03:19:09 | 73.204.201. |
| 2019-05-05 03:18:55 | 73.204.201. |
| 2019-05-05 03:17:11 | 73.204.201. |
| 2019-05-05 03:17:08 | 73.204.201. |
| 2019-05-05 03:15:09 | 73.204.201. |

+ New alert policy

### New alert policy

#### Name \*

Edited Flow

#### Description

(Empty text area)

#### Alert type

Custom

#### Send this alert when...\*

#### Activities \*

Edited flow

#### Users:

Show results for all users

Need help?

Feedback



## Office 365 Security &amp; Compliance



Home &gt; Audit log search

## Audit log search

Need to find out if a user deleted a document or if an admin reset someone's password? See activity related to email, groups, documents, permissions, directory services, and much more.

## Search

[Clear](#)

## Activities

Edited flow

## Start date

2019-04-13  00:00 

## End date

2019-05-25  00:00 

## Users

Show results for all users

File, folder, or site [\(i\)](#)

Add all or part of a file name, folder name, or URL.

[Search](#)

## Results 14 results found

| Date                | IP address  |
|---------------------|-------------|
| 2019-05-05 12:31:48 | 73.204.201. |
| 2019-05-05 03:24:42 | 73.204.201. |
| 2019-05-05 03:24:28 | 73.204.201. |
| 2019-05-05 03:19:09 | 73.204.201. |
| 2019-05-05 03:18:55 | 73.204.201. |
| 2019-05-05 03:17:11 | 73.204.201. |
| 2019-05-05 03:17:08 | 73.204.201. |
| 2019-05-05 03:15:09 | 73.204.201. |

## Alert type

Custom

## Send this alert when...\*

## Activities \*

Edited flow

## Users:

Show results for all users

## Send this alert to...\*

## Recipients \*

Hiram Fleitas

Save

Cancel

Need help?

Feedback

## Microsoft 365 security

[Home](#)[Alerts](#)[Monitoring & reports](#)[Secure score](#)[Hunting](#)[Classification](#)[Policies](#)[Permissions](#)[More resources](#)[Customize navigation](#)

## Prevent

## Microsoft Secure Score

**Total score: 69/707**

This score reflects the collective security state of your identities, data, devices, apps, and infrastructure.

Updated Yesterday at 8:00 PM

**Identity** 26 / 223**Data** 23 / 219**Device** 0 / 245**Apps** 20 / 20**Infrastructure** No data to show

## Identity protection

**1 users at risk**■ High Risk   ■ Medium Risk   ■ Low risk[View all users](#)

## Device compliance

Intune device compliance status

[View details](#)

## Cloud App Security - OAuth apps

**0 privileged OAuth a...**

Apps that users gave permissions to. Discovered by Cloud App Security

■ High   ■ Medium   ■ Low


## Devices with active malware

**No managed devices**

Track security events and enforce configuration and compliance policies through Intune device management

Updated 12/31/0000

[Need help?](#)[Feedback](#)



## Microsoft 365 compliance

[Home](#)[Alerts](#)[Monitoring & reports](#)[Classification](#)[Policies](#)

## Solutions

[eDiscovery](#)[Supervision](#)[Data subject requests](#)[Permissions](#)[More resources](#)

## Assess

## Microsoft Compliance Score

**Total score: 2926/4536**

This score reflects your organization's data protection posture and cloud service compliance with various standards and regulations. Improve your score in Compliance Manager.

**ISO 27001:2013** 794 / 1078**NIST 800-53** 1868 / 2832**GDPR** 264 / 626

Assessment score Incomplete actions

## Cloud app compliance

**Review cloud app co...**

Some of your cloud apps might not meet compliance requirements for these regulations

**GDPR****HIPAA****ISO-27001****SOC1****FINRA**

Non-compliant apps Non-compliant apps

## Users with the most shared files

Users currently sharing the most files from cloud apps

| User | Files shared |
|------|--------------|
|      |              |

[Need help?](#)[Feedback](#)



Service Trust Portal

Compliance Manager

Trust Documents

Industries &amp; Regions

More



Help

# Compliance Manager

Notice: Compliance Manager data has been refreshed. Some of the changes to customer managed controls may require the controls to be reassessed. Please review the list of changes and the Microsoft recommended actions for customers in the [Controls Change Log](#).

[Assessments](#) [Action Items](#) Show Archived [+ Add Assessment](#) [Filter](#) ▾**Default Group****Office 365 - GDPR**[Actions](#) ▾Created  
5/5/2019Modified  
5/5/2019**Compliance Score****Customer Managed Actions**

0 of 65

**Microsoft Managed Actions**

49 of 49

**Default Group****Office 365 - NIST 800-53**[Actions](#) ▾Created  
5/5/2019Modified  
5/5/2019**Compliance Score****Customer Managed Actions**

0 of 215

**Microsoft Managed Actions**

853 of 853

**Default Group****Office 365 - ISO 27001:2013**[Actions](#) ▾Created  
5/5/2019Modified  
5/5/2019**Compliance Score****Customer Managed Actions**

0 of 60

**Microsoft Managed Actions**

232 of 232

**Default Group**

Assessment Status

**Default Group**

Assessment Status

**Default Group**



Assessment Status



## Microsoft 365

Check out the new homes for Microsoft 365 security and compliance

Check out the new [Microsoft 365 security center](#) and [Microsoft 365 compliance center](#) - your specialized workspaces for managing security and compliance across Microsoft 365.



## Office 365

Customize

Welcome to the Security & Compliance Center



We're busy building a one-stop shop for security and compliance across Office 365. Keep an eye out for new features coming your way. As always, your feedback is a critical part of our blueprint, so take a look around and let us know what you think.

[Take a tour](#)

Search for users



Search for users



Recommended

Let users classify their content



Let you apply their classification to their content. Transferring progress from Record labels to apply it to Outlook and OneDrive.

✓ We're committed to helping on your GDPR journey



GDPR is all about protecting and enabling individuals' privacy rights inside the European Union (EU). Our tools can help you detect, classify, and secure this sensitive info across locations (like Exchange, OneDrive, and more) and can

Microsoft Secure Score




**Total score: 69/707**

This score reflects the collective security state of your identities, data, and applications.

[Need help?](#)

[Feedback](#)



DEMO

# Forms – Ai builder (DEMO 7)





## Leads






Name

Email

Address

Lead ID





**From**

Wing tip Toys  
4 7th St  
NY 98052  
<http://www.wingtiptoys.com/>  
SS-325

**INVOICE**

Date: May 10, 2015  
Due Date: May 10, 2015  
Balance due: \$ 0.00

**Bill To**

Proseware, Inc.  
100 7th St  
NY 98052  
<http://www.proseware.com/>  
SS-425

| Item               | Quantity | Rate      | Amount     |
|--------------------|----------|-----------|------------|
| 100% Anark DE24    | 24 100%  | \$ 1 100% | \$ 24 100% |
| 100% Charlie 334Q1 | 15 100%  | \$ 2 100% | \$ 30 100% |
| 100% For princess  | 15 100%  | \$ 1 100% | \$ 15 100% |

Subtotal: \$ 69 100%  
Tax (2%): \$ 1 100%  
Shipping: \$ 0 100%  
Total: \$ 71 100%

**Analyze**

**PASS**

{"Table1": [{"BalanceDue": 1013.5}]}  
Analyze

**From**

Wing tip Toys  
4 7th St  
NY 98052  
<http://www.wingtiptoys.com/>  
SS-325

**INVOICE**

Date: May 10, 2015  
Due Date: May 10, 2015  
Balance due: \$ 0.00

**Bill To**

Proseware, Inc.  
100 7th St  
NY 98052  
<http://www.proseware.com/>  
SS-425

| Item               | Quantity | Rate      | Amount     |
|--------------------|----------|-----------|------------|
| 100% Anark DE24    | 24 100%  | \$ 1 100% | \$ 24 100% |
| 100% Charlie 334Q1 | 15 100%  | \$ 2 100% | \$ 30 100% |
| 100% For princess  | 15 100%  | \$ 1 100% | \$ 15 100% |

Subtotal: \$ 69 100%  
Tax (2%): \$ 1 100%  
Shipping: \$ 0 100%  
Total: \$ 71 100%

**Analyze**

**PASS**



## Leads





Name


Email

Address

Lead ID









30 days remaining in your AI Builder free trial. You won't be able to use your premium models after your trial ends. [Learn more](#)

## Enhance your business with AI

Add intelligence to your business. Create tailored AI models to automate processes and find insights. [Learn more](#)

### Make your own AI model

#### Form Processing (preview)

Read and save information from standard documents.

#### Object Detection (preview)

Recognize and count things in images.

#### Prediction

Predict whether something will happen.

#### Text Classification (preview)

Categorize text by its meaning so it's easier to analyze.



Home

Learn

Apps

Create

Data

Flows

AI Builder

Build

Models

Solutions

IT WON'T FAIL BECAUSE OF ME

make.powerapps.com/environment/5dceb218-1634-4296-bdc3-8614602f009c/aibuilder/models/e9b692fe-b7fa-e911-a813-000d3a368be7

PowerApps Environment aiaday

PowerApps AI Builder

Share (preview) Settings

Models > invoices

Form Processing (preview) • Published • Hiram Fleitas

Training document See details

Selected fields See all (11)

How your model is used

From

INVOICE

Date

Bill To

Due Date

Balance due

Subtotal

Tax (2%)

Shipping

Total

PowerApps See documentation

Microsoft Flow See documentation

Build

Models

Solutions

Use model

A green box highlights the "Models" option in the sidebar and the "Use model" button at the bottom center.

PowerApps Leads - PowerApps

IT WON'T FAIL BECAUSE OF ME

us.create.powerapps.com/studio/#

PowerApps

PowerApps

File Home Insert View Action

New screen Label Button Text Input Gallery Data table Forms Media Charts Icons AI Builder

DefaultImage fx ...

Tree view

Search

> grpDonePDF  
> grpAddPDF  
aiFormPDFInvoices  
popShadePDF

grpContentPDF

- lblDate
- lblBalanceDue
- lblShipping
- lblTax
- lblSubtotal

tblItem

- lblTotal
- lblDueDate
- lblFrom
- lblBillTo
- lblInvoice

Form processor (preview)

Detects and extracts text in documents. Requires training of an AI model.

Business card reader

Form processor (preview)

Object detector (preview)

Properties Advanced

Text Analyze

Display mode Edit

Show form On

AI model invoices (e9b692fe-b7fa-...)

Visible On

Position 40 40 X Y

Size 570 1056 Width Height

Show confidence On

Analyze

scrPDF aiFormPDFInvo...

Leads

Environment aiaday (org3f000378)

40 %

A screenshot of the Microsoft PowerApps studio interface. The top navigation bar includes 'File', 'Home', 'Insert', 'View', 'Action', 'Leads', and a user profile. The 'Insert' tab is selected. The main workspace shows a 'Tree view' on the left containing various components like 'aiFormPDFInvoices' and 'popShadePDF'. In the center, a PDF document is being processed by the 'Form processor (preview)' feature, which highlights text fields such as 'lblDate', 'lblBalanceDue', etc. A modal window for 'Form processor (preview)' is open, stating 'Detects and extracts text in documents. Requires training of an AI model.' To the right, the 'Properties' panel is visible for the selected component, showing settings for 'Text' (set to 'Analyze'), 'Display mode' (set to 'Edit'), 'Show form' (set to 'On'), 'AI model' (set to 'invoices (e9b692fe-b7fa-...)'), and other properties like 'Visible' (on), 'Position' (40, 40), 'Size' (570, 1056), and 'Show confidence' (on). The 'Analyze' button at the bottom of the preview window is highlighted with a blue circle. The status bar at the bottom shows 'scrPDF' and 'aiFormPDFInvo...', along with a zoom level of '40 %'.

DEMO

# RLS (DEMO 7)



PowerAppsRLS - Power BI Desktop

File Home Modeling Help

Cut Copy Format Painter Paste Get Data Sources Enter Data Refresh New Page New Visual Ask A Question Buttons Text box Image From Marketplace From File Switch Theme Manage Relationships Publish Clipboard External data Insert Custom visuals Themes Relationships Share

Fields

Search

data

- account
- amount
- sales rep**

roles

- role
- sales rep**

Edit relationship

Select tables and columns that are related.

data

| sales rep        | account   | amount |
|------------------|-----------|--------|
| hiram fleitas    | sealand   | 10     |
| Christina        | solomiani | 10     |
| Brent Carpenetti | hannover  | 10     |

roles

| sales rep        | role |
|------------------|------|
| hiram fleitas    | ceo  |
| Christina        | vp   |
| Brent Carpenetti | mgr  |

Cardinality

Many to one (\*:1)

Cross filter direction

Both

Make this relationship active

Apply security filter in both directions

Assume referential integrity

OK Cancel

All tables +

PowerAppsRLS - Power BI Desktop

File Home View Modeling Help Hiram Fleitas

Cut Copy Format Painter Get Data Recent Sources Enter Data Refresh New Page New Visual Ask A Question Buttons Text box From Marketplace From File Switch Theme Manage Relationships New Measure New Column New Quick Measure Publish Clipboard External data Insert Custom visuals Themes Calculations Share

sales rep

vp

20 total accounts

amount by sales rep

amount by account

sales rep

Christina

0 5 10 15 20

account

fleitats arts

solomianyi

0 2 4 6 8 10

RLS +

Visualizations Fields

Search

data

- account
- $\Sigma$  amount
- sales rep

roles

- role
- sales rep

Values Add data fields here

Drillthrough

Cross-report

Off

Keep all filters

On

Add drillthrough fields here

PAGE 1 OF 1

PowerAppsRLS - Power BI Desktop

File Home View Modeling Help

Manage Relationships New Measure New Column New Table New Parameter Sort by Column Sort Data type: \$ % .00 Auto Data Category: Uncategorized Default Summarization: Don't summarize Properties

Manage Roles View as Roles Security Groups Calendars Q&A Setup Language Linguistic Schema

Manage Roles Create, change, delete security roles.

Visualizations Fields

Search

data

- account
- amount
- sales rep

roles

- role
- sales rep

Values Add data fields here

Drillthrough

Cross-report Off

Keep all filters On

Add drillthrough fields here

sales rep amount by sales rep account amount by account

| sales rep        | amount | account      | amount |
|------------------|--------|--------------|--------|
| hiram fleitas    | 40     | fleitas arts | 40     |
| Brent Carpenetti | 20     | hannover     | 10     |
| Christina        | 20     | jlaudio      | 10     |
| admin            | 10     | sealand      | 10     |
|                  | 0      | solomiani    | 10     |
|                  | 5      | upcic        | 10     |
|                  | 10     |              |        |
|                  | 15     |              |        |
|                  | 20     |              |        |
|                  | 25     |              |        |
|                  | 30     |              |        |
|                  | 35     |              |        |
|                  | 40     |              |        |

RLS +

PAGE 1 OF 1

PowerAppsRLS - Power BI Desktop

File Home View Modeling Help Sign in

Manage Relationships New Measure Column New Table New Parameter What If Sort by Column Sort Formatting Data type: \$ % .00 Auto Data Category: Uncategorized Default Summarization: Don't summarize Home Table: Properties Manage Roles View as Roles Security Groups Edit Groups Mark as Date Table Calendars Q&A Setup Language Linguistic Schema Q&A

Relationships Calculations What If Sort Formatting

Manage Relationships New Measure Column New Table New Parameter What If Sort by Column Sort Formatting Data type: \$ % .00 Auto Data Category: Uncategorized Default Summarization: Don't summarize Home Table: Properties Manage Roles View as Roles Security Groups Edit Groups Mark as Date Table Calendars Q&A Setup Language Linguistic Schema Q&A

Manage roles

Roles Tables

ceo data  
it roles  
mgr  
vp

Create Delete

Table filter DAX expression

[role] = "vp"

Filter the data that this role can see by entering a DAX filter expression that returns a True/False value. For example: [Entity ID] = "Value"

Save Cancel

amount by sales rep

sales rep

amount

hiram fleitas

Brent Carpenetti

Christina

admin

0 5 10

0 5 10 15 20 25 30 35 40

RLS +

Fields

Search

data

- account
- Σ amount
- sales rep

roles

- role
- sales rep

data fields here

through report filters illthrough fields here

PAGE 1 OF 1

Power BI

IT WON'T FAIL BECAUSE OF ME

app.powerbi.com/groups/62b400f3-739c-4958-837e-89a4a92d0ca5/list/datasets

Power BI DIAD

Home Favorites Recent Apps Shared with me Workspaces DIAD

Search content... Dashboards Reports Workbooks Datasets Dataflows

Showing 6 items

| NAME ↑                         | ENDORSEMENT | REFRESHED           | NEXT REFRESH | API ACCESS |
|--------------------------------|-------------|---------------------|--------------|------------|
| DIAD Final Report              |             | 3/19/2019, 10:37:34 | N/A          | --         |
| DIAD Final Report with Cortana |             | 5/12/2019, 2:05:09  | N/A          | --         |
| DIAD Final Report with RLS     |             | 3/10/2019, 10:04:01 | N/A          | --         |
| FA Year Over Year              |             | 5/12/2019, 2:08:18  | N/A          | --         |
| PowerAppsRLS                   |             | 10/14/2019, 5:00:45 | N/A          | --         |
| Social                         |             | 3/9/2019, 12:18:08  | N/A          | --         |

Settings  
Rename  
Delete  
Analyze in Excel  
Quick insights  
**Security**  
Manage permissions  
Download .pbix

New look on List view Update app

Get data

IT WON'T FAIL BECAUSE OF ME

Power BI

IT WON'T FAIL BECAUSE OF ME

app.powerbi.com/groups/62b400f3-739c-4958-837e-89a4a92d0ca5/rowLevelSecurity/3896284

Power BI DIAD > Row-Level Security

New look on

Home

Favorites

Recent

Apps

Shared with me

Workspaces

DIAD

Get data

## Row-Level Security

### Members (1)


People or groups who belong to this role

Enter email addresses

Add

Christina

Save Cancel



IT WON'T FAIL BECAUSE OF ME

PowerAppsRLS - Power BI

app.powerbi.com/groups/62b400f3-739c-4958-837e-89a4a92d0ca5/reports/b3c1d4f0-d1f5-4e91-9ec0-90fb6d4cd7e/ReportSection

Power BI DIAD > PowerAppsRLS

PowerAppsRLS | Data updated 10/30/19

New look on

Reset to default

Bookmarks

View

Home

Favorites

Recent

Apps

Shared with me

Workspaces

DIAD

Export Share Subscribe Comments Favorite ...

Pin visual

ceo IT ... mgr vp

90 total 9 accounts

amount by sales rep

| sales rep        | amount |
|------------------|--------|
| hiram fleitas    | 40     |
| Brent Carpenetti | 20     |
| Christina        | 20     |
| admin            | 10     |

amount by account

| account      | amount |
|--------------|--------|
| fleitas arts | 40     |
| hannover     | 10     |
| jlaudio      | 10     |
| sealand      | 10     |
| solomiani    | 10     |
| upcic        | 10     |

Get data

The dashboard displays the following data:

- Matrix:** A 2x2 grid showing roles and names:
  - Top-left: admin
  - Top-right: Christina
  - Bottom-left: Brent Carpenetti
  - Bottom-right: hiram fleitas
- KPIs:** CEO: 90 (total), IT: 9 (accounts), mgr, vp.
- Bar Chart 1 (amount by sales rep):**

| sales rep        | amount |
|------------------|--------|
| hiram fleitas    | 40     |
| Brent Carpenetti | 20     |
| Christina        | 20     |
| admin            | 10     |
- Bar Chart 2 (amount by account):**

| account      | amount |
|--------------|--------|
| fleitas arts | 40     |
| hannover     | 10     |
| jlaudio      | 10     |
| sealand      | 10     |
| solomiani    | 10     |
| upcic        | 10     |
- Donut Chart:** A blue donut chart with a white crescent shape in the center.



IT WON'T FAIL BECAUSE OF ME

PowerAppsRLS - Power BI

app.powerbi.com/groups/62b400f3-739c-4958-837e-89a4a92d0ca5/reports/b3c1d4f0-d1f5-4e91-9ec0-90fb6d4cd7e/ReportSection

Power BI DIAD > PowerAppsRLS

PowerAppsRLS | Data updated 10/30/19

New look on

Reset to default

Bookmarks

View

Home

Favorites

Recent

Apps

Shared with me

Workspaces

DIAD

Export Share Subscribe Comments Favorite ...

sales rep

|                  |               |
|------------------|---------------|
| admin            | Christina     |
| Brent Carpenetti | hiram fleitas |

ceo IT mgr vp

90 9

total accounts

Pin visual

amount by sales rep

| sales rep        | amount |
|------------------|--------|
| hiram fleitas    | 40     |
| Brent Carpenetti | 20     |
| Christina        | 20     |
| admin            | 10     |

amount by account

| account      | amount |
|--------------|--------|
| fleitas arts | 40     |
| hannover     | 10     |
| jlaudio      | 10     |
| sealand      | 10     |
| solomiani    | 10     |
| upcic        | 10     |

Get data

The dashboard displays the following data:

- Sales Rep Matrix:** A 2x2 grid showing sales rep names. The top row contains "admin" and "Christina". The bottom row contains "Brent Carpenetti" and "hiram fleitas".
- Large Numerical Values:** Four large numbers are displayed horizontally: "ceo" (90), "IT" (9), "mgr", and "vp". Below "90" is the word "total" and below "9" is the word "accounts".
- Blue Circular Icon:** A large blue circle containing a white stylized 'C' or wave-like symbol.
- Amount by Sales Rep:** A horizontal bar chart showing the total amount for each sales rep. The data is:

| Sales Rep        | Amount |
|------------------|--------|
| hiram fleitas    | 40     |
| Brent Carpenetti | 20     |
| Christina        | 20     |
| admin            | 10     |
- Amount by Account:** A horizontal bar chart showing the total amount for each account. The data is:

| Account      | Amount |
|--------------|--------|
| fleitas arts | 40     |
| hannover     | 10     |
| jlaudio      | 10     |
| sealand      | 10     |
| solomiani    | 10     |
| upcic        | 10     |

IT WON'T FAIL BECAUSE OF ME

PowerAppsRLS - Power BI

app.powerbi.com/groups/62b400f3-739c-4958-837e-89a4a92d0ca5/reports/b3c1d4f0-d1f5-4e91-9ec0-90fbcd4cd7e/ReportSection

Power BI DIAD > PowerAppsRLS

PowerAppsRLS | Data updated 10/30/19

New look on

Reset to default

Bookmarks

View

Home

Favorites

Recent

Apps

Shared with me

Workspaces

DIAD

Export Share Subscribe Comments Favorite ...

Reset to default Bookmarks View

Filters

sales rep

|                  |               |
|------------------|---------------|
| admin            | Christina     |
| Brent Carpenetti | hiram fleitas |

ceo IT mgr vp

90 9

total accounts

Pin visual

amount by sales rep

| sales rep        | amount |
|------------------|--------|
| hiram fleitas    | 40     |
| Brent Carpenetti | 20     |
| Christina        | 20     |
| admin            | 10     |

amount by account

| account      | amount |
|--------------|--------|
| fleitas arts | 40     |
| hannover     | 10     |
| jlaudio      | 10     |
| sealand      | 10     |
| solomiani    | 10     |
| upcic        | 10     |

Get data

The dashboard displays the following data:

- Sales Rep Matrix:** A 2x2 grid showing sales rep names. The top row contains "admin" and "Christina". The bottom row contains "Brent Carpenetti" and "hiram fleitas".
- Large Numerical Values:** Four large numbers are displayed horizontally: "ceo" (90), "IT" (9), "mgr", and "vp". Below "90" is the word "total" and below "9" is the word "accounts".
- Blue Circular Icon:** A large blue circle containing a white stylized 'C' or wave-like symbol.
- Amount by Sales Rep:** A horizontal bar chart showing the total amount for each sales rep. The data is:

| Sales Rep        | Amount |
|------------------|--------|
| hiram fleitas    | 40     |
| Brent Carpenetti | 20     |
| Christina        | 20     |
| admin            | 10     |
- Amount by Account:** A horizontal bar chart showing the total amount for each account. The data is:

| Account      | Amount |
|--------------|--------|
| fleitas arts | 40     |
| hannover     | 10     |
| jlaudio      | 10     |
| sealand      | 10     |
| solomiani    | 10     |
| upcic        | 10     |

PowerAppsRLS - Power BI

IT WON'T FAIL BECAUSE OF ME

app.powerbi.com/groups/62b400f3-739c-4958-837e-89a4a92d0ca5/dashboards/0988839a-9d21-4bde-ae4e-948e33bedca8

Power BI DIAD > PowerAppsRLS

PowerAppsRLS

New look on

Export Share Subscribe Comments Favorite ...

Ask a question about your data

total accounts

90 9

super BY ACCOUNT

| account      | amount |
|--------------|--------|
| fleitas arts | 40     |
| hannover     | 10     |
| jlaudio      | 10     |
| sealand      | 10     |
| solomiani    | 10     |
| upcic        | 10     |

amount BY SALES REP

Get data

The dashboard displays a main area with two large numerical values: '90' and '9'. Below these are two chart components. The first chart, titled 'super BY ACCOUNT', is a horizontal bar chart with blue bars. The second chart, titled 'amount BY SALES REP', is also a horizontal bar chart with blue bars, though only a portion of it is visible.

| account      | amount |
|--------------|--------|
| fleitas arts | 40     |
| hannover     | 10     |
| jlaudio      | 10     |
| sealand      | 10     |
| solomiani    | 10     |
| upcic        | 10     |

IT WON'T FAIL BECAUSE OF ME



Power BI

app.powerbi.com/groups/62b400f3-739c-4958-837e-89a4a92d0ca5/list/dashboards

New look on

Create List view

Update app

Home

Favorites

Recent

Apps

Shared with me

Workspaces

DIAD

Get data

Search content...

Dashboards Reports Workbooks Datasets Dataflows

| NAME ↑          | ACTIONS | OWNER |
|-----------------|---------|-------|
| FA PIF and PREM |         | DIAD  |
| PowerAppsRLS    |         | DIAD  |
| Quick Insights  |         | DIAD  |
| VanArsdel       |         | DIAD  |

Files

Members

Calendar

Conversations

Edit this workspace

Leave workspace

Unpublish App

Yes

Yes

Power BI

IT WON'T FAIL BECAUSE OF ME

app.powerbi.com/groups/62b400f3-739c-4958-837e-89a4a92d0ca5/list/dashboards

New look on

Home

Favorites

Recent

Apps

Shared with me

Workspaces

DIAD

Search content...

Dashboards Reports Workbooks Datasets Dataflows

NAME ↑ ACTION

FA PIF and PREM

PowerAppsRLS

Quick Insights

VanArsdel

Edit workspace

Name

DIAD

Privacy

Private - Only approved members can see what's inside

Members can only view Power BI content

Workspace members

Enter email addresses

Add

christina@fleitasarts.com Member

hiram@fleitasarts.com Admin

Advanced

Delete workspace

Save


Cancel

Get data



# Hello

Sign in to start using PowerApps




Sign in with your work or school email account

christina@fleitasarts.com



New to PowerApps? [Explore plans](#)

By signing in, you agree to the PowerApps  
[terms of service](#) and [privacy statement](#).



DEMO

# Approvals (DEMO 9)



IT WON'T FAIL BECAUSE OF ME

PowerApps | Device Ordering App4 - PowerApp | Edit your flow | Microsoft Flow | Manage your flows | Microsoft Flow

us.flow.microsoft.com/manage/environments/5dceb218-1634-4296-bdc3-861460f009c/flows

Hiram Fleitas  
aiaday (org3f000378)

# Flow

+ New ⏪ Import

## Flows

### My flows

Flow name: Invoice Approval

Choose your flow's trigger \* *sql server*

- When an item is created (V2) SQL Server
- When an item is modified (V2) SQL Server
- When a new issue is returned by a JQL ... JIRA

Free yourself from repetitive work just by connecting the apps you already use—automate alerts, reports, and other tasks.

Examples:

- Automatically collect and store data in business solutions
- Generate reports via custom queries on your SQL database

Skip Create Cancel

The screenshot shows the Microsoft Flow interface. On the left, there's a sidebar with various options: Home, Action items, My flows (which is selected), Create, Templates, Connectors, Data, AI Builder, Solutions, and Learn. The main area has tabs for 'New' and 'Import'. A central modal window titled 'Build an automated flow' is open. It contains a heading 'Flow name' with the value 'Invoice Approval', a search bar for triggers ('sql server'), and a list of triggers: 'When an item is created (V2) SQL Server' (selected), 'When an item is modified (V2) SQL Server', and 'When a new issue is returned by a JQL ... JIRA'. Below the triggers is a preview area with an illustration of a computer monitor, books, and a robot. There's also a section titled 'Examples' with two bullet points: 'Automatically collect and store data in business solutions' and 'Generate reports via custom queries on your SQL database'. At the bottom of the modal are three buttons: 'Skip', 'Create' (highlighted in blue), and 'Cancel'.

IT WON'T FAIL BECAUSE OF ME

PowerApps Device Ordering App4 - PowerApp Edit your flow | Microsoft Flow Create your flow | Microsoft Flow + us.flow.microsoft.com/manage/environments/5dceb218-1634-4296-bdc3-8614602f009c/flows/new?newFlowName=Invoice%20Approval&trigger=%2Fproviders%2FMicrosoft.PowerApps%2Fapis%2Fshare...

Hiram Fleitas aiaday (org3f000378)

# Flow

Invoice Approval

Save Flow checker Test

Home Action items My flows Create Templates Connectors Data AI Builder Solutions Learn

When an item is created (V2)

Server name: Use connection settings (localhost)  
Database name: Use connection settings (fleitasarts)  
Table name: Form

Show advanced options

Choose an action

start approval

All Built-in Standard Premium Custom My clipboard

Approvals SharePoint Microsoft Flow for... Serverless365 O365 BAM &... K2 Workflow Company Connect AtBot Logic

Triggers Actions

Start and wait for an approval Approvals

Create an approval Approvals

This screenshot shows the Microsoft Flow editor. On the left is a navigation sidebar with various options like Home, Action items, My flows, Create, Templates, Connectors, Data, AI Builder, Solutions, and Learn. The 'My flows' option is selected. In the center, there's a flow titled 'Invoice Approval'. The first step is a trigger: 'When an item is created (V2)' with three dropdowns for 'Server name' (localhost), 'Database name' (fleitasarts), and 'Table name' (Form). Below it is a search bar containing 'start approval'. A list of actions is shown, with two items highlighted: 'Start and wait for an approval' under 'Approvals' and 'Create an approval' also under 'Approvals'. The 'Actions' tab is currently selected. The top right corner features a user profile for Hiram Fleitas and a save/test button.

IT WON'T FAIL BECAUSE OF ME

PowerApps - Edit your flow | Microsoft Flow + Edit your flow | Microsoft Flow +

us.flow.microsoft.com/manage/environments/5dceb218-1634-4296-bdc3-8614602f009c/flows/new?newFlowName=Invoice%20Approval&trigger=%2Fproviders%2FMicrosoft.PowerApps%2Fapis%2Fshare... ★ 

Hiram Fleitas  
aiaday (org3f000378)

## Flow

Home Action items My flows Create Templates Connectors Data AI Builder Solutions Learn

Invoice Approval

Start and wait for an approval

\*Approval type: Approve/Reject - First to respond

\*Title: Please Approve/Reject FormId  FormId Add dynamic content +

\*Assigned to: approver@fleitasarts.com

Details:  
A new invoice has been created.  
BalanceDue:  BalanceDue <br/>  
Invoice:  Invoice <br/>  
From:  From <br/>  
BillTo:  BillTo <br/>  
Item:   
 Item <br/>

Item link: Add a link to the item to approve

Item link description: Describe the link to the item

Requestor: Hiram Fleitas 

Enable notifications: Yes

Enable reassignment: No

Hide advanced options 

Save Flow checker Test

Dynamic content Expression

Search dynamic content

When an item is created (V2)

Amount

BalanceDue

BillTo

Date

DueDate

FormId

From

Invoice

IT WON'T FAIL BECAUSE OF ME

PowerApps    Edit your flow | Microsoft Flow    Edit your flow | Microsoft Flow    +

us.flow.microsoft.com/manage/environments/5dceb218-1634-4296-bdc3-8614602f009c/flows/new?newFlowName=Invoice%20Approval&trigger=%2Fproviders%2FMicrosoft.PowerApps%2Fapis%2Fshare...

Hiram Fleitas  
aiaday (org3f000378)

# Flow

Home Action items My flows Create Templates Connectors Data AI Builder Solutions Learn

Invoice Approval

Condition

Response is equal to Approve

+ Add

If yes

Update row (V2)

\* Server name: Use connection settings (localhost)  
\* Database name: Use connection settings (fleitasarts)  
\* Table name: Form  
\* Row id: FormId  
BalanceDue  
BillTo  
Date  
DueDate: Completion date  
From  
Invoice  
Shipping

If no

Update row (V2) 2

\* Server name: Use connection settings (localhost)  
\* Database name: Use connection settings (fleitasarts)  
\* Table name: Form  
\* Row id: FormId  
BalanceDue: 0  
BillTo  
Date  
DueDate  
From  
Invoice  
Shipping

IT WON'T FAIL BECAUSE OF ME

PowerApps - Edit your flow | Microsoft Flow - Edit your flow | Microsoft Flow +

us.flow.microsoft.com/manage/environments/5dceb218-1634-4296-bdc3-8614602f009c/flows/new?newFlowName=Invoice%20Approval&trigger=%2Fproviders%2FMicrosoft.PowerApps%2Fapis%2Fshare... ★

Hiram Fleitas aiaday (org3f000378)

Flow

Home Action items My flows Create Templates Connectors Data AI Builder Solutions Learn

Invoice Approval

Rate   
Quantity   
Item   
Amount

Apply to each

\* Select an output from previous steps

Send an email

\* To   
\* Subject   
\* Body

Show advanced options ▼

Quantity   
Item   
Amount

Apply to each 2

\* Select an output from previous steps

Send an email 2

\* To   
\* Subject   
\* Body

Show advanced options ▼

[apps.powerapps.com/play/034bac28-9fc1-4c7a-aaf9-463ea5374db5?tenantId=800d472c-8288-4f27-8978-f726a7a3d1f0&source=portal&screenColor=rgba\(1%2C%2060%2C%2096%2C%201\)](https://apps.powerapps.com/play/034bac28-9fc1-4c7a-aaf9-463ea5374db5?tenantId=800d472c-8288-4f27-8978-f726a7a3d1f0&source=portal&screenColor=rgba(1%2C%2060%2C%2096%2C%201))

**From**

Wrong Toys  
123 Main St.  
Anytown USA  
http://www.wrongtoys.com/  
1234567890

**Invoice**

Date: Jan 15, 2018  
Due Date: Mar 15, 2018  
Balance due: \$ 0.00

**Bill To**

Pro Newware Inc.  
123 Main St.  
Anytown USA  
http://www.pronewware.com/  
1234567890

| Item                 | Quantity | Rate     | Amount    |
|----------------------|----------|----------|-----------|
| Wingman DEXA         | 24       | \$ 10.00 | \$ 240.00 |
| Wingman Shuttle 3340 | 10       | \$ 10.00 | \$ 100.00 |
| Wingman Primeless    | 10       | \$ 10.00 | \$ 100.00 |

Subtotal: \$ 440.00  
Tax (2%): \$ 8.80  
Shipping: \$ 0.00  
Total: \$ 448.80

**Analyze**



apps.powerapps.com/play/034bac28-9fc1-4c7a-aaf9-463ea5374db5?tenantId=800d472c-8288-4f27-8978-f726a7a3d1f0&source=portal&screenColor=rgba(1%2C%2060%2C%2096%2C%201)



From  
Bill To  
Comments  
Attachments  
Print  
Email  
Share  
Delete  
Edit

INVOICE

Bill To: [REDACTED]  
Comments: [REDACTED]  
Attachments: [REDACTED]

Print Email Share Delete Edit

Table1

{"Table1": [{"BalanceDue": 1013.5}]}  
  
 Analyze

## Please Approve/Reject FormId 20



Microsoft Flow &lt;maccount@microsoft.com&gt;

12:52 AM

To: hiram@fleitasarts.com



Requested by Hiram Fleitas &lt;hiram@fleitasarts.com&gt;

## Please Approve/Reject FormId 20

A new invoice has been created.

BalanceDue: 1013.5

Invoice:

From:

BillTo:

Item:

---

Date Created: Thursday, October 31, 2019 4:52 AM GMT

[Approve](#)[Reject](#)

IT WON'T FAIL BECAUSE OF ME

PowerApps Leads - PowerApps Edit your flow | Microsoft Flow Manage your flows | Microsoft Flow + us.flow.microsoft.com/manage/environments/5dceb218-1634-4296-bdc3-8614602f009c/approvals/received/55a294f4-b723-4679-b55b-40097abd4431/requests/e6b6d3b2-c97e-4471-9d63-48b1046... Hiram Fleitas aiaday (org3f000378)

# Flow

Approvals

Received Sent History

| Request                         | Received                      | Details                                 |
|---------------------------------|-------------------------------|-----------------------------------------|
| Please Approve/Reject FormId 20 | Oct 31, 12:52 AM (36 sec ago) | A new invoice has been created. Bala... |

Overview

Approval Please Approve/Reject FormId 20

Requester  Hiram Fleitas

Received Oct 31, 12:52 AM (36 sec ago)

Details

A new invoice has been created.  
BalanceDue: 1013.5  
Invoice:  
From:  
BillTo:  
Item:

Approve

Add a comment (optional)

Looks good, Thank you!

Confirm Cancel

Reply Reply all Forward ⚙ Archive Delete Set flag ...

## Your form was approved!



Hiram Fleitas <hiramfleitas@hotmail.com>

12:59 AM

To: hiram@fleitasarts.com

Your form id 20 has been approved by Hiram Fleitas.

Comments: Looks good, Thank you!

BalanceDue: 1013.5

Invoice:

From:

BillTo:

Item:

DEMO

# International Space Station (DEMO 10)



IT WON'T FAIL BECAUSE OF ME

PowerApps iss25544 - PowerApps

us.create.powerapps.com/studio/#

PowerApps Environment fleitasarts.com (default)

File Home Insert View iss25544

New screen Theme

OnStart //onstart Set(apiresponse, iss25544.Run())

Tree view

Search

App

Main

- lblVisibility
- lblVelocity
- lblAltitude
- lblLongitude
- lblLatitude
- lblDate
- lblSatelite
- imgDay
- imgMap

Format text Remove formatting

Format text Remove formatting

App

60 %

File Home Insert View Action

s25544



```
BingMaps.GetMapV2(
 "AerialWithLabels",
 3,
 apiresponse.latitude,
 apiresponse.longitude,
{
 pushpinLabel: apiresponse.name & " " & apiresponse.id,
 pushpinIconStyle: 38,
 pushpinLatitude: apiresponse.latitude,
 pushpinLongitude: apiresponse.longitude
}
)
```

 Format text  Remove formatting



|               |                                       |                                  |
|---------------|---------------------------------------|----------------------------------|
| Position      | <input type="text" value="0"/>        | <input type="text" value="300"/> |
| Size          | <input type="text" value="640"/>      | <input type="text" value="835"/> |
|               | Width                                 | Height                           |
| Padding       | <input type="text" value="0"/>        | <input type="text" value="0"/>   |
|               | Top                                   | Bottom                           |
|               | <input type="text" value="0"/>        | <input type="text" value="0"/>   |
|               | Left                                  | Right                            |
| Color         | <input type="color" value="#000000"/> |                                  |
| Border        | <input type="button" value="▼"/>      | <input type="text" value="0"/>   |
| Border radius | <input type="text" value="0"/>        |                                  |

IT WON'T FAIL BECAUSE OF ME

PowerApps iss25544 - PowerApps

us.create.powerapps.com/studio/#

PowerApps Environment fleitasarts.com (default)

File Home Insert View Action iss25544

New screen Theme Open Sans 21 B / U A Fill Border Reorder Align Group

Image = fx If(apiresponse.visibility="daylight",issday,issnight)

Data sources Search

In your app

- BingMaps Bing Maps
- iss25544 iss25544

Entities

Connectors

Format text Remove formatting

AUS

Great Aust Bigh

© 2019 Microsoft Corporation. All rights reserved.

Earthstar Geographics

© 2019 Microsoft Corporation. All rights reserved.

© 2019 Microsoft Corporation. All rights reserved.

Position X 0 Y 0

Size Width 640 Height 300

Padding Top 0 Bottom 0

Left 0 Right 0

Color

Border

Border radius 0

Main imgDay

60 %

The screenshot shows the Microsoft PowerApps studio interface. A conditional component is being edited, displaying the formula `If(apiresponse.visibility="daylight",issday,issnight)`. The component's content is a map of Australia, specifically the Great Australian Bight area, with the text "AUS" and "Great Aust Bigh" visible. The map includes copyright information from Microsoft and Earthstar Geographics. The PowerApps ribbon at the top includes tabs for File, Home, Insert, View, and Action. The Home tab is selected. The ribbon also features font and style tools like New screen, Theme, Open Sans, size 21, bold B, italic /, underline U, font style A, fill, border, and alignment tools. On the left, the Data sources panel lists "In your app" with entries for BingMaps and iss25544. Below that are sections for Entities and Connectors. The main workspace shows the conditional component and its properties on the right, including Position (X: 0, Y: 0), Size (Width: 640, Height: 300), Padding (Top: 0, Bottom: 0), and Border settings. The status bar at the bottom shows "Main" and "imgDay" along with zoom controls (60%) and a redaction icon.



us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows

Flow

New Import

Search

Home Action items My flows Create Templates Connectors Data AI Builder Solutions Learn

## Flows

My flows Team flows Business process flows

|  | Name       | Modified | Type    |
|--|------------|----------|---------|
|  | iss25544   | 1 wk ago | Instant |
|  | CheckLead  | 5 mo ago | Instant |
|  | DeleteLead | 5 mo ago | Instant |
|  | LinkLead   | 5 mo ago | Instant |
|  | AddLead    | 5 mo ago | Instant |

IT WON'T FAIL BECAUSE OF ME

PowerApps iss25544 - PowerApps Edit your flow | Microsoft Flow

us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows/1e9b1a96-6e05-46d3-b408-0e1cc6a82edd

Hiram Fleitas fleitasarts.com (default)

# Flow

iss25544

Save Flow checker Test

Home Action items My flows Create Templates Connectors Data AI Builder Solutions Learn

PowerApps

HTTP

- \*Method: GET
- \*URI: https://api.wheretheiss.at/v1/satellites/25544
- Headers: Enter key | Enter value
- Queries: Enter key | Enter value
- Body: Enter request content

Show advanced options

Parse JSON

Respond to a PowerApp or flow

+ New step Save

The screenshot shows the Microsoft Flow editor interface. On the left is a navigation sidebar with options like Home, Action items, My flows (which is selected), Create, Templates, Connectors, Data, AI Builder, Solutions, and Learn. The main area displays a flow titled 'iss25544'. The flow consists of three steps connected by arrows: 1. An 'HTTP' step configured to make a GET request to the URL 'https://api.wheretheiss.at/v1/satellites/25544'. It includes fields for Headers, Queries, and Body. 2. A 'Parse JSON' step, indicated by a curly brace icon. 3. A 'Respond to a PowerApp or flow' step, indicated by a PowerApps icon. At the bottom are buttons for '+ New step' and 'Save'.

IT WON'T FAIL BECAUSE OF ME



PowerApps iss25544 - PowerApps Edit your flow | Microsoft Flow Where the ISS at? +

wheretheiss.at/w/developer

beta WHERE THE ISS AT? Home Sign in with twitter

## satellites/[id]

Returns position, velocity, and other related information about a satellite for a given point in time. [id] is required and should be the NORAD catalog id. For the ISS, that id is 25544.

### Example Resource URL

<https://api.wheretheiss.at/v1/satellites/25544>

### Example Response

```
{
 "name": "iss",
 "id": 25544,
 "latitude": 50.11496269845,
 "longitude": 118.07900427317,
 "altitude": 408.05526028199,
 "velocity": 27635.971970874,
 "visibility": "daylight",
 "footprint": 4446.1877699772,
 "timestamp": 1364069476,
 "daynum": 2456375.3411574,
 "solar_lat": 1.3327003598631,
 "solar_lon": 238.78610691196,
 "units": "kilometers"
}
```

### Resource Information

|                 |      |
|-----------------|------|
| API Version     | 1    |
| Response Format | json |
| Rate Limited?   | Yes  |

feedback

### Parameters

| Name      | Description                                         | Required | Default           |
|-----------|-----------------------------------------------------|----------|-------------------|
| units     | Whether to use miles or kilometers                  | no       | kilometers        |
| timestamp | Optionally specify a timestamp for orbital position | no       | current timestamp |

## satellites/[id]/positions

IT WON'T FAIL BECAUSE OF ME

PowerApps iss25544 - PowerApps Edit your flow | Microsoft Flow

us.flow.microsoft.com/manage/environments/Default-800d472c-8288-4f27-8978-f726a7a3d1f0/flows/1e9b1a96-6e05-46d3-b408-0e1cc6a82edd

Flow

iss25544

Save Flow checker Test

Home Action items My flows Create Templates Connectors Data AI Builder Solutions Learn

PowerApps

HTTP

Parse JSON

\*Content Body Add dynamic content

\*Schema

```
{ "type": "object", "properties": { "name": { "type": "string" }, "id": { "type": "integer" } } }
```

Use sample payload to generate schema

Respond to a PowerApp or flow

Add dynamic content from the apps and connectors used in this flow. Hide

Dynamic content Expression

Search dynamic content

HTTP

- Body
- Headers
- Status code

PowerApps

- Ask in PowerApps
- Body

The screenshot shows the Microsoft Flow editor interface. On the left, there's a sidebar with various options like Home, Action items, My flows (which is selected), Create, Templates, Connectors, Data, AI Builder, Solutions, and Learn. The main workspace displays a flow with several steps: a PowerApps connector step, an HTTP connector step, a Parse JSON step, and a Respond to a PowerApp or flow step. The Parse JSON step is currently active, showing its configuration. It has fields for Content (set to Body) and Schema, which contains a JSON schema definition. The schema defines an object with properties 'name' (string type) and 'id' (integer type). Below the schema, there's a note to 'Use sample payload to generate schema'. To the right of the flow, there's a panel titled 'Add dynamic content from the apps and connectors used in this flow.' It lists 'Dynamic content' and 'Expression' tabs, with 'Dynamic content' selected. Under the 'Dynamic content' tab, there's a search bar and a list of available items: Body, Headers, Status code under the HTTP category; Ask in PowerApps and Body under the PowerApps category. The top of the screen also shows the URL of the flow, some navigation icons, and the user's name 'Hiram Fleitas'.

IT WON'T FAIL BECAUSE OF ME

PowerApps

iss25544 - PowerApps

Edit your flow | Microsoft Flow

American Flag

Icons

Profile Picture

Flow

Left sidebar menu:

- Home
- Action items
- My flows
- Create
- Templates
- Connectors
- Data
- AI Builder
- Solutions
- Learn

iss25544


Save Flow checker Test

Main content area: Respond to a PowerApp or flow

The screenshot shows a Microsoft Flow editor interface. The left sidebar has 'My flows' selected. The main area displays a 'Respond to a PowerApp or flow' step with the following fields:

- Longitude: (empty input field)
- Latitude: (empty input field)
- Altitude: (empty input field)
- Velocity: (empty input field)
- Visibility: (empty input field)
- Name: (empty input field)
- id: (empty input field)
- units: (empty input field)

Below the fields is a button labeled '+ Add an output'.



◀ Untitled

4:05 PM

46%





iss25544

• • • •

Opening ...

## iss 25544

Date: 10/31/2019 4:17 PM


Latitude: -50.192506818094

Longitude: -49.781338338897

Altitude: 430.33283280917

Velocity: 27557.241831407

Visibility: daylight



## iss 25544

Date: 10/31/2019 4:17 PM


Latitude: -50.192505818094

Longitude: -49.781338338897

Altitude: 430.33283280917

Velocity: 27557.241831407

Visibility: daylight



End

The screenshot shows the Microsoft PowerApps website at https://powerapps.microsoft.com/en-us/. The page features a large purple and white abstract graphic on the right. In the center, the text "Apps that mean business" is displayed above a paragraph about building business apps. A "GET STARTED FREE >" button is visible. The top navigation bar includes links for "Build Custom Business Apps", "Power BI | Interactive Data Visuals", "Automate processes + tasks", and "Sign in / Sign up free".

IT WON'T FAIL BECAUSE OF ME

Microsoft | PowerApps

Sign in | Sign up free

Apps that mean business

Easily build the business apps you need and extend or customize the apps you already use.

GET STARTED FREE >

Build Custom Business Apps | Mi... X | Power BI | Interactive Data Visuals | Automate processes + tasks | Mi... X | +

https://powerapps.microsoft.com/en-us/

# Summary

1. Azure Data Studio Notebook
2. PowerApps
3. Microsoft Flow
4. Data Gateway
5. Cortana – Power BI
6. Publish & Share – Security
7. Forms – AI Builder

# Summary

8. RLS

9. Approvals

10.ISS HTTP Web API

11.Resources

# Resources


1. [fleitasarts.com](http://fleitasarts.com)
2. [github.com/hfleitas/seattle2019](https://github.com/hfleitas/seattle2019)
3. [Microsoft Learn](#)
4. [Pricing](#)
5. [Integrating Bing Maps with GPS](#)
6. [Scrolling Screen](#)
7. [Display User Profile Photo](#)

# Resources

8. [Modal \(Pop-up\) Screen](#)
9. [Image Circle Crop](#)
10. [Cortana Intro](#)
11. [Sample canvas apps](#) (Expense Report, Help Desk, Meeting Capture)
12. [Webinar Listing](#)
13. [ROI Case Study](#)

# Community

- Power BI
- PowerApps
- Microsoft Flow
- Data Stories Gallery
- Discuss, Connect, Feedback



## Welcome to the Power Platform community



### Power BI

The Power BI community brings together business intelligence experts and peers to network and share knowledge.

[POWER BI COMMUNITY >](#)



### PowerApps

Share questions, tips, and ideas for building apps with other users and the PowerApps product team.

[POWERAPPS COMMUNITY >](#)



### Microsoft Flow

Discuss automating your workflows and business processes, share your ideas and get help from the community.

[FLOW COMMUNITY >](#)



Link to Poll:

[bit.ly/mssql2019](https://bit.ly/mssql2019)

Your participation is very important.

# Session Evaluations

Submit by 5pm Friday,  
November 15th to  
win prizes.

## 3 WAYS TO ACCESS



Go to [PASSsummit.com](http://PASSsummit.com)



Download the GuideBook App  
and search: PASS Summit 2019



Follow the QR code link on session  
signage



SCAN ME

# Hiram Fleitas

Principal Database Architect,  
Universal Property Casualty & Insurance Company



@hiramfleitas



hiram@fleitasarts.com



fleitasarts.com



/hfleitas



hiramfleitas

Thank  
You

