App properties

appVersion
activeDocs
addressBookAvailable
formsVersion
fs
fullscreen
language
media
platform
plugins
printerNames
runtimeHighlight
runtimeHighlightColor
viewerType
viewerVariation
viewerVersion

appMethods

alert
beep
browseForDoc
clearInterval
clearTimeOut
execDialog
execMenuItem
findComponent
goBack
goForward
launchURL
mailMsg
newDoc
newFDF
openDoc
openFDF
popUpMenu
popUpMenuEx
response
setInterval
setTimeOut

docProperties

author
bookmarkRoot
calculate
creationDate
creator
dataObjects
delay
dirty
documentFileName
dynamicXFAForm
external
filesize
icons
info
keywords
layout
docMedia
modDate
mouseX
mouseY
numFields
numPages
pageNum
path
producer
securityHandler
subject
templates
title
URL
zoom
zoomType

docMethods

addAnnot addField addIcon addLink calculateNow

closeDoc createDataObject createTemplate deletePages exportAsFDF

exportAsText exportAsXFDF exportDataObject extractPages getAnnot

getAnnot3D getAnnots getAnnots3D getDataObject getField

getIcon getLinks getNthFieldName getOCGs getPageBox

getPageNthWord getPageNthWordQuads getPageNumWords getPageRotation getPageTransition

getPrintParams getTemplate getURL gotoNamedDest importAnFDF

importAnXFDF importDataObject importTextData insertPages mailDoc

mailForm print removeDataObject removeField removeIcon

replacePages resetForm saveAs scroll spawnPageFromTemplate

submitForm

fieldProperties

alignment
borderStyle
buttonAlignX
buttonAlignY
buttonFitBounds
buttonPosition
buttonScaleHow
buttonScaleWhen
calcOrderIndex
charLimit
comb
commitOnSelChange
currentValueIndices
defaultStyle
defaultValue
fieldDelay
display
doc
doNotScroll
doNotSpellCheck
editable
exportValues
fileSelect
fillColor
highlight
lineWidth
multiline
multipleSelection
name
numItems
page
password
print
radiosInUnixon
readonly
rect
required
richText
richValue
rotation
strokeColor
style
submitName
textColor
textFont
textSize
type
userName
value
valueAsString

fieldMethods

browseForFileToSubmit | buttonGetCaption | buttonGetIcon | buttonImportIcon | buttonSetCaption

buttonSetIcon | checkThisBox | clearItems | defaultIsChecked | deleteItemAt

getArray | getItemAt | getLock | insertItemAt | isBoxChecked

isDefaultChecked | setAction | setFocus | setItems | setLock

signatureGetModifications | signatureSetSeedValue | signatureInfo | signatureSetSeedValue | signatureSign

signatureValidate

identityProperties

coporation | email | loginName | identityName

globalMethods

setPersistent

templateMethods

templateHidden | templateName | spawn

util

printf | printx | scand | printd

afMethods

AFDate_Format | AFDate_FormatEx | AFDate_Keystroke | AFDate_KeystrokeEx | AFExtractNums

AFMakeNumber | AFMergeChange | AFNumber_Format | AFNumber_Keystroke | AFParseDateEx

AFPercent_Format | AFPercent_Keystroke | AFRange_Validate | AFSimple | AFSimple_Calculate

AFSpecial_Keystroke | AFSpecial_KeystrokeEx | AFTime_Format | AFTime_FormatEx | AFTime_Keystroke

console

clear | hide | println | show

colorProperties

transparent | black | white | red | green

blue | cyan | magenta | yellow | dkGray

gray | ltGray

colorMethods

equal | convert

KIDS