Grid view

| # | Plant Name (Additional names and variants) | Formal Botanical Name | Animal Species Afflicted |
|----|---|--------------------------------------|---|
| 1 | Adonis (Autumn Adonis, Autumn Pheasant's Eye, Blooddrops, Pheasant's Eye, Re | Adonis | Sheep Cows Pigs Chickens Geese Turkeys Ducks Rabbits |
| 2 | Alsike Clover | Trifolium hybridum | Equines |
| 3 | Arrowgrass (Marsh Arrow-Grass, Seaside Arrow-Grass) | Triglochin | Cows Sheep |
| 4 | Azaleas | Rhododendron | Sheep Equines Llamas Alpacas Chickens Turkeys Ducks Geese Rabbits |
| 5 | Baneberry (Bugbane, Cohosh) | Actea rubra | Cows Equines Rabbits |
| 6 | Bellyache Bush (Wild Cassava, Physic Nut, Physicnut) | Jatropha gossypiifolia | Chickens Turkeys Ducks Geese |
| 7 | Bitter Almond | Prunus amygdalus var. amara | Chickens Turkeys Ducks Geese |
| 8 | Bitterweed (Rubberweed, Colorado Rubberweed, Pingue) | Hymenoxys | Sheep Cows |
| 9 | Black Henbane (Hogs Bean, Henbane, Stinking Nightshade) | Hyoscyamus niger | Cows Chickens Turkeys Ducks Geese Rabbits |
| 10 | Black Locust (False Acacia) | Robinia pseudoacacia | Sheep Goats Cows Equines Llamas Alpacas Chickens Turkeys Ducks Geese Rabbits |
| 11 | Black Walnut | Juglans nigra | Equines |
| 12 | Bouncing Bet (Common Soapwort, Crow Soap, Soapweed Wild Sweet William) | Saponaria officinalis | Sheep Cows |
| 13 | Box Elder Maple (Boxelder Maple, Ash Leaf Maple, Elf Maple Manitoba Maple) | Acer negundo | Equines Chickens Turkeys Ducks Geese |
| 14 | Bracken Fern (Brake Fern, Eagle Fern) | Pteridium aquilinum | Sheep Cows Pigs Equines Chickens Turkeys Ducks Geese |
| 15 | Buckeye (Horse Chestnut) | Aesculus | Equines Chickens Turkeys Ducks Geese Rabbits |
| 16 | Buckwheat | Fagopyrum esculentum | Sheep Goats Cows Turkeys |
| 17 | Buffalo Bur (Colorado Bur, Kansas Thistle, Mexican Thistle, Spiny Nightshade, Tex | Solanum rostratum | Sheep Cows Equines Rabbits |
| 18 | Buttercup | Ranunculus | Equines Cows Rabbits |
| 19 | Butterfly Milkweed (Butterfly Weed) | Asclepias tuberosa | Cows |
| 20 | Cardinal Flower (Blue Cardinalflower, Indian Tobacco) | Lobelia cardinalis, Lobelia inflata, | Chickens Turkeys Ducks Geese |
| 21 | Carolina Jessamine (Yellow Jessamine, Evening Trumpet Vine, Woodbine) | Gelsemium sempervirens | Goats Cows Chickens Turkeys Ducks Geese Sheep Equines Pigs Llamas Alpacas |
| 22 | Castor Bean | Ricinus communis | Sheep Goats Cows Pigs Llamas Alpacas Chickens Turkeys Ducks Geese Equines Rabbits |
| 23 | Cherry Trees (Black Cherry, Choke Cherry, Pin Cherry, Wild Cherry) | Prunus | Goats Sheep Pigs Llamas Alpacas Chickens Turkeys Ducks Geese Equines Rabbits |
| 24 | China Berry (Bead-Tree, Cape Lilac, Chinaberry, Indian Lilac, Persian Lilac, Pride Of | Melia azedarach | Cows Pigs Chickens Turkeys Ducks Geese Equines Rabbits |
| 25 | Christmas Rose (Black Hellabore) | Helleborus niger | Chickens Turkeys Ducks Geese Equines Goats Sheep Cows Pigs Llamas Alpacas Rabbits |
| 26 | Climbing Lily (Creeping Lily, Flame Lily, Fire Lily, Gloriosa Lily, Glory Lily, Superb Li | Gloriosa superba | Chickens Turkeys Ducks Geese Equines Cows Sheep Pigs Alpacas Goats Llamas |

| # | Plant Name (Additional names and variants) | Formal Botanical Name | Animal Species Afflicted |
|----|--|--------------------------------------|---|
| 27 | Clover (Specifically Red Clover and White Clover) | Trifolium pratense, Trifolium repens | Equines Cows |
| 28 | Cocklebur | Xanthium | Sheep Cows Pigs Chickens Turkeys Ducks Geese Rabbits |
| 29 | Coffee (The plant's husk) | Coffea | Chickens Turkeys Ducks Geese Equines Cows Goats Sheep Alpacas Llamas Pigs |
| 30 | Coffee Senna (Bana Chakunda, Coffeeweed, Mogdad Coffee, Septicweed, Stepha | Senna occidentalis | Chickens Turkeys Ducks Geese Equines Rabbits |
| 31 | Comfrey (Prickly Comfrey) | Symphytum officinale L., Symphyt | Llamas Alpacas Rabbits |
| 32 | Copperweed | Oxytenia acerosa | Cows Sheep |
| 33 | Corn Cockle (Corncockle) | Agrostemma | Chickens Turkeys Ducks Geese Rabbits |
| 34 | Cottonseed (Mexican Cotton, Upland Cotton) | Gossypium hirsutum | Chickens Turkeys Ducks Geese Pigs |
| 35 | Cow Cockle (China Cockle, Cow-Herb, Spring Cockle, Dairy Pink) | Vaccaria hispanica | Sheep Cows Equines |
| 36 | Creeping Buttercup (Bulbous Buttercup, Creeping crowfoot, Sitfast) | Ranunculus repens, Ranunculus b | Pigs Alpacas Llamas Equines Rabbits |
| 37 | Creeping Indigo (Spicate Indigo, Trailing Indigo) | Indigofera hendecaphylla | Chickens Turkeys Ducks Geese Equines Cows Sheep Pigs Llamas Alpacas Goats |
| 38 | Crotalaria (Rattlebox, Rattlepod, Showy Rattlebox) | Crotalaria spectabilis | Sheep Goats Cows Chickens Turkeys Ducks Geese |
| 39 | Crown Vetch (Purple Crown Vetch) | Securigera varia | Pigs Chickens Turkeys Ducks Geese Equines |
| 40 | Curly Leaved Dock (Curled Dock, Curly Dock, Garden-Sorrel, Sheep Sorrel, Sorrel, | Rumex acetosa, Rumex crispus, R | Sheep Cows Chickens Turkeys Ducks Geese Equines Rabbits |
| 41 | Cestrum (Day Blooming Jasmine, Night Blooming Jasmine, Jessamine) | Cestrum | Sheep Goats Cows Pigs Equines Chickens Ducks Geese Turkeys |
| 42 | Death Camas (Deadly Zigadene, Deathcamas, Hog Potato, Mystery Grass, White | Toxicoscordion fremontii | Sheep Cows Pigs Llamas Alpacas Chickens Turkeys Ducks Geese |
| 43 | Desert Baileya (Desert Marigold) | Baileya | Sheep Goats Cows |
| 44 | Dogbane (Amy Root, Bitter Root, Hemp Dogbane, Indian Hemp, Spreading Dogb | Apocynum cannabinum | Sheep Cows Chickens Turkeys Ducks Geese Rabbits |
| 45 | Elderberry (American Elder, Elder, European Elder) | Sambucus | Sheep Cows Rabbits |
| 46 | Emerald Feather (Asparagus Fern, Emerald Fern, Plumosa Fern, Shatavari, Spaghe | Asparagus densiflorus | Chickens Turkeys Ducks Geese Equines |
| 47 | English Ivy (Common Ivy, European Ivy, Ivy) | Hedera helix | Sheep Cows Equines Rabbits |
| 48 | European Spindletree (Common Spindle, Euonymus, European Spindle, Spindle) | Euonymus europaeus | Turkeys Ducks Geese Chickens Goats Sheep Equines Rabbits |
| 49 | Fiddleneck (Tarweed, Yellow Bur Weed) | Amsinckia | Cows Pigs Llamas Alpacas Turkeys Ducks Geese Equines |
| 50 | Foxglove | Digitalis | Sheep Cows Turkeys Ducks Geese Alpacas Chickens Goats Pigs Equines Llamas Rabbits |
| 51 | Flax Plant (Blue Flax, Common Flax, Linseed) | Linum | Sheep Goats Cows |
| 52 | Flix Weed (Green Tansy Mustard, Herb-Sophia, Tansy Mustard) | Descurainia sophia, Descurainia p | Cows |
| 53 | Fly Poison (Crow Poison, Stagger Grass) | Amianthium muscitoxicum | Cows Turkeys Ducks Geese |

| # | Plant Name (Additional names and variants) | Formal Botanical Name | Animal Species Afflicted |
|----|---|-------------------------------------|---|
| 54 | Giant Hogweed (Cartwheel Flower, Cow Parsnip, Giant Cow Parsley, Giant Cow Pa | Heracleum mantegazzianum | Turkeys Ducks Geese Chickens |
| 55 | Goats Rue (Galega, Professor Weed, French Lilac, Italian Fitch) | Galega officinalis | Sheep Goats |
| 56 | Goldenbanner (Yellow Pea, False Lupine) | Thermopsis villosa, Thermopsis m | Cows |
| 57 | Golden Chain (Golden Rain, Laburnum) | Laburnum | Cows Pigs Equines Rabbits |
| 58 | Gooseberry | Ribes uva-crispa, Ribes grossularia | Geese Ducks Turkeys Chickens Cows |
| 59 | Greasewood (Chico) | Sarcobatus vermiculatus | Sheep Cows |
| 60 | Green Cestrum (Green Poison Berry, Chilean Cestrum, Willow-leaved Jessamine, | Cestrum parqui | Turkeys Ducks Geese Cows Sheep Equines Chickens Llamas Alpacas Goats Pigs |
| 61 | Ground Cherry (Chinese Lantern) | Physalis | Cows Equines Rabbits |
| 62 | Ground Mexican Poppy | Argemone mexicana | Turkeys Ducks Geese Chickens Cows Goats Sheep Rabbits |
| 63 | Groundsel (Entire-Leaved Groundsel) | Senecio Vulgaris, Senecio integer | Cows Llamas Alpacas Equines |
| 64 | Gumweed | Grindelia | Cows Equines |
| 65 | Hairy Vetch, Common Vetch | Vicia villosa, Vicia sativa | Cows Chickens Turkeys Ducks Geese Equines |
| 66 | Halogeton (barilla, saltlover) | Halogeton glomeratus | Sheep Cows |
| 67 | Heliotrope (Spatulate-Leaved Heliotrope) | Heliotropium | Chickens Turkeys Ducks Geese Cows Equines Pigs Sheep Llamas Alpacas |
| 68 | Holly (American Hlly) | Quercus, Ilex | Chickens Turkeys Ducks Geese Rabbits |
| 69 | Horsebrush | Tetradymia | Sheep |
| 70 | Horse Nettle (Apple Of Sodom, Bull Nettle, Devil's Tomato, Horsenettle, Radical | Solanum carolinense | Sheep Goats Cows Pigs Equines Chickens Turkeys Ducks Geese Rabbits |
| 71 | Horsetail (Field Horsetail, Marsh Horsetail, Scouring Rush) | Equisetum | Sheep Cows Equines |
| 72 | Houndstongue (Hounds Tongue) | Cynoglossum officinale | Sheep Goats Cows Llamas Alpacas Equines |
| 73 | Jack In The Pulpit | Arisaema triphyllum | Chickens Turkeys Ducks Geese Rabbits |
| 74 | Japanese Pieris (Dwarf Lilly-of-the-Valley Shrub, Japanese andromeda) | Pieris japonica | Sheep Goats Cows Llamas Alpacas Equines Rabbits |
| 75 | Jimmy Weed (Burrow Weed, Rayless Goldenrod) | Isocoma pluriflora | Sheep Goats Equines Cows |
| 76 | Jimsonweed (Angel's Trumpet, Devil's Snare, Jimson Weed, Thorn Apple) | Datura stramonium, Datura innoxia | Sheep Goats Cows Pigs Equines Llamas Alpacas Chickens Turkeys Ducks Geese Rabbits |
| 77 | Johnson Grass (Johnsongrass) | Sorghum halepense | Goats Cows Chickens Turkeys Ducks Geese Equines |
| 78 | Kentucky Coffeetree | Gymnocladus dioicus | Sheep Cows |
| 79 | Kochia (Belvedere, Burningbush, Firebush, Mexican Firebush, Mexican Fireweed, | Bassia scoparia | Sheep Goats Cows Llamas Alpacas Equines |
| 80 | Lambs Quarter (Lambsquarters) | Chenopodium | Sheep Goats Cows Chickens Turkeys Ducks Geese |

| # | Plant Name (Additional names and variants) | Formal Botanical Name | Animal Species Afflicted |
|-----|---|------------------------------------|---|
| 81 | Lantana (Yellow Sage) | Lantana, Lantana camara | Sheep Cows Chickens Turkeys Ducks Geese Rabbits |
| 82 | Larkspur (Foothills Larkspur, Low Larkspur, Tall Larkspur, Menzies Larkspur) | Delphinium barbeyi, Delphinium | Cows Equines Rabbits |
| 83 | Laurel (Bog Laurel, Calico Bush, Mountain Laurel, Sheep Laurel, Western Minnieb | Kalmia, Menziesia ferruginea | Sheep Goats Cows Llamas Alpacas Equines |
| 84 | Spurge (Cypress Spurge, Leafy Spurge, Petty Spurge, Sun Spurge) | Euphorbia | Cows Equines Rabbits |
| 85 | Leucaena (White Leadtree, Guaje, Huaxin, Jumbay, Koa Haole, River Tamarind, Su | Leucaena leucocephala | Sheep Goats Cows Pigs Equines |
| 86 | Lily Of The Valley | Convallaria majalis | Chickens Turkeys Ducks Geese Cows Goats Sheep Pigs Equines Llamas Alpacas Rabbits |
| 87 | Locoweed (Blue Locoweed, Crazyweed, Logo, Purple Locoweed, Spotted Locowe | Astragalus lentiginosus, Astragalu | Sheep Cows Equines Rabbits |
| 88 | Longstalk Sprinparsley | Cymopterus longipes | Chickens Turkeys Ducks Geese |
| 89 | Lupine (Burkes Lupine, Large-Leaved Lupine, Silky Lupine, Silvery Lupine, Small L | Lupinus | Sheep Cows Llamas Alpacas Chickens Turkeys Ducks Geese Equines Rabbits |
| 90 | Marsh Marigold (Kingcup, Marsh-Marigold) | Caltha palustris | Cows Rabbits |
| 91 | Marsh Arrowgrass (Marsh Arrow-Grass) | Triglochin palustris | Sheep Cows |
| 92 | May Apple (American Mandrake, Ground Lemon, Mayapple, Wild Mandrake) | Podophyllum | Cows Rabbits |
| 93 | Meadow Saffron (Autumn Crocus, Naked Ladies) | Colchicum autumnale | Chickens Turkeys Ducks Geese Cows Goats Sheep Pigs Equines Llamas Alpacas Rabbits |
| 94 | Milk Thistle (Blessed Milkthistle, Cardus Marianus, Marian Thistle, Mary Thistle, M | Silybum marianum | Sheep Goats Llamas Alpacas |
| 95 | Milk Vetch (Canadian Milk-Vetch, Timber Milk-Vetch) | Astragalus | Cows |
| 96 | Milkweed (Common Milkweed, Eastern Whorled Milkweed, Showy Milkweed) | Asclepias | Sheep Goats Equines Chickens Turkeys Ducks Geese Rabbits |
| 97 | Mistletoe | Viscum album, Phoradendron ser | Chickens Turkeys Ducks Geese Rabbits |
| 98 | Monkshood (Aconite, Blue Rocket, Devil's Helmet, Leopard's Bane, Mousebane, | Aconitum | Sheep Goats Cows Chickens Turkeys Ducks Geese Equines Rabbits |
| 99 | Mountain Mahogany | Cercocarpus | Cows |
| 100 | Mustards (Indian Mustard, Kale, Rapeseed, Swede, Turnip, Canola, Wild Cabbage, | Brassica, Sinapis arvensis | Sheep Cows Pigs Rabbits |
| 101 | Nardoo | Marsilea drummondii | Chickens Turkeys Ducks Geese Equines |
| 102 | Nightshades | Solanaceae | Sheep Goats Cows Pigs Equines Llamas Alpacas Chickens Turkeys Ducks Geese Rabbits |
| 103 | Nolina (Bear Grass, Beargrass, Bunch Grass) | Nolina | Sheep Goats |
| 104 | Oaks (Acorns & Young Shoots) | Quercus | Sheep Cows Pigs Equines Ducks Geese Rabbits |
| 105 | Oaks (Specifically Black Oaks, Chestnut Oaks, Red Oaks, Pin Oaks, White Oaks) | Quercus | Equines Rabbits |
| 106 | Onions (Wild Onion) | Allium cepa, Allium Canadense | Sheep Goats Cows Rabbits |
| 107 | Oleander (Nerium) | Nerium oleander | Sheep Goats Cows Llamas Alpacas Equines Rabbits |

| # | Plant Name (Additional names and variants) | Formal Botanical Name | Animal Species Afflicted |
|-----|---|--|---|
| 108 | Paintbrush (Indian Paintbrush, Prarie-Fire) | Castilleja coccinea | Cows Equines |
| 109 | Patterson's Curse | Echium plantagineum | Chickens Turkeys Ducks Geese Equines Cows Pigs Goats Sheep |
| 110 | Perilla (Beafsteak Plant, Korean Perilla) | Perilla frutescens | Sheep Cows |
| 111 | Periwinkle | Vinca | Chickens Turkeys Ducks Geese Equines Rabbits |
| 112 | Pigweed (Prostrate Pigweed, Smooth Pigweed, Redroot Pigweed) | Amaranthus retroflexus, Amarant | Sheep Goats Cows Pigs Llamas Alpacas Equines Rabbits |
| 113 | Poison Hemlock (Australian Carrot Fern, Devil's Porridge, Hemlock, Irish Devil's Br | Conium maculatum | Sheep Goats Cows Pigs Equines Llamas Alpacas Chickens Turkeys Ducks Geese Rabbits |
| 114 | Pokeberry (American Pokeweed, Pokeweed, Poke Salad, Poke Sallet) | Phytolacca americana | Cows Pigs Sheep Equines Llamas Alpacas Geese Ducks Turkeys Chickens |
| 115 | Ponderosa Pine (Blackjack Pine, Bull Pine, Western Yellow-Pine) | Pinus ponderosa | Sheep Goats Cows |
| 116 | Prince's Plume | Stanleya | Sheep Cows Equines |
| 117 | Puncture Vine (Goats Head, Caltrop) | Tribulus terrestris | Cows Sheep |
| 118 | Purslane (Pusley) | Portulaca | Sheep Cows Equines |
| 119 | Rain Lily (Atamasco Lily, Fairy Lily, Prarie Lily) | Zephyranthes atamasco | Cows Geese Goats Sheep Equines Ducks Turkeys Chickens Llamas Alpacas |
| 120 | Ranger's Buttons (Button Parsley, Swamp White Heads, Wollyhead Parsnip) | Angelica | Chickens Turkeys Ducks Geese Equines |
| 121 | Red Buckeye (Firecracker plant, Scarlet Buckeye, Woolly Buckeye) | Aesculus pavia | Cows Pigs Equines Chickens |
| 122 | Red Maple | Acer rubrum | Equines |
| 123 | Rhododendron (California Rose-Bay, White Rose-Bay) | Rhododendron | Sheep Cows Pigs Equines Llamas Alpacas |
| 124 | Rosary Pea (Akar Saga, Coral Bead, Coondrimany, Crab's Eye, Indian Licorice, Lov | Abrus precatorius | Chickens Turkeys Ducks Geese Cows Goats Sheep Pigs Equines Llamas Alpacas Rabbits |
| 125 | Rubbervine | Cryptostegia grandiflora | Chickens Turkeys Ducks Geese Cows Sheep Goats Pigs Equines Llamas Alpacas |
| 126 | Russian Thistle (Common Saltwort, Prickly Russian Thistle, Russian Knapweed, Tu | Salsola tragus, Centaurea solstitialis | Cows Sheep Equines |
| 127 | Sabi Star (Desert Rose, Impala Lily, Kudu, Mock Azalea) | Adenium obesum | Chickens Turkeys Ducks Geese Cows Sheep Goats Pigs Equines Llamas Alpacas |
| 128 | Sacred Bamboo (Chinese Heavenly Bamboo) | Nandina domestica | Chickens Turkeys Ducks Geese Cows Sheep Goats Pigs Equines Llamas Alpacas |
| 129 | Sacred Datura (Tolguacha) | Datura wrightii | Cows Pigs Equines |
| 130 | Sago Palm (Cardboard Palm, Coontie Palm, Funeral Palm, Japanese Sago, King Sa | Cycas revoluta | Chickens Turkeys Ducks Geese |
| 131 | Saint John's Wort (Goat Weed, Klamath Weed, St. John's Wort, Tipton Weed) | Hypericum perforatum | Sheep Cows Pigs Llamas Alpacas Chickens Turkeys Ducks Geese |
| 132 | Saltbush | Atriplex | Sheep Cows Equines |
| 133 | Sand Bur (Sandbur) | Cenchrus longispinus | Cows Sheep Equines Goats Llamas Alpacas |
| 134 | Scarlet Pimpernel | Lysimachia arvensis | Chickens Turkeys Ducks Geese Equines |

| # | Plant Name (Additional names and variants) | Formal Botanical Name | Animal Species Afflicted | | | |
|-----|---|-------------------------------------|---|--|--|--|
| 135 | Scotch Broom | Cytisus scoparius | Sheep Cows Equines Rabbits | | | |
| 136 | Serviceberry (Juneberry, Saskatooh Berry, Sarvis, Sarvisberry, Saskatoon, Shadblo | Amelanchier | Sheep Goats Cows | | | |
| 137 | Snakeweed (Broom Snakeweed, Broomweed, Matchweed, Turpentine Weed) | Gutierrezia sarothrae | Sheep Goats Cows Equines Rabbits | | | |
| 138 | Sneezeweed (Bitterweed, Naked-Flowered Sneezeweed, Orange Sneezeweed) | Helenium | Sheep Goats Cows Equines | | | |
| 139 | Snow On The Mountain (Smoke On The Prarie, Variegated Spurge, Whitemargine | Euphorbia marginata | Cows Equines Rabbits | | | |
| 140 | Sophora (Coral Bean, Texas Mountain Laurel, Mescal Bean, Frijollito) | Sophora secundiflora | Sheep Goats Cows | | | |
| 141 | Spanish Gold (Rattlebox Tree, Coffee Weed, Brazillian Glory Pea) | Sesbania punicea | Chickens Turkeys Ducks Geese Cows Sheep | | | |
| 142 | Spiny Plants (Burs, Thistles, Needle grass) | Various Species | Sheep Goats Llamas Alpacas | | | |
| 143 | Spring Parsley | Cymopterus | Chickens Turkeys Ducks Geese | | | |
| 144 | Squirrel Corn (Bleeding Heart, Dutchmans Breeches, Western Bleedingheart) | Dicentra canadensis | Cows Rabbits | | | |
| 145 | Star Of Bethlehem (Eleven-O'Clock Lady, Grass Lily, Nap-At-Noon) | Ornithogalum umbellatum | Chickens Turkeys Ducks Geese Goats Sheep Cows Alpacas Llamas Pigs Equines Rabbits | | | |
| 146 | Suckleya | Suckleya suckleyana | Sheep Cows | | | |
| 147 | Sudan Grass | Sorghum × drummondii | Sheep Cows Llamas Alpacas Chickens Turkeys Geese Ducks Equines | | | |
| 148 | Sweetclover (White Sweet-clover, Yellow Sweet-clover) | Melilotus, Melilotus alba, Melilotu | Sheep Cows Equines | | | |
| 149 | Sweet Pea | Lathyrus odoratus | Chickens Turkeys Ducks Geese Equines Sheep Rabbits | | | |
| 150 | Tall Buttercup (Common Buttercup, Giant Buttercup, Meadow Buttercup) | Ranunculus acris | Sheep Goats Cows Equines Rabbits | | | |
| 151 | Tall Fescue | Festuca arundinacea | Equines Chickens Turkeys Geese Ducks | | | |
| 152 | Tansy Ragwort (Ragwort) | Jacobaea vulgaris | Sheep Goats Cows Pigs Llamas Alpacas Chickens Turkeys Ducks Geese Equines Rabbits | | | |
| 153 | Tobacco (Tree Tobacco) | Nicotiana, Nicotiana glauca | Pigs Chickens Turkeys Ducks Geese Equines Rabbits | | | |
| 154 | Toyon (Christmas Holly, Christmas Berry) | Heteromeles arbutifolia | Chickens Turkeys Ducks Geese Equines | | | |
| 155 | Two-Grooved Milk Vetch | Astragalus bisulcatus | Sheep Equines Cows | | | |
| 156 | Viper's Bugloss (Blueweed) | Echium vulgare | Cows Equines | | | |
| 157 | Water Hemlock (Beaver Poison, False Parsley, Wild Carrot, Wild Parsnip) | Cicuta | Sheep Goats Cows Pigs Equines Llamas Alpacas Chickens Turkeys Ducks Geese Rabbits | | | |
| 158 | White Snakeroot (Richweed, White Sanicle) | Ageratina altissima | Cows Equines Llamas Alpacas Sheep Chickens Geese Goats Ducks Turkeys Pigs | | | |
| 159 | Woody Aster (Woodyaster) | Xylorrhiza glabriuscula | Cows Equines | | | |
| 160 | Yew (Canada Yew, English Yew) | Taxus | Sheep Cows Llamas Alpacas Chickens Turkeys Ducks Geese Equines Rabbits | | | |
| 161 | Greater Celandine | Chelidonium majus | Cows Rabbits | | | |

| # | Plant Name (Additional names and variants) | Formal Botanical Name | Animal Species Afflicted |
|-----|---|----------------------------------|--|
| 162 | Iceland Poppy (Corn Poppy, Opium Poppy) | Papaver nudicaule, Papaver rhoea | Cows Equines Sheep Rabbits |
| 163 | Wild Rhubarb | Rheum rhaponticum | Goats Pigs Rabbits |
| 164 | Alder Buckthorn (Breaking Buckthorn, Glossy Buckthorn) | Rhamnus frangula | Cows Rabbits |
| 165 | Hydrangea | Hydrangea macrophylla | Cows Equines |
| 166 | Climbing Nightshade (Especially the immature fruit and leaves) | Solanum dulcamara | Cows Sheep |
| 167 | Black Nightshade | Solanum nigrum | Cows Chickens Turkeys Ducks Geese Pigs Rabbits |
| 168 | Stinkweed | Thlaspi arvense | Cows |
| 169 | Velvety Goldenrod (Ashly Goldenrod, Soft Goldenrod) | Solidago mollis | Cows Sheep |
| 170 | Sensitive Fern (Bead Fern) | Onoclea sensibilis | Equines |
| 171 | Poet's Daffodil (Poet's Narcissus, Nargis, Pheasant's Eye, Findern Flower, Pinkster | Narcissus poeticus | Cows Rabbits |
| 172 | Ground Ivy (Alehoof, Catsfoot, Field Balm, Run-Away-Robin, Gill-Over-The-Groun | Glechoma hederacea | Equines |
| 173 | Wild False Indigo (White Wild Indigo) | Baptisia leucantha | Cows |
| 174 | Tall Mannagrass (American Mannagrass) | Glyceria grandis | Cows |
| 175 | Yellow Toadflax | Linaria vulgaris | Cows |
| 176 | Reed Canarygrass | Phalaris arundinacea | Cows Sheep |
| 177 | Mezereum (Mezereon, February Daphne, Spurge Laurel, Spurge Olive) | Daphne mezereum | Pigs Equines Rabbits |
| 178 | Devil's Backbone | Kalanchoe daigremontiana | Chickens Turkeys Geese Ducks |
| 179 | Cutleaf Coneflower (Black-Eyed Susan) | Rudbeckia laciniata | Cows Pigs |
| 180 | English Bluebell (Common Bluebell) | Endymion non-scriptus | Cows Equines Alpacas |
| 181 | Yellow Iris | Iris pseudacorus | Cows Pigs |
| 182 | Sunflower | Helianthus annuus | Cows |
| 183 | Wormseed Mustard | Erysimum cheiranthoides | Cows Pigs |
| 184 | Horseradish | Armoracia rusticana | Pigs |
| 185 | Chives | Allium schoenoprasum | Equines |
| 186 | Potato | Solanum tuberosum | Cows Sheep Pigs Rabbits |
| 187 | Baccharis (Desert Broom, False Willow, Silverling, Yerba Manza, Yerba De Pasmo) | Baccharis | Cows Sheep Rabbits |
| 188 | Bindweed (Wild Morning-Glory) | Convolvulus arvensis | Equines Rabbits |

| # | Plant Name (Additional names and variants) | Formal Botanical Name | Animal Species Afflicted | | |
|-----|---|--|---|--|--|
| 189 | Burdock (Lesser Burdock, Burweed) | Arctium | Cows Chickens Turkeys Goats Geese Ducks Sheep Pigs Equines Llamas Alpacas | | |
| 190 | Clematis (Virgin's Bower, Traveller's Joy, Leather Flower) | Clematis | Cows Goats Sheep Pigs Equines Llamas Alpacas | | |
| 191 | False Hellebore (Skunk Cabbage, Corn-Lily, Indian Poke, Indian Hellebore, Green | Veratrum californicam, Veratrum | Cows Sheep Llamas Alpacas Rabbits | | |
| 192 | Flatweed (Catsear, Cat's-Ear, False Dandelion) | Hypochaeris radicata | Equines | | |
| 193 | Fringed Sage (Sagewort, Fringed Sagebrush, Prarie Sagewort, Arctic Sage, Pastur | Artemisia frigida, Artemisia filifolia | Equines | | |
| 194 | Hoary Alyssum | Berteroa incana | Equines | | |
| 195 | Penstemon (Beard Tongue) | Penstemon | Cows Goats Sheep Equines | | |
| 196 | Silverleaf Night Shade (Trompillo) | Solanum elaeagnifolium | Cows Goats Sheep Equines Pigs Rabbits | | |

Grid view


| # | Continents Plant Can Be F | Photo | Toxicity Cause | Potential Symptoms | Plant Distribution |
|----|---------------------------|---------------|--------------------------------|--------------------------------|-------------------------------|
| 1 | Europe Asia North Ame | | Strophanthin and Cymarin | In mammals: • Vomiting • | Native to: Afghanistan, Alb |
| 2 | Europe Asia Africa So | To a | Undetermined | Photosensitization • Bum | Native to: Albania, Algeria, |
| 3 | Europe Asia North Ame | | Cyanogenic Glycoside Trigl | Symptoms appear rapidly | Native to: Afghanistan, Ala |
| 4 | Asia North America Eur | | Grayanotoxin | In mammals: • Anorexia • E | Native to: Afghanistan, Ala |
| 5 | North America Europe | | Ranunculin (processed into | • Diarrhea • Salivation • No | Native to: Alabama, Alaska, |
| 6 | South America Oceania | | Curcin, Phorbol, skin-irritati | Contact dermatitis | Native to: Argentina North |
| 7 | North America Asia Afr | | Hydrocyanic acid (processe | Blue-purplish comb/wattl | Native to: Transcaucasus In |
| 8 | North America South Ame | To go | Hymenoxon and Hymenox | Cows that eat large quantit | Native to: Alberta, Argentin |
| 9 | Europe Asia North Ame | 4 | Atropine and Scopolamine | In mammals: • Decreased s | Native to: Afghanistan, Alb |
| 10 | North America Europe | | The Lectin Robin (similar to | In mammals: • Diarrhea • | Native to: Alabama, Georgi |
| 11 | North America Europe | | Undetermined, possibly Ju | • Lower Limb Edema • Lami | Native to: Alabama, Arkans |
| 12 | North America Europe | F 100 | Saponin | Anorexia • Decreased ru | Native to: Albania, Austria, |
| 13 | North America South Ame | N. | Undetermined | In mammals: • Muscle wea | Native to: Alabama, Arizon |
| 14 | North America South Ame | | Thiaminase, Ptaquilosides | In mammals: • Symptoms a | Native to: Alabama, Alaska, |
| 15 | North America Europe | | Aesculin and Fraxin | In mammals: • Ataxia • Coli | Native to: Afghanistan, Ala |
| 16 | North America South Ame | | Fagopyrin | In mammals: • Animals wit | Native to: China South-Cen |
| 17 | North America Asia Afr | - | Solanine, Injury from spines | • Bloating • Diarrhea may r | Native to: Arizona, Arkansa |
| 18 | North America Europe | | Ranunculin (processed into | • Blisters on the lips • Lesio | Native to: Afghanistan, Ala |
| 19 | North America | | Toxic Cardenolides, Glycosi | • Depression • Weakness • | Native to: Alabama, Arizon |
| 20 | North America South Ame | 4 | Lobelamine, Lobeline | • Tremors • Weakness • Hy | Native to: Alabama, Arizon |
| 21 | North America | | Gelsemine, Gelsemicine, Ge | In mammals: • Paralysis • M | Native to: Alabama, Arkans |
| 22 | North America South Ame | 拉 | Ricinoleic Acid, Ricin | In mammals: • Vomiting • | Native to: Eritrea, Ethiopia, |
| 23 | North America South Ame | | Prunasin and Amydalin (pr | In mammals: • Wilted cherr | Native to: Afghanistan, Ala |
| 24 | North America South Ame | | Tetranortriterpene | In mammals: • Vomiting • | Native to: Assam, Banglade |
| 25 | Europe | Me. | Protoanemonin or Ranunc | Blistering mucous membr | Native to: Austria, Germany |
| 26 | Africa Asia Oceania | | Colchicine | Severe diarrhea with bloo | Native to: Andaman Is., An |



| # | Continents Plant C | Can Be F | Photo | Toxicity Cause | Potential Symptoms | Plant Distribution |
|----|--------------------|-----------|--------------------|-----------------------------|-------------------------------|-------------------------------|
| 27 | North America | South Ame | | The fungus Rhizoctonia leg | • Excessive salivation • Tear | Native to: Afghanistan, Alb |
| 28 | North America | South Ame | | Carboxyactractyloside | In mammals: • Symptoms | Native to: Alabama, Alaska, |
| 29 | North America | South Ame | | Caffeine | Coffee Tree Husk should | Native to: Angola, Assam, B |
| 30 | North America | South Ame | | Dianthrone | Ovaries may be adversely | Native to: Argentina North |
| 31 | North America | South Ame | | Intermedine, Lycopsamine, | The toxin may take weeks | Native to: Altay, Austria, Be |
| 32 | North America | | 4 | Unidentified | Loss of appetite • Dullnes | Native to: Arizona, Californi |
| 33 | North America | South Ame | * | Githagin and Agrostemmic | All parts of corn cockle ar | Native to: Albania, Bulgaria |
| 34 | North America | South Ame | 4 | Gossypol | Cotton seeds are toxic to | Native to: Aruba, Brazil Nor |
| 35 | North America | South Ame | | Saponins | Diarrhea • Acute liver fail | Native to: Albania, Algeria, |
| 36 | North America | South Ame | * | Ranunculin (processed into | Chronic inflammation • S | Native to: Albania, Algeria, |
| 37 | South America | Africa A | | 3-Nitropropionic Acid and I | Creeping indigo is a highly | Native to: Angola, Assam, B |
| 38 | North America | South Ame | | Monocrotaline | In mammals: • Yellow color | Native to: Andaman Is., Ass |
| 39 | North America | South Ame | | 3-Nitropropionic Acid | In mammals: • Decreased a | Native to: Albania, Belarus, |
| 40 | North America | South Ame | | Soluble oxalates | In mammals: Within a few | Native to: Albania, Algeria, |
| 41 | North America | South Ame | | 1,25-dihydroxycholecalcifer | In mammals: Animals that | Native to: Argentina North |
| 42 | North America | | turk. | Steroidal alkaloids | In mammals: • Excessive, fo | Native to: California, Mexic |
| 43 | North America | | | Hymenoxon | Loss of appetite • Vomitin | Native to: Arizona, Californi |
| 44 | North America | Europe | | Cynarin and Apocynein | In mammals: • Dogbane is | Native to: Alabama, Alberta |
| 45 | North America | South Ame | 7 | Sambunigrin (processed int | • Increased heart rate • Ven | Native to: Alabama, Albani |
| 46 | Europe Asia | Africa O | 45.70 ₁ | Saponins | In mammals: • Photosensiti | Native to: Cape Provinces, |
| 47 | North America | Europe | | Polyacetylene compounds | Local irritation • Excessive | Native to: Albania, Austria, |
| 48 | North America | Europe | | Cardiac Glycosides and Alk | Diarrhea • Weakness | Native to: Albania, Austria, |
| 49 | North America | South Ame | A Physical Reviews | Pyrrolizidine Alkaloids | In mammals: • The toxin m | Native to: Argentina North |
| 50 | North America | South Ame | | Digoxin and Digitoxin | In mammals: • Gastrointesti | Native to: Albania, Algeria, |
| 51 | North America | South Ame | | Linamarin (processed into | • Difficulty breathing • Ope | Native to: Afghanistan, Ala |
| 52 | North America | South Ame | | Undetermined | Difficulty chewing • Diffic | Native to: Albania, Algeria, |
| 53 | North America | | | Alkaloids | In mammals: • Excessive sal | Native to: Alabama, Arkans |



| # | Continents Plant Can Be F | Photo | Toxicity Cause | Potential Symptoms | Plant Distribution |
|----|---------------------------|-------------|------------------------------|----------------------------------|-------------------------------|
| 54 | North America South An | ne 🌉 | Sap (containing Furanocou | Photosensitivity upon con | Native to: Transcaucasus In |
| 55 | North America South An | ne 🌉 | Galegin | Difficulty breathing • Cou | Native to: Albania, Austria, |
| 56 | North America | | Undetermined (possibly Al | Weakness • Ataxia and in | Native to: Alabama, Califor |
| 57 | South America Europe | | Cytisine | Loss of appetite • Diarrhe | Native to: Albania, Austria, |
| 58 | North America Europe | | Hydrogen Cyanide | • Listlessness • Wobbly or | Native to: Albania, Algeria, |
| 59 | North America | | Sodium Oxalate | Muscle tremors • Tetany • | Native to: Alberta, Arizona, |
| 60 | South America Europe | | 1,25-dihydroxycholecalcifer | • Ingestion of the plant can | Native to: Argentina North |
| 61 | North America South An | ne Maria | Solanine | • Colic • Bloat • Diarrhea • | Native to: Afghanistan, Ala |
| 62 | North America South An | ne E | Sanguinarine | Depression • Extreme swe | Native to: Belize, El Salvado |
| 63 | North America South An | ne 🎆 | Pyrrolizidine Alkaloids | The toxin may take weeks | Native to: Afghanistan, Alb |
| 64 | North America South An | ne Maria | Selenium | In cows: • Initially circular ri | Native to: Alabama, Alaska, |
| 65 | North America South An | ne Maria | Beta-cyano-L-alanine | In mammals: • Diarrhea • P | Native to: Afghanistan, Alb |
| 66 | North America Asia | | Sodium oxalates | Muscle tremors • Tetany • | Native to: Afghanistan, Alta |
| 67 | North America South An | ne 🌉 | Pyrrolizidine Alkoilds | Appetite loss • Depressio | Native to: Afghanistan, Ala |
| 68 | North America South An | ne 🌉 | Ilicin | Diarrhea • Depression | Native to: Afghanistan, Ala |
| 69 | North America | | Undetermined | Photosensitization occurs | Native to: Arizona, British C |
| 70 | North America Europe | | Solanine | In mammals: • Salivation • | Native to: Alabama, Arizon |
| 71 | North America South An | ne M | Thiaminase, Aconitic Acid, | Symptoms are slow to de | Native to: Afghanistan, Ala |
| 72 | North America Europe | PO AN | Pyrrolizidine Alkaloids | Weight loss • Photosensit | Native to: Albania, Altay, A |
| 73 | North America | | Calcium Oxalate | Painful irritation and blist | Native to: Alabama, Arkans |
| 74 | Asia North America | | Grayanotoxins | Excessive salivation, vomi | Native to: China Southeast, |
| 75 | North America | | Tremetol | Acetone odor to the brea | Native to: Arizona, Mexico |
| 76 | North America South An | ne 🌠 | Hyoscyamine, Scopolamine | In mammals: • Dilation of t | Native to: Bahamas, Belize, |
| 77 | North America South An | ne 🌓 | Dhurrin (processed into Hy | In mammals: • Excessive sal | Native to: Afghanistan, Alg |
| 78 | North America Europe | 8 | Gymnocladosapponin | Excessive salivation • Coli | Native to: Alabama, Arkans |
| 79 | North America South An | ne M | Sapopins, Alkaloids | Photosensitization (appea | Native to: Altay, Amur, Bur |
| 80 | North America South An | ne 💹 | Nitrates, Oxalates, Sulfates | In mammals: • Sudden dea | Native to: Afghanistan, Ala |



| # | Cantinanta Diant C | D- F | Dhata | Taviait Carra | Datastial Committees | Diant Diatribution |
|-----|--------------------|-----------|-------|-----------------------------|-------------------------------|-------------------------------|
| | Continents Plant C | | Photo | Toxicity Cause | Potential Symptoms | Plant Distribution |
| 81 | North America | South Ame | | Lantadene A and B | In mammals: • Rapid heart | Native to: Afghanistan, Ang |
| 82 | North America | | rte | Diterpene Alkaloids, Methy | In mammals: • Muscle trem | Native to: Arizona, Colorad |
| 83 | North America | Europe | | Grayanotoxins | • Drooling • Watery eyes • | Native to: Alabama, Alaska, |
| 84 | Europe Asia | | | Diterpene esters, Latex | Animals are unlikely to ea | Native to: Afghanistan, Alb |
| 85 | North America | South Ame | | Mimosine (processed into | Decreased food consump | Native to: Belize, El Salvado |
| 86 | North America | Europe | | Cardenolides, Sapopins | • Irregular or slow heartbea | Native to: Albania, Austria, |
| 87 | North America | | | Swainsonine | • Depression • Weakness • | Native to: California, Idaho, |
| 88 | North America | | 33 | Oxypeucedanin and Isoimp | Acute photosensitivity • R | Native to: Colorado, Idaho, |
| 89 | North America | South Ame | 4 | Quinolizidine Alkaloids | Nervousness • Depressio | Native to: Alabama, Alaska, |
| 90 | North America | Europe | | Protoanemonin | Acute inflammation of th | Native to: Afghanistan, Alas |
| 91 | North America | South Ame | | Triglochinin (processed int | Symptoms appear rapidly | Native to: Afghanistan, Alas |
| 92 | North America | Europe | | Podopyllotoxin | Severe diarrhea | Native to: Afghanistan, Ala |
| 93 | North America | Europe | | Colchicine | • Difficulty swallowing • Dia | Native to: Albania, Austria, |
| 94 | North America | South Ame | | Nitrates | Collapse and death may | Native to: Afghanistan, Alb |
| 95 | North America | South Ame | * | Selenium | Cows are unlikely to eat u | Native to: Afghanistan, Ala |
| 96 | North America | South Ame | | Toxic Cardenolides, Glycosi | In mammals: • Loss of appe | Native to: Alabama, Alberta |
| 97 | North America | Europe | | Phoratoxins, Viscotoxins | Behavioral changes • Diar | Native to: Albania, Algeria, |
| 98 | North America | Europe | | Aconitine, Mesaconitine, an | Salivation • Bloating • Mu | Native to: Afghanistan, Ala |
| 99 | North America | | F S | Glycoside (processed into | Cherry-red mucous mem | Native to: Arizona, Californi |
| 100 | North America | South Ame | | Nitrates, Glucosinolates | • Diarrhea • Abdominal pai | Native to: Afghanistan, Alb |
| 101 | Oceania | | | Thiaminase | • Weight loss • Lethargy • I | Native to: New South Wale |
| 102 | North America | South Ame | | Solanine, Sapopins | In mammals: • Abdominal | |
| 103 | North America | | | Sapogenins | • Weight loss • Photosensit | Native to: Arizona, Californi |
| 104 | North America | South Ame | * | Tannins | In mammals: • Acorns and | Native to: Afghanistan, Ala |
| 105 | North America | South Ame | 42 | Tannins | • Loss of appetite • Excess | Native to: Afghanistan, Ala |
| 106 | North America | South Ame | | N-propyl disulphide, S-met | • Distinct odor of onion on | Native to: Turkmenistan Int |
| 107 | North America | South Ame | - | Oleandrin and Neriine | Severe vomiting • Diarrhe | Native to: Afghanistan, Alb |



| # | Continents Plant Can | Re F | Photo | Toxicity Cause | Potential Symptoms | Plant Distribution |
|-----|----------------------|----------|--|------------------------------|------------------------------|-------------------------------|
| 108 | North America | | | Selenium | Lameness • Long hairs te | Native to: Alabama, Conne |
| 109 | North America So | outh Ame | NAME OF THE OWNER OWNER OF THE OWNER OWNE | Pyrrolizidine Alkaloids | Appetite loss • Depressio | Native to: Albania, Algeria, |
| 110 | | | | Ketones | Acute respiratory difficult | Native to: Assam, Banglade |
| 111 | | outh Ame | W. Control | Vinca Alkaloids | • Diarrhea • Depression • Tr | Native to: Afghanistan, Alb |
| 112 | | outh Ame | mar 1 | Oxalates and Nitrates | • Edema • Nasal discharge | Native to: Mexico Central, |
| | | | | | | · |
| 113 | | outh Ame | | Coniine and Gamma-Conic | Death may occur within 1 | Native to: Afghanistan, Alb |
| 114 | North America So | outh Ame | | Oxalic Acid, Saponins, and | In mammals: • Symptoms o | Native to: Alabama, Arizon |
| 115 | North America Eur | irope | | Isocupressic Acid | • Renal failure • Abortion • | Native to: Arizona, British C |
| 116 | North America | | THE STATE OF THE S | Selenium | • Cracked hooves • Lamene | Native to: Arizona, Californi |
| 117 | North America So | outh Ame | | Saponins | • Lameness due to spiny b | Native to: Albania, Algeria, |
| 118 | North America Son | outh Ame | | Oxalates | • Muscle tremors • Tetany • | Native to: Alabama, Albani |
| 119 | North America | | * | Lycorine, Galantine, and Taz | Vomiting and diarrhea if t | Native to: Alabama, Florida, |
| 120 | North America Eur | irope | 3. | Furanocoumarins | Known to cause photose | Native to: Afghanistan, Ala |
| 121 | North America | | | Aesculin and Fraxin | Vomiting • Abdominal pai | Native to: Alabama, Illinois, |
| 122 | North America | | | Undefined | • Depression • Lack of app | Native to: Alabama, Arkans |
| 123 | North America Eur | ırope | | Grayanotoxin | • Anorexia • Coughing • Ch | Native to: Afghanistan, Ala |
| 124 | North America Son | outh Ame | | Abrin (similar to Ricin) | • Diarrhea • Tremors • Elev | Native to: Andaman Is., Ass |
| 125 | North America Son | outh Ame | | Cardiac Glycosides | • Sleepiness • Weakness • | Native to: Madagascar Intr |
| 126 | North America Son | outh Ame | | Oxalates | Staggering gait • Recumb | Native to: Albania, Altay, A |
| 127 | Africa | | SA-XE | Glycosides | Bradycardia • Cardiac arr | Native to: Benin, Burundi, C |
| 128 | North America Eur | ırope | | Glycosides (Processed into | Weakness • Incoordinatio | Native to: Japan Introduce |
| 129 | North America Eur | irope | | Alkaloids | • Excessive thirst • Dry muz | Native to: Arizona, Californi |
| 130 | North America Asi | sia | | Cycasin and Macrozamin | Gastrointestinal irritation, | Native to: Japan, Nansei-sh |
| 131 | North America Son | outh Ame | 老 | Hypericin | In mammals: • Photosensiti | Native to: Afghanistan, Alb |
| 132 | North America Son | outh Ame | | Selenium | • Lameness due to hoof wa | Native to: Afghanistan, Ala |
| 133 | North America Son | outh Ame | | Injury from spiny burs | • Not toxic but can cause tr | Native to: Alabama, Arizon |
| 134 | North America Son | outh Ame | 4 | Saponins, Cyclamin | • Plant is generally avoided | Native to: Albania, Algeria, |

| # | Continents Plant | Can Be F | Photo | Toxicity Cause | Potential Symptoms | Plant Distribution |
|-----|------------------|-----------|-------|-----------------------------|--------------------------------|---------------------------------|
| 135 | North America | South Ame | 2. | Anagyrine, Lupanine, Amm | • Excessive salivation • Ano | Native to: Austria, Baltic Sta |
| 136 | North America | Europe | | Glycosides (processed into | • Excessive salivation • Diffi | Native to: Alabama, Alaska, |
| 137 | North America | | | Saponins | Diarrhea followed by con | Native to: Alberta, Arizona, |
| 138 | North America | South Ame | | Glycosides and Sesquiterpe | Symptoms are slow to de | Native to: Alabama, Alberta |
| 139 | North America | South Ame | | Undefined | Salivation • Diarrhea | Native to: Arizona, Colorad |
| 140 | North America | Asia Afr | | Cytisine, N-methylcytisine, | After consuming, stress or | Native to: Mexico Central, |
| 141 | North America | South Ame | | Saponic Glycosides | • Liver failure • Weight loss | Native to: Argentina North |
| 142 | North America | South Ame | | Injury caused by spines | • Drooling • Lack of appetit | |
| 143 | North America | | 1 | Oxypeucedanin and Isoimp | Acute photosensitivity • R | Native to: Alberta, Arizona, |
| 144 | North America | | 4 | Isoquinolone Alkaloids | • Symptoms develop 48 ho | Native to: Connecticut, Dist |
| 145 | North America | Europe | | Cardiac Glycosides | • Ingestion of a single flow | Native to: Albania, Austria, |
| 146 | North America | | | Cyanogenic Glycoside (pro | • Excessive salivation • Sud | Native to: Alberta, Colorad |
| 147 | North America | South Ame | | Cyanogenic Glycoside (pro | In mammals: • Difficulty br | Native to: Chad, Egypt, Mal |
| 148 | North America | South Ame | | Dicoumarol | • Lameness • Bruises • Hem | Native to: Afghanistan, Alb |
| 149 | North America | South Ame | | DABA, ODAP, Amine, Phen | In mammals: • Aneurysms • | Native to: Italy, Sicilia Intro |
| 150 | North America | South Ame | | Protoanemonin | Inflammation and blisters | Native to: Albania, Aleutian |
| 151 | North America | South Ame | M | Diaziphenanthrene, Pyrroliz | In mammals: • Fever • Lam | Native to: Afghanistan, Ala |
| 152 | North America | South Ame | | Pyrrolizidine Alkaloids | • Nervousness • Chills • Pal | Native to: Afghanistan, Alb |
| 153 | North America | South Ame | | Nicotine, Pyridine | • Shaking • Twitching • Sta | Native to: Argentina North |
| 154 | North America | | | Cyanogenic Glycosides | • Labored breathing • Inco | Native to: California, Mexic |
| 155 | North America | Africa | 4 100 | Selenium, Swainsonine | • Animals rarely if ever eat | Native to: Alberta, Arizona, |
| 156 | North America | South Ame | | Pyrrolizidine Alkaloids | Muscle atrophy due to se | Native to: Albania, Altay, A |
| 157 | North America | Europe | *** | Cicutoxin and Cicutol | In mammals: • Death may | Native to: Alabama, Alaska, |
| 158 | North America | Europe | | Tremetol | Depression • Inactivity • A | Native to: Alabama, Arkans |
| 159 | North America | | | Selenium | • Lameness due to hoof wa | Native to: Colorado, Monta |
| 160 | North America | Africa E | | Toxic Alkaloids | In mammals: • Gastric distr | Native to: Afghanistan, Alas |
| 161 | North America | South Ame | | Latex | Convulsions • Death • Dr | Native to: Albania, Algeria, |

| # | Continents Plant | Can Be F | Photo | Toxicity Cause | Potential Symptoms | Plant Distribution |
|-----|------------------|-----------|----------|-----------------------------|-------------------------------|-------------------------------|
| 162 | North America | Asia Sou | | Undetermined (Codine & | Bloat • Incoordination • | Native to: Amur, Buryatiya, |
| 163 | North America | South Ame | de la | Oxalates | In goats: • Diarrhea • Frothi | Native to: Bulgaria Introduc |
| 164 | North America | Europe | | Anthraquinones, Emodine | • Diarrhea • Fever • Vomitin | Native to: Albania, Algeria, |
| 165 | North America | South Ame | | Hydragin | Abdominal Pain • Diarrhe | Native to: Japan, Kazan-rett |
| 166 | North America | South Ame | | The Alkaloids Solasodine a | In cows: • Incoordination • | Native to: Afghanistan, Alb |
| 167 | North America | Europe | | Alkaloids | In mammals: • Labored bre | Native to: Afghanistan, Alb |
| 168 | North America | South Ame | 275 | Allylthiocyanate | Abortion • Colic • Peeling | Native to: Afghanistan, Alb |
| 169 | North America | | 4 | Undetermined (possibly fu | • Rapid breathing • Weight | Native to: Alberta, Colorad |
| 170 | North America | Europe | | Undetermined | Brain congestion • Colic • | Native to: Alabama, Arkans |
| 171 | North America | Europe | * | Oxalate crystals, Alkaloids | Convulsions • Gastroente | Native to: Albania, Austria, |
| 172 | North America | South Ame | | Undetermined | Cyanosis • Dyspnea • Lun | Native to: Albania, Altay, A |
| 173 | North America | | | Cytisine | Anorexia Diarrhea | Native to: Alabama, Arkans |
| 174 | North America | Europe | | Undetermined | Staggering gait • Liver co | Native to: Alaska, Alberta, |
| 175 | North America | South Ame | 1 | Antirrinoside, Prunasin | • Rapid breathing • Cyanos | Native to: Albania, Altay, A |
| 176 | North America | South Ame | | Garmine, Hordenine, 5MM | Convulsions • Incoordinat | Native to: Afghanistan, Ala |
| 177 | North America | Europe | | Daphnetoxin, Dihydroxyco | Abdominal pains • Vomiti | Native to: Albania, Altay, A |
| 178 | North America | South Ame | | Daigremontianin | • Labored breathing • Conv | Native to: Madagascar Intr |
| 179 | North America | South Ame | | Undetermined | Gastroenteritis Coma | Native to: Alabama, Arkans |
| 180 | North America | Europe | À | Glycosides | Shallow breathing • Lowe | Native to: Belgium, France, |
| 181 | North America | South Ame | | Iridin | Abortion • Abdominal pai | Native to: Albania, Algeria, |
| 182 | | | | dihydroniveusin A (if the i | Agitation • Collapse • Lun | Native to: Arizona, Californi |
| 183 | North America | South Ame | | Glucosinolates | (If significant quantities of | Native to: Altay, Amur, Aus |
| 184 | | | | Glucosinolates | • Collapse • Death | Native to: Altay, North Cau |
| 185 | North America | South Ame | The same | N-propyl disulphide, S-met | (If leaves are ingested in ea | Native to: Afghanistan, Alas |
| 186 | North America | South Ame | 3 | The Glycoalkaloids Alpha-s | (especially if eating potato | Native to: Argentina North |
| 187 | North America | South Ame | | Macrolytic Trichothecenes, | Animals rarely eat this pla | Native to: Alabama, Argent |
| 188 | North America | South Ame | | Pseudotropine, Atropine | Colic (through gas accum | Native to: Afghanistan, Alb |

| # | Continents Plant Can Be F | | Photo | Toxicity Cause | Potential Symptoms | Plant Distribution |
|-----|---------------------------|---------|--|------------------------------|------------------------------|--------------------------------|
| 189 | North America Sou | uth Ame | | Non-toxic but trauma from | Trauma from burs | Native to: Afghanistan, Alb |
| 190 | North America Sou | uth Ame | * | Protoanemonin (only in liv | • Excessive salivation • Red | Native to: Afghanistan, Ala |
| 191 | North America | | | Alkaloids (especially in you | Birth deformities • Decrea | Native to: Alaska, Alberta, B |
| 192 | North America Sou | uth Ame | Me. | Undetermined | • Symptoms develop only if | Native to: Albania, Algeria, |
| 193 | North America Asia | a Eur | THE STATE OF THE S | Sesquiterpene Lactones, M | Ataxia • Abnormal behavi | Native to: Alaska, Alberta, |
| 194 | North America Euro | ope | N. | Undetermined | • Diarrhea • Lameness • De | Native to: Albania, Altay, A |
| 195 | North America Sou | uth Ame | | Selenium | • Lameness • Circular ridge | Native to: Alabama, Alaska, |
| 196 | North America Sou | uth Ame | | Solanine | Salivation • Colic • Intesti | Native to: Eritrea, Ethiopia I |