# FIRE DEPARTMENT CONDITIONS:

1. A STORAGE TANK WITH AT LEAST 10,000 GALLON

AAPAGITY SHALL BE LOCATED ON PARCEL "A"

FOR FIRE PROTECTION. TANK SHALL BE A

SON AN ELEVATED PLAIN.

2. THE OUTLET ON THE STORAGE TANK SHALL BE A

GATED VALVE, 4" IN DIAMETER, WITH A

NATIONAL FIRE DEPARTMENT THREAD (MALE)

OUTLET AND A CAP TO PROTECT THE THREADS

FROM DAMAGE.

3. TANK SHALL BE SERVICED BY AN AUL-WEATHER

ROAD AT CEAST 20 FEET IN WIDTH WHERE

PRACTICAL, AND CAPABLE OF SUPPORTING

10 TONS OF FIRE EQUIPMENT.

A IF A MAIN IS INSTALLED FROM TANK TO A FIRE

WITH A 4" RISER WITH 4" JONES TYPE HYDRANT

WALLEY

WITH A 4" RISER WITH 4" JONES TYPE HYDRANT

4

FER APPROVED GRADING PLAN #4560

6. TANK, WATER MAIN, AND FIRE HYDRANT SHALL BE
LOCATED PER APPROVED GRADING PLAN #4560
7. WATER TANK SHALL BE MAINTAINED AT LEAST TWOTHIRDS FULL AT ALL TIMES. TO ASSURE THAT THIS
REQUIREMENT IS MET, AN AUTOMATIC FLOAT TO
TURN PUMP ON SHALL BE INSTALLED.

6. A SIGN SHALL BE PLACED ON WATER TANK ABOVE
A" OUTLET, AS SHALL BE WORDED: "FIRE DEPARTMENT
CONNECTION - KEEP CLEAR".

9. COMPLIANCE WITH THESE RECOMMENDATIONS SHALL
NOT BE REQUIRED UNTIL SUCH TIME AS A PERMIT
OR OTHER DEPT. OUTLET SHALL BE KEPT UNOBSTRUCTED FOR
10. ON EACH SIDE.

11. TANK TO BE MINIMUM 100' FROM STRUCTURES. i Ø,

6

:

ANN BRUCE, F. HENRY NECASEK, ANNA L. NECASEK AND

SANDRA ELIZABETH SHOULTZ, OWNERS OF THE OIL, GAS

AND MINERALS, MAY BE OMITTED PURSUANT

THE HEIRS AND DEVISEES OF GLADYS O'DONNELL, BETSY THE SIGNATURES OF LORDAINE M. DOYLE, TRUSTEE FOR

MINERAL HOLDERS

WE L. FERIWI

RINI, NADIN NO DARIO F DATED DEC.

HE SIGNATURES OF DARLENE VIRGINIA I ALBERTA JEAN FER! HOLDERS OF THE BEN OF TRUST RECORDED I PAGE 2330 OF OFF! CODE,

66445 (F)

SECTION

40

GOVERNMENT

66445 (F) OF THE

CERTIFICATE

BEING A DIVISION OF PORTIONS OF LOTS 26 \$ 27 OF THE PADERENSKI SUBDIVISION NO. 1 AS SHOWN IN BOOK 15, PAGE 27 OF MAP BOOKS, COUNTY OF SANTA BARBARA, STATE OF CALIFORNIA

SURVEYOR'S CERTIFICATE:

THIS MAP WAS PREPARED BY ME OR WOOR MY
DIRECTION AND IS BASED ON A FIELD SURVEY IN
CONFORMANCE WITH THE REQUIREMENTS OF THE
SUBDIVISION MAP ACT AT THE REQUEST OF
KENNETH W. VEATCH ON JAN. 13, 1977. I HEREBY
STATE THAT THE PARCEL MAP PROCEDURES OF
THE LOCAL AGENCY HAVE BEEN COMPLIED WITH
AND THAT THIS PARCEL MAP AND THE CONDITIONS OF
APPROVAL THEREOF WHICH WERE REGUIRED TO BE
FULFILLED PRIOR TO THE FILING OF THIS PARCEL MAP

5-23-78 047E MICHAEL K. WELCH L.E. 3489

# THIS MAP CONFORMS WITH THE REQUIREMENTS OF THE SUBDIVISION MAP ACT AND LOCAL ORDINANCES. AUG. 10, 1978 COUNTY SURVEYOR CERTIFICATE: SURVEYOR'S COUNTY

Band M. Landling

00

COMMISSION EXPIRES

ASSISTANT COUNTY SORVEYOR

FILEW THISZSTR DAY OF AUGUST, 1978, AT 8:004M.,
IN BOOK 20 OF PARCEL MAPS AT PAGE 90 AT
THE REQUEST OF MICHAEL K. WELCH,
HOWARD C. MENZEL
HOWARD C. MENZEL
HOWARD C. MENZEL CERTIFICATE:

# CEGEND:

DENOTES FOUND MONUMENT AS SHOWN DENOTES SET 1/4" 1.P. TAGGED L.S. 3489 DENOTES DATA PER R.S. 110 - 57 DENOTES MEASURED DATA E Z

500 EAST CHAPEL STREET SANTA MARIA, CA. 93454 PHONE:

SURVEYS, WELCH Z. K.