

Developer Network

Azure App Service Team Blog

How the App Service team functions

Publishing a .NET class library as a Function App

★★★★★

March 16, 2017 by [Donna Malayeri](#) // [75 Comments](#)

Share 217

268

80

Update: The Azure Functions CLI has been renamed to [Azure Functions Core Tools](#).

With our new Azure Functions runtime support for precompiled functions, you can now use familiar Visual Studio features such as IntelliSense and unit testing. These features were among the top requests after we launched the preview Visual Studio Tools for Azure Functions. This also enables an improved development workflow for customers who feel that that class libraries are a better fit for their application.

Azure Functions now supports publishing a class library as the implementation for one or more functions in a Function App. We've also recently made several runtime improvements to make assemblies much more useful, such as shadow-copying managed assemblies to avoid file locking issues and restarting the Functions runtime to pick up newly deployed binaries.

Using Visual Studio 2015 or 2017, you can try precompiled functions today with a few manual tweaks to your project. The manual steps are needed because the existing Functions project type (.funproj) has no build action, since it contains only script files. With the setup below, you'll instead use a web project which will provide the full development experience of IntelliSense, local debugging, and publishing to Azure.

The next version of Visual Studio tooling for Azure Functions won't require this manual configuration, and will be directly based on class libraries. In fact, the Visual Studio experience will be optimized around class libraries, while the Functions portal will continue to use script files.

```
public static async Task Run(byte[] image, string filename, Stream outputBlob, TraceWriter log)
{
    string result = await CallEmotionAPI(image);
```

```
    var imageData = JsonConvert.DeserializeObject<Face[]>(result);
```

```
    if (imageData.Length == 0) {
        log.Error("No face detected");
        return;
    }
```

DefaultSettings
DeserializeAnonymousType<>
DeserializeObject
DeserializeObject<>

Func<JsonSerializerSettings> JsonConvert.DefaultSettings
Gets or sets a function that creates default JsonSerializerSettings. To create the serializer, use the JsonSerializer.Create() method on JsonSerializer, and Newtonsoft.Json.Linq.JToken. To serialize an object, use the JsonSerializer.Serialize() method on JsonSerializer.

Performance benefits of class libraries

Aside from the tooling experience, another advantage of using a class library is that you'll see improvements to "cold start," particularly when running on a [Consumption plan](#). Cold start occurs on the first request to a Function App after it has gone idle, which happens after 5 minutes of inactivity. When a Function App starts up, it indexes all functions and compiles C# and F# scripts into an assembly in memory. So, compilation time will add to cold start time. Customers aren't charged for cold start since function execution hasn't started, but it does cause a delay in event processing.

Use a Web Application project with a customized start action


A Web Application project is really a special kind of class library, which means it produces an executable .dll as the build output. To enable local running and debugging, modify the start action of the web project to launch the [Azure Functions Core Tools](#).

Here are some sample projects set up this way:

- [HttpTrigger sample](#)
- [CoderCards](#) – trading card generator with blob trigger

Project setup – Visual Studio 2015 or 2017

1. From the New Project dialog, choose **ASP.NET Web Application (.NET Framework)** with the empty site template.
2. Open the project properties. In the **Web** tab, choose **Start External Program**
3. For the program path, enter the path to **func.exe** for the [Azure Functions Core Tools](#).
 - OR, if you've installed the Visual Studio Functions Tooling, the path will look something like `C:\Users\USERNAME\AppData\Local\Azure.Functions.Cli\1.0.0-beta.93\func.exe`
 - If you've installed the Azure Functions Core Tools through NPM, the path will be something like `C:\Users\USERNAME\AppData\Roaming\npm\node_modules\azure-functions-core-tools\bin\func.exe`
4. For **Command line arguments**, set `host start`
5. For **Working directory**, specify the root of the web project on your machine (unfortunately, this set automatically.)



Here's a [YouTube video that walks through these steps](#).

Downloading existing function code



If you've already developed your functions in the Azure Portal, you can download your code and settings with the following steps.

1. Install the [Azure Functions Core Tools](#) from [npm](#).
 - If you've installed the [Visual Studio Tools for Azure Functions](#), just add func.exe to your path from %USERPROFILE%\AppData\Local\Azure.Functions.Cli\1.0.0-beta.93 (or the latest version on your machine).
2. Go to the Kudu console for your Function App in **Function App Settings** -> **Kudu**. Navigate to **site** and click on the download icon to the left of **wwwroot** (click on the animated gif below). Or, from an authenticated session, go to `https://your-function-app.scm.azurewebsites.net/api/zip/site/wwwroot/`.
3. Unzip the file wwwroot.zip on your local machine. From that directory, run the following:

```
func azure login
(optional) func azure account list
(optional) func azure account set
func azure functionapp list
func azure functionapp fetch-app-settings [name]
```

This will create a local file called `appsettings.json`. These settings are **only used locally** by the Functions Core Tools. Since this file contains secrets, be sure not to check this file in to source control! (The Azure Functions Core Tools adds `appsettings.json` to `.gitignore` for you.)

Animated gif:



Project content

1. Copy your downloaded files to the web project folder (including `appsettings.json`). Include the script files and `function.json` in the project.

- ## Converting to class files

1. Rename `.csx` to `.cs` and add a class declaration and optional namespace declaration. Remove `#load` and replace `#r` with assembly references.
2. If you're using TraceWriter, add the NuGet package [Microsoft.Azure.WebJobs](#) and the statement:
`using Microsoft.Azure.WebJobs.Host`
3. If you're using timer triggers, add the NuGet package [Microsoft.Azure.WebJobs.Extensions](#).
4. Add NuGet package references for the packages that are [automatically referenced](#), such as `Newtonsoft.Json` and `Microsoft.ServiceBus`.
5. Add explicit namespace import statements if you're using any of the [automatically imported namespaces](#), such as `System.Threading.Tasks`.
6. Add any other [NuGet packages specified in project.json](#) using NuGet package manager.
7. **For each function, modify function.json** and specify the `scriptFile` and `entryPoint` properties. `scriptFile` is a path to the assembly and `entryPoint` is the qualified name of the method. Make sure that `function.json` is in a directory that matches the function name. See documentation on [precompiled functions](#).

See [sample function.json](#).

```

      XXXXX
      XXXXX
      XXXXX
    @   @   @
  XXXXX
 XXXXXXXXX
 XXXXXXXXX
  XXXXX
    XXX
    XX
    X
    X

```

```

Listening on http://localhost:7071/
Hit CTRL-C to exit...
Reading host configuration file 'D:\ddrive-git-repos\CoderCardsV2\CoderCardsWebsite\host.json'
Host lock lease acquired by instance ID '0000000000000000000000006C4D0C59'.
Generating 1 job function(s)
Starting Host (HostId=b9a3cae399e74f9fbc921c5efdc01ec3, Version=1.0.10774.0, ProcessId=13152, Debug=False, Attempt=0)
Found the following functions:
Host.Functions.CardGenerator

Job host started

```

Publish from Visual Studio

4/27

Each web project maps to one Function App. If you need to publish functions independently of one another, we recommend that you use separate Function Apps.

To create a new Function App, choose **Function App** in the **Create App Service** dialog. To publish to an existing Function App, download your publish profile from the Azure Portal and import in the Visual Studio publish dialog.

You can use the Azure portal to run precompiled functions and view execution logs. To make code changes, you should re-publish from Visual Studio.

Publish from Azure Functions Core Tools

The [Azure Functions Core Tools](#) also provides a publish command, via the following:

```
func azure login
func azure functionapp publish [name]
```

Building on the server using continuous integration and deployment

There's another big advantage to using a web project—continuous integration with build on the server just works! Just follow the same steps as [continuous deployment for Azure Functions](#). Your project will be built whenever there is a sync from source control. This will only work if you're using a Web Application project, but not if you're using a Functions Project (.funproj).

To see this in action, just fork the [HttpTrigger sample](#) project and set up GitHub as your continuous integration source.

Provide feedback

Ask questions in the comments section below or reach out to me on Twitter [@lindyonna](#). For general feedback and questions about Azure Functions:

- Ask product questions on the [Azure Functions MSDN forum](#) and [StackOverflow](#), where you'll get answers directly from the engineering team.
- Submit feature requests on [feedback.azure.com](#) or the [Azure Functions GitHub repo](#).
- Reach out to us on Twitter via [@Azure](#) with the hashtag [#AzureFunctions](#).

Follow Us



Popular Tags