(base) stu4@sample:~\$ conda list # packages in environment at /home/stu4/anaconda3: # Name Version Build Channel py312 mkl 2 defaults anaconda depends 2024.06 libgcc mutex defaults 0.1 main 5.1 \_openmp\_mutex 1 gnu defaults abseil-cpp 20211102.0 defaults hd4dd3e8 0 aiobotocore 2.12.3 py312h06a4308 0 defaults aiohttp 3.9.5 py312h5eee18b 0 defaults aioitertools 0.7.1 defaults pyhd3eb1b0 0 defaults aiosignal 1.2.0 pyhd3eb1b0 0 0.7.16 alabaster py312h06a4308 0 defaults 5.0.1 py312h06a4308 0 defaults altair py312hfc0e8ea 100 defaults anaconda-anon-usage 0.4.4 anaconda-catalogs 0.2.0 defaults py312h06a4308 1 anaconda-client 1.12.3 py312h06a4308 0 defaults anaconda-cloud-auth defaults 0.5.1 py312h06a4308 0 anaconda-navigator 2.6.0 defaults py312h06a4308 0 anaconda-project 0.11.1 defaults py312h06a4308 0 annotated-types defaults 0.6.0 py312h06a4308 0 4.2.0 defaults anyio py312h06a4308 0 3.6.0 h6a678d5 0 defaults aom 1.4.4 pyhd3eb1b0 0 defaults appdirs 0.2.3 archspec pyhd3eb1b0 0 defaults argon2-cffi 21.3.0 pyhd3eb1b0 0 defaults argon2-cffi-bindings py312h5eee18b 0 defaults 21.2.0 1.2.3 py312h06a4308 1 defaults arrow 14.0.2 defaults h374c478 1 arrow-cpp astroid 2.14.2 py312h06a4308 0 defaults defaults astropy 6.1.0 py312ha883a20 0 astropy-iers-data 0.2024.6.3.0.31.14 py312h06a4308 0 defaults pyhd3eb1b0 0 defaults asttokens 2.0.5 defaults async-lru 2.0.4 py312h06a4308 0 atomicwrites 1.4.0 defaults py 0 23.1.0 py312h06a4308 0 defaults attrs 20.2.0 defaults automat py 0 autopep8 2.0.4 pyhd3eb1b0 0 defaults 0.6.19 h5eee18b 0 defaults aws-c-auth 0.5.20 aws-c-cal defaults hdbd6064 0 0.8.5 h5eee18b 0 defaults aws-c-common aws-c-compression 0.2.16 h5eee18b 0 defaults 0.2.15 defaults aws-c-event-stream h6a678d5 0 aws-c-http 0.6.25 h5eee18b 0 defaults aws-c-io 0.13.10 h5eee18b 0 defaults 0.7.13 defaults aws-c-mqtt h5eee18b 0 0.1.51 hdbd6064 0 defaults aws-c-s3 aws-c-sdkutils 0.1.6 h5eee18b 0 defaults 0.1.13 defaults aws-checksums h5eee18b 0 aws-crt-cpp 0.18.16 h6a678d5 0 defaults aws-sdk-cpp 1.10.55 h721c034 0 defaults 2.11.0 py312h06a4308 0 defaults babe1 3.2.0 py312h5eee18b 1 defaults bcrypt beautifulsoup4 4.12.3 py312h06a4308 0 defaults 0.4.4 pyhd3eb1b0 1 defaults binaryornot py312h06a4308 0 black 24.4.2 defaults

		_	
blas	1.0	mkl	defaults
bleach	4.1.0	pyhd3eb1b0_0	defaults
blinker	1.6.2	py312h06a4308_0	defaults
blosc	1.21.3	h6a678d5_0	defaults
bokeh	3.4.1	py312he106c6f 0	defaults
boltons	23.0.0	py312h06a4308 0	defaults
boost-cpp	1.82.0	hdb19cb5 2	defaults
botocore	1.34.69	py312h06a4308 0	defaults
bottleneck	1.3.7	py312ha883a20 0	defaults
brotli	1.0.9	h5eee18b 8	defaults
brotli-bin	1.0.9	h5eee18b_8	defaults
brotli-python	1.0.9	py312h6a678d5_8	defaults
brunsli	0.1	h2531618_0	defaults
bzip2	1.0.8	h5eee18b_6	defaults
c-ares	1.19.1	h5eee18b_0	defaults
c-blosc2	2.12.0	h80c7b02_0	defaults
ca-certificates	2024.3.11	h06a4308_0	defaults
cachetools	5.3.3	py312h06a4308_0	defaults
certifi	2024.6.2	py312h06a4308_0	defaults
cffi	1.16.0	py312h5eee18b_1	defaults
cfitsio	3.470	h5893167_7	defaults
chardet	4.0.0	py312h06a4308_1003	defaults
charls	2.2.0	h2531618_0	defaults
charset-normalizer	2.0.4	pyhd3eb1b0_0	defaults
click	8.1.7	py312h06a4308_0	defaults
cloudpickle	2.2.1	py312h06a4308_0	defaults
colorama	0.4.6	py312h06a4308_0	defaults
colorcet	3.1.0	py312h06a4308_0	defaults
comm	0.2.1	py312h06a4308_0	defaults
conda	24.5.0	py312h06a4308_0	defaults
conda-build	24.5.1	py312h06a4308_0	defaults
conda-content-trust	0.2.0	py312h06a4308_1	defaults
conda-index	0.5.0	py312h06a4308_0	defaults
conda-libmamba-solver	24.1.0	pyhd3eb1b0_0	defaults
conda-pack	0.7.1	py312h06a4308_0	defaults
conda-package-handling	2.3.0	py312h06a4308_0	defaults
conda-package-streaming	0.10.0	py312h06a4308_0	defaults
conda-repo-cli	1.0.88	py312h06a4308_0	defaults
conda-token	0.5.0	pyhd3eb1b0_0	defaults
constantly	23.10.4	py312h06a4308_0	defaults
contourpy	1.2.0	py312hdb19cb5_0	defaults
cookiecutter	2.6.0	py312h06a4308_0	defaults
cryptography	42.0.5	py312hdda0065_1	defaults
cssselect	1.2.0	py312h06a4308_0	defaults
curl	8.7.1	hdbd6064_0	defaults
cycler	0.11.0	pyhd3eb1b0_0	defaults
cyrus-sasl	2.1.28	h52b45da_1	defaults
cytoolz	0.12.2	py312h5eee18b_0	defaults
dask	2024.5.0	py312h06a4308_0	defaults
dask-core	2024.5.0	py312h06a4308_0	defaults
dask-expr	1.1.0	py312h06a4308_0	defaults
datashader	0.16.2	py312h06a4308_0	defaults
dav1d	1.2.1	h5eee18b_0	defaults
dbus	1.13.18	hb2f20db_0	defaults
debugpy	1.6.7	py312h6a678d5_0	defaults
decorator	5.1.1	pyhd3eb1b0_0	defaults
defusedxml	0.7.1	pyhd3eb1b0_0	defaults
diff-match-patch	20200713	pyhd3eb1b0_0	defaults

J#11	0.7.0	m: 212h0C-4200 0	defeulte
dill distributed	0.3.8 2024.5.0	py312h06a4308_0 py312h06a4308 0	defaults defaults
distro	1.9.0	py312h06a4308_0	defaults
docstring-to-markdown	0.11	py312h06a4308_0	defaults
docutils	0.18.1	py312h06a4308_3	defaults
entrypoints	0.4	py312h06a4308_0	defaults
et xmlfile	1.1.0	py312h06a4308_0	defaults
executing	0.8.3	pyhd3eb1b0_0	defaults
expat	2.6.2	h6a678d5 0	defaults
filelock	3.13.1	py312h06a4308 0	defaults
flake8	7.0.0	py312h06a4308 0	defaults
flask	3.0.3	py312h06a4308 0	defaults
fmt	9.1.0	hdb19cb5 1	defaults
fontconfig	2.14.1	h4c34cd2 2	defaults
fonttools	4.51.0	py312h5eee18b 0	defaults
freetype	2.12.1	h4a9f257 0	defaults
frozendict	2.4.2	py312h06a4308 0	defaults
frozenlist	1.4.0	py312h5eee18b 0	defaults
fsspec	2024.3.1	py312h06a4308 0	defaults
gensim	4.3.2	py312h526ad5a 0	defaults
gflags	2.2.2	h6a678d5_1	defaults
giflib	5.2.1	h5eee18b_3	defaults
gitdb	4.0.7	pyhd3eb1b0_0	defaults
gitpython	3.1.37	py312h06a4308_0	defaults
glib	2.78.4	h6a678d5_0	defaults
glib-tools	2.78.4	h6a678d5_0	defaults
glog	0.5.0	h6a678d5_1	defaults
greenlet	3.0.1	py312h6a678d5_0	defaults
grpc-cpp	1.48.2	he1ff14a_1	defaults
gst-plugins-base	1.14.1	h6a678d5_1	defaults
gstreamer	1.14.1	h5eee18b_1	defaults
h5py	3.11.0	py312h34c39bb_0	defaults
hdf5	1.12.1	h2b7332f_3	defaults
heapdict	1.0.1	pyhd3eb1b0_0	defaults
holoviews	1.19.0	py312h06a4308_0	defaults
hvplot	0.10.0	py312h06a4308_0	defaults
hyperlink	21.0.0	pyhd3eb1b0_0	defaults
icu	73.1	h6a678d5_0	defaults
idna	3.7	py312h06a4308_0	defaults
imagecodecs	2023.1.23	py312h81b8100_1	defaults
imageio 	2.33.1	py312h06a4308_0	defaults
imagesize	1.4.1	py312h06a4308_0	defaults
imbalanced-learn	0.12.3	py312h06a4308_1	defaults
importlib-metadata	7.0.1	py312h06a4308_0	defaults
incremental	22.10.0	pyhd3eb1b0_0	defaults
inflection	0.5.1	py312h06a4308_1 pyhd3eb1b0 0	defaults
iniconfig intake	1.1.1 0.7.0	pynuseb100_0 py312h06a4308 0	defaults defaults
		The state of the s	defaults
<pre>intel-openmp intervaltree</pre>	2023.1.0 3.1.0	hdb19cb5_46306 pyhd3eb1b0 0	defaults
ipykernel	6.28.0	py312h06a4308 0	defaults
ipython	8.25.0	py312h06a4308_0	defaults
ipython_genutils	0.2.0	pyhd3eb1b0 1	defaults
ipywidgets	7.8.1	py312h06a4308 0	defaults
isort	5.13.2	py312h06a4308_0	defaults
itemadapter	0.3.0	pyhd3eb1b0 0	defaults
itemloaders	1.1.0	py312h06a4308 0	defaults
itsdangerous	2.2.0	py312h06a4308 0	defaults
jaraco.classes	3.2.1	pyhd3eb1b0 0	defaults
Jan 400 101433C3		pynasco100_0	acraates

		-	
jedi	0.18.1	py312h06a4308_1	defaults
jeepney	0.7.1	pyhd3eb1b0_0	defaults
jellyfish	1.0.1	py312hb02cf49_0	defaults
jinja2	3.1.4	py312h06a4308_0	defaults
jmespath	1.0.1	py312h06a4308_0	defaults
joblib	1.4.2	py312h06a4308 0	defaults
jpeg	9e	h5eee18b 1	defaults
jq	1.6	h27cfd23 1000	defaults
json5	0.9.6	pyhd3eb1b0_0	defaults
jsonpatch	1.33	py312h06a4308_1	defaults
jsonpointer	2.1	pyhd3eb1b0_0	defaults
jsonschema	4.19.2	py312h06a4308 0	defaults
jsonschema-specifications		py312h06a4308_0	defaults
jupyter	1.0.0	py312h06a4308 9	defaults
jupyter-lsp	2.2.0	py312h06a4308_0	defaults
jupyter_client	8.6.0	py312h06a4308 0	defaults
jupyter_console	6.6.3	py312h06a4308 1	defaults
jupyter_core	5.7.2	py312h06a4308 0	defaults
jupyter_events	0.10.0	py312h06a4308_0	defaults
		py312h06a4308_0	defaults
jupyter_server	2.14.1		
jupyter_server_terminals		py312h06a4308_1	defaults
jupyterlab	4.0.11	py312h06a4308_0	defaults
jupyterlab-variableinspec		py312h06a4308_0	
jupyterlab_pygments	0.1.2	py_0	defaults
jupyterlab_server	2.25.1	py312h06a4308_0	defaults
jupyterlab_widgets	1.0.0	pyhd3eb1b0_1	
jxrlib	1.1	h7b6447c_2	defaults
keyring	24.3.1	py312h06a4308_0	defaults
kiwisolver	1.4.4	py312h6a678d5_0	defaults
krb5	1.20.1	h143b758_1	defaults
lazy-object-proxy	1.10.0	py312h5eee18b_0	defaults
lazy_loader	0.4	py312h06a4308_0	defaults
lcms2	2.12	h3be6417_0	defaults
ld_impl_linux-64	2.38	h1181459_1	defaults
lerc	3.0	h295c915_0	defaults
libaec	1.0.4	he6710b0_1	defaults
libarchive	3.6.2	h6ac8c49_3	defaults
libavif	0.11.1	h5eee18b_0	defaults
libboost	1.82.0	h109eef0_2	defaults
libbrotlicommon	1.0.9	h5eee18b_8	defaults
libbrotlidec	1.0.9	h5eee18b_8	defaults
libbrotlienc	1.0.9	h5eee18b_8	defaults
libclang	14.0.6	default_hc6dbbc7_1	defaults
libclang13	14.0.6	default_he11475f_1	defaults
libcups	2.4.2	h2d74bed 1	defaults
libcurl	8.7.1	h251f7ec 0	defaults
libdeflate	1.17	h5eee18b 1	defaults
libedit	3.1.20230828	h5eee18b 0	
libev	4.33	h7f8727e_1	
libevent	2.1.12	hdbd6064 1	defaults
libffi	3.4.4	h6a678d5 1	defaults
libgcc-ng	11.2.0	h1234567 1	defaults
libgfortran-ng	11.2.0	h00389a5 1	defaults
libgfortran5	11.2.0	h1234567 1	defaults
libglib	2.78.4	hdc74915 0	defaults
libgomp	11.2.0	h1234567 1	defaults
libiconv	1.16	h5eee18b 3	defaults
liblief	0.12.3	h6a678d5 0	defaults
TIVITCI	0.12.5	110807803_0	act dal C3

11bmamba		··		
libamphapy	libllvm14	14.0.6		
libnghttp2		1.5.8		
	libmambapy	1.5.8		
	libnghttp2	1.57.0	h2d74bed_0	defaults
	libpng	1.6.39	h5eee18b_0	defaults
1ibsolv	libpq	12.17	hdbd6064_0	defaults
libspatialindex	libprotobuf	3.20.3	he621ea3_0	defaults
libspatialindex	libsodium	1.0.18	h7b6447c_0	defaults
11bsstdcx-ng	libsolv	0.7.24	he621ea3 1	defaults
libsstdx	libspatialindex	1.9.3	h2531618 0	defaults
11bstdrox-ng	libssh2	1.11.0		
1ibtiff	_			
1ibuuid				
11bwebp-base				
1ibxcb			AND THE PERSON NAMED IN COLUMN TO SERVICE AND ADDRESS OF THE PERSON NAMED ADDRESS OF THE PERSON NAMED AND ADDRESS OF THE PERSON NAMED AND	
1ibxkbcommon   1.0.1	- The state of the			
libxm12         2.10.4         hfdd30dd_2         defaults           libxslt         1.1.37         h5eee18b_1         defaults           libxopfli         1.0.3         he6710b0_0         defaults           linkify-it-py         2.0.0         py312h06a4308_0         defaults           llvmlite         0.42.0         py312h06a4308_0         defaults           locket         1.0.0         py312h06a4308_0         defaults           lxml         5.2.1         py312h5ee18b_0         defaults           lxml         5.2.1         py312h5eee18b_0         defaults           lz4-c         1.9.4         h6a678d5_1         defaults           lz0         2.10         h7b6447c_2         defaults           markdown-it-py         2.2.0         py312h06a4308_0         defaults           markdown-it-py         2.2.0         py312h06a4308_0         defaults           matplotlib-base         3.8.4         py312h06a4308_0         defaults           matplotlib-sinline         0.1.6         py312h06a4308_0         defaults           mccabe         0.7.0         py4d3eb1b0_0         defaults           mdurl         0.1.0         py312h06a4308_0         defaults           menuinst				
libxslt         1.1.37         h5eee18b_1         defaults           libzopfli         1.0.3         he6710b0_0         defaults           linkify-it-py         2.0.0         py312h66a4308_0         defaults           llvmlite         0.42.0         py312h66a4308_0         defaults           locket         1.0.0         py312h5eea18b_0         defaults           lxml         5.2.1         py312h5eea18b_0         defaults           lz4         4.3.2         py312h5eea18b_0         defaults           lz4-c         1.9.4         h6a678d5_1         defaults           lz0         2.10         h7b6447c_2         defaults           markdown         3.4.1         py312h6ea4308_1         defaults           markdown-it-py         2.2.0         py312h6ea4308_1         defaults           markplotlib         3.8.4         py312h5eea18b_0         defaults           matplotlib-base         3.8.4         py312h6ea4308_0         defaults           mccabe         0.7.0         py312h6ea4308_0         defaults           mctabe         0.7.0         py312h6ea4308_0         defaults           menuinst         2.1.1         py312h6ea4308_0         defaults           melity-p-plu				
libzopfli 1.0.3 he6710b0_0 defaults linkify-it-py 2.0.0 py312h06a4308.0 defaults llvmlite 0.42.0 py312h06a4308.0 defaults locket 1.0.0 py312h06a4308.0 defaults locket 1.0.0 py312h06a4308.0 defaults lxml 5.2.1 py312h06a4308.0 defaults lxml 5.2.1 py312h06a4308.0 defaults lz4 4.3.2 py312h5eee1Bb_0 defaults lz4-c 1.9.4 h6a678d5_1 defaults lz0 lz0 lx0 h7b6447-2 defaults lz0 lz0 lx0 lx0 lx0 lx0 lx0 lx0 lx0 lx0 lx0 lx				
linkify-it-py         2.0.0         py312h06a4308_0         defaults           llvmlite         0.42.0         py312h6a678d5_0         defaults           locket         1.0.0         py312h6a678d5_0         defaults           lxml         5.2.1         py312h0bb534_0         defaults           lz4         4.3.2         py312h5eee18b_0         defaults           lz4-c         1.9.4         h6a678d5_1         defaults           lz0         2.10         h7b6447c_2         defaults           markdown         3.4.1         py312h06a4308_0         defaults           markdown-it-py         2.2.0         py312h06a4308_1         defaults           markupsafe         2.1.3         py312h5eee18b_0         defaults           matplotlib         3.8.4         py312h06a4308_0         defaults           matplotlib-inline         0.1.6         py312h06a4308_0         defaults           mccabe         0.7.0         py4d3eb10b_0         defaults           mdurl         0.1.0         py312h06a4308_0         defaults           mdit-py-plugins         0.3.0         py312h06a4308_0         defaults           mcacbe         0.7.0         py312h06a4308_0         defaults				
11vmlite				
1.0.0				
1xm    5.2.1   py312hdbb534_0   defaults   defaults				
1z4         4.3.2         py312h5eee18b_0         defaults           1z4-c         1.9.4         h5a678d5_1         defaults           1z0         2.10         h7b6447c_2         defaults           markdown         3.4.1         py312h06a4308_0         defaults           markdown-it-py         2.2.0         py312h06a4308_1         defaults           markupsafe         2.1.3         py312h5eee18b_0         defaults           matplotlib         3.8.4         py312h56a4308_0         defaults           matplotlib-base         3.8.4         py312h96a4308_0         defaults           matplotlib-inline         0.1.6         py312h96a4308_0         defaults           mccabe         0.7.0         py1d2e6a4308_0         defaults           mdit-py-plugins         0.3.0         py312h96a4308_0         defaults           mdurl         0.1.0         py312h96a4308_0         defaults           meruinst         2.1.1         py312h96a4308_0         defaults           mistune         2.0.4         py312h96a4308_0         defaults           mkl         2023.1.0         h213fc3f_46344         defaults           mkl_fft         1.3.8         py312h96ea4308_0         defaults				
1z4-c         1.9.4         h6a678d5_1         defaults           1z0         2.10         h7b6447c_2         defaults           markdown         3.4.1         py312h06a4308_0         defaults           markdown-it-py         2.2.0         py312h06a4308_0         defaults           markupsafe         2.1.3         py312h5eee18b_0         defaults           matplotlib         3.8.4         py312h96a4308_0         defaults           matplotlib-inline         0.1.6         py312h06a4308_0         defaults           mccabe         0.7.0         pyhd3eb1b_0         defaults           mdit-py-plugins         0.3.0         py312h06a4308_0         defaults           mdurl         0.1.0         py312h06a4308_0         defaults           mdurl         0.1.0         py312h06a4308_0         defaults           mistune         2.0.4         py312h06a4308_0         defaults           mkl         2023.1.0         h213fc3f_46344         defaults           mkl-service         2.4.0         py312h5eee18b_0         defaults           mkl_fft         1.3.8         py312h6ea4308_0         defaults           mkl_random         1.2.4         py312h0ea4308_0         defaults				
120   1.0				
markdown         3.4.1         py312h06a4308_0         defaults           markdown-it-py         2.2.0         py312h06a4308_1         defaults           markupsafe         2.1.3         py312h5eee18b_0         defaults           matplotlib         3.8.4         py312h5ead308_0         defaults           matplotlib-inline         0.1.6         py312h06a4308_0         defaults           mccabe         0.7.0         pyhd3eb1b0_0         defaults           mdit-py-plugins         0.3.0         py312h06a4308_0         defaults           mdurl         0.1.0         py312h06a4308_0         defaults           menuinst         2.1.1         py312h06a4308_0         defaults           mistune         2.0.4         py312h06a4308_0         defaults           mkl         2023.1.0         h213fc3f_46344         defaults           mkl-service         2.4.0         py312h5eee18b_1         defaults           mkl-restrict         1.3.8         py312h6ba4308_0         defaults           mkl-restrictols         10.1.0         py312h06a4308_0         defaults           mkl-restrictols         10.1.0         py312h06a4308_0         defaults           more-itertools         10.1.0         py312h06a4308_0	1z4-c			
markdown-it-py         2.2.0         py312h06a4308_1         defaults           markupsafe         2.1.3         py312h5eee18b_0         defaults           matplotlib         3.8.4         py312h56a4308_0         defaults           matplotlib-base         3.8.4         py312h56a4308_0         defaults           matplotlib-inline         0.1.6         py312h06a4308_0         defaults           mccabe         0.7.0         pyhd3eb1b0_0         defaults           mdit-py-plugins         0.3.0         py312h06a4308_0         defaults           mdurl         0.1.0         py312h06a4308_0         defaults           menuinst         2.1.1         py312h06a4308_0         defaults           mistune         2.0.4         py312h06a4308_0         defaults           mkl         2023.1.0         h213fc3f_46344         defaults           mkl-service         2.4.0         py312h5eee18b_1         defaults           mkl-rendom         1.2.4         py312h6ea4308_0         defaults           mkl-rendom         1.2.4         py312h06a4308_0         defaults           more-itertools         10.1.0         py312h06a4308_0         defaults           msgpack-python         1.0.3         py312h06a4308_0	lzo	2.10	h7b6447c_2	defaults
markupsafe         2.1.3         py312h5eee18b_0         defaults           matplotlib         3.8.4         py312h06a4308_0         defaults           matplotlib-base         3.8.4         py312h526ad5a_0         defaults           matplotlib-inline         0.1.6         py312h06a4308_0         defaults           mccabe         0.7.0         pyd312h06a4308_0         defaults           mdit-py-plugins         0.3.0         py312h06a4308_0         defaults           mdurl         0.1.0         py312h06a4308_0         defaults           menuinst         2.1.1         py312h06a4308_0         defaults           mistune         2.0.4         py312h06a4308_0         defaults           mkl         2023.1.0         h213fc3f_a634         defaults           mkl-service         2.4.0         py312h5eee18b_1         defaults           mkl_ft         1.3.8         py312h5eee18b_0         defaults           mkl_grandom         1.2.4         py312h06a4308_0         defaults           more-itertools         10.1.0         py312h06a4308_0         defaults           msppack-python         1.0.3         py312h06a4308_0         defaults           multidict         6.0.4         py312h06a4308_0	markdown	3.4.1		defaults
matplotlib         3.8.4         py312h06a4308_0         defaults           matplotlib-base         3.8.4         py312h526ad5a_0         defaults           matplotlib-inline         0.1.6         py312h06a4308_0         defaults           mccabe         0.7.0         pyhd3eblb0_0         defaults           mdit-py-plugins         0.3.0         py312h06a4308_0         defaults           mdurl         0.1.0         py312h06a4308_0         defaults           menuinst         2.1.1         py312h06a4308_0         defaults           mistune         2.0.4         py312h06a4308_0         defaults           mkl         2023.1.0         h213fc3f_46344         defaults           mkl-service         2.4.0         py312h5eee18b_1         defaults           mkl-fft         1.3.8         py312h5eee18b_0         defaults           mkl_random         1.2.4         py312h0fa4308_0         defaults           more-itertools         10.1.0         py312h06a4308_0         defaults           multidict         6.0.4         py312h06a4308_0         defaults           multidict         6.0.4         py312h5eee18b_0         defaults           mypy         1.10.0         py312h06a4308_0         defaults	markdown-it-py	2.2.0	py312h06a4308_1	defaults
matplotlib-base         3.8.4         py312h526ad5a_0         defaults           matplotlib-inline         0.1.6         py312h06a4308_0         defaults           mccabe         0.7.0         pyhd3eb1b0_0         defaults           mdir-py-plugins         0.3.0         py312h06a4308_0         defaults           mdurl         0.1.0         py312h06a4308_0         defaults           menuinst         2.1.1         py312h06a4308_0         defaults           mistune         2.0.4         py312h06a4308_0         defaults           mkl         2023.1.0         h213fc3f_46344         defaults           mkl-service         2.4.0         py312h5eee18b_1         defaults           mkl-fft         1.3.8         py312h5eee18b_0         defaults           mkl_random         1.2.4         py312h06a4308_0         defaults           more-itertools         10.1.0         py312h06a4308_0         defaults           msgpack-python         1.0.3         py312h06a4308_0         defaults           multidict         6.0.4         py312h5eee18b_0         defaults           multipledispatch         0.6.0         py312h06a4308_0         defaults           mypy         1.10.0         py312h06a4308_0         de	markupsafe	2.1.3	py312h5eee18b_0	defaults
matplotlib-inline         0.1.6         py312h06a4308_0         defaults           mccabe         0.7.0         pyhd3eb1b0_0         defaults           mdit-py-plugins         0.3.0         py312h06a4308_0         defaults           mdurl         0.1.0         py312h06a4308_0         defaults           menuinst         2.1.1         py312h06a4308_0         defaults           mistune         2.0.4         py312h06a4308_0         defaults           mkl         2023.1.0         h213fc3f_46344         defaults           mkl-service         2.4.0         py312h5eee18b_1         defaults           mkl_fft         1.3.8         py312h5eee18b_0         defaults           mkl_random         1.2.4         py312h06a4308_0         defaults           more-itertools         10.1.0         py312h06a4308_0         defaults           msppath         1.3.0         py312h06a4308_0         defaults           multidict         6.0.4         py312h06a4308_0         defaults           multipledispatch         0.6.0         py312h06a4308_0         defaults           mypy         1.10.0         py312h06a4308_0         defaults           mypy(extensions         1.0.0         py312h06a4308_0         defaults<	matplotlib	3.8.4	py312h06a4308_0	defaults
mccabe         0.7.0         pyhd3eb1b0_0         defaults           mdit-py-plugins         0.3.0         py312h06a4308_0         defaults           mdurl         0.1.0         py312h06a4308_0         defaults           menuinst         2.1.1         py312h06a4308_0         defaults           mistune         2.0.4         py312h06a4308_0         defaults           mkl         2023.1.0         h213fc3f_46344         defaults           mkl service         2.4.0         py312h5eee18b_1         defaults           mkl-fft         1.3.8         py312h5eee18b_0         defaults           mkl_random         1.2.4         py312h0fa4308_0         defaults           more-itertools         10.1.0         py312h0fa4308_0         defaults           msppack-python         1.0.3         py312h0fa4308_0         defaults           multidict         6.0.4         py312h0fa4308_0         defaults           multipledispatch         0.6.0         py312h0fa4308_0         defaults           mypy         1.10.0         py312h0fa4308_0         defaults           mysql         5.7.24         h721c034_2         defaults           nousigator-updater         0.5.1         py312h0fa4308_0         defaults	matplotlib-base	3.8.4	py312h526ad5a_0	defaults
mdit-py-plugins         0.3.0         py312h06a4308_0         defaults           mdurl         0.1.0         py312h06a4308_0         defaults           menuinst         2.1.1         py312h06a4308_0         defaults           mistune         2.0.4         py312h06a4308_0         defaults           mkl         2023.1.0         h213fc3f_46344         defaults           mkl-service         2.4.0         py312h5eee18b_1         defaults           mkl_fft         1.3.8         py312h5eee18b_0         defaults           mkl_random         1.2.4         py312h06a4308_0         defaults           more-itertools         10.1.0         py312h06a4308_0         defaults           mpmath         1.3.0         py312h06a4308_0         defaults           multidict         6.0.4         py312h5eee18b_0         defaults           multipledispatch         0.6.0         py312h06a4308_0         defaults           mypy         1.10.0         py312h6ea18b_0         defaults           myyexetensions         1.0.0         py312h06a4308_0         defaults           mysql         5.7.24         h721c034_2         defaults           noclient         0.8.0         py312h06a4308_0         defaults	matplotlib-inline	0.1.6	py312h06a4308_0	defaults
mdurl         0.1.0         py312h06a4308_0         defaults           menuinst         2.1.1         py312h06a4308_0         defaults           mistune         2.0.4         py312h06a4308_0         defaults           mkl         2023.1.0         h213fc3f_46344         defaults           mkl-service         2.4.0         py312h5eee18b_1         defaults           mkl_fft         1.3.8         py312h5eee18b_0         defaults           mkl_random         1.2.4         py312h06a4308_0         defaults           more-itertools         10.1.0         py312h06a4308_0         defaults           mpmath         1.3.0         py312h06a4308_0         defaults           msgpack-python         1.0.3         py312h06a4308_0         defaults           multidict         6.0.4         py312h5eee18b_0         defaults           multipledispatch         0.6.0         py312h06a4308_0         defaults           mypy         1.10.0         py312h06a4308_0         defaults           myyextensions         1.0.0         py312h06a4308_0         defaults           mysql         5.7.24         h721c034_2         defaults           nbclient         0.8.0         py312h06a4308_0         defaults	mccabe	0.7.0	pyhd3eb1b0_0	defaults
mdurl         0.1.0         py312h06a4308_0         defaults           menuinst         2.1.1         py312h06a4308_0         defaults           mistune         2.0.4         py312h06a4308_0         defaults           mkl         2023.1.0         h213fc3f_46344         defaults           mkl-service         2.4.0         py312h5eee18b_1         defaults           mkl_fft         1.3.8         py312h5eee18b_0         defaults           mkl_random         1.2.4         py312h06a4308_0         defaults           more-itertools         10.1.0         py312h06a4308_0         defaults           mpmath         1.3.0         py312h06a4308_0         defaults           multidict         6.0.4         py312h5eee18b_0         defaults           multipledispatch         0.6.0         py312h06a4308_0         defaults           mypy         1.10.0         py312h6ea1308_0         defaults           mypyextensions         1.0.0         py312h06a4308_0         defaults           mysql         5.7.24         h721c034_2         defaults           noconvert         7.10.0         py312h06a4308_0         defaults           nbconvert         7.10.0         py312h06a4308_0         defaults	mdit-py-plugins	0.3.0	py312h06a4308 0	defaults
menuinst 2.1.1 py312h06a4308_0 defaults mistune 2.0.4 py312h06a4308_0 defaults mkl 2023.1.0 h213fc3f_46344 defaults mkl-service 2.4.0 py312h5eee18b_1 defaults mkl_fft 1.3.8 py312h5eee18b_0 defaults mkl_random 1.2.4 py312h0f308_0 defaults more-itertools 10.1.0 py312h06a4308_0 defaults msgpack-python 1.0.3 py312h06a4308_0 defaults multidict 6.0.4 py312h5eee18b_0 defaults multipledispatch 0.6.0 py312h06a4308_0 defaults mypy 1.10.0 py312h66a4308_0 defaults mypy_extensions 1.0.0 py312h66a4308_0 defaults mysql 5.7.24 h721c034_2 defaults mvigator-updater 0.5.1 py312h06a4308_0 defaults mbclient 0.8.0 py312h06a4308_0 defaults mbconvert 7.10.0 py312h06a4308_0 defaults mbconvert 7.10.0 py312h06a4308_0 defaults mbconvert 7.10.0 py312h06a4308_0 defaults mcurses 6.4 h6a678d5_0 defaults nest-asyncio 1.6.0 py312h06a4308_0 defaults	mdurl	0.1.0	py312h06a4308 0	defaults
mistune         2.0.4         py312h06a4308_0         defaults           mkl         2023.1.0         h213fc3f_46344         defaults           mkl-service         2.4.0         py312h5eee18b_1         defaults           mkl_fft         1.3.8         py312h5eee18b_0         defaults           mkl_random         1.2.4         py312h06b25_0         defaults           more-itertools         10.1.0         py312h06a4308_0         defaults           mpmath         1.3.0         py312h06a4308_0         defaults           msgpack-python         1.0.3         py312h06a4308_0         defaults           multidict         6.0.4         py312h5eee18b_0         defaults           multipledispatch         0.6.0         py312h06a4308_0         defaults           mypy         1.10.0         py312h06a4308_0         defaults           mypy_extensions         1.0.0         py312h06a4308_0         defaults           mysql         5.7.24         h721c034_2         defaults           novigator-updater         0.5.1         py312h06a4308_0         defaults           nbclient         0.8.0         py312h06a4308_0         defaults           nbconvert         7.10.0         py312h06a4308_0         defaults </td <td>menuinst</td> <td>2.1.1</td> <td>py312h06a4308 0</td> <td>defaults</td>	menuinst	2.1.1	py312h06a4308 0	defaults
mkl       2023.1.0       h213fc3f_46344       defaults         mkl-service       2.4.0       py312h5eee18b_1       defaults         mkl_fft       1.3.8       py312h5eee18b_0       defaults         mkl_random       1.2.4       py312h0b19cb5_0       defaults         more-itertools       10.1.0       py312h06a4308_0       defaults         more-itertools       10.1.0       py312h06a4308_0       defaults         mpmath       1.3.0       py312h06a4308_0       defaults         msgpack-python       1.0.3       py312h0b19cb5_0       defaults         multidict       6.0.4       py312h5eee18b_0       defaults         multipledispatch       0.6.0       py312h06a4308_0       defaults         mypy       1.10.0       py312h06a4308_0       defaults         mypy_extensions       1.0.0       py312h06a4308_0       defaults         mysql       5.7.24       h721c034_2       defaults         navigator-updater       0.5.1       py312h06a4308_0       defaults         nbclient       0.8.0       py312h06a4308_0       defaults         nbconvert       7.10.0       py312h06a4308_0       defaults         ncurses       6.4       h6a678d5_0       default	mistune	2.0.4		defaults
mkl-service       2.4.0       py312h5eee18b_1       defaults         mkl_fft       1.3.8       py312h5eee18b_0       defaults         mkl_random       1.2.4       py312h0b19cb5_0       defaults         more-itertools       10.1.0       py312h06a4308_0       defaults         mpmath       1.3.0       py312h06a4308_0       defaults         msgpack-python       1.0.3       py312h0b19cb5_0       defaults         multidict       6.0.4       py312h5eee18b_0       defaults         multipledispatch       0.6.0       py312h06a4308_0       defaults         mypy       1.10.0       py312h06a4308_0       defaults         mypy_extensions       1.0.0       py312h06a4308_0       defaults         mysql       5.7.24       h721c034_2       defaults         navigator-updater       0.5.1       py312h06a4308_0       defaults         nbclient       0.8.0       py312h06a4308_0       defaults         nbconvert       7.10.0       py312h06a4308_0       defaults         ncurses       6.4       h6a678d5_0       defaults         nest-asyncio       1.6.0       py312h06a4308_0       defaults	mkl			
mkl_fft       1.3.8       py312h5eee18b_0       defaults         mkl_random       1.2.4       py312hdb19cb5_0       defaults         more-itertools       10.1.0       py312h06a4308_0       defaults         mpmath       1.3.0       py312h06a4308_0       defaults         msgpack-python       1.0.3       py312hdb19cb5_0       defaults         multidict       6.0.4       py312h5eee18b_0       defaults         multipledispatch       0.6.0       py312h06a4308_0       defaults         mypy       1.10.0       py312h5eee18b_0       defaults         mypy_extensions       1.0.0       py312h06a4308_0       defaults         mysql       5.7.24       h721c034_2       defaults         navigator-updater       0.5.1       py312h06a4308_0       defaults         nbclient       0.8.0       py312h06a4308_0       defaults         nbconvert       7.10.0       py312h06a4308_0       defaults         nbformat       5.9.2       py312h06a4308_0       defaults         ncurses       6.4       h6a678d5_0       defaults         nest-asyncio       1.6.0       py312h06a4308_0       defaults				
mkl_random       1.2.4       py312hdb19cb5_0       defaults         more-itertools       10.1.0       py312h06a4308_0       defaults         mpmath       1.3.0       py312h06a4308_0       defaults         msgpack-python       1.0.3       py312hdb19cb5_0       defaults         multidict       6.0.4       py312h5eee18b_0       defaults         multipledispatch       0.6.0       py312h06a4308_0       defaults         mypy       1.10.0       py312h5eee18b_0       defaults         mypy_extensions       1.0.0       py312h06a4308_0       defaults         mysql       5.7.24       h721c034_2       defaults         navigator-updater       0.5.1       py312h06a4308_0       defaults         nbclient       0.8.0       py312h06a4308_0       defaults         nbconvert       7.10.0       py312h06a4308_0       defaults         nbformat       5.9.2       py312h06a4308_0       defaults         ncurses       6.4       h6a678d5_0       defaults         nest-asyncio       1.6.0       py312h06a4308_0       defaults				
more-itertools         10.1.0         py312h06a4308_0         defaults           mpmath         1.3.0         py312h06a4308_0         defaults           msgpack-python         1.0.3         py312hdb19cb5_0         defaults           multidict         6.0.4         py312h5eee18b_0         defaults           multipledispatch         0.6.0         py312h06a4308_0         defaults           mypy         1.10.0         py312h5eee18b_0         defaults           mypy_extensions         1.0.0         py312h06a4308_0         defaults           mysql         5.7.24         h721c034_2         defaults           navigator-updater         0.5.1         py312h06a4308_0         defaults           nbclient         0.8.0         py312h06a4308_0         defaults           nbconvert         7.10.0         py312h06a4308_0         defaults           nbformat         5.9.2         py312h06a4308_0         defaults           ncurses         6.4         h6a678d5_0         defaults           nest-asyncio         1.6.0         py312h06a4308_0         defaults				
mpmath         1.3.0         py312h06a4308_0         defaults           msgpack-python         1.0.3         py312hdb19cb5_0         defaults           multidict         6.0.4         py312h5eee18b_0         defaults           multipledispatch         0.6.0         py312h06a4308_0         defaults           mypy         1.10.0         py312h5eee18b_0         defaults           mypy_extensions         1.0.0         py312h06a4308_0         defaults           mysql         5.7.24         h721c034_2         defaults           navigator-updater         0.5.1         py312h06a4308_0         defaults           nbclient         0.8.0         py312h06a4308_0         defaults           nbconvert         7.10.0         py312h06a4308_0         defaults           nbformat         5.9.2         py312h06a4308_0         defaults           ncurses         6.4         h6a678d5_0         defaults           nest-asyncio         1.6.0         py312h06a4308_0         defaults				
msgpack-python         1.0.3         py312hdb19cb5_0         defaults           multidict         6.0.4         py312h5eee18b_0         defaults           multipledispatch         0.6.0         py312h06a4308_0         defaults           mypy         1.10.0         py312h5eee18b_0         defaults           mypy_extensions         1.0.0         py312h06a4308_0         defaults           mysql         5.7.24         h721c034_2         defaults           navigator-updater         0.5.1         py312h06a4308_0         defaults           nbclient         0.8.0         py312h06a4308_0         defaults           nbconvert         7.10.0         py312h06a4308_0         defaults           nbformat         5.9.2         py312h06a4308_0         defaults           ncurses         6.4         h6a678d5_0         defaults           nest-asyncio         1.6.0         py312h06a4308_0         defaults				
multidict       6.0.4       py312h5eee18b_0       defaults         multipledispatch       0.6.0       py312h06a4308_0       defaults         mypy       1.10.0       py312h5eee18b_0       defaults         mypy_extensions       1.0.0       py312h06a4308_0       defaults         mysql       5.7.24       h721c034_2       defaults         navigator-updater       0.5.1       py312h06a4308_0       defaults         nbclient       0.8.0       py312h06a4308_0       defaults         nbconvert       7.10.0       py312h06a4308_0       defaults         nbformat       5.9.2       py312h06a4308_0       defaults         ncurses       6.4       h6a678d5_0       defaults         nest-asyncio       1.6.0       py312h06a4308_0       defaults	Control of the Contro		The state of the s	
multipledispatch         0.6.0         py312h06a4308_0         defaults           mypy         1.10.0         py312h5eee18b_0         defaults           mypy_extensions         1.0.0         py312h06a4308_0         defaults           mysql         5.7.24         h721c034_2         defaults           navigator-updater         0.5.1         py312h06a4308_0         defaults           nbclient         0.8.0         py312h06a4308_0         defaults           nbconvert         7.10.0         py312h06a4308_0         defaults           nbformat         5.9.2         py312h06a4308_0         defaults           ncurses         6.4         h6a678d5_0         defaults           nest-asyncio         1.6.0         py312h06a4308_0         defaults			A STATE OF THE STA	
mypy       1.10.0       py312h5eee18b_0       defaults         mypy_extensions       1.0.0       py312h06a4308_0       defaults         mysql       5.7.24       h721c034_2       defaults         navigator-updater       0.5.1       py312h06a4308_0       defaults         nbclient       0.8.0       py312h06a4308_0       defaults         nbconvert       7.10.0       py312h06a4308_0       defaults         nbformat       5.9.2       py312h06a4308_0       defaults         ncurses       6.4       h6a678d5_0       defaults         nest-asyncio       1.6.0       py312h06a4308_0       defaults				
mypy_extensions       1.0.0       py312h06a4308_0       defaults         mysql       5.7.24       h721c034_2       defaults         navigator-updater       0.5.1       py312h06a4308_0       defaults         nbclient       0.8.0       py312h06a4308_0       defaults         nbconvert       7.10.0       py312h06a4308_0       defaults         nbformat       5.9.2       py312h06a4308_0       defaults         ncurses       6.4       h6a678d5_0       defaults         nest-asyncio       1.6.0       py312h06a4308_0       defaults				
mysql       5.7.24       h721c034_2       defaults         navigator-updater       0.5.1       py312h06a4308_0       defaults         nbclient       0.8.0       py312h06a4308_0       defaults         nbconvert       7.10.0       py312h06a4308_0       defaults         nbformat       5.9.2       py312h06a4308_0       defaults         ncurses       6.4       h6a678d5_0       defaults         nest-asyncio       1.6.0       py312h06a4308_0       defaults				
navigator-updater         0.5.1         py312h06a4308_0         defaults           nbclient         0.8.0         py312h06a4308_0         defaults           nbconvert         7.10.0         py312h06a4308_0         defaults           nbformat         5.9.2         py312h06a4308_0         defaults           ncurses         6.4         h6a678d5_0         defaults           nest-asyncio         1.6.0         py312h06a4308_0         defaults				
nbclient       0.8.0       py312h06a4308_0       defaults         nbconvert       7.10.0       py312h06a4308_0       defaults         nbformat       5.9.2       py312h06a4308_0       defaults         ncurses       6.4       h6a678d5_0       defaults         nest-asyncio       1.6.0       py312h06a4308_0       defaults				
nbconvert       7.10.0       py312h06a4308_0       defaults         nbformat       5.9.2       py312h06a4308_0       defaults         ncurses       6.4       h6a678d5_0       defaults         nest-asyncio       1.6.0       py312h06a4308_0       defaults				
nbformat 5.9.2 py312h06a4308_0 defaults ncurses 6.4 h6a678d5_0 defaults nest-asyncio 1.6.0 py312h06a4308_0 defaults				
ncurses 6.4 h6a678d5_0 defaults nest-asyncio 1.6.0 py312h06a4308_0 defaults				
nest-asyncio 1.6.0 py312h06a4308_0 defaults				
	ncurses			
networkx 3.2.1 py312h06a4308_0 defaults	nest-asyncio			
	networkx	3.2.1	py312h06a4308_0	defaults

notebook         7.0.8         py312h66a4308.0         defaults           notebook         7.0.8         py312h66a4308.0         defaults           nspr         4.35         py312h66a4308.0         defaults           nspr         4.35         h6a678d5.0         defaults           nss         3.89.1         h6a678d5.0         defaults           numba         0.59.1         py312h62d520.0         defaults           numpy         1.26.4         py312h646a6210.0         defaults           numpy base         1.26.4         py312h66a4308.0         defaults           numpy base         1.26.4         py312h66a4308.0         defaults           origuruma         6.97.1         h27cfd23.0         defaults           openjpeg         2.4.0         h3ad879b.0         defaults           openss1         3.0.14         h8cee18b.0         defaults           openss1         3.0.14         h8cee18b.0         defaults           overrides         7.4.0         py312h66a4308.0         defaults           parkaging         23.2         py312h66a4308.0         defaults           parkaging         23.2         py312h66a4308.0         defaults           parkaging         23.	nltk	2 0 1	nv212h06a4200 0	defaults
notebook-shim         0.2.3         py312h66a4388_0         defaults           nspr         4.35         h6a678d5_0         defaults           nss         3.89.1         h6a678d5_0         defaults           numba         0.59.1         py312h626a5a_0         defaults           numexpr         2.8.7         py312h62a63a_0         defaults           numpy         1.26.4         py312h66a621_0         defaults           numpyboc         1.7.0         py312h66a4308_0         defaults           oniguruma         6.9.7.1         h27cf23_0         defaults           openipeg         2.4.0         h3ad879b_0         defaults           opensyl         3.1.2         py312h66a4308_0         defaults           opensyl         3.0.14         h5eee18b_0         defaults           orc         1.7.4         h3b2c33_1         defaults           orc         1.7.4         h3b2c33_1         defaults           orc         1.7.4         p3b2h66a308_0         defaults           orc         1.7.4         p3b2h66a308_0         defaults           parkaging         23.2         py312h66a308_0         defaults           parkaging         23.2         py312h66a308_0<			- 1 T	
nspr nss				
nss				
numba         0.59.1         py312h526ad5a 0         defaults           numexpr         2.8.7         py312h727012 0         defaults           numpy         1.26.4         py312h6a6a734 0         defaults           numpy-base         1.26.4         py312h0a6a721 0         defaults           numpydoc         1.7.0         py312h0a6a388 0         defaults           oniguruma         6.9.7.1         h27cfd23 0         defaults           openjpeg         2.4.0         h3ad879b 0         defaults           openpyxl         3.1.2         py312h06a388 0         defaults           openssl         3.0.14         h5bce18b 0         defaults           overrides         7.4.0         py312h06a388 0         defaults           packaging         23.2         py312h06a388 0         defaults           parso	and the second s		<del>-</del>	
numexpr         2.8.7         py312h6827012 0         defaults           numpy         base         1.26.4         py312h06a5c21 0         defaults           numpy-base         1.26.4         py312h06a621 0         defaults           numpy-base         1.26.4         py312h06ad308 0         defaults           oniguruma         6.9.7.1         h27cfd22 0         defaults           openipeg         2.4.0         h3ad879b 0         defaults           openipeg         2.4.0         p312h06a4308 0         defaults           openide         7.4.0         py312h06a4308 0         defaults           parcide         1.4.4         py312h06a4308 0         defaults           parcel         1.4.4         py312h06a4308 0         defaults           parsel         1.8.1         py312h06a4308 0         defaults           partd         1.4.1         py312h06a4308 0         defaults           part			<del></del>	
numpy         1.26.4         py312hc6ac21 of defaults         defaults           numpydoc         1.7.0         py312hc6ac31 of defaults         defaults           oniguruma         6.9.7.1         h27cfd23 of defaults         defaults           openjpeg         2.4.0         h3ad879b of defaults         defaults           opensyl         3.1.2         py312h5eee18b of defaults         defaults           openssl         3.0.14         h5eee18b of defaults         defaults           overrides         7.4.0         py312h66a4308 of defaults         defaults           packaging         23.2         py312h56a4308 of defaults         defaults           packaging         23.2         py312h66a4308 of defaults         defaults           pandas         2.2.2         py312h66a4308 of defaults         defaults           param         1.4.4         py312h66a4308 of defaults         defaults           parsel         1.8.1         py312h66a4308 of defaults         defaults           parso         0.8.3         py312h66a4308 of defaults         defaults           patch         2.7.6         h7b6447c_1001         defaults           patch         2.7.6         h7b6447c_1001         defaults           patch         2				
numpy-base         1.26.4         py312h06a623L0         defaults           oniguruma         6.9.7.1         h27cfd23_0         defaults           openjpeg         2.4.0         h3ad879b_0         defaults           openjpeg         2.4.0         h3ad879b_0         defaults           openssl         3.0.14         h5ee18b_0         defaults           orc         1.7.4         h03bc3d3_1         defaults           overrides         7.4.0         py312h56a4308_0         defaults           packaging         23.2         py312h56a4308_0         defaults           pandas         2.2.2         py312h66a4308_0         defaults           panderilters         1.5.0         py312h66a4308_0         defaults           paramel         1.4.4         py312h66a4308_0         defaults           parsel         1.8.1         py312h66a4308_0         defaults           parso         0.8.3         pyhd3eb100_0         defaults           partd         1.4.1         py312h66a4308_0         defaults           patchelf         0.17.2         h6a678d5_0         defaults           patchelf         0.17.2         h6a678d5_0         defaults           patchelf         0.17.2 </td <td></td> <td></td> <td></td> <td></td>				
numpydoc         1.7.0         py312h06a4308_0         defaults           oniguruma         6.9.7.1         h27cfd23_0         defaults           openjpeg         2.4.0         h3ad879b_0         defaults           openssl         3.0.14         h5ee218b_0         defaults           orc         1.7.4         h5bbc3d_3         defaults           orc         1.7.4         h5bbc3d_3         defaults           overrides         7.4.0         py312h06a4308_0         defaults           packaging         23.2         py312h06a4308_0         defaults           pandas         2.2.2         py312h06a4308_0         defaults           pandas         2.2.2         py312h06a4308_0         defaults           pandefilters         1.5.0         py1d3eb10_0         defaults           pandefilters         1.5.0         py1d3eb10_0         defaults           parsel         1.8.1         py312h06a4308_0         defaults           parsel         1.8.1         py312h06a4308_0         defaults           patsel         1.7.2         h6a67805_0         defaults           patch         2.7.6         h7b6447c_1001         defaults           patch         2.7.5 <t< td=""><td></td><td></td><td></td><td></td></t<>				
oniguruma				
openjpeg         2.4.0         h3ad879b_0         defaults           openpsl         3.1.2         py312b5ee18b_0         defaults           openssl         3.0.14         h5see18b_0         defaults           orc         1.7.4         h03bc3d_1         defaults           overrides         7.4.0         py312h06a4308_0         defaults           packaging         23.2         py312h06a4308_0         defaults           pandas         2.2.2         py312h06a4308_0         defaults           pandas         1.5.0         pyhd3eb1b0_0         defaults           pandefilters         1.5.0         py312h06a4308_0         defaults           pandefilters         1.5.0         py312h06a4308_0         defaults           param         2.1.0         py312h06a4308_0         defaults           parsel         1.8.1         py312h06a4308_0         defaults           parted         1.4.1         py312h06a4308_0         defaults           patchelf         0.17.2         h6a678d5_0         defaults           patty         0.5.6         py312h06a4308_0         defaults           pexpect         1.0.3         py312h06a4308_0         defaults           pickleshare <t< td=""><td></td><td></td><td>- · · · · · · · · · · · · · · · · · · ·</td><td></td></t<>			- · · · · · · · · · · · · · · · · · · ·	
openpyxl         3.1.2         py312h5eee18b_0         defaults           openssl         3.0.14         h5see18b_0         defaults           orc         1.7.4         h58bc3d3 1         defaults           overrides         7.4.0         py312h06a4308_0         defaults           packaging         23.2         py312h06a4308_0         defaults           pandas         2.2.2         py312h06a4308_0         defaults           pandefilters         1.5.0         pyhd3eb1b0_0         defaults           panel         1.4.4         py312h06a4308_0         defaults           parsel         1.8.1         py312h06a4308_0         defaults           parsel         1.8.1         py312h06a4308_0         defaults           parso         0.8.3         pyhd3eb1b0_0         defaults           partd         1.4.1         py312h06a4308_0         defaults           patch         2.7.6         h7b6447c_1001         defaults           patch         2.7.6         h7b6447c_1001         defaults           patch         0.10.3         py312h06a4308_0         defaults           pcxee         0.10.3         py312h06a4308_0         defaults           pickleshare         0.7.5 </td <td></td> <td></td> <td></td> <td></td>				
openss1			<del></del>	
orc 1.7.4 hb3bc3d3_1 defaults overnides 7.4.0 py312h06a4308_0 defaults packaging 23.2 py312h06a4308_0 defaults pandas 2.2.2 py312h526ad5a_0 defaults pandocfilters 1.5.0 pyhd3eb1b0_0 defaults panel 1.4.4 py312h06a4308_0 defaults panel 2.1.0 py312h06a4308_0 defaults param 2.1.0 py312h06a4308_0 defaults parsel 1.8.1 py312h06a4308_0 defaults parsel 1.8.1 py312h06a4308_0 defaults partd 1.4.1 py312h06a4308_0 defaults patch 2.7.6 hb7b647c_1001 defaults patch 2.7.6 hb7b647c_1001 defaults patch 2.7.6 hb7b647c_1001 defaults patch 2.7.6 py312h06a4308_0 defaults patsy 0.5.6 py312h06a4308_0 defaults patsy 0.5.6 py312h06a4308_0 defaults patsy 0.5.6 py312h06a4308_0 defaults pickleshare 0.7.5 pyhd3eb1b0_1003 defaults pillow 10.3.0 py312h5eee18b_0 defaults pillow 10.3.0 py312h6ea4308_0 defaults pillow 10.3.0 py312h06a4308_0 defaults pkginfo 1.10.0 py312h06a4308_0 defaults pkginfo 1.10.0 py312h06a4308_0 defaults platformdirs 3.10.0 py312h06a4308_0 defaults pluty 5.22.0 py312h06a4308_0 defaults pluty 5.22.0 py312h06a4308_0 defaults pluty 5.22.0 py312h06a4308_1 defaults prompt-toolkit 3.0.43 py312h06a4308_1 defaults py-cpuinfo 9.0.0 py312h06a4308_0 defaults py-cpuinfo 9.0.0 py312h06a4308_0 defaults py-cpuinfo 9.0.0 py312h06a4308_0 defaults pyasn1 modules 0.2.8 py312h06a4308_0 defaults pycoast 0.6.6 py312h06a4308_0 defaults pycoast 0.6.6 py			- 1 T	
overrides         7.4.0         py312h06a4308_0         defaults           packaging         23.2         py312h36a4308_0         defaults           pandas         2.2.2         py312h36a4308_0         defaults           panel         1.5.0         pyhd3eb1b0_0         defaults           param         2.1.0         py312h06a4308_0         defaults           parsel         1.8.1         py312h06a4308_0         defaults           parso         0.8.3         pyhd3eb1b0_0         defaults           partd         1.4.1         py312h06a4308_0         defaults           patchelf         0.17.2         h6a678d5_0         defaults           patthelf         0.17.2         h6a678d5_0         defaults           patthspec         0.10.3         py312h06a4308_0         defaults           patty         0.5.6         py312h06a4308_0         defaults           pexpect         4.8.0         py132h06a4308_0         defaults           pickleshare         0.7.5         pyhd3eb1b0_3         defaults           pkginfo         1.10.0         py312h06a4308_0         defaults           pkginfo         1.10.0         py312h06a4308_0         defaults           pkginfo         <	and the second			
packaging pandas 2.2.2 py312h06a4308_0 defaults pandas 2.2.2 py312h526ad5a_0 defaults pandocfilters 1.5.0 phd3eb1b0_0 defaults defaults panel 1.4.4 py312h06a4308_0 defaults parel 1.4.4 py312h06a4308_0 defaults parel 1.8.1 py312h06a4308_0 defaults parso 0.8.3 pyhd3eb1b0_0 defaults parso 0.8.3 pyhd3eb1b0_0 defaults patch 2.7.6 h7b6447c_1001 defaults patch 2.7.6 h7b6447c_1001 defaults patch 2.7.6 h7b6447c_1001 defaults patch 2.7.6 py312h06a4308_0 defaults patch 2.7.6 py312h06a4308_0 defaults patch 2.7.6 py312h06a4308_0 defaults patsy 0.5.6 py312h06a4308_0 defaults patsy 0.5.6 py312h06a4308_0 defaults patsy 0.5.6 py312h06a4308_0 defaults pickleshare 0.7.5 pyhd3eb1b0_1003 defaults pickleshare 0.7.5 pyhd3eb1b0_1003 defaults pillow 10.3.0 py312h06a4308_0 defaults pikee 1.0.3 py312h06a4308_0 defaults pillow 10.3.0 py312h06a4308_0 defaults pillow 1.0.0 py312h06a4308_0 defaults pillow 1.10.0 py312h06a4308_0 defaults prompt-toolkit 3.0.43 py312h06a4308_0 defaults prompt-toolkit 3.0.43 py312h06a4308_0 defaults prompt-toolkit 3.0.43 py312h06a4308_0 defaults pillow 1.10 defaults pillow 1.10 py312h06a4308_0 defaults pillow 1.10 defaults py60arser 2.21 py40a6a4308_0 defaults py60arser 2.21 py40a6a43			1 <del>7.</del>	
pandas 2.2.2 py312h526ad5a_0 defaults pandocfilters 1.5.0 pyhd3eb1b0_0 defaults panel 1.4.4 py312h06a4308_0 defaults param 2.1.0 py312h06a4308_0 defaults param 2.1.0 py312h06a4308_0 defaults parsel 1.8.1 py312h06a4308_0 defaults parsel 1.8.1 py312h06a4308_0 defaults parsel 1.4.1 py312h06a4308_0 defaults partd 1.4.1 py312h06a4308_0 defaults patch 2.7.6 h7b6447c_1001 defaults patch 2.7.6 h7b6447c_1001 defaults patchelf 0.17.2 h6a678d5_0 defaults patsy 0.5.6 py312h06a4308_0 defaults patsy 0.5.6 py312h06a4308_0 defaults pexpect 4.8.0 pyhd3eb1b0_1 defaults pexpect 4.8.0 pyhd3eb1b0_1 defaults pickleshare 0.7.5 pyhd3eb1b0_1003 defaults pickleshare 0.10.3 py312h06a4308_0 defaults pickleshare 0.10.3 py312h06a4308_0 defaults pickleshare 0.10.3 py312h06a4308_0 defaults pickleshare 0.10.3 py312h06a4308_0 defaults pickleshare 0.10.0 py312h06a4308_0 defaults pickleshare 0.10.1 py312h06a4308_0 defaults pickleshare 0.10.1 py312h06a4308_0 defaults pickleshare 0.10.0 py312h06a4308_0 defaults pickleshare 0.10.0 py312h06a4308_0 defaults pickleshare 0.10.0 py312h06a4308_0 defaults pickleshare 0.10.0 defaults pickleshare 0.10.0 py312				
pandocfilters			- 1 T	
panel 1.4.4 py312h06a4308_0 defaults param 2.1.0 py312h06a4308_0 defaults parsel 1.8.1 py312h06a4308_0 defaults parse 1.8.1 py312h06a4308_0 defaults parso 0.8.3 pyhd3eb1b0_0 defaults partd 1.4.1 py312h06a4308_0 defaults partd 1.4.1 py312h06a4308_0 defaults patch 2.7.6 h7b6447c_1001 defaults patch 2.7.6 h7b6447c_1001 defaults patchelf 0.17.2 h6a678d5_0 defaults patspec 0.10.3 py312h06a4308_0 defaults patsy 0.5.6 py312h06a4308_0 defaults persect 4.8.0 pyhd3eb1b0_1003 defaults pickleshare 0.7.5 pyhd3eb1b0_1003 defaults pickleshare 0.7.5 pyhd3eb1b0_1003 defaults pillow 10.3.0 py312h06a4308_0 defaults pkg. 10.0 py312h06a4308_0 defaults pkg. 10.0 py312h06a4308_0 defaults pkg. 10.0 py312h06a4308_0 defaults pkg. 10.0 py312h06a4308_0 defaults plotly 5.22.0 py312h06a4308_0 defaults plotly 5.22.0 py312h06a4308_0 defaults plotly 5.22.0 py312h06a4308_1 defaults prompt-toolkit 3.0.43 py312h06a4308_1 defaults prompt-toolkit 3.0.43 py312h06a4308_0 defaults p	· · · · · · · · · · · · · · · · · · ·			
param 2.1.0 py312h06a4308_0 defaults parsel 1.8.1 py312h06a4308_0 defaults parso 0.8.3 pyhd3eb1b0_0 defaults partd 1.4.1 py312h06a4308_0 defaults partd 1.4.1 py312h06a4308_0 defaults patch 2.7.6 h7b6447c_1001 defaults patch 2.7.6 h7b6447c_1001 defaults patchelf 0.17.2 h6a678d5_0 defaults pathspec 0.10.3 py312h06a4308_0 defaults patsy 0.5.6 py312h06a4308_0 defaults pexpect 4.8.0 pyhd3eb1b0_3 defaults pickleshare 0.7.5 pyhd3eb1b0_1003 defaults pillow 10.3.0 py312h5eee18b_0 defaults pip 24.0 py312h06a4308_0 defaults pkginfo 1.10.0 py312h06a4308_0 defaults pkginfo 1.10.0 py312h06a4308_0 defaults platformdirs 3.10.0 py312h06a4308_0 defaults pluggy 1.0.0 py312h06a4308_1 defaults pluggy 1.0.0 py312h06a4308_1 defaults prompt-toolkit 3.0.43 py312h06a4308_0 defaults py312h06a4308_0 defaults py312h06a4308_0 defaults py312h06a4308_0 defaults py312h06a4308_0 defaults py31				
parsel parse				
parso			- 1 T	
partd 1.4.1 py312h06a4308_0 defaults patch 2.7.6 h7b6447c_1001 defaults patchelf 0.17.2 h6a678d5_0 defaults pathspec 0.10.3 py312h06a4308_0 defaults pathspec 0.5.6 py312h06a4308_0 defaults pathspec 10.42 hebb0a14_1 defaults pexpect 4.8.0 pyhd3eb1b0_3 defaults pickleshare 0.7.5 pyhd3eb1b0_1003 defaults pillow 10.3.0 py312h06a4308_0 defaults pillow 10.3.0 py312h06a4308_0 defaults pkee 1.0.3 py312h06a4308_0 defaults pkginfo 1.10.0 py312h06a4308_0 defaults platformdirs 3.10.0 py312h06a4308_0 defaults plugy 1.0.0 py312h06a4308_1 defaults plugy 1.0.0 py312h06a4308_1 defaults plugy 3.11 py312h06a4308_1 defaults prometheus_client 0.14.1 py312h06a4308_1 defaults prompt-toolkit 3.0.43 py312h06a4308_0 defaults prompt-toolkit 3.0.43 py312h06a4308_0 defaults prompt_toolkit 3.0.43 py312h06a4308_0 defaults protego 0.1.16 py_0 defaults py312h06a4308_0 defaults prompt_toolkit 3.0.20.3 py312h6a678d5_0 defaults prompt_toolkit 3.0.20.3 py312h6a678d5_0 defaults pure_eval 0.2.2 pyhd3eb1b0_0 defaults py-cpuinfo 9.0.0 py312h06a4308_0 defaults py-cpuinfo 9.0.0 py312h06a4308_0 defaults py-lief 0.12.3 py312h06a4308_0 defaults py-lief 0.12.3 py312h06a4308_0 defaults p	- 100 and 100			
patch         2.7.6         h7b6447c_1001         defaults           patchelf         0.17.2         h6a678d5_0         defaults           pathspec         0.10.3         py312h06a4308_0         defaults           patsy         0.5.6         py312h06a4308_0         defaults           pcre2         10.42         hebb0a14_1         defaults           pexpect         4.8.0         py4d3eb1b0_3         defaults           pilow         10.3.0         py312h5eee18b_0         defaults           pilow         10.3.0         py312h66a4308_0         defaults           pkce         1.0.3         py312h06a4308_0         defaults           pkginfo         1.10.0         py312h06a4308_0         defaults           plutgy         5.22.0         py312h06ca4308_0         defaults           pluggy         1.0.0         py312h06ca4308_1         defaults           pluggy         1.0.0         py312h06ca4308_0         defaults           pluggy         1.0.0         py312h06ca4308_1         defaults           pluggy         1.0.0         py312h06ca4308_0         defaults           prompt-toolkit         3.0.43         py312h06ca4308_0         defaults           protego			• • • • • • • • • • • • • • • • • • •	
patchelf         0.17.2         h6a678d5_0         defaults           pathspec         0.10.3         py312h06a4308_0         defaults           patsy         0.5.6         py312h06a4308_0         defaults           pcre2         10.42         hebb0a14_1         defaults           pexpect         4.8.0         pyhd3eb1b0_3         defaults           pickleshare         0.7.5         pyhd3eb1b0_1003         defaults           pilow         10.3.0         py312h5eee18b_0         defaults           pip         24.0         py312h5eee18b_0         defaults           pkce         1.0.3         py312h66a4308_0         defaults           pkginfo         1.10.0         py312h66a4308_0         defaults           platformdirs         3.10.0         py312h06a4308_0         defaults           pluggy         1.0.0         py312h06a4308_0         defaults           pluggy <td< td=""><td></td><td></td><td></td><td>defaults</td></td<>				defaults
pathspec         0.10.3         py312h06a4308_0         defaults           patsy         0.5.6         py312h06a4308_0         defaults           pcre2         10.42         hebb0a14_1         defaults           pexpect         4.8.0         pyhd3eb1b0_3         defaults           pickleshare         0.7.5         pyhd3eb1b0_1003         defaults           pillow         10.3.0         py312h06a4308_0         defaults           pip         24.0         py312h06a4308_0         defaults           pkce         1.0.3         py312h06a4308_0         defaults           pkginfo         1.10.0         py312h06a4308_0         defaults           pluggy         1.0.0         py312h06a4308_0         defaults           pluggy         1.0.0         py312h06a4308_1         defaults           pluggy         1.0.0         py312h06a4308_1         defaults           pluggy         1.0.0         py312h06a4308_1         defaults           prometheus_client         0.14.1         py312h06a4308_0         defaults           prompt_toolkit         3.0.43         py312h06a4308_0         defaults           protego         0.1.16         py_0         defaults           protobuf			· · · · · · · · · · · · · · · · · · ·	
patsy         0.5.6         py312h06a4300_0         defaults           pcre2         10.42         hebb0a14_1         defaults           pexpect         4.8.0         pyhd3eb1b0_3         defaults           pickleshare         0.7.5         pyhd3eb1b0_1003         defaults           pillow         10.3.0         py312h5eea18b_0         defaults           pip         24.0         py312h6ea4308_0         defaults           pkce         1.0.3         py312h06a4308_0         defaults           pkginfo         1.10.0         py312h06a4308_0         defaults           platformdirs         3.10.0         py312h06a4308_0         defaults           pluggy         1.0.0         py312h06a4308_1         defaults           pluggy         1.0.0         py312h06a4308_0         defaults           prompt-toolkit         3.0.43         py312h06a4308_0         defaults           protego			The second secon	
pcre2         10.42         hebb0a14_1         defaults           pexpect         4.8.0         pyhd3eb1b0_3         defaults           pickleshare         0.7.5         pyhd3eb1b0_1003         defaults           pillow         10.3.0         py312h5eee18b_0         defaults           pip         24.0         py312h06a4308_0         defaults           pkce         1.0.3         py312h06a4308_0         defaults           pkginfo         1.10.0         py312h06a4308_0         defaults           platformdirs         3.10.0         py312h06a4308_0         defaults           pluggy         1.0.0         py312h06a4308_1         defaults           pluggy         1.0.0         py312h06a4308_1         defaults           prometheus_client         0.14.1         py312h06a4308_0         defaults           prompt_toolkit         3.0.43         py312h06a4308_0         defaults           protego         0.1.16         py_0         defaults           protebuf         3.20.3         py312h6a678d5_0         defaults           pytrocess         0.7.0         pyhd3eb1b0_2         defaults           py-cpuinfo         9.0         py312h06a4308_0         defaults           py-cp		0.5.6		defaults
pikleshare         0.7.5         pyhd3eb1b0_1003         defaults           pillow         10.3.0         py312h5eee18b_0         defaults           pip         24.0         py312h06a4308_0         defaults           pkce         1.0.3         py312h06a4308_0         defaults           pkginfo         1.10.0         py312h06a4308_0         defaults           platformdirs         3.10.0         py312h06a4308_0         defaults           plotly         5.22.0         py312h06a4308_1         defaults           pluggy         1.0.0         py312h06a4308_1         defaults           ply         3.11         py312h06a4308_0         defaults           prometheus_client         0.14.1         py312h06a4308_0         defaults           prompt_toolkit         3.0.43         py312h06a4308_0         defaults           prompt_toolkit         3.0.43         py312h6a678d5_0         defaults           protego         0.1.16         py_0         defaults           protobuf         3.20.3         py312h6a678d5_0         defaults           pytprocess         0.7.0         pyhd3eb1b0_2         defaults           py-cpuinfo         9.0.0         py312h6a678d5_0         defaults		10.42		defaults
pikleshare         0.7.5         pyhd3eb1b0_1003         defaults           pillow         10.3.0         py312h5eee18b_0         defaults           pip         24.0         py312h06a4308_0         defaults           pkce         1.0.3         py312h06a4308_0         defaults           pkginfo         1.10.0         py312h06a4308_0         defaults           platformdirs         3.10.0         py312h06a4308_0         defaults           plotly         5.22.0         py312h06a4308_1         defaults           pluggy         1.0.0         py312h06a4308_1         defaults           ply         3.11         py312h06a4308_0         defaults           prometheus_client         0.14.1         py312h06a4308_0         defaults           prompt_toolkit         3.0.43         py312h06a4308_0         defaults           prompt_toolkit         3.0.43         py312h6a678d5_0         defaults           protego         0.1.16         py_0         defaults           protobuf         3.20.3         py312h6a678d5_0         defaults           pytprocess         0.7.0         pyhd3eb1b0_2         defaults           py-cpuinfo         9.0.0         py312h6a678d5_0         defaults		4.8.0	1 <del>7.5</del>	defaults
pillow         10.3.0         py312h5eee18b_0         defaults           pip         24.0         py312h06a4308_0         defaults           pkce         1.0.3         py312h06a4308_0         defaults           pkginfo         1.10.0         py312h06a4308_0         defaults           platformdirs         3.10.0         py312h06a4308_0         defaults           plotly         5.22.0         py312h06a4308_1         defaults           pluggy         1.0.0         py312h06a4308_1         defaults           ply         3.11         py312h06a4308_0         defaults           prometheus_client         0.14.1         py312h06a4308_0         defaults           prompt_toolkit         3.0.43         py312h06a4308_0         defaults           protego         0.1.16         py.0         defaults           protego         0.1.16         py.0         defaults           protobuf         3.20.3         py312h6a678d5_0         defaults           ptyrocess         0.7.0         py3d3eb1b0_2         defaults           pure_eval         0.2.2         pyhd3eb1b0_0         defaults           py-cpuinfo         9.0.0         py312h06a4308_0         defaults           py-lief				
pkce         1.0.3         py312h06a4308_0         defaults           pkginfo         1.10.0         py312h06a4308_0         defaults           platformdirs         3.10.0         py312h06a4308_0         defaults           plotly         5.22.0         py312h06a4308_1         defaults           pluggy         1.0.0         py312h06a4308_1         defaults           ply         3.11         py312h06a4308_0         defaults           prometheus_client         0.14.1         py312h06a4308_0         defaults           prometheus_client         0.14.1         py312h06a4308_0         defaults           prometheus_client         3.0.43         py312h06a4308_0         defaults           prometheus_client         3.0.43         py312h06a4308_0         defaults           prometheus_client         3.0.43         py312h06a4308_0         defaults           prompt_toolkit         3.0.43         py312h06a4308_0         defaults           protoput         3.20.3         py312h6a678d5_0         defaults           pstufil         5.9.0         py312h06a4308_0         defaults           py-lief         0.12.3         py312h06a4308_0         defaults           py-lief         0.12.3         py312h06a4308_0	pillow	10.3.0	py312h5eee18b 0	defaults
pkce         1.0.3         py312h06a4308_0         defaults           pkginfo         1.10.0         py312h06a4308_0         defaults           platformdirs         3.10.0         py312h06a4308_0         defaults           plotly         5.22.0         py312h06a4308_1         defaults           pluggy         1.0.0         py312h06a4308_1         defaults           ply         3.11         py312h06a4308_0         defaults           prometheus_client         0.14.1         py312h06a4308_0         defaults           prometheus_client         0.16         py312h6a678d5_0         defaults           prometheus_client         0.2.2         pyhd3eb1b0_0         defaults           pycopurinfo         9.0.0         py312h06a4308_0         defaults           py2sn1         0.4.8         py	pip	24.0	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	defaults
platformdirs         3.10.0         py312h06a4308_0         defaults           plotly         5.22.0         py312he106c6f_0         defaults           pluggy         1.0.0         py312h06a4308_1         defaults           ply         3.11         py312h06a4308_0         defaults           prometheus_client         0.14.1         py312h06a4308_0         defaults           prompt-toolkit         3.0.43         py312h06a4308_0         defaults           protego         0.1.16         py_0         defaults           protobuf         3.20.3         py312h6a678d5_0         defaults           psutil         5.9.0         py312h5eee18b_0         defaults           ptyprocess         0.7.0         pyhd3eb1b0_2         defaults           pure_eval         0.2.2         pyhd3eb1b0_0         defaults           py-cpuinfo         9.0.0         py312h6a4308_0         defaults           py-lief         0.12.3         py312h6a4308_0         defaults           pyarrow         14.0.2         py312hb107042_0         defaults           pyasn1         0.4.8         pyhd3eb1b0_0         defaults           pycodestyle         2.11.1         py312h6a4308_0         defaults		1.0.3	py312h06a4308_0	defaults
plotly         5.22.0         py312he106c6f 0         defaults           pluggy         1.0.0         py312h06a4308 1         defaults           ply         3.11         py312h06a4308 0         defaults           prometheus_client         0.14.1         py312h06a4308 0         defaults           prompt-toolkit         3.0.43         py312h06a4308 0         defaults           prompt_toolkit         3.0.43         hd3eb1b0 0         defaults           protego         0.1.16         py 0         defaults           protobuf         3.20.3         py312h6a678d5 0         defaults           psutil         5.9.0         py312h5eee18b 0         defaults           ptyprocess         0.7.0         pyhd3eb1b0 2         defaults           pure_eval         0.2.2         pyhd3eb1b0 0         defaults           py-cpuinfo         9.0.0         py312h06a4308 0         defaults           py-lief         0.12.3         py312h6a678d5 0         defaults           pyarrow         14.0.2         py312hb107042 0         defaults           pyasn1 modules         0.2.8         py 0         defaults           pycodestyle         2.11.1         py312h06a4308 0         defaults	pkginfo	1.10.0	py312h06a4308_0	defaults
pluggy         1.0.0         py312h06a4308_1         defaults           ply         3.11         py312h06a4308_1         defaults           prometheus_client         0.14.1         py312h06a4308_0         defaults           prompt_toolkit         3.0.43         py312h06a4308_0         defaults           prompt_toolkit         3.0.43         hd3eb1b0_0         defaults           protego         0.1.16         py_0         defaults           protobuf         3.20.3         py312h6a678d5_0         defaults           psutil         5.9.0         py312h5eee18b_0         defaults           ptyprocess         0.7.0         pyhd3eb1b0_2         defaults           pure_eval         0.2.2         pyhd3eb1b0_0         defaults           py-cpuinfo         9.0.0         py312h6a64308_0         defaults           py-lief         0.12.3         py312h6a678d5_0         defaults           pyarrow         14.0.2         py312hb107042_0         defaults           pyasn1         0.4.8         pyhd3eb1b0_0         defaults           pysan1-modules         0.2.8         py_0         defaults           pycodestyle         2.11.1         py312h06a4308_0         defaults <td< td=""><td>platformdirs</td><td>3.10.0</td><td>py312h06a4308_0</td><td>defaults</td></td<>	platformdirs	3.10.0	py312h06a4308_0	defaults
ply         3.11         py312h06a4308_1         defaults           prometheus_client         0.14.1         py312h06a4308_0         defaults           prompt_toolkit         3.0.43         py312h06a4308_0         defaults           prompt_toolkit         3.0.43         hd3eb1b0_0         defaults           protego         0.1.16         py_0         defaults           protobuf         3.20.3         py312h6a678d5_0         defaults           psutil         5.9.0         py312h5eee18b_0         defaults           ptyprocess         0.7.0         pyhd3eb1b0_2         defaults           pure_eval         0.2.2         pyhd3eb1b0_0         defaults           py-cpuinfo         9.0.0         py312h06a4308_0         defaults           py-lief         0.12.3         py312h6a678d5_0         defaults           pyarrow         14.0.2         py312hb107042_0         defaults           pyasn1         0.4.8         pyhd3eb1b0_0         defaults           pysan1-modules         0.2.8         py_0         defaults           pycodestyle         2.11.1         py312h06a4308_0         defaults           pycosat         0.6.6         py312h06a4308_0         defaults <t< td=""><td>plotly</td><td>5.22.0</td><td>py312he106c6f_0</td><td>defaults</td></t<>	plotly	5.22.0	py312he106c6f_0	defaults
prometheus_client         0.14.1         py312h06a4308_0         defaults           prompt_toolkit         3.0.43         py312h06a4308_0         defaults           prompt_toolkit         3.0.43         hd3eb1b0_0         defaults           protego         0.1.16         py_0         defaults           protobuf         3.20.3         py312h6a678d5_0         defaults           psutil         5.9.0         py312h5eee18b_0         defaults           ptyprocess         0.7.0         pyhd3eb1b0_2         defaults           pure_eval         0.2.2         pyhd3eb1b0_0         defaults           py-cpuinfo         9.0.0         py312h6a678d5_0         defaults           py-lief         0.12.3         py312h6a678d5_0         defaults           pyarrow         14.0.2         py312hb107042_0         defaults           pyasn1         0.4.8         pyhd3eb1b0_0         defaults           pysan1-modules         0.2.8         py_0         defaults           pybind11-abi         5         hd3eb1b0_0         defaults           pycodestyle         2.11.1         py312h06a4308_0         defaults           pycosat         0.6.6         py312h06a4308_0         defaults           <	pluggy	1.0.0	py312h06a4308_1	defaults
prompt-toolkit         3.0.43         py312h06a4308_0         defaults           prompt_toolkit         3.0.43         hd3eb1b0_0         defaults           protego         0.1.16         py_0         defaults           protobuf         3.20.3         py312h6a678d5_0         defaults           psutil         5.9.0         py312h5eee18b_0         defaults           ptyprocess         0.7.0         pyhd3eb1b0_2         defaults           pure_eval         0.2.2         pyhd3eb1b0_0         defaults           py-cpuinfo         9.0.0         py312h6a678d5_0         defaults           py-row         14.0.2         py312hb107042_0         defaults           pyarrow         14.0.2         py312hb107042_0         defaults           pyasn1 modules         0.2.8         py_0         defaults           pybind11-abi         5         hd3eb1b0_0         defaults           pycodestyle         2.11.1         py312h06a4308_0         defaults           pycosat         0.6.6         py312h5eee18b_1         defaults           pyct         0.5.0         py312h06a4308_0         defaults           pyct         0.5.0         py312h06a4308_0         defaults	ply	3.11	py312h06a4308_1	defaults
prompt_toolkit         3.0.43         hd3eb1b0_0         defaults           protego         0.1.16         py_0         defaults           protobuf         3.20.3         py312h6a678d5_0         defaults           psutil         5.9.0         py312h5eee18b_0         defaults           ptyprocess         0.7.0         pyhd3eb1b0_2         defaults           pure_eval         0.2.2         pyhd3eb1b0_0         defaults           py-cpuinfo         9.0.0         py312h06a4308_0         defaults           py-lief         0.12.3         py312h6a678d5_0         defaults           pyarrow         14.0.2         py312h07042_0         defaults           pyasn1         0.4.8         pyhd3eb1b0_0         defaults           pysan1-modules         0.2.8         py_0         defaults           pybind11-abi         5         hd3eb1b0_0         defaults           pycodestyle         2.11.1         py312h06a4308_0         defaults           pycosat         0.6.6         py312h5eee18b_1         defaults           pycparser         2.21         pyhd3eb1b0_0         defaults           pyct         0.5.0         py312h06a4308_0         defaults           pycurl <td< td=""><td>prometheus_client</td><td>0.14.1</td><td>py312h06a4308_0</td><td>defaults</td></td<>	prometheus_client	0.14.1	py312h06a4308_0	defaults
protego         0.1.16         py_0         defaults           protobuf         3.20.3         py312h6a678d5_0         defaults           psutil         5.9.0         py312h5eee18b_0         defaults           ptyprocess         0.7.0         pyhd3eb1b0_2         defaults           pure_eval         0.2.2         pyhd3eb1b0_0         defaults           py-cpuinfo         9.0.0         py312h0ea4308_0         defaults           py-lief         0.12.3         py312h6a678d5_0         defaults           pyarrow         14.0.2         py312hb107042_0         defaults           pyasn1         0.4.8         pyhd3eb1b0_0         defaults           pysan1-modules         0.2.8         py_0         defaults           pybind11-abi         5         hd3eb1b0_0         defaults           pycodestyle         2.11.1         py312h0ea4308_0         defaults           pycosat         0.6.6         py312h5eee18b_1         defaults           pycparser         2.21         pyhd3eb1b0_0         defaults           pyct         0.5.0         py312h0ea4308_0         defaults           pycurl         7.45.2         py312hdbd6064_1         defaults	prompt-toolkit	3.0.43	py312h06a4308_0	defaults
protobuf         3.20.3         py312h6a678d5_0         defaults           psutil         5.9.0         py312h5eee18b_0         defaults           ptyprocess         0.7.0         pyhd3eb1b0_2         defaults           pure_eval         0.2.2         pyhd3eb1b0_0         defaults           py-cpuinfo         9.0.0         py312h06a4308_0         defaults           py-lief         0.12.3         py312h06a678d5_0         defaults           pyarrow         14.0.2         py312hb107042_0         defaults           pyasn1         0.4.8         pyhd3eb1b0_0         defaults           pysan1-modules         0.2.8         py_0         defaults           pybind11-abi         5         hd3eb1b0_0         defaults           pycodestyle         2.11.1         py312h06a4308_0         defaults           pycosat         0.6.6         py312h5eee18b_1         defaults           pycparser         2.21         pyhd3eb1b0_0         defaults           pyct         0.5.0         py312h06a4308_0         defaults           pycurl         7.45.2         py312hdbd6064_1         defaults	prompt_toolkit	3.0.43	hd3eb1b0_0	defaults
psutil         5.9.0         py312h5eee18b_0         defaults           ptyprocess         0.7.0         pyhd3eb1b0_2         defaults           pure_eval         0.2.2         pyhd3eb1b0_0         defaults           py-cpuinfo         9.0.0         py312h06a4308_0         defaults           py-lief         0.12.3         py312h6a678d5_0         defaults           pyarrow         14.0.2         py312hb107042_0         defaults           pyasn1         0.4.8         pyhd3eb1b0_0         defaults           pyasn1-modules         0.2.8         py_0         defaults           pybind11-abi         5         hd3eb1b0_0         defaults           pycodestyle         2.11.1         py312h06a4308_0         defaults           pycosat         0.6.6         py312h5eee18b_1         defaults           pycparser         2.21         pyhd3eb1b0_0         defaults           pyct         0.5.0         py312h06a4308_0         defaults           pycurl         7.45.2         py312hdbd6064_1         defaults	protego	0.1.16	py_0	defaults
ptyprocess         0.7.0         pyhd3eb1b0_2         defaults           pure_eval         0.2.2         pyhd3eb1b0_0         defaults           py-cpuinfo         9.0.0         py312h06a4308_0         defaults           py-lief         0.12.3         py312h6a678d5_0         defaults           pyarrow         14.0.2         py312hb107042_0         defaults           pyasn1         0.4.8         pyhd3eb1b0_0         defaults           pyasn1-modules         0.2.8         py_0         defaults           pybind11-abi         5         hd3eb1b0_0         defaults           pycodestyle         2.11.1         py312h06a4308_0         defaults           pycosat         0.6.6         py312h5eee18b_1         defaults           pycparser         2.21         pyhd3eb1b0_0         defaults           pyct         0.5.0         py312h06a4308_0         defaults           pycurl         7.45.2         py312hdbd6064_1         defaults	protobuf	3.20.3	py312h6a678d5_0	defaults
pure_eval         0.2.2         pyhd3eb1b0_0         defaults           py-cpuinfo         9.0.0         py312h06a4308_0         defaults           py-lief         0.12.3         py312h6a678d5_0         defaults           pyarrow         14.0.2         py312hb107042_0         defaults           pyasn1         0.4.8         pyhd3eb1b0_0         defaults           pyasn1-modules         0.2.8         py_0         defaults           pybind11-abi         5         hd3eb1b0_0         defaults           pycodestyle         2.11.1         py312h06a4308_0         defaults           pycosat         0.6.6         py312h5eee18b_1         defaults           pycparser         2.21         pyhd3eb1b0_0         defaults           pyct         0.5.0         py312h06a4308_0         defaults           pycurl         7.45.2         py312hdbd6064_1         defaults	psutil	5.9.0	py312h5eee18b_0	defaults
py-cpuinfo         9.0.0         py312h06a4308_0         defaults           py-lief         0.12.3         py312h6a678d5_0         defaults           pyarrow         14.0.2         py312hb107042_0         defaults           pyasn1         0.4.8         pyhd3eb1b0_0         defaults           pyasn1-modules         0.2.8         py_0         defaults           pybind11-abi         5         hd3eb1b0_0         defaults           pycodestyle         2.11.1         py312h06a4308_0         defaults           pycosat         0.6.6         py312h5eee18b_1         defaults           pycparser         2.21         pyhd3eb1b0_0         defaults           pyct         0.5.0         py312h06a4308_0         defaults           pycurl         7.45.2         py312hdbd6064_1         defaults	ptyprocess	0.7.0	pyhd3eb1b0_2	defaults
py-lief       0.12.3       py312h6a678d5_0       defaults         pyarrow       14.0.2       py312hb107042_0       defaults         pyasn1       0.4.8       pyhd3eb1b0_0       defaults         pyasn1-modules       0.2.8       py_0       defaults         pybind11-abi       5       hd3eb1b0_0       defaults         pycodestyle       2.11.1       py312h06a4308_0       defaults         pycosat       0.6.6       py312h5eee18b_1       defaults         pycparser       2.21       pyhd3eb1b0_0       defaults         pyct       0.5.0       py312h06a4308_0       defaults         pycurl       7.45.2       py312hdbd6064_1       defaults		0.2.2		defaults
pyarrow         14.0.2         py312hb107042_0         defaults           pyasn1         0.4.8         pyhd3eb1b0_0         defaults           pyasn1-modules         0.2.8         py_0         defaults           pybind11-abi         5         hd3eb1b0_0         defaults           pycodestyle         2.11.1         py312h06a4308_0         defaults           pycosat         0.6.6         py312h5eee18b_1         defaults           pycparser         2.21         pyhd3eb1b0_0         defaults           pyct         0.5.0         py312h06a4308_0         defaults           pycurl         7.45.2         py312hdbd6064_1         defaults	py-cpuinfo	9.0.0	py312h06a4308_0	defaults
pyasn10.4.8pyhd3eb1b0_0defaultspyasn1-modules0.2.8py_0defaultspybind11-abi5hd3eb1b0_0defaultspycodestyle2.11.1py312h06a4308_0defaultspycosat0.6.6py312h5eee18b_1defaultspycparser2.21pyhd3eb1b0_0defaultspyct0.5.0py312h06a4308_0defaultspycurl7.45.2py312hdbd6064_1defaults	py-lief	0.12.3	py312h6a678d5_0	defaults
pyasn1-modules         0.2.8         py_0         defaults           pybind11-abi         5         hd3eb1b0_0         defaults           pycodestyle         2.11.1         py312h06a4308_0         defaults           pycosat         0.6.6         py312h5eee18b_1         defaults           pycparser         2.21         pyhd3eb1b0_0         defaults           pyct         0.5.0         py312h06a4308_0         defaults           pycurl         7.45.2         py312hdbd6064_1         defaults	pyarrow	14.0.2	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	defaults
pybind11-abi         5         hd3eb1b0_0         defaults           pycodestyle         2.11.1         py312h06a4308_0         defaults           pycosat         0.6.6         py312h5eee18b_1         defaults           pycparser         2.21         pyhd3eb1b0_0         defaults           pyct         0.5.0         py312h06a4308_0         defaults           pycurl         7.45.2         py312hdbd6064_1         defaults	pyasn1	0.4.8	pyhd3eb1b0_0	defaults
pycodestyle         2.11.1         py312h06a4308_0         defaults           pycosat         0.6.6         py312h5eee18b_1         defaults           pycparser         2.21         pyhd3eb1b0_0         defaults           pyct         0.5.0         py312h06a4308_0         defaults           pycurl         7.45.2         py312hdbd6064_1         defaults		0.2.8		defaults
pycosat         0.6.6         py312h5eee18b_1         defaults           pycparser         2.21         pyhd3eb1b0_0         defaults           pyct         0.5.0         py312h06a4308_0         defaults           pycurl         7.45.2         py312hdbd6064_1         defaults	pybind11-abi	5	100 miles	defaults
pycparser         2.21         pyhd3eb1b0_0         defaults           pyct         0.5.0         py312h06a4308_0         defaults           pycurl         7.45.2         py312hdbd6064_1         defaults	pycodestyle	2.11.1	py312h06a4308_0	defaults
pyct         0.5.0         py312h06a4308_0         defaults           pycurl         7.45.2         py312hdbd6064_1         defaults	pycosat	0.6.6	py312h5eee18b_1	defaults
pycurl 7.45.2 py312hdbd6064_1 defaults	pycparser	2.21		
	pyct	0.5.0	<u> </u>	
pydantic 2.5.3 py312h06a4308_0 defaults	pycurl	7.45.2	py312hdbd6064_1	defaults
	pydantic	2.5.3	py312h06a4308_0	defaults

pydeck	pydantic-core	2.14.6	py312hb02cf49_0	defaults
podcatyle	pydeck	0.8.0	py312h06a4308 2	defaults
pyerfa pytlakes	pydispatcher	2.0.5	py312h06a4308_3	defaults
pyriakes   3,2,0	pydocstyle	6.3.0	py312h06a4308 0	defaults
pygenets pyjint pyjint pyjint pyjint pyjint pylint pyolint	pyerfa	2.0.1.4	py312ha883a20 0	defaults
py  thr	pyflakes	3.2.0	py312h06a4308 0	defaults
pyjint 2.8.0 pyj12h06a4308_0 defaults pylint 2.16.2 pyj12h06a4308_0 defaults pylint-venv 3.0.3 pyj12h06a4308_0 defaults defaults pylint-venv 3.0.3 pyj12h06a4308_0 defaults defaults pyodbc 5.0.1 pyj12h06a4308_0 defaults defaults pyopenssl 24.0.0 pyj12h06a4308_0 defaults defaults pyparsing 3.0.9 pyj12h06a4308_0 defaults defaults pyqt5-sip 12.13.0 pyj12h6a678d5_0 defaults defaults pyqt5-sip 12.13.0 pyj12h6a678d5_0 defaults defaults pysocks 1.7.1 pyj12h06a4308_0 defaults defaults pysocks 1.7.1 pyj12h06a4308_0 defaults defaults pytables 3.9.2 pyj12h96a4308_0 defaults defaults python-dateutil 2.9.0post0 pyj12h06a4308_0 defaults defaults python-dateutil 2.9.0post0 pyj12h06a4308_0 defaults defaults python-fotenv 0.21.0 pyj12h06a4308_0 defaults defaults python-ibarchive-c 2.9 pyj12h06a4308_0 defaults python-json-logger 2.0.7 pyj12h06a4308_0 defaults defaults python-pison-logger 2.0.7 pyj12h06a4308_0 defaults python-spy-black 2.0.0 pyj12h06a4308_0 defaults defaults python-spylon-pison-	pygments	2.15.1	py312h06a4308 1	defaults
pylint		2.8.0	py312h06a4308 0	defaults
pylint-venw		2.16.2	py312h06a4308 0	defaults
Dyothe   S.O.1   Py312h6a478d5_0   defaults   Pyopenss1   24.0.0   Py312h6a4388_0   defaults   Pyopenss1   3.0.9   Py312h6a4388_0   defaults   Pyopenss1   3.0.9   Py312h6a4388_0   defaults   Pyopenss1   3.0.9   Py312h6a4388_0   defaults   Pyopenss1   S.O.5.10   Py312h6a678d5_0   defaults   Pyopenss2   Py312h6a678d8_0   defaults   Pyopenss2   Py312h6a4388_0   defaults   Pyopenss2   Pyopenss2   Py312h6a4388_0   defaults   Pyopenss2   Pyop	37	3.0.3	py312h06a4308 0	defaults
Dyothe   S.O.1   Py312h6a478d5_0   defaults   Pyopenss1   24.0.0   Py312h6a4388_0   defaults   Pyopenss1   3.0.9   Py312h6a4388_0   defaults   Pyopenss1   3.0.9   Py312h6a4388_0   defaults   Pyopenss1   3.0.9   Py312h6a4388_0   defaults   Pyopenss1   S.O.5.10   Py312h6a678d5_0   defaults   Pyopenss2   Py312h6a678d8_0   defaults   Pyopenss2   Py312h6a4388_0   defaults   Pyopenss2   Pyopenss2   Py312h6a4388_0   defaults   Pyopenss2   Pyop		0.4.0	pyhd3eb1b0 0	defaults
pypenssl   24,0.0	100			defaults
pyparsing         3.0.9         py312h6a678d5_0         defaults           pyqt         5.15.10         py312h6a678d5_0         defaults           pyqtbeengine         5.15.10         py312h6a678d5_0         defaults           pysocks         1.7.1         py312h6a678d5_0         defaults           pytables         3.9.2         py312h8a7d6ec_0         defaults           pytables         3.9.2         py312h8a7d6ec_0         defaults           python-dateutil         2.9.0post0         py312h06a4308_0         defaults           python-ladeutil         2.16.2         py312h06a4308_0         defaults           python-ladeutil         2.0.7         py312h06a4308_0         defaults           python-ladeutil         1.4.1         py312h06a4308_0         defaults           python-libarchive_c<	3.7	24.0.0	py312h06a4308 0	defaults
pyqt         5.15.10         py312h6a678d5_0         defaults           pyqtxbengine         5.15.10         py312h6a678d5_0         defaults           pysocks         1.7.1         py312h6a678d5_0         defaults           pystables         3.9.2         py312h06a4308_0         defaults           python         3.12.4         h5148396_1         defaults           python-dateutil         2.9.0post0         py312h06a4308_0         defaults           python-fastjsonschma         2.16.2         py312h06a4308_0         defaults           python-indotenv         0.21.0         py312h06a4308_0         defaults           python-json-logger         2.0.7         py312h06a4308_0         defaults           python-json-logger         2.0.7         py312h06a4308_0         defaults           python-libar-faitye-c         2.9         pyhd3eb1b0_1         defaults           python-libar-black         2.0.0         py312h06a4308_0         defaults           python-lsp-jsonrpc         1.1.2         pyhd3eb1b0_0         defaults           python-lsp-jsonrpc         1.1.2         pyhd3eb1b0_0         defaults           python-snappy         0.6.1         py312h06a4308_0         defaults           pytoloconfig			· · · · · · · · · · · · · · · · · · ·	defaults
pyqtx=sip         12,13.0         py312h5ee18b.0         defaults           pyqtwebengine         5.15.10         py312h6a678d5_0         defaults           pytast         1.7.1         py312h66a4308_0         defaults           pytast         7.4.4         py312h66a4308_0         defaults           python         3.12.4         h5184396_1         defaults           python-dateutil         2.9.0post0         py312h66a4308_0         defaults           python-dateutil         2.9.0post0         py312h66a4308_0         defaults           python-fast jsonschema         2.16.2         py312h66a4308_0         defaults           python-json-logger         2.0.7         py312h66a78d5_0         defaults           python-labrachive-c         2.9         pyhd3eb1b0_1         defaults           python-lsp-black         2.0.0         py312h66a78d5_0         defaults           python-lsp-jsorrpc         1.1.2         pyhd3eb1b0_0         defaults           python-slppify         5.0.2         pyhd3eb1b0_0         defaults           python-sappy         0.6.1         py312h6a78d5_0         defaults           python-tzdata         2023.3         pyhd3eb1b0_0         defaults           pytz_comms         3.0.2	1 5 5 7			
pyqtwebengine         5.15.10         py312h6a678d5_0         defaults           pysooks         1.7.1         py312h6a4308_0         defaults           pytables         3.9.2         py312h6a4308_0         defaults           pytton         3.12.4         h5148396_1         defaults           python-dateutil         2.9.0post0         py312h66a4308_0         defaults           python-fastjsonschema         2.16.2         py312h66a4308_0         defaults           python-fastjsonschema         2.16.2         py312h66a4308_0         defaults           python-fispison-logger         2.0.7         py312h66a4308_0         defaults           python-libarchive-c         2.9         pyhd3eb100_1         defaults           python-lsp-black         2.0.0         py312h66a4308_0         defaults           python-lsp-jsonrpc         1.1.2         pyhd3eb100_0         defaults           python-sp-jsonrpc         1.1.2         pyhd3eb100_0         defaults           python-slp-jsonrpc         1.1.2         pyhd3eb100_0         defaults           python-slp-jsonrpc         1.1.2         pyhd3eb100_0         defaults           python-slp-jsonrpc         1.1.2         pyhd3eb100_0         defaults           python-slg-jsonrpc				
pysocks         1.7.1         py312h06a308_0         defaults           pytables         3.9.2         py312h387d6cc_0         defaults           pytest         7.4.4         py312h06a308_0         defaults           python         3.12.4         h5148396_1         defaults           python-dateutil         2.9.0post0         py312h06a308_0         defaults           python-datenv         0.21.0         py312h06a308_0         defaults           python-fastjsonschema         2.16.2         py312h06a308_0         defaults           python-json-logger         2.0.7         py312h06a308_0         defaults           python-lsp-black         2.0.0         py312h06a308_0         defaults           python-lsp-black         2.0.0         py312h06a308_0         defaults           python-lsp-server         1.10.0         py312h06a308_0         defaults           python-slugify         5.0.2         pyhd3eb100_0         defaults           python-slugify         5.0.2         pyhd3eb100_0         defaults           python-slugify         5.0.2         pyhd3eb100_0         defaults           python-tzdata         2023.3         pyhd3eb100_0         defaults           pytoz_comms         3.0.2         py31			· · ·	
pytables         3.9.2         py312h387d6ec_0         defaults           pytest         7.4.4         py312h66a4308_0         defaults           python         3.12.4         h5148396_1         defaults           python-dateutil         2.9.0post0         py312h06a4308_2         defaults           python-dotenv         0.21.0         py312h06a4308_0         defaults           python-json-logger         2.0.7         py312h06a4308_0         defaults           python-libarchive-c         2.9         pyhd3eb1b0_1         defaults           python-lsp-jsonrpc         1.1.2         py132h06a4308_0         defaults           python-lsp-black         2.0.0         py312h06a4308_0         defaults           python-lsp-sorrpc         1.1.2         pyhd3eb1b0_0         defaults           python-lsp-server         1.10.0         py312h06a4308_0         defaults           python-slugify         5.0.2         pyhd3eb1b0_0         defaults           python-tzdata         2023.3         pyhd3eb1b0_0         defaults           pyto2_comms         3.0.2         py312h06a4308_0         defaults           pyvaiz_comms         3.0.2         py312h06a4308_0         defaults           pyxiz_comms         3.0.2				
pytest         7.4.4         py312h06a4308_0         defaults           python         3.12.4         h5148336_1         defaults           python-dateutil         2.9.0post0         py312h06a4308_0         defaults           python-dotenv         0.21.0         py312h06a4308_0         defaults           python-fastjsonschema         2.16.2         py312h06a4308_0         defaults           python-loson-logger         2.0.7         py312h06a4308_0         defaults           python-libarchive-c         2.9         py4d3eb1b0_1         defaults           python-lab         1.4.1         py312h06a4308_0         defaults           python-lab         1.4.1         py312h06a4308_0         defaults           python-lsp-jsonrpc         1.1.2         py4d3eb1b0_0         defaults           python-lsp-jsonrpc         1.1.2         py4d3eb1b0_0         defaults           python-slugify         5.0.2         py4d3eb1b0_0         defaults           python-slugify         5.0.2         py4d3eb1b0_0         defaults           python-tzdata         2023.3         py4d3eb1b0_0         defaults           pytoclocnfig         1.2.6         py312h06a4308_0         defaults           pyvaz comms         3.0.2	3.5			
python         3.12.4         h5148396_1         defaults           python-dateutil         2.9.0post0         py312h06a4308_2         defaults           python-dotenv         0.21.0         py312h06a4308_0         defaults           python-fastjsonschema         2.16.2         py312h06a4308_0         defaults           python-json-logger         2.0.7         py312h06a4308_0         defaults           python-libanchive-c         2.9         pyhd3eh1b0_1         defaults           python-lab         1.4.1         py312h06a678d5_0         defaults           python-lsp-black         2.0.0         py312h06a4308_0         defaults           python-lsp-jsonrpc         1.1.2         pyhd3eb1b0_0         defaults           python-sp-server         1.10.0         py312h06a4308_0         defaults           python-spython-sappy         0.6.1         py312h06a4308_0         defaults           python-sappy         0.6.1         py312h06a4308_0         defaults           pytz         2023.3         pyhd6a4308_0         defaults           pytz         2024.1         py312h06a4308_0         defaults           pyxdg         0.27         pyhd3eb10_0         defaults           pyxdg         0.27         pyhd3	- 10 T		· · · · · · · · · · · · · · · · · · ·	
python-dateutil         2.9.0post0         py312h06a4308_2         defaults           python-dotenv         0.21.0         py312h06a4308_0         defaults           python-fastjsonschema         2.16.2         py312h06a4308_0         defaults           python-json-logger         2.0.7         py312h06a4308_0         defaults           python-liddh         1.4.1         py312h06a4308_0         defaults           python-lsp-black         2.0.0         py312h06a4308_0         defaults           python-lsp-jsonrpc         1.1.2         pyhd3eb1b0_0         defaults           python-slugify         5.0.2         pyhd3eb1b0_0         defaults           python-slugify         5.0.2         pyhd3eb1b0_0         defaults           python-sappy         0.6.1         py312h06a4308_0         defaults           python-tzdata         2023.3         pyhd3eb1b0_0         defaults           pytoolconfig         1.2.6         py312h06a4308_0         defaults           pyviz_comms         3.0.2         py312h06a4308_0         defaults           pyvadelets         1.5.0         py312h06a4308_0         defaults           pyxadg         0.27         pyhd3eb1b0_0         defaults           pyxadg         0.27			<del>-</del>	
python-dotenv         0.21.0         py312h06a4308_0         defaults           python-fastjsonschema         2.16.2         py312h06a4308_0         defaults           python-json-logger         2.0.7         py312h06a4308_0         defaults           python-libarchive-c         2.9         pyhd3eb1b0_1         defaults           python-lmbb         1.4.1         py312h06a4308_0         defaults           python-lsp-black         2.0.0         py312h06a4308_0         defaults           python-lsp-jsonrpc         1.1.2         pyhd3eb1b0_0         defaults           python-slugify         5.0.2         py132h06a4308_0         defaults           python-slugify         5.0.2         py312h06a4308_0         defaults           python-slugify         5.0.2         py312h06a4308_0         defaults           python-tzdata         2023.3         pyhd3eb1b0_0         defaults           pytor_comms         1.2.6         py312h06a4308_0         defaults           pytoz_comms         3.0.2         py312h06a4308_0         defaults           pyxiz_comms         3.0.2         py312h06a4308_0         defaults           pyxade         0.2         py312h06a4308_0         defaults           pyxade         0.2	- 10 T			
python-fastjsonschema         2.16.2         py312h06a4308_0         defaults           python-json-logger         2.0.7         py312h06a4308_0         defaults           python-libarchive-c         2.9         pyhd3eb1b0_1         defaults           python-libarchive-c         2.9         pyhd3eb1b0_1         defaults           python-libarchive-c         2.0.0         py312h06a4308_0         defaults           python-lsp-jsonrpc         1.1.2         pyhd3eb1b0_0         defaults           python-slugify         5.0.2         pyhd3eb1b0_0         defaults           python-snappy         0.6.1         py312h06a4308_0         defaults           python-tzdata         2023.3         pyd3eb1b0_0         defaults           pytoloconfig         1.2.6         py312h06a4308_0         defaults           pytz         2024.1         py312h06a4308_0         defaults           pytz         2024.1         py312h06a4308_0         defaults           pyxtz_comms         3.0.2         py312h06a4308_0         defaults           pywavelets         1.5.0         py312ha6a4308_0         defaults           pyyaml         6.0.1         py312h6a4308_0         defaults           qdarkstyle         3.2.3         py4	15			
python-json-logger         2.0.7         py312h06a4308_0         defaults           python-libarchive-c         2.9         pyhd3eb1b0_1         defaults           python-lsp-black         2.0.0         py312h06a4308_0         defaults           python-lsp-black         2.0.0         py312h06a4308_0         defaults           python-lsp-jsonrpc         1.1.2         pyhd3eb1b0_0         defaults           python-slugify         5.0.2         pyhd3eb1b0_0         defaults           python-stugify         5.0.2         pyhd3eb1b0_0         defaults           python-tzdata         2023.3         pyhd3eb1b0_0         defaults           pytoolconfig         1.2.6         py312h06a4308_0         defaults           pytz         2024.1         py312h06a4308_0         defaults           pywaz_comms         3.0.2         py312h06a4308_0         defaults           pyxdg         0.27         pyhd3eb1b0_0         defaults           pyxdg         0.27         pyhd3eb1b0_0         defaults           pyxag         0.27         pyhd3eb1b0_0         defaults           pyxag         0.27         pyhd3eb1b0_0         defaults           pyyag         0.27         pyhd3eb1b0_0         defaults     <	3.5		· · · · · · · · · · · · · · · · · · ·	
python-libarchive-c         2.9         pyhd3eb1b0_1         defaults           python-lmdb         1.4.1         py312h6a678d5_0         defaults           python-lsp-black         2.0.0         py312h6a4308_0         defaults           python-lsp-jsonrpc         1.1.2         pyhd3eb1b0_0         defaults           python-slyp-server         1.10.0         py312h6a4308_0         defaults           python-slugify         5.0.2         pyhd3eb1b0_0         defaults           python-snappy         0.6.1         py312h6a678d5_0         defaults           python-tzdata         2023.3         pyhd3eb1b0_0         defaults           pytocloconfig         1.2.6         py312h6ea4308_0         defaults           pytz         2024.1         py312h6ea4308_0         defaults           pyviz_comms         3.0.2         py312h6ea4308_0         defaults           pyvadelets         1.5.0         py312h8ea18a_0         defaults           pyxdg         0.27         pyhd3eb1b0_0         defaults           pyymal         6.0.1         py312h6ea4308_0         defaults           qdarkstyle         3.2.3         pyhd3eb1b0_0         defaults           qt-main         5.15.2         p53bd1ea_10				
python-lmdb         1.4.1         py312h6a678d5_0         defaults           python-lsp-black         2.0.0         py312h06a4308_0         defaults           python-lsp-jsonrpc         1.1.2         pyhd3eb1b0_0         defaults           python-lsp-server         1.10.0         py312h06a4308_0         defaults           python-slugify         5.0.2         pyhd3eb1b0_0         defaults           python-snappy         0.6.1         py312h6a678d5_0         defaults           python-tzdata         2023.3         pyhd3eb1b0_0         defaults           pytoolconfig         1.2.6         py312h06a4308_0         defaults           pytz         2024.1         py312h06a4308_0         defaults           pyxdz         2024.1         py312h06a4308_0         defaults           pyxdz         0.27         py312h06a4308_0         defaults           pyxdg         0.27         pyhd3eb1b0_0         defaults           pyyand         0.27         py312h6a678d5_0         defaults           qdarkstyle         3.2.3         pyhd3eb1b0_0         defaults           qdarkstyle         3.2.3         pyhd3eb1b0_0         defaults           qt-main         5.15.2         py312h06a4308_0         defaults				
python-lsp-black         2.0.0         py312h06a4308_0         defaults           python-lsp-jsonrpc         1.1.2         pyhd3eb1b0_0         defaults           python-lsp-server         1.10.0         py312h06a4308_0         defaults           python-slugify         5.0.2         pyhd3eb1b0_0         defaults           python-snappy         0.6.1         py312h6a678d5_0         defaults           python-tzdata         2023.3         pyhd3eb1b0_0         defaults           pytoolconfig         1.2.6         py312h06a4308_0         defaults           pytz         2024.1         py312h06a4308_0         defaults           pytz         2024.1         py312h06a4308_0         defaults           pyviz_comms         3.0.2         py312h06a4308_0         defaults           pyxdg         0.27         pyd3e1b0_0         defaults           pyxadg         0.27         pyd3e1b0_0         defaults           pyzmq         25.1.2         py312h6ea68d5_0         defaults           qdarkstyle         3.2.3         pyd3e1b0_0         defaults           qt-main         5.15.2         h53bd1ea_10         defaults           qt-webengine         5.15.9         h9ab4d14_7         defaults	7.7		The second secon	
python-lsp-jsonrpc         1.1.2         pyhdaeblb0_0         defaults           python-lsp-server         1.10.0         py312h66a4308_0         defaults           python-slugify         5.0.2         pyhdaeblb0_0         defaults           python-snappy         0.6.1         py312h6a678d5_0         defaults           python-tzdata         2023.3         pyhd3eblb0_0         defaults           pytoolconfig         1.2.6         py312h06a4308_0         defaults           pytz         2024.1         py312h06a4308_0         defaults           pyviz_comms         3.0.2         py312h06a4308_0         defaults           pyvadelets         1.5.0         py312ha883a20_0         defaults           pyxdg         0.27         pyhd3eblb0_0         defaults           pyyaml         6.0.1         py312h6a678d5_0         defaults           pyzmq         25.1.2         py312h6a678d5_0         defaults           qdarkstyle         3.2.3         pyhd3eblb0_0         defaults           qt-main         5.15.2         py312h6a4308_0         defaults           qt-main         5.15.9         h9ab4d14_7         defaults           qt-main         5.15.9         py312h66a4308_0         defaults </td <td></td> <td></td> <td>· · · · · · · · · · · · · · · · · · ·</td> <td></td>			· · · · · · · · · · · · · · · · · · ·	
python-lsp-server         1.10.0         py312h06a4308_0         defaults           python-slugify         5.0.2         pyhd3eb1b0_0         defaults           python-snappy         0.6.1         py312h6a678d5_0         defaults           python-tzdata         2023.3         pyhd3eb1b0_0         defaults           pytolconfig         1.2.6         py312h06a4308_0         defaults           pytz         2024.1         py312h06a4308_0         defaults           pyviz_comms         3.0.2         py312h06a4308_0         defaults           pyxdg         0.27         py312h883a20_0         defaults           pyxdg         0.27         py312h6a4308_0         defaults           pyyaml         6.0.1         py312h6ea7885_0         defaults           pyzmq         25.1.2         py312h6a67885_0         defaults           qdarkstyle         3.2.3         pyhd3eb1b_0         defaults           qdarkstyle         3.2.3         py312h6a67885_0         defaults           qt-main         5.15.2         h53bdlea_10         defaults           qt-main         5.15.2         py312h6a4308_0         defaults           qt-webengine         5.15.9         h9ab4d14_7         defaults <tr< td=""><td>- 1 T</td><td></td><td></td><td></td></tr<>	- 1 T			
python-slugify         5.0.2         pyhd3eb1b0_0         defaults           python-snappy         0.6.1         py312h6a678d5_0         defaults           python-tzdata         2023.3         pyhd3eb1b0_0         defaults           pytoolconfig         1.2.6         py312h6a4308_0         defaults           pytz         2024.1         py312h6a4308_0         defaults           pyviz_comms         3.0.2         py312h6a4308_0         defaults           pyxadg         0.27         pyhd3eb1b0_0         defaults           pyxmdg         0.27         py312h6a678d5_0         defaults           pyzmq         25.1.2         py312h6a678d5_0         defaults           qdarkstyle         3.2.3         pyhd3eb1b0_0         defaults           qdxstylizer         0.2.2         py312h6a63430_0         defaults           qt-wain         5.15.2         h53bd1ea_10         defaults           qt-webengine         5.15.9         h9ab4d14_7         defaults           qtawesome         1.2.2         py312h06a4308_0         defaults           qtpy         2.4.1         py312h06a4308_0         defaults           queuelib         1.6.2         py312h06a4308_0         defaults				
python-snappy         0.6.1         py312h6a678d5_0         defaults           python-tzdata         2023.3         pyhd3eb1b0_0         defaults           pytz         2024.1         py312h06a4308_0         defaults           pyviz_comms         3.0.2         py312h06a4308_0         defaults           pywavelets         1.5.0         py312h06a4308_0         defaults           pyxdg         0.27         pyhd3eb1b0_0         defaults           pyyaml         6.0.1         py312h5eee18b_0         defaults           pyzmq         25.1.2         py312h6a678d5_0         defaults           qdarkstyle         3.2.3         pyhd3eb1b0_0         defaults           qdarkstyle         3.2.3         pyhd3eb1b0_0         defaults           qt-main         5.15.2         py312h06a4308_0         defaults           qt-webengine         5.15.9         h9ab4d14_7         defaults           qt-webengine         5.5.1         py312h06a4308_0         defaults           qtorosole         5.5.1         py312h06a4308_0         defaults           queuelib         1.6.2         py312h06a4308_0         defaults           re2         2022.04.01         h295c915_0         defaults	- 1 To 1 T			
python-tzdata         2023.3         pyhd3eb1b0_0         defaults           pytoolconfig         1.2.6         py312h06a4308_0         defaults           pytz         2024.1         py312h06a4308_0         defaults           pyviz_comms         3.0.2         py312h06a4308_0         defaults           pywavelets         1.5.0         py312h883a20_0         defaults           pyxdg         0.27         pyhd3eb1b0_0         defaults           pyyaml         6.0.1         py312h6ea78d5_0         defaults           pyzmq         25.1.2         py312h06a4306_0         defaults           qdarkstyle         3.2.3         pyhd3eb1b0_0         defaults           qt-main         5.15.2         py312h06a4308_0         defaults           qt-main         5.15.2         h53bd1ea_10         defaults           qt-webengine         5.15.9         h9ab4d14_7         defaults           qt-webengine         5.5.1         py312h06a4308_0         defaults           qtoronsole         5.5.1         py312h06a4308_0         defaults           qtoronsole         5.5.1         py312h06a4308_0         defaults           re2         2022.04.01         h295c915_0         defaults			<del></del>	
pytoolconfig         1.2.6         py312h06a4308_0         defaults           pytz         2024.1         py312h06a4308_0         defaults           pywacylets         3.0.2         py312h06a4308_0         defaults           pyxdg         0.27         pydd3eb1b0_0         defaults           pyyaml         6.0.1         py312h5eee18b_0         defaults           pyzmq         25.1.2         py312h6a678d5_0         defaults           qdarkstyle         3.2.3         pydd3eb1b0_0         defaults           qt-main         5.15.2         h53bd1ea_10         defaults           qt-webengine         5.15.9         h9ab4d14_7         defaults           qtconsole         5.5.1         py312h06a4308_0         defaults           qtpy         2.4.1         py312h06a4308_0         defaults           qtpy         2.4.1         py312h06a4308_0         defaults           queuelib         1.6.2         py312h06a4308_0         defaults           re2         2022.04.01         h295c915_0         defaults           referencing         0.30.2         py312h06a4308_0         defaults           regex         2023.10.3         py312h06a4308_0         defaults           reproc			· · · · · · · · · · · · · · · · · · ·	
pytz         2024.1         py312h06a4308_0         defaults           pyviz_comms         3.0.2         py312h06a4308_0         defaults           pywavelets         1.5.0         py312ha883a20_0         defaults           pyxdg         0.27         pyhd3eb1b0_0         defaults           pyyaml         6.0.1         py312h6a678d5_0         defaults           pyzmq         25.1.2         py312h6a678d5_0         defaults           qdarkstyle         3.2.3         pyhd3eb1b0_0         defaults           qstylizer         0.2.2         py312h06a4308_0         defaults           qt-main         5.15.2         h53bd1ea_10         defaults           qt-webengine         5.15.9         h9ab4d14_7         defaults           qtconsole         5.5.1         py312h06a4308_0         defaults           qtpy         2.4.1         py312h06a4308_0         defaults           queuelib         1.6.2         py312h06a4308_0         defaults           re2         2022.04.01         h295c915_0         defaults           readline         8.2         h5eee18b_0         defaults           regex         2023.10.3         py312h06a4308_0         defaults           reproc	3.7			
pyviz_comms         3.0.2         py312h06a4308_0         defaults           pywavelets         1.5.0         py312ha883a20_0         defaults           pyxdg         0.27         pyhd3eb1b0_0         defaults           pyyaml         6.0.1         py312h5eee18b_0         defaults           pyzmq         25.1.2         py312h6a678d5_0         defaults           qdarkstyle         3.2.3         pyhd3eb1b0_0         defaults           qt-main         5.15.2         h53bd1ea_10         defaults           qt-webengine         5.15.9         h9ab4d14_7         defaults           qtawesome         1.2.2         py312h06a4308_0         defaults           qtconsole         5.5.1         py312h06a4308_0         defaults           qtpy         2.4.1         py312h06a4308_0         defaults           queuelib         1.6.2         py312h06a4308_0         defaults           re2         2022.04.01         h295c915_0         defaults           referencing         0.30.2         py312h06a4308_0         defaults           regex         2023.10.3         py312h6e4308_0         defaults           reproc         14.2.4         h6a678d5_2         defaults           requests <td></td> <td></td> <td></td> <td></td>				
pywavelets         1.5.0         py312ha883a20_0         defaults           pyxdg         0.27         pyhd3eb1b0_0         defaults           pyyaml         6.0.1         py312h5eee18b_0         defaults           pyzmq         25.1.2         py312h6a678d5_0         defaults           qdarkstyle         3.2.3         pyhd3eb1b0_0         defaults           qstylizer         0.2.2         py312h06a4308_0         defaults           qt-main         5.15.2         h53bd1ea_10         defaults           qt-webengine         5.15.9         h9ab4d14_7         defaults           qtconsole         5.5.1         py312h06a4308_0         defaults           qtpy         2.4.1         py312h06a4308_0         defaults           queuelib         1.6.2         py312h06a4308_0         defaults           re2         2022.04.01         h295c915_0         defaults           readline         8.2         h5ee18b_0         defaults           referencing         0.30.2         py312h06a4308_0         defaults           regex         2023.10.3         py312h6a4308_0         defaults           reproc         14.2.4         h6a678d5_2         defaults           requests				
pyxdg         0.27         pyhd3eb1b0_0         defaults           pyyaml         6.0.1         py312h5eee18b_0         defaults           pyzmq         25.1.2         py312h6a678d5_0         defaults           qdarkstyle         3.2.3         pyhd3eb1b0_0         defaults           qstylizer         0.2.2         py312h06a4308_0         defaults           qt-main         5.15.2         h53bd1ea_10         defaults           qt-webengine         5.15.9         h9ab4d14_7         defaults           qtawesome         1.2.2         py312h06a4308_0         defaults           qtonosole         5.5.1         py312h06a4308_0         defaults           queuelib         1.6.2         py312h06a4308_0         defaults           re2         2022.04.01         h295c915_0         defaults           readline         8.2         h5eee18b_0         defaults           referencing         0.30.2         py312h06a4308_0         defaults           regex         2023.10.3         py312h5eee18b_0         defaults           reproc         14.2.4         h6a678d5_2         defaults           requests         2.32.2         py312h06a4308_0         defaults           requests-file <td></td> <td></td> <td></td> <td></td>				
pyyaml         6.0.1         py312h5eee18b 0         defaults           pyzmq         25.1.2         py312h6a678d5 0         defaults           qdarkstyle         3.2.3         pyhd3eb1b0 0         defaults           qstylizer         0.2.2         py312h06a4308 0         defaults           qt-main         5.15.2         h53bd1ea_10         defaults           qt-webengine         5.15.9         h9ab4d14_7         defaults           qtawesome         1.2.2         py312h06a4308_0         defaults           qtconsole         5.5.1         py312h06a4308_0         defaults           queuelib         1.6.2         py312h06a4308_0         defaults           re2         2022.04.01         h295c915_0         defaults           readline         8.2         h5eee18b_0         defaults           referencing         0.30.2         py312h06a4308_0         defaults           regex         2023.10.3         py312h5eee18b_0         defaults           reproc         14.2.4         h6a678d5_2         defaults           requests         2.32.2         py312h06a4308_0         defaults           requests-file         1.5.1         pyhd3eb1b0_0         defaults	47			
pyzmq         25.1.2         py312h6a678d5_0         defaults           qdarkstyle         3.2.3         pyhd3eb1b0_0         defaults           qstylizer         0.2.2         py312h06a4308_0         defaults           qt-main         5.15.2         h53bd1ea_10         defaults           qt-webengine         5.15.9         h9ab4d14_7         defaults           qtawesome         1.2.2         py312h06a4308_0         defaults           qtconsole         5.5.1         py312h06a4308_0         defaults           qtpy         2.4.1         py312h06a4308_0         defaults           queuelib         1.6.2         py312h06a4308_0         defaults           re2         2022.04.01         h295c915_0         defaults           readline         8.2         h5eee18b_0         defaults           referencing         0.30.2         py312h06a4308_0         defaults           regex         2023.10.3         py312h5eee18b_0         defaults           reproc         14.2.4         h6a678d5_2         defaults           requests         2.32.2         py312h06a4308_0         defaults           requests-file         1.5.1         pyhd3eb1b0_0         defaults				
qdarkstyle       3.2.3       pyhd3eb1b0_0       defaults         qstylizer       0.2.2       py312h06a4308_0       defaults         qt-main       5.15.2       h53bd1ea_10       defaults         qt-webengine       5.15.9       h9ab4d14_7       defaults         qtawesome       1.2.2       py312h06a4308_0       defaults         qtconsole       5.5.1       py312h06a4308_0       defaults         qtpy       2.4.1       py312h06a4308_0       defaults         queuelib       1.6.2       py312h06a4308_0       defaults         re2       2022.04.01       h295c915_0       defaults         readline       8.2       h5eee18b_0       defaults         referencing       0.30.2       py312h06a4308_0       defaults         regex       2023.10.3       py312h5eee18b_0       defaults         reproc       14.2.4       h6a678d5_2       defaults         requests       2.32.2       py312h06a4308_0       defaults         requests-file       1.5.1       pyhd3eb1b_0       defaults         requests-toolbelt       1.0.0       py312h06a4308_0       defaults				
qstylizer       0.2.2       py312h06a4308_0       defaults         qt-main       5.15.2       h53bdlea_10       defaults         qt-webengine       5.15.9       h9ab4d14_7       defaults         qtawesome       1.2.2       py312h06a4308_0       defaults         qtconsole       5.5.1       py312h06a4308_0       defaults         qtpy       2.4.1       py312h06a4308_0       defaults         queuelib       1.6.2       py312h06a4308_0       defaults         re2       2022.04.01       h295c915_0       defaults         readline       8.2       h5eee18b_0       defaults         referencing       0.30.2       py312h06a4308_0       defaults         regex       2023.10.3       py312h5eee18b_0       defaults         reproc       14.2.4       h6a678d5_2       defaults         requests       2.32.2       py312h06a4308_0       defaults         requests-file       1.5.1       pyhd3eb1b0_0       defaults         requests-toolbelt       1.0.0       py312h06a4308_0       defaults				
qt-main       5.15.2       h53bd1ea_10       defaults         qt-webengine       5.15.9       h9ab4d14_7       defaults         qtawesome       1.2.2       py312h06a4308_0       defaults         qtconsole       5.5.1       py312h06a4308_0       defaults         qtpy       2.4.1       py312h06a4308_0       defaults         queuelib       1.6.2       py312h06a4308_0       defaults         re2       2022.04.01       h295c915_0       defaults         readline       8.2       h5eee18b_0       defaults         referencing       0.30.2       py312h06a4308_0       defaults         regex       2023.10.3       py312h5eee18b_0       defaults         reproc       14.2.4       h6a678d5_2       defaults         requests       2.32.2       py312h06a4308_0       defaults         requests-file       1.5.1       pyhd3eb1b0_0       defaults         requests-toolbelt       1.0.0       py312h06a4308_0       defaults				
qt-webengine       5.15.9       h9ab4d14_7       defaults         qtawesome       1.2.2       py312h06a4308_0       defaults         qtconsole       5.5.1       py312h06a4308_0       defaults         qtpy       2.4.1       py312h06a4308_0       defaults         queuelib       1.6.2       py312h06a4308_0       defaults         re2       2022.04.01       h295c915_0       defaults         readline       8.2       h5eee18b_0       defaults         referencing       0.30.2       py312h06a4308_0       defaults         regex       2023.10.3       py312h5eee18b_0       defaults         reproc       14.2.4       h6a678d5_2       defaults         requests       2.32.2       py312h06a4308_0       defaults         requests-file       1.5.1       pyhd3eb1b0_0       defaults         requests-toolbelt       1.0.0       py312h06a4308_0       defaults				
qtawesome       1.2.2       py312h06a4308_0       defaults         qtconsole       5.5.1       py312h06a4308_0       defaults         qtpy       2.4.1       py312h06a4308_0       defaults         queuelib       1.6.2       py312h06a4308_0       defaults         re2       2022.04.01       h295c915_0       defaults         readline       8.2       h5eee18b_0       defaults         referencing       0.30.2       py312h06a4308_0       defaults         regex       2023.10.3       py312h5eee18b_0       defaults         reproc       14.2.4       h6a678d5_2       defaults         requests       2.32.2       py312h06a4308_0       defaults         requests-file       1.5.1       pyhd3eb1b0_0       defaults         requests-toolbelt       1.0.0       py312h06a4308_0       defaults				
qtconsole       5.5.1       py312h06a4308_0       defaults         qtpy       2.4.1       py312h06a4308_0       defaults         queuelib       1.6.2       py312h06a4308_0       defaults         re2       2022.04.01       h295c915_0       defaults         readline       8.2       h5eee18b_0       defaults         referencing       0.30.2       py312h06a4308_0       defaults         regex       2023.10.3       py312h5eee18b_0       defaults         reproc       14.2.4       h6a678d5_2       defaults         requests       2.32.2       py312h06a4308_0       defaults         requests-file       1.5.1       pyhd3eb1b0_0       defaults         requests-toolbelt       1.0.0       py312h06a4308_0       defaults				
qtpy       2.4.1       py312h06a4308_0       defaults         queuelib       1.6.2       py312h06a4308_0       defaults         re2       2022.04.01       h295c915_0       defaults         readline       8.2       h5eee18b_0       defaults         referencing       0.30.2       py312h06a4308_0       defaults         regex       2023.10.3       py312h5eee18b_0       defaults         reproc       14.2.4       h6a678d5_2       defaults         requests       2.32.2       py312h06a4308_0       defaults         requests-file       1.5.1       pyhd3eb1b0_0       defaults         requests-toolbelt       1.0.0       py312h06a4308_0       defaults				
queuelib       1.6.2       py312h06a4308_0       defaults         re2       2022.04.01       h295c915_0       defaults         readline       8.2       h5eee18b_0       defaults         referencing       0.30.2       py312h06a4308_0       defaults         regex       2023.10.3       py312h5eee18b_0       defaults         reproc       14.2.4       h6a678d5_2       defaults         requests       2.32.2       py312h06a4308_0       defaults         requests-file       1.5.1       pyhd3eb1b0_0       defaults         requests-toolbelt       1.0.0       py312h06a4308_0       defaults	17.0 mm			
re2 2022.04.01 h295c915_0 defaults readline 8.2 h5eee18b_0 defaults referencing 0.30.2 py312h06a4308_0 defaults regex 2023.10.3 py312h5eee18b_0 defaults reproc 14.2.4 h6a678d5_2 defaults reproc-cpp 14.2.4 h6a678d5_2 defaults requests 2.32.2 py312h06a4308_0 defaults requests-file 1.5.1 pyhd3eb1b0_0 defaults requests-toolbelt 1.0.0 py312h06a4308_0 defaults				
readline       8.2       h5eee18b_0       defaults         referencing       0.30.2       py312h06a4308_0       defaults         regex       2023.10.3       py312h5eee18b_0       defaults         reproc       14.2.4       h6a678d5_2       defaults         reproc-cpp       14.2.4       h6a678d5_2       defaults         requests       2.32.2       py312h06a4308_0       defaults         requests-file       1.5.1       pyhd3eb1b0_0       defaults         requests-toolbelt       1.0.0       py312h06a4308_0       defaults			- · · · · · · · · · · · · · · · · · · ·	
referencing 0.30.2 py312h06a4308_0 defaults regex 2023.10.3 py312h5eee18b_0 defaults reproc 14.2.4 h6a678d5_2 defaults reproc-cpp 14.2.4 h6a678d5_2 defaults requests 2.32.2 py312h06a4308_0 defaults requests-file 1.5.1 pyhd3eb1b0_0 defaults requests-toolbelt 1.0.0 py312h06a4308_0 defaults				
regex 2023.10.3 py312h5eee18b_0 defaults reproc 14.2.4 h6a678d5_2 defaults reproc-cpp 14.2.4 h6a678d5_2 defaults requests 2.32.2 py312h06a4308_0 defaults requests-file 1.5.1 pyhd3eb1b0_0 defaults requests-toolbelt 1.0.0 py312h06a4308_0 defaults				
reproc       14.2.4       h6a678d5_2       defaults         reproc-cpp       14.2.4       h6a678d5_2       defaults         requests       2.32.2       py312h06a4308_0       defaults         requests-file       1.5.1       pyhd3eb1b0_0       defaults         requests-toolbelt       1.0.0       py312h06a4308_0       defaults	referencing			
reproc-cpp       14.2.4       h6a678d5_2       defaults         requests       2.32.2       py312h06a4308_0       defaults         requests-file       1.5.1       pyhd3eb1b0_0       defaults         requests-toolbelt       1.0.0       py312h06a4308_0       defaults	regex	2023.10.3		
requests 2.32.2 py312h06a4308_0 defaults requests-file 1.5.1 pyhd3eb1b0_0 defaults requests-toolbelt 1.0.0 py312h06a4308_0 defaults	reproc	14.2.4	h6a678d5_2	defaults
requests-file 1.5.1 pyhd3eb1b0_0 defaults requests-toolbelt 1.0.0 py312h06a4308_0 defaults	reproc-cpp	14.2.4	h6a678d5_2	defaults
requests-toolbelt 1.0.0 py312h06a4308_0 defaults	requests	2.32.2	py312h06a4308_0	defaults
· · · · · · · · · · · · · · · · · · ·	requests-file	1.5.1	pyhd3eb1b0_0	defaults
rfc3339-validator 0.1.4 py312h06a4308 0 defaults	requests-toolbelt	1.0.0	py312h06a4308_0	defaults
	rfc3339-validator	0.1.4	py312h06a4308_0	defaults

rfc3339-validator	0.1.4	py312h06a4308_0	defaults
rfc3986-validator	0.1.1	py312h06a4308_0	defaults
rich	13.3.5	py312h06a4308_1	defaults
rope	1.12.0	py312h06a4308_0	defaults
rpds-py	0.10.6	py312hb02cf49_0	defaults
rtree	1.0.1	py312h06a4308_0	defaults
ruamel.yaml	0.17.21	py312h5eee18b_0	defaults
ruamel_yaml	0.17.21	py312h5eee18b_0	defaults
s2n	1.3.27	hdbd6064_0	defaults
s3fs	2024.3.1	py312h06a4308_0	defaults
scikit-image	0.23.2	py312h526ad5a_0	defaults
scikit-learn	1.4.2	py312h526ad5a_1	defaults
scipy	1.12.0	pypi_0	рурі
scrapy	2.11.1	py312h06a4308_0	defaults
seaborn	0.13.2	py312h06a4308_0	defaults
secretstorage	3.3.1	py312h06a4308_1	defaults
semver	3.0.2	py312h06a4308_0	defaults
send2trash	1.8.2	py312h06a4308_0	defaults
service_identity	18.1.0	pyhd3eb1b0_1	defaults
setuptools	69.5.1	py312h06a4308_0	defaults
sip	6.7.12	py312h6a678d5_0	defaults
six	1.16.0	pyhd3eb1b0_1	defaults
smart_open	5.2.1	py312h06a4308_0	defaults
smmap	4.0.0	pyhd3eb1b0_0	defaults
snappy	1.1.10	h6a678d5_1	defaults
sniffio	1.3.0	py312h06a4308_0	defaults
snowballstemmer	2.2.0	pyhd3eb1b0_0	defaults
sortedcontainers	2.4.0	pyhd3eb1b0_0	defaults
soupsieve	2.5	py312h06a4308_0	defaults
sphinx	7.3.7	py312h5eee18b_0	defaults
sphinxcontrib-applehelp	1.0.2	pyhd3eb1b0_0	defaults
sphinxcontrib-devhelp	1.0.2	pyhd3eb1b0_0	defaults
sphinxcontrib-htmlhelp	2.0.0	pyhd3eb1b0_0	defaults
sphinxcontrib-jsmath	1.0.1	pyhd3eb1b0_0	defaults
sphinxcontrib-qthelp	1.0.3	pyhd3eb1b0_0	defaults
sphinxcontrib-serializing		py312h06a4308_	
spyder	5.5.1	py312h06a4308_0	defaults
spyder-kernels	2.5.0	py312h06a4308_0	defaults
sqlalchemy	2.0.30	py312h5eee18b_0	defaults
sqlite	3.45.3	h5eee18b_0	defaults
stack_data	0.2.0	pyhd3eb1b0_0	defaults
statsmodels	0.14.2	py312ha883a20_0	defaults
streamlit	1.32.0	py312h06a4308_0	defaults
sympy	1.12	py312h06a4308_0	defaults
tabulate	0.9.0	py312h06a4308_0	defaults
tbb	2021.8.0	hdb19cb5_0	defaults
tblib	1.7.0	pyhd3eb1b0_0	defaults
tenacity	8.2.2	py312h06a4308_1	defaults
terminado	0.17.1	py312h06a4308_0	defaults
text-unidecode	1.3	pyhd3eb1b0_0	defaults
textdistance	4.2.1	pyhd3eb1b0_0	defaults
threadpoolctl	2.2.0	pyh0d69192_0	defaults
three-merge	0.1.1	pyhd3eb1b0_0	defaults
tifffile	2023.4.12	py312h06a4308_0	defaults
tinycss2	1.2.1	py312h06a4308_0	defaults
tk	8.6.14	h39e8969_0	defaults
tldextract	3.2.0	pyhd3eb1b0_0	defaults
toml	0.10.2	pyhd3eb1b0_0	defaults
tomli	2.0.1	py312h06a4308_1	defaults

COMITT	Z.U.1	hastsuppatspo_t	nelantes
tomlkit	0.11.1	py312h06a4308_0	defaults
toolz	0.12.0	py312h06a4308_0	defaults
tornado	6.4.1	py312h5eee18b_0	defaults
tqdm	4.66.4	py312he106c6f_0	defaults
traitlets	5.14.3	py312h06a4308_0	defaults
truststore	0.8.0	py312h06a4308_0	defaults
twisted	23.10.0	py312h06a4308_0	defaults
typing-extensions	4.11.0	py312h06a4308_0	defaults
typing_extensions	4.11.0	py312h06a4308_0	defaults
tzdata	2024a	h04d1e81_0	defaults
uc-micro-py	1.0.1	py312h06a4308_0	defaults
ujson	5.10.0	py312h6a678d5_0	defaults
unicodedata2	15.1.0	py312h5eee18b_0	defaults
unidecode	1.2.0	pyhd3eb1b0_0	defaults
unixodbc	2.3.11	h5eee18b_0	defaults
urllib3	2.2.2	py312h06a4308_0	defaults
utf8proc	2.6.1	h5eee18b_1	defaults
w3lib	1.21.0	pyhd3eb1b0_0	defaults
watchdog	4.0.1	py312h06a4308_0	defaults
wcwidth	0.2.5	pyhd3eb1b0_0	defaults
webencodings	0.5.1	py312h06a4308_2	defaults
websocket-client	1.8.0	py312h06a4308_0	defaults
werkzeug	3.0.3	py312h06a4308 0	defaults
whatthepatch	1.0.2	py312h06a4308_0	defaults
wheel	0.43.0	py312h06a4308 0	defaults
widgetsnbextension	3.6.6	py312h06a4308 0	defaults
wrapt	1.14.1	py312h5eee18b_0	defaults
wurlitzer	3.0.2	py312h06a4308_0	defaults
xarray	2023.6.0	py312h06a4308 0	defaults
xyzservices	2022.9.0	py312h06a4308 1	defaults
xz	5.4.6	h5eee18b 1	defaults
yaml	0.2.5	h7b6447c 0	defaults
yaml-cpp	0.8.0	h6a678d5 1	defaults
yapf	0.40.2	py312h06a4308 0	defaults
yarl	1.9.3	py312h5eee18b 0	defaults
zeromq	4.3.5	h6a678d5 0	defaults
zfp	1.0.0	h6a678d5 0	defaults
zict	3.0.0	py312h06a4308 0	defaults
zipp	3.17.0	py312h06a4308 0	defaults
zlib	1.2.13	h5eee18b 1	defaults
zlib-ng	2.0.7	h5eee18b 0	defaults
zope	1.0	py312h06a4308_1	defaults
zope.interface	5.4.0	py312h5eee18b 0	defaults
zstandard	0.22.0	py312h2c38b39 0	defaults
zstd	1.5.5	hc292b87 2	defaults
(base) stu4@sample:~\$			
`			