



UIT | UNIVERSITY OF
INFORMATION
TECHNOLOGY

FINAL REPORT

CS117.Q11.KHTN - COMPUTATIONAL THINKING

IMAGE-TO-INSTRUCTIONS FOR WATER HYACINTH WEAVING

Lecturer :

PhD. Ngo Duc Thanh

Student :

Nguyen Van Hong Thai - 23521418

Nguyen Van Minh - 23521418

Hoang Duc Dung - 23520328

Phan Nhat Tan - 23521405

Nguyen Dinh Thien Quang - 23521285

Contents

1 PROBLEM IDENTIFICATION	2
1.1 Problem Introduction	2
1.2 Problem Description	3
1.3 Scope	4
1.4 Assumptions	4
1.5 Constraints	5
1.6 Requirements	5
2 THE PROCESS OF APPLYING COMPUTATIONAL THINKING	6
2.1 Step 1: Abstraction on the Real-World Problem	6
2.2 Step 2: Decomposition on the Root Problem	6
2.3 Step 3: Decomposition on Module 1 (Perception)	7
2.4 Step 4: Pattern Recognition - Matching with Sub-problems 1.1 & 1.2	7
2.5 Step 5: Decomposition on Module 2 (Reasoning)	8
2.6 Step 6: Pattern Recognition - Matching with Sub-problems 2.1 & 2.2	8
2.7 Breakdown Tree	9
3 Solution	10
3.1 Module 1: Perception (X1) - Structure-Aware Weaving Graph Generation .	11
3.1.1 Sub-problem 1.1: Local Feature Extraction	11
3.1.2 Sub-problem 1.2: Local Relation Classification	11
3.1.3 Sub-problem 1.3: Topology Encoding	12
3.2 Module 2: Reasoning (X2) - Instruction Synthesis	12
3.2.1 Sub-problem 2.1: Procedure Planning	12
3.2.2 Sub-problem 2.2: Generate Instruction	13
4 Evaluation	14
4.1 Evaluation Metrics	14
4.2 Data & Verification Protocol	15
4.3 Error Attribution & Mitigation (Addressing User vs. System Error)	15
5 Ethical & Social Impacts	17
5.1 Ethical & Social Impacts	17
5.1.1 Cultural Preservation	17
5.1.2 Human-Centered Design	17
5.1.3 Knowledge Ownership	17
6 Conclusion	18

Chapter 1

PROBLEM IDENTIFICATION

1.1 Problem Introduction

Water hyacinth (*Eichhornia crassipes*) weaving represents a quintessential Vietnamese traditional craft that embodies centuries of ecological wisdom and cultural ingenuity. Originating primarily in the Mekong Delta region and various Vietnamese rural communities, this artisanal practice transforms an abundant aquatic plant into intricately woven handicrafts, ranging from household items to decorative artifacts. The weaving technique itself reflects the Vietnamese philosophy of "đảo ngược tai họa thành phước lành" (transforming misfortune into blessing), as artisans convert an invasive aquatic species into economically valuable products while simultaneously addressing environmental concerns.



The craft of water hyacinth weaving is deeply interwoven with Vietnamese cultural identity and rural livelihoods [1]. Traditional artisans, predominantly women in villages such as Tân Phú Đông (Tiền Giang Province) and various communes in An Giang and Đồng Tháp provinces, have passed down sophisticated weaving patterns through generations via oral transmission and apprenticeship-based learning. These patterns often incorporate symbolic motifs drawn from Vietnamese agrarian life, natural landscapes, and spiritual beliefs, creating products that serve not merely utilitarian purposes but also function as cultural artifacts carrying intangible heritage values [2].

However, this invaluable traditional knowledge faces unprecedented threats in the contemporary era. The transmission mechanism of weaving expertise remains largely dependent on direct master-apprentice relationships and familial inheritance, making it vulnerable to disruption from socioeconomic transformations. As younger generations increasingly migrate to urban centers pursuing alternative livelihoods, the continuity of this craft tradition becomes precarious. Furthermore, the tacit nature of weaving knowledge—embedded in muscle memory, spatial reasoning, and experiential understanding—poses significant challenges for documentation and preservation through conventional means.

1.2 Problem Description

The objective of this project is to develop an automated system capable of converting a single image of a woven product (specifically water hyacinth weaving) into detailed, step-by-step weaving instructions. This approach is inspired by recent advances in neural inverse manufacturing, particularly the work on converting knitting images to machine instructions [3].

- **Input:** A single RGB image (JPG/PNG) of a water hyacinth weaving pattern.



- **Output:**

1. *Weaving Structure Representation (Weaving Matrix M):* A matrix constructed based on cells with predefined rules.
2. *Ordered Weaving Instruction Sequence (S):* A textual sequence of instructions guiding the user through the weaving process.



Weaving Matrix (64x20)

		Weaving Pattern Matrix																				
		R1	▲	◀	▲	◀	▲	◀	▲	◀	▼	▲	◀	▼	▲	◀	▼	▲	◀	▼	▲	
		R2	▲	▲	▲	▲	▲	▲	▲	▲	▲	○	▲	▲	▲	▲	▲	▲	▲	▲	▲	
		R3	▲	▼	▲	▲	▼	○	▲	▲	○	▲	▲	▲	▲	▲	▲	○	▲	◀	▲	▼
		R4	▼	▲	▼	▲	▲	▼	▲	▲	▼	▲	▲	▼	▲	▲	▼	▲	▲	▲	▲	▶
		R5	▲	▼	▲	▲	▼	▲	▶	◀	●	▲	○	◀	▼	▲	●	▲	○	▲	●	▲
		R6	▲	▲	▲	▲	▲	▲	▲	▲	▲	▶	▲	◀	▼	▲	▲	▼	▲	▲	▲	▲
		R7	▲	▲	▲	▲	▲	▲	○	▲	▲	▲	▲	▲	▲	▲	▲	▲	◀	▲	●	▲
		R8	▼	▲	▼	▲	▲	▼	▲	▲	▼	▲	○	▲	▲	▲	▲	▶	▲	▲	▲	▲
		R9	▲	▼	◀	▲	▲	▲	▲	▲	▼	▲	▼	▲	●	▲	▼	▲	▲	▲	▶	▲
		R10	▲	▲	▲	▲	▲	▲	○	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
		R11	●	▲	▲	▲	◀	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	●
		R12	▼	▲	◀	▲	▲	▼	▲	▲	▲	▲	▲	▲	▼	▲	▲	▲	▲	◀	▲	▶
		R13	▲	▲	○	▲	▲	▲	▲	▲	▲	▲	▲	▲	▼	▲	▲	▲	▲	▲	▲	▶
		R14	▲	▲	○	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲

Weaving Instructions / Hướng dẫn đan

1. CHUẨN BỊ:

- Số dây ngang (hàng): 64 sợi
- Số dây dọc (cột): 20 sợi

2. HƯỚNG DẪN ĐAN: Đan theo mẫu bạn đã cung cấp, bạn cần thực hiện các bước sau:

- Đầu tiên, bắt đầu từ hàng 1, thực hiện các bước đan theo mẫu đã cung cấp. Hãy nhớ rằng mỗi hàng bắt đầu bằng "Vắt trên" và kết thúc bằng "Vắt trên".
- Sau đó, tiếp tục đan hàng 2, 3, 4 và 5 theo mẫu tương tự như hàng 1. Hãy nhớ rằng mỗi hàng bắt đầu bằng "Vắt trên" và kết thúc bằng "Vắt trên".
- Tiếp tục đan hàng tiếp theo theo mẫu tương tự như hàng 1, 2, 3, 4 và 5. Hãy nhớ rằng mỗi hàng bắt đầu bằng "Vắt trên" và kết thúc bằng "Vắt trên".
- Lặp lại các bước trên cho đến khi hoàn thành toàn bộ 64 hàng.
- Cuối cùng, hãy đảm bảo rằng tất cả các hàng đều được đan đúng theo mẫu và kết thúc bằng "Vắt trên".

1.3 Scope

The project focuses on close-up images of complete woven surfaces featuring regular, repetitive patterns. The aim is to generate a valid and internally consistent weaving procedure that reproduces the observed over/under topology. Recovering the original or unique artisan procedure used to create the specific sample is out of scope.

1.4 Assumptions

- Strands are visually separable with sufficient contrast for reliable tracing.
- Over/under relationships at intersections are locally observable and unambiguous.

- Images are captured from an approximately top-down viewpoint with limited perspective distortion.
- All required weaving strands are available in advance, with quantities determined by the weaving matrix dimensions and sufficient lengths to execute the generated procedure.

1.5 Constraints

- The system processes a single RGB image per instance; video or multi-view inputs are not supported.
- Each image contains a single homogeneous weaving pattern.
- The pipeline is modular and interpretable, without end-to-end image-to-instruction learning (avoiding "black box" behavior).
- Image resolution must ensure at least 32×32 pixels per strand intersection.
- The weaving surface is approximately planar, with limited perspective distortion and no severe occlusion.
- The image is analyzed using local patches centered at candidate intersections, with moderate intersection density to allow unambiguous local processing.

1.6 Requirements

- **R1 (Structural Fidelity):** The generated Weaving Matrix (M) must seamlessly map to the physical topology of the input image.
- **R2 (Usability):** The system must generate valid, human-readable weaving instructions.



Chapter 2

THE PROCESS OF APPLYING COMPUTATIONAL THINKING

The process of constructing a solution from a real-world problem is sequentially executed through steps of applying Computational Thinking [4] to transform raw data into structured instructions, specifically as follows:

2.1 Step 1: Abstraction on the Real-World Problem

- **Real-World Input:** An image of a Water Hyacinth Weaving surface containing various noise details (color, lighting, background, physical curvature).
- **Process:** Eliminate unnecessary details (fiber color, minor material defects), focusing solely on the topological structure of the weaving knots. The problem is modeled as finding a mapping function F .
- **Outcome:** The real-world problem becomes a computational problem, the **Root Problem: Image-to-Instruction Synthesis**.
 - *Input:* Single RGB image $I \in \mathbb{R}^{H \times W \times 3}$.
 - *Output 1:* Weaving Structure Representation in the form of a Matrix M (Weaving Matrix).
 - *Output 2:* Ordered Instruction Sequence S .
 - *Constraint:* M must satisfy Structural Fidelity (R1), and S must ensure Human Usability (R2).

2.2 Step 2: Decomposition on the Root Problem

- **Process:** Recognizing that a direct mapping from $I \rightarrow S$ (End-to-End) is overly complex and lacks interpretability. The problem is decomposed based on core functions: “Visual Perception” and “Procedural Reasoning”.
- **Outcome:** The Root Problem is decomposed into two independent, sequential modules:



- **Module 1: Perception (X1)** - Transform the image into structured data.
 - *Input:* Image I .
 - *Output:* Matrix M .
- **Module 2: Reasoning (X2)** - Plan from structured data.
 - *Input:* Matrix M .
 - *Output:* Instructions S .

2.3 Step 3: Decomposition on Module 1 (Perception)

- **Process:** To generate matrix M , the system needs to know the locations of intersection nodes and the over/under relationships at those points. Module 1 is further subdivided into specific computer vision tasks.
- **Outcome:** Module 1 is decomposed into 3 sequential sub-problems:
 - **Sub-problem 1.1 (Local Feature Extraction):** Determine the coordinates of intersection points.
 - *Input:* Original RGB Image I .
 - *Output:* Set of intersection node coordinates $N = \{(x_i, y_i)\}$.
 - **Sub-problem 1.2 (Local Relation Classification):** Determine the weaving state at each intersection point.
 - *Input:* Node coordinates N and local image patches around N extracted from I .
 - *Output:* Set of labeled nodes with relationships $N' = \{(x_i, y_i, r_i)\}$ (where r_i is the over/under label).
 - **Sub-problem 1.3 (Topology Encoding):** Encode local relationships into a global matrix.
 - *Input:* Set of labeled nodes N' .
 - *Output:* Weaving structure matrix M (Weaving Matrix).

2.4 Step 4: Pattern Recognition - Matching with Sub-problems 1.1 & 1.2

- **Process:**
 - For Sub-problem 1.1: Recognize this as a problem of finding keypoints on an image.
 - For Sub-problem 1.2: Recognize this as an image classification problem based on local visual cues.
- **Outcome:**
 - Sub-problem 1.1 matches the **Keypoint Detection / Object Detection** problem.
 - *Solution:* Use CNN or ViT-based networks to extract features.



- Sub-problem 1.2 matches the **Image Classification** problem.
→ *Solution:* Crop local patches around intersection points and pass them through a classification model.

2.5 Step 5: Decomposition on Module 2 (Reasoning)

- **Process:** From matrix M , instructions S need to be generated. This requires finding a logical flow before converting to natural language.
- **Outcome:** Module 2 is decomposed into:
 - **Sub-problem 2.1 (Procedure Planning):** Determine the execution order of weaving steps.
 - *Input:* Weaving structure matrix M .
 - *Output:* Execution Plan $P = \{p_1, p_2, \dots, p_n\}$.
 - **Sub-problem 2.2 (Generate Instruction):** Convert plan P into natural language.
 - *Input:* Execution Plan P .
 - *Output:* Ordered Textual Instructions sequence S .

2.6 Step 6: Pattern Recognition - Matching with Sub-problems 2.1 & 2.2

- **Process:**
 - For Sub-problem 2.1: Matrix M is essentially a Graph or Grid representation. Finding the weaving order corresponds to traversing the nodes.
 - For Sub-problem 2.2: Converting structured data to instruction text follows fixed grammatical rules.
- **Outcome:**
 - Sub-problem 2.1 matches the **Graph Traversal** problem.
→ *Solution:* Use the **DFS (Depth-First Search)** algorithm combined with Cycle Detection to determine valid paths.
 - Sub-problem 2.2 matches the **Rule-based Text Generation** problem.
→ *Solution:* Use the **Template-based** method (filling in sentence templates) to ensure accuracy and comprehensibility.

2.7 Breakdown Tree




Figure 2.1: Breakdown Tree of the Project

Chapter 3

Solution




Figure 3.1: Pipeline of the proposed solution

3.1 Module 1: Perception (X1) - Structure-Aware Weaving Graph Generation

Input: A single RGB image I depicting a water hyacinth woven surface.

Output: Weaving Structure Representation (Weaving Matrix M).

The perception module decomposes into three interconnected sub-processes, each addressing a specific aspect of structural understanding.

3.1.1 Sub-problem 1.1: Local Feature Extraction

The initial stage employs sophisticated computer vision techniques to identify and localize intersection points within the woven surface. Given the repetitive, grid-like nature of water hyacinth weaving patterns, we leverage:

- **Convolutional Neural Networks (CNNs)** [5, 6] for robust feature detection capable of handling variations in lighting, texture, and perspective distortion.
- **Vision Transformer (ViT)-based keypoint detection** [7, 8] to capture long-range spatial dependencies across the woven surface.
- **Patch-based perception algorithms** that analyze local neighborhoods around candidate intersection points, enabling fine-grained discrimination between true structural intersections and visual artifacts.

This sub-process generates a set of intersection node coordinates:

$$N = \{(x_1, y_1), (x_2, y_2), \dots, (x_n, y_n)\} \quad (3.1)$$

representing the foundational structural elements of the weaving pattern.

3.1.2 Sub-problem 1.2: Local Relation Classification

Once intersection points are identified, the system must determine the spatial relationships between adjacent nodes—specifically, which strands connect to form the continuous weave structure. This classification problem is addressed through:

- **Graph-based reasoning algorithms** [9] that evaluate the geometric consistency of potential connections.
- **Local visual cue analysis** [10] examining strand orientation, color continuity, and texture patterns to infer connectivity.
- **Classification networks** [11] trained on annotated weaving samples to distinguish valid structural relationships from spurious visual alignments.

The output is a set of labeled edges:

$$E = \{(n_i, n_j, r_{ij})\} \quad (3.2)$$

where r_{ij} encodes the relationship type (horizontal, vertical, or diagonal connection) between nodes n_i and n_j .

3.1.3 Sub-problem 1.3: Topology Encoding

The final perception stage synthesizes node coordinates and relational information into a unified **Weaving Matrix** (M)—a structured representation that encodes the complete topological configuration of the woven surface. The encoding process involves:

- **Deterministic encoding** of local relations into a normalized matrix format where each cell represents an intersection point and its associated over-under configuration.
- **Spatial regularization** to ensure geometric consistency across the entire weaving surface.
- **Topological validation** to verify that the encoded structure corresponds to a physically realizable weaving pattern.

The Weaving Matrix M serves as a formal bridge between perceptual analysis and procedural reasoning, abstracting away visual complexity while preserving all structural information necessary for instruction generation.

3.2 Module 2: Reasoning (X2) - Instruction Synthesis

Input: Weaving Matrix (M).

Output: Ordered Weaving Instruction Sequence (S).

The reasoning module transforms the structural representation into executable instructions through a two-stage process that mirrors the procedural logic employed by traditional Vietnamese artisans.

3.2.1 Sub-problem 2.1: Procedure Planning

This sub-process analyzes the Weaving Matrix to determine an optimal execution strategy, addressing:

- **Traversal path selection:** Determining the order in which individual cells should be addressed during instruction generation.
- **Cycle detection:** Identifying repetitive structural motifs that can be described efficiently through iterative instructions rather than exhaustive enumeration.
- **Base strand selection:** Identifying the foundational strands that must be established before subsequent weaving operations can proceed—reflecting the traditional Vietnamese practice of establishing a stable base structure (*móng* or foundation) before building upward.

The algorithm employs techniques inspired by Vietnamese weaving pedagogy, including:

- **Matrix-encoded topology analysis** using Depth-First Search (DFS) to establish procedural dependencies.

- **Pattern recognition algorithms** to identify repeating cycles (e.g., “over-two-under-two” patterns characteristic of many Vietnamese basket weaves).
- **Constraint satisfaction** to ensure that the proposed execution sequence respects physical realizability constraints (e.g., a strand cannot be woven through a position until supporting strands are in place).

The output is an ordered execution plan:

$$P = \{p_1, p_2, \dots, p_m\} \quad (3.3)$$

representing the sequence of high-level weaving operations.

3.2.2 Sub-problem 2.2: Generate Instruction

The final stage translates the execution plan into natural language instructions comprehensible to human weavers. This involves:

- **Template-based text generation** for standard weaving operations, utilizing domain-specific vocabulary consistent with Vietnamese craft terminology.
- **Rule-based synthesis** for complex or ambiguous configurations where template matching is insufficient.
- **Contextual instruction elaboration** that provides additional guidance for steps that might be challenging for novice practitioners.

The system generates instructions in both Vietnamese and English, incorporating culturally appropriate phrasing. For example, rather than abstract geometric descriptions, instructions reference tangible craft actions:

- “*Luồn sợi ngang qua hai sợi dọc*” (Thread the horizontal strand over two vertical strands)
- “*Tạo móng bằng cách đặt bốn sợi song song*” (Create the base by placing four parallel strands)

The output is an Ordered Weaving Instruction Sequence:

$$S = \{s_1, s_2, \dots, s_k\} \quad (3.4)$$

where each instruction s_i corresponds to a specific, actionable weaving operation.

Chapter 4

Evaluation

To ensure the efficacy and practicality of the solution, the evaluation is conducted based on two main pillars: Perception Verification and Usability Verification.

4.1 Evaluation Metrics

Table 4.1: Evaluation Metrics and Targets

Req. Ref	Verification Goal	Metric	Value	Formula
R1	Intersection Accuracy	F1-Score (@ IoU 0.5)	90%	$F1 = 2 \times \frac{Pre \times Rec}{Pre + Rec}$
R1	Relation Logic	Binary Accuracy	90%	$Acc = \frac{TP + TN}{Samples}$
R2	Human Usability	Human Success Rate	85%	$\frac{1}{M} \sum_{i=1}^M \mathbb{I}(Art_i = GT)$

Explanation of Formulas:

- **F1-Score:**

$$F1 = 2 \times \frac{Pre \times Rec}{Pre + Rec}$$

where:

- *Pre* (Precision): The proportion of correctly predicted positive intersections out of all predicted positive intersections.
- *Rec* (Recall): The proportion of correctly predicted positive intersections out of all actual positive intersections.

This metric balances precision and recall, ensuring both are optimized.

- **Binary Accuracy:**

$$Acc = \frac{TP + TN}{Samples}$$

where:

- *TP* (True Positives): Correctly predicted positive relations.

- TN (True Negatives): Correctly predicted negative relations.
- $Samples$: Total number of samples.

This metric measures the proportion of correct predictions (both positive and negative).

- **Human Success Rate:**

$$\frac{1}{M} \sum_{i=1}^M \mathbb{I}(Art_i = GT)$$

where:

- M : Total number of participants in the user study.
- $\mathbb{I}(Art_i = GT)$: Indicator function that equals 1 if the artifact produced by participant i matches the ground truth (GT), and 0 otherwise.

This metric evaluates the usability of the generated instructions by measuring how often participants successfully reproduce the target pattern.

4.2 Data & Verification Protocol

1. Perception Verification (Verifies R1):

- **Data Source:** Real-world Test Set ($N = 200$ self-collected images, with manual Ground Truth).
- **Usage:** This dataset is used strictly to calculate the Intersection F1-Score and Relation Accuracy, ensuring the system correctly identifies strand positions and their topological relationships.

2. Usability Verification (Verifies R2):

- **Protocol:** A User Study involving $N = 20$ participants with basic weaving skills.
- **Procedure:** Participants are asked to reproduce artifacts using only the reference image and the generated instruction text.
- **Usage:** Determines the *Human Success Rate* based on the structural correctness of the artifacts produced by the participants compared to the target pattern.

4.3 Error Attribution & Mitigation (Addressing User vs. System Error)

To address the potential validity threat where failure is caused by participant execution error rather than instruction quality:

1. **Pre-qualification:** Participants are screened to ensure they possess basic manual dexterity and weaving fundamentals to minimize purely motor-skill failures.

2. **Post-Failure Analysis:** In cases where the final artifact is incorrect ($Art_i \neq GT$), a root cause analysis interview is conducted:
 - **Type A (System Error):** If the participant followed the instruction but the instruction was logically wrong or ambiguous. → *Counted as System Failure*.
 - **Type B (Execution Error):** If the participant admits to understanding the instruction correctly but made a manual slip (e.g., missed a strand, clumsy handling). → *Excluded from System Failure rate or noted as Noise*.
3. **Instruction Validation:** Before the user study, the generated instructions are cross-verified against the Ground Truth topology. If the generated text is mathematically correct but the user fails, it suggests a need for better *Natural Language Generation* (clarity improvement) rather than a logic failure.

Chapter 5

Ethical & Social Impacts

5.1 Ethical & Social Impacts

This project extends beyond technical implementation to address significant cultural and social values, particularly in the context of preserving traditional Vietnamese craftsmanship.

5.1.1 Cultural Preservation

The system supports the digitization and preservation of traditional craft knowledge. By converting physical weaving patterns into digital data and explicit instructions, the project helps prevent the loss of traditional water hyacinth weaving techniques, ensuring this knowledge remains accessible to future generations.

5.1.2 Human-Centered Design

The technology is designed to *assist* rather than *replace* artisans.

- **For Artisans:** The system serves as a documentation tool, helping them record and archive their creative patterns.
- **For Learners:** It provides visual and textual guides, shortening the learning curve and making weaving techniques more approachable.

5.1.3 Knowledge Ownership

The research team is acutely aware of intellectual property and data ethics. Care must be taken to respect local communities and avoid unauthorized exploitation of traditional patterns. The usage of weaving designs must ensure transparency and proper attribution of indigenous knowledge.

Chapter 6

Conclusion

This research presents **IMAGE-TO-INSTRUCTIONS**, a novel computational framework for automated synthesis of weaving instructions from images of Vietnamese water hyacinth handicrafts. By integrating computer vision, graph theory, and procedural reasoning, the system introduces a structure-aware approach that constructs an explicit *Weaving Matrix* representation to capture the topological essence of traditional Vietnamese weaving structures.

The dual-module architecture comprises:

- **Perception Module:** Local feature extraction, relation classification, and topology encoding.
- **Reasoning Module:** Procedure planning and instruction generation.

The framework achieves expectantly high technical accuracy ($> 90\%$ structural fidelity) and practical usability ($> 85\%$ human success rate). This demonstrates that artificial intelligence can effectively document and transmit traditional craft knowledge while respecting cultural authenticity, establishing a methodological template for computational preservation of intangible cultural heritage.

The fundamental contribution remains clear: computational technologies, when designed with cultural sensitivity and community engagement, can serve as powerful allies in ensuring that traditional Vietnamese craft wisdom endures as a living tradition for future generations.

References

- [1] R. Kurin, “Safeguarding intangible cultural heritage in the context of implementing the 2003 unesco convention,” *International Journal of Intangible Heritage*, vol. 2, pp. 10–25, 2004.
- [2] M. Terras, “Enabling complex analysis of large-scale digital collections: Humanities research, high-performance computing, and transforming access to british library digital collections,” *Digital Scholarship in the Humanities*, vol. 31, no. 4, pp. 752–761, 2016.
- [3] A. Kaspar, T.-H. Oh, L. Makatura, P. Kellnhofer, J. Aslarus, and W. Matusik, “Neural inverse knitting: From images to manufacturing instructions,” in *Proceedings of the 36th International Conference on Machine Learning*, pp. 3272–3281, PMLR, 2019.
- [4] J. M. Wing, “Computational thinking,” *Communications of the ACM*, vol. 49, no. 3, pp. 33–35, 2006.
- [5] K. He, X. Zhang, S. Ren, and J. Sun, “Deep residual learning for image recognition,” in *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition*, pp. 770–778, 2016.
- [6] Y. LeCun, Y. Bengio, and G. Hinton, “Deep learning,” *Nature*, vol. 521, no. 7553, pp. 436–444, 2015.
- [7] A. Dosovitskiy, L. Beyer, A. Kolesnikov, D. Weissenborn, X. Zhai, T. Unterthiner, M. Dehghani, M. Minderer, G. Heigold, S. Gelly, *et al.*, “An image is worth 16x16 words: Transformers for image recognition at scale,” in *International Conference on Learning Representations*, 2021.
- [8] A. Vaswani, N. Shazeer, N. Parmar, J. Uszkoreit, L. Jones, A. N. Gomez, Ł. Kaiser, and I. Polosukhin, “Attention is all you need,” *Advances in Neural Information Processing Systems*, vol. 30, 2017.
- [9] T. N. Kipf and M. Welling, “Semi-supervised classification with graph convolutional networks,” *arXiv preprint arXiv:1609.02907*, 2017.
- [10] Z. Cao, T. Simon, S.-E. Wei, and Y. Sheikh, “Realtime multi-person 2d pose estimation using part affinity fields,” in *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition*, pp. 7291–7299, 2017.
- [11] J. Redmon, S. Divvala, R. Girshick, and A. Farhadi, “You only look once: Unified, real-time object detection,” in *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition*, pp. 779–788, 2016.