CBSE Class 10 Maths Solutions

30/1

 $\frac{1}{2}$

 $\frac{1}{2}$

 $\frac{1}{2}$

QUESTION PAPER CODE 30/1

EXPECTED ANSWER/VALUE POINTS

SECTION A

1. For
$$\angle ACB = 90^{\circ}$$

$$\angle PCA = 60^{\circ}$$

2.
$$2(2k-1) = k+9+2k+7$$

$$k = 18$$
 $\frac{1}{2}$

3.
$$\frac{l}{2.5} = 2$$
 $\frac{1}{2}$

$$l = 5 \text{ m}$$

4. No. of red cards and queens: 28
$$\frac{1}{2}$$

Required Probability:
$$\frac{24}{52}$$
 or $\frac{6}{13}$ $\frac{1}{2}$

SECTION B

5.
$$2(-5)^2 + p(-5) - 15 = 0 \Rightarrow p = 7$$

$$7x^2 + 7x + k = 0$$
 gives $49 - 28k = 0 \Rightarrow k = \frac{7}{4}$

6.
$$\underbrace{A \quad P \quad Q \quad B}_{(2,-2)} \quad P \text{ divides AB in 1 : 2}$$

$$\therefore \quad \text{Coords of P are: (-1, 0)}$$

$$Q \text{ is mid-point of PB}$$

$$\therefore \quad \text{Coords of Q are: } (-4, 2) \qquad \qquad \frac{1}{2}$$

7.
$$AP = AS$$
, $BP = BQ$, $CR = CQ$ and $DR = DS$ 1
$$AP + BP + CR + DR = AS + BQ + CQ + DS \Rightarrow AB + CD = AD + BC$$
 1

8. Let the point be A(3, 0), B(6, 4), C(-1, 3)

AB =
$$\sqrt{9+16} = 5$$
, BC = $\sqrt{49+1} = 5\sqrt{2}$, AC = $\sqrt{16+9} = 5$

AB = AC and AB² + AC² = BC²:
$$\triangle$$
ABC isosceles, right \triangle

9.
$$a + 3d = 0 \Rightarrow a = -3d$$
 $\frac{1}{2}$

$$a_{25} = a + 24d = 21d$$
 $\frac{1}{2}$

$$3a_{11} = 3(a + 10d) = 3(7d) = 21d$$

10. Let
$$\angle TOP = \theta$$
 : $\cos \theta = \frac{OT}{OP} = \frac{r}{2r} = \frac{1}{2}$: $\theta = 60^{\circ}$ Hence $\angle TOS = 120^{\circ}$

In
$$\triangle OTS$$
, $OT = OS \Rightarrow \angle OTS = \angle OST = 30^{\circ}$

SECTION C

11.
$$BC^2 = AB^2 - AC^2 = 169 - 144 = 25$$
 : $BC = 5cm$

Area of the shaded region = Area of semicircle – area of rt. \triangle ABC

$$= \frac{1}{2}(3.14)\left(\frac{13}{2}\right)^2 - \frac{1}{2}.12 \times 5$$

$$= 66.33 - 30 = 36.33 \text{ cm}^2$$

12. Area of canvas needed =
$$2 \times \frac{22}{7} \times (1.5) \times 2.1 + \frac{22}{7} \times 1.5 \times 2.8$$
 $1\frac{1}{2}$

$$= \frac{22}{7} [6.3 + 4.2] = \frac{22}{7} \times 10.5 = 33 \text{ m}^2$$

$$cost = 33 \times 500 = 716500$$

13.
$$PA = PB \text{ or } (PA)^2 = (PB)^2$$

$$(a + b - x)^{2} + (b - a - y)^{2} = (a - b - x)^{2} + (a + b - y)^{2}$$

$$(a + b)^2 + x^2 - 2ax - 2bx + (b - a)^2 + y^2 - 2by + 2ay$$

$$= (a - b)^{2} + x^{2} - 2ax + 2bx + (a + b)^{2} + y^{2} - 2ay - 2by$$

$$\Rightarrow$$
 4ay = 4bx or bx = ay

(2) 30/1

14. Shaded area =
$$\pi (14^2 - 7^2) \times \frac{320}{360}$$

$$\frac{1}{2}$$

2

$$=\frac{1232}{3}$$
 = 410.67 cm²

 $=\frac{22}{7}\times147\times\frac{8}{9}$

$$\frac{1}{2}$$

15.
$$\frac{Sn}{S_n'} = \frac{n/2(2a + (n-1)d)}{n/2(2a' + (n-1)d')} = \frac{7n+1}{4n+27}$$

1

1

$$= \frac{a + \frac{n-1}{2} d}{a' + \frac{n-1}{2} d'} = \frac{7n+1}{An+27}$$

...(i)
$$\frac{1}{2}$$

Since
$$\frac{t_m}{t_m'} = \frac{a + (m-1)d}{a + (m-1)d'}$$
, So replacing $\frac{n-1}{2}$ by $m-1$ i.e. $n = 2m-1$ in (i)

$$\frac{1}{2}$$

$$\frac{t_{m}}{t_{m}'} = \frac{a + (m-1) d}{a' + (m-1) d'} = \frac{7 (2m-1) + 1}{4 (2m-1) + 27} = \frac{14m - 6}{8m + 23}$$

$$1\frac{1}{2}$$

Here
$$3(x - 3 + x - 1) = 2(x - 1)(x - 2)(x - 3)$$

$$\Rightarrow 3(2x-4) = 2(x-1)(x-2)(x-3)$$

$$\frac{1}{2}$$

$$\Rightarrow$$
 3 = (x - 1) (x - 3) i.e. $x^2 - 4x = 0$

• Volume of water in conical vessel =
$$\frac{1}{3} \times \frac{22}{7} \times 25 \times 24 \text{ cm}^2$$

$$1\frac{1}{2}$$

1

$$\therefore \quad \frac{1}{3} \times \frac{22}{7} \times 25 \times 24 = \frac{22}{7} \times 10 \times 10 \times h$$

$$\Rightarrow$$
 h = 2 cm

 \therefore x = 0, x = 4

18. Volume of sphere =
$$\frac{4}{3} \pi . (6)^3 . \text{cm}^3$$

1

30/1

16.

(3)


$$\therefore \quad \pi r^2 \frac{32}{9} = \frac{4}{3} \pi (6)^3$$

 $1\frac{1}{2}$

$$\Rightarrow$$
 r = 9 cm.

 $\frac{1}{2}$

19.



Correct Figure

 $\frac{1}{2}$

In
$$\triangle ABP$$
, $\frac{y}{10} = \cot 30^{\circ} = \sqrt{3}$

1

$$y = 10\sqrt{3} \text{ m}$$

In $\triangle ACQ$, $\frac{x}{y} = \tan 60^{\circ} = \sqrt{3}$

$$x = \sqrt{3} (10\sqrt{3}) = 30 \text{ m}$$

$$\therefore$$
 Height of hill = 30 + 10 = 40 m

 $\frac{1}{2}$

1

20. Set of possible outcomes is

 $\{HHH, HHT, HTH, THH, HTT, THT, TTH, TTT\}$

(i) P(exactly 2 heads) = 3/8

1

(ii) P(at least 2 heads) = 4/8 or 1/2

1

(iii) P(at least 2 tails) = 4/8 or 1/2

1

SECTION D

21. Slant height of conical part = $\sqrt{(2.8)^2 + (2.1)^2} = 3.5 \text{ m}$

 $\frac{1}{2}$

Area of canvas/tent =
$$2 \times \frac{22}{7} \times 2.8 \times 3.5 + \frac{22}{7} \times 2.8 \times 3.5 \text{ m}^2$$

= 92.4 m²

1

Cost of 1500 tents = $1500 \times 92.4 \times 120 = ₹ 16632000$

1

Share of each school =
$$\frac{1}{50} \times 1663200$$

1

 $\overline{2}$

"Helping the needy"

1

22. Correct Given, To prove, Construction and Figure

 $4 \times \frac{1}{2} = 2$

Correct proof

2

23. Correct construction

4

1

1

1

24. AC is tangent to circle with centre 0,

Thus
$$\angle ACO = 90^{\circ}$$

$$\therefore \quad \Delta \text{ AO'D} \sim \Delta \text{AOC}$$

$$\Rightarrow \quad \frac{AO'}{AO} = \frac{DO'}{CO}$$

$$\therefore \frac{DO'}{CO} = \frac{r}{3r} = \frac{1}{3}$$


25.
$$(x + 4) (x + 2 + 2x + 2) = 4(x + 1) (x + 2)$$

$$(x + 4) (3x + 4) = 4(x^2 + 3x + 2)$$

$$\Rightarrow \quad x^2 - 4x - 8 = 0$$

$$\Rightarrow \quad x = \frac{4 \pm \sqrt{16 + 32}}{2} = 2 \pm 2\sqrt{3}$$

26.



Correct Figure

In
$$\Delta YZQ$$
, $\frac{a}{YZ} = \tan 45^{\circ} = 1$
 $\Rightarrow YZ = a \text{ i.e. } a = b$

In
$$\triangle QPX$$
, $\frac{a+40}{b} = \frac{a+40}{a} = \tan 60^{\circ} = \sqrt{3}$

$$\therefore (\sqrt{3} - 1) a = 40 \text{ or } a = \frac{40}{\sqrt{3} - 1} = 20(\sqrt{3} + 1)$$
$$= 20(2.73) = 54.60 \text{ m}$$

$$PX = 54.6 \text{ m}$$

 $PQ = 54.6 + 40 = 94.6 \text{m}$

30/1 (5)

27. Sum of numbers preceding X

$$= \frac{(X-1)X}{2}$$
 1\frac{1}{2}

Sum of numbers following $X = \frac{(49)(50)}{2} - \frac{(X-1)}{2} - X$

$$=\frac{2450 - X^2 - X}{2}$$
 1\frac{1}{2}

$$\therefore \frac{(X-1) X}{2} = \frac{2450 - X^2 - X}{2}$$

$$\Rightarrow \qquad 2X^2 = 2450$$

$$X^2 = 1225$$

$$X = 35$$

1

[Since there is a typographic error in the question, which makes it unsolvable, hence 4 marks be given to each student]

28. Coords of D are:
$$\left(\frac{1(1) + 2(4)}{3}\right)$$
, $\left(\frac{1(5) + 2(6)}{3}\right)$ i.e. $\left(3, \frac{17}{3}\right)$

Coords of E are:
$$\left(\frac{1(7) + 2(4)}{3}, \frac{1(2) + 2(6)}{3}\right)$$
 i.e. $\left(5, \frac{14}{3}\right)$

ar.
$$\triangle ADE = \frac{1}{2} \left[4(1) + 3\left(\frac{14}{3} - 6\right) + 5\left(6 - \frac{17}{3}\right) \right] = \frac{5}{6}$$

ar.
$$\triangle ABC = \frac{1}{2} [4(3) + 1(-4) + 7(1)] = \frac{15}{2}$$

ar.
$$\triangle ADE$$
: ar. $\triangle ABC = \frac{5}{6} : \frac{15}{2} \text{ or } 1 : 9$

29. x can be any one of 1, 2, 3 or 4.

y can be any one of 1, 4, 9 of 16

Total number of cases of
$$xy = 16$$

$$1\frac{1}{2}$$

Number of cases, where product is less than
$$16 = 8$$
 $1\frac{1}{2}$

(6) 30/1

{1, 4, 9, 2, 8, 3, 12, 4}

$$\therefore \text{ Required Probability} = \frac{8}{16} \text{ or } \frac{1}{2}$$

30. Length of are
$$\widehat{AP} = 2\pi r \frac{\theta}{360}$$
 or $\frac{\pi r \theta}{180}$...(i)

$$\frac{AB}{r} = \tan \theta \Rightarrow AB = r \tan \theta$$
 ...(ii)

$$\frac{OB}{r} = \sec \theta \Rightarrow OB = r \sec \theta$$
 $\frac{1}{2}$

$$PB = OB - r = r \sec \theta - r \qquad ...(iii)$$

Perimeter = $AB + PB + \widehat{AP}$

$$= r \tan \theta + r \sec \theta - r + \frac{\pi r \theta}{180}$$

or
$$r \left[\tan \theta + \sec \theta - 1 + \frac{\pi \theta}{180} \right]$$

31. let x km/h be the speed of the stream

$$\therefore \frac{32}{24 - x} - \frac{32}{24 + x} = 1$$

$$\Rightarrow 32(2x) = (24 - x)(24 + x)$$
$$x^2 + 64x - 576 = 0$$

$$(x + 72) (x - 8) = 0 \Rightarrow x = 8$$

1

$$\therefore \text{ Speed of stream} = 8 \text{ km/h}.$$

30/1 (7)