CBSE Examination Paper 2025

Class - 12th

Mathematics

Time : 3 Hours **Max. Marks : 80**

General Instructions :

Read the following instructions very carefully and strictly follow them :

1. This Question paper contains 38 questions. All questions are compulsory.
2. This Question paper is divided into five Sections - A, B, C, D and E.
3. In Section A, Questions no. 1 to 18 are multiple choice questions (MCQs) and Questions no. 19 and 20 are Assertion-Reason based questions of 1 mark each.
4. In Section B, Questions no. 21 to 25 are Very Short Answer (VSA)-type questions, carrying 2 marks each.
5. In Section C, Questions no. 26 to 31 are Short Answer (SA)-type questions, carrying 3 marks each.
6. In Section D, Questions no. 32 to 35 are Long Answer (LA)-type questions, carrying 5 marks each.
7. In Section E, Questions no. 36 to 38 are Case study-based questions, carrying 4 marks each.
8. There is no overall choice. However, an internal choice has been provided some questions.
9. Use of calculators is not allowed.

Section - A

Section A consists of 20 questions of 1 mark each.

1. If the feasible region of a linear programming problem with objective function $Z = ax + by$, is bounded, then which of this following is correct?

(a) It will only have a maximum value.

(b) It will only have a minimum value

(c) It will have both maximum and minimum values

(d) It will have neither maximum nor minimum value

2. The unit vector perpendicular to the vectors $\hat{i} - \hat{j}$ and $\hat{i} - \hat{j}$

(a) $\hat{k}$

(b) $-\hat{k} + \hat{j}$

(c) $\frac{\hat{i} - \hat{j}}{\sqrt{2}}$

(d) $\frac{\hat{i} - \hat{j}}{\sqrt{2}}$

Downloaded from www.pdf.tube

3. If $\int_0^1 \frac{e^x}{1+x}dx = \alpha$, then $\int_0^1 \frac{e^x}{(1+x)}dx$

(a) $a-1+\frac{e}{2}$

(b) $a+1-\frac{e}{2}$

(c) $a-1-\frac{e}{2}$

(d) $a+1+\frac{e}{2}$

4. If $\int \frac{2^{\frac{1}{x}}}{x^2}dx = k\,2^{\frac{1}{x}} + c$, then k is equal to

(a) $\frac{-1}{\log 2}$

(b) $-\log 2$

(c) -1

(d) $\frac{1}{2}$

5. If $A = \begin{bmatrix} -1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$, then A^{-1} is

(a) $\begin{bmatrix} -1 & 0 & 0 \\ 0 & -1 & 0 \\ 0 & 0 & -1 \end{bmatrix}$

(b) $\begin{bmatrix} 1 & 0 & 0 \\ 0 & -1 & 0 \\ 0 & 0 & -1 \end{bmatrix}$

(c) $\begin{bmatrix} -1 & 0 & 0 \\ 0 & -1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$

(d) $\begin{bmatrix} -1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$

NODIA

6. If $\begin{bmatrix} x+y & 3y \\ 3x & x+3 \end{bmatrix} = \begin{bmatrix} 9 & 4x+y \\ x+6 & y \end{bmatrix}$, then $(x-y) = ?$

(a) -7

(b) -3

(c) 3

(d) 7

7. Let M and N be two events such that $P(M) = 0.6$, $P(N) = 0.2$ and $P(M \cap N) = 0.5$, then $P(P(-)\left(\frac{M'}{N}\right)$ is

(a) $\frac{7}{8}$

(b) $\frac{2}{5}$

(c) $\frac{1}{2}$

(d) $\frac{2}{3}$

8. Which of the following is not a homogeneous function if x and y ?

(a) $y^2 - xy$

(b) $x - 3y$

(c) $\sin^2 \frac{y}{x} + \frac{y}{x}$

(d) $\tan x - \sec y$

9. If $\vec{a} + \vec{b} + \vec{c} = \vec{0}$, $|\vec{a}| = \sqrt{37}$, $|\vec{b}| = 4$ and $|\vec{c}| = 4$, then angle between $\vec{b}$ and $\vec{c}$ is

(a) $\frac{\pi}{6}$

(b) $\frac{\pi}{4}$

(c) $\frac{\pi}{3}$

(d) $\frac{\pi}{2}$

Click Here to Buy book on Amazon

10. If $f(x) = |x| + |x-1|$, then which of the following is correct ?

(a) $f(x)$ is both continuous and differentiable, at $x = 0$ and $x = 1$

(b) $f(x)$ is differentiable but not continuous, at $x = 0$ and $x = 1$

(c) $f(x)$ is continuous but not differentiable, at $x = 0$ and $x = 1$

(d) $f(x)$ is neither continuous nor differentiable, at $x = 0$ and $x = 1$

11. A system of linear equations is represented as $AX = B$, where A is coefficient matrix, X is variable matrix and B is the constant matrix. Then the system of equation is

(a) Consistent, if $|A| \neq 0$, solution is given by $X = BA^{-1}$

(b) Inconsistent, if $|A| = 0$, and (adj A) $B = 0$

(c) Inconsistent if $|A| \neq 0$

(d) May or may not be consistent if $|A| = 0$ and (adj A)$B = 0$

12. The absolute maximum value of function $f(x) = x^3 - 3x + 2$ in $[0, 2]$ is

(a) 0

(b) 2

(c) 4

(d) 5

13. The order and degree of differential function $\left[1 + \left(\frac{dy}{dx}\right)^2\right]^5 = \frac{d^2y}{dx^2}$ are

(a) Order 1, degree 1


(b) Order1, degree 2


(c) Order2, degree 1


(d) Order2, degree 2


Downloaded from www.pdf.tube


14. The graph of a trigonometric function is as shown. Which of the following will represent graph of its inverse?



(a)


(b)


(c)


(d)


15. The corner points of the feasible region in graphical representation of a L.P.P. are (2, 72), (15, 20) and (40, 15).if $Z = 18x + 9y$a be the objective function , then.

(a) Z is maximum at (2, 72), minimum at (15, 20)

(b) Z is maximum at (15, 20), minimum at (40, 15)

(c) Z is maximum at (40, 15), minimum at (15, 20)

(d) Z is maximum at (40, 15), minimum at (2, 72)

16. Let $A = \begin{bmatrix} 1 & -2 & -1 \\ 0 & 14 & -1 \\ -3 & 2 & -1 \end{bmatrix}$, $B = \begin{bmatrix} -2 \\ -5 \\ -7 \end{bmatrix}$, $C = [9,\ 8,\ 7]$

Which of the following is defined ?

(a) Only AB

(b) Only AC

(c) Only BA

(d) ALL AB, AC and BA

NODIA

(c) $2\int_0^4 \sqrt{x}\, dx$

(d) $\int_0^4 \sqrt{x}\, dx$

17. If and B are invertible matrices, then which of the following is not correct?


(a) $(A+B)^{-1} = B^{-1} + A^{-1}$

(b) $(AB)^{-1}\ B^{-1}A^{-1}$

(c) $\text{adj}(A) = |A|A^{-1}$

(d) $|A|^{-1} = |A^{-1}|$

18. The area of shaded region by the curves $y^2 = x$, $x = 4$ and the x-axis is given by



(a) $\int_0^4 x dx$

(b) $\int_0^2 y^2\, dy$

19. Assertion (A) : $f(x) = \begin{cases} 3x-8 & x \le 5 \\ 2k, & x > 5 \end{cases}$ is continuous at $x = 5$ for $k = \frac{5}{2}$

Reason (R) : For a function $f(x)$ to be continuous at $x = a$, $\lim_{x \to a^-} f(x) = f(a)$.

(a) Both Assertion (A) and Reason (R) are true and the Reason (R) is the correct explanation of the Assertion (A)

(b) Both Assertion (A) and Reason (R) are true, but Reason (R) is not the correct explanation of the Assertion (A)

(c) Assertion (A) is true, but Reason (R) is false

(d) Assertion (A) is false, but Reason (R) is true

Click Here to Buy book on Amazon

Section - B

This section comprises of 5 Very Short Answer (VSA) type questions of 2 marks each.

21. The diagonals of a parallelogram are given by $\vec{a} = 2\hat{i} - \hat{j} + \hat{k}$ and $\vec{b} = \hat{i} + 3\hat{j} - \hat{k}$. Find the area of the parallelogram.

20. **Assertion (A) :** Let Z be the set of integers. A function $f: Z \to Z$ defined as $f(x) = 3x - 5$, $\forall\, x \in Z$ is a bijective.

Reason (R) : A function is a bijective if it is both surjective and injective

(a) Both Assertion (A) and Reason (R) are true and the Reason (R) is the correct explanation of the Assertion (A)

(b) Both Assertion (A) and Reason (R) are true, but Reason (R) is not the correct explanation of the Assertion (A)

(c) Assertion (A) is true, but Reason (R) is false

(d) Assertion (A) is false, but Reason (R) is true

22. Find the value of 'a' for which $f(x) = \sqrt{3}\sin x - \cos x - 2ax + b$ is decreasing on $\mathbb{R}$.

NODIA

23. (a) Two friends while flying kites from different locations, find the strings of their kites crossing each other. The strings can be represented by vectors $\vec{a} = 3\hat{i} + \hat{j} + 2\hat{k}$ and $\vec{b} = 2\hat{i} - 2\hat{j} + 4\hat{k}$. determine the angel formed between the kite strings. There is no slack in the strings.

or

(b) Find a vector of magnitude 21 units in the direction opposite to that of $\overrightarrow{AB}$ where A and B are the points $A(2, 1, 3)$ and $B(8, -1, 0)$ respectively

24. Solve for x,

$$\tan^{-1}\left(\frac{2x}{1-x^2}\right) + \cot^{-1}\left(\frac{1-x^2}{2x}\right) = \frac{\pi}{3},\ -1 < x < 1.$$

25. (a) Differentiate $2^{\cos^2 x}$ w.r.t $\cos^2 x$.

or

(b) If $\tan^{-1}(x^2 + y^2) = a^2$, then find $\frac{dy}{dz}$

Downloaded from www.pdf.tube

Section - C

This section comprises of 6 Short Answer (SA) type questions of 3 marks each.

26. Solve the following linear programming problem graphically:

Maximize $z = 8x + 9y$

Subject to the constraints:

$$2x + 3y \leq 6$$

$$3x - 2y \leq 6$$

$$y \leq 1,\ x \geq 0,\ y \geq 0$$

NODIA

27. (a) Find : $\int \frac{2x-1}{(x-1)(x+2)(x-3)}\,dx$

or

(b) Evaluate: $\int_0^5 (|x-1|+|x-2|+|x-5|)\,dx$

28. A spherical medicine ball when dropped in water dissolves in such a way that the rate of decrease of volume at any instant is proportional to its surface area. Calculate the rate of decrease of its radius.

Click Here to Buy book on Amazon

NODIA

29. Sketch the graph of $y = |x+3|$ and fined the area of the region enclosed by the curve, x-axis between $x=-6$ and $x=0$ using integration.

30. (a) Verify that lines given by $\vec{r} = (1-\lambda)\,\hat{i} + (\lambda-2)\,\hat{j} + (3-2\lambda)\,k$ and $\vec{r} = (\mu+1)\,\hat{i} + (2\mu-1)\,\hat{j} - (2\mu+1)\,k$ are skew lines. Hence, find shortest distance between the lines.

or

(b) During a cricket match, the position of the bowler, the wicket keeper and the leg slip fielder are in a line given by $\vec{B} = 2\hat{i} + 8\hat{j}$, $\vec{W} = 6\hat{i} + 12\hat{j}$ and $\vec{F} = 12\hat{i} + 18\hat{j}$ respectively. Calculate the radio in which the wicketkeeper divided the line segment joining the bowler and the leg slip fielder.

(ii) Calculate the mean of the number of absent students on Saturday.

or

(b) For the vacancy advertised in the newspaper, 3000 candidates submitted their applications. From the data it was revealed that two third of the total applicants were females and other were males. The selection for the job was done through a written test. The performance of the applicants indicates that the probability of a male getting a distinction in written test is 0.4 and that a female getting a distinction is 0.35. Find the probability that the candidate chosen at random will have a distinction in the written test

NODIA

31. (a) The probability distribution for the number of students being absent in a class on a Saturday is as follows :

X	0	2	4	5
P(X)	p	$2p$	$3p$	p

Where X is the number of students absent.

(i) Calculate p.

Section - D

This section comprises of 4 Long Answer (LA) type questions of 5 marks each

32. A school wants to allocate students into three clubs: Sports, Music and Drama, under following conditions

1. The number of students in Sports club should be equal to the sum of the number of students in Music and Drama club
2. The number of students in Music club should be 20 more than half the number of students in Sports club
3. The total number of students to be allocated in all three clubs are 180

Find the number of students to be allocated in all three clubs are 180.

33. Find : $\int \sin^{-1}\sqrt{\frac{x}{a+x}}\,dx$

Downloaded from www.pdf.tube

NODIA

34. (a) If $\sqrt{1-x^2}+\sqrt{1-y^2} = a(x-y)$, then prove that $\frac{dv}{dx} = \frac{\sqrt{1-y^2}}{1-x^2}$

or

(b) If $x = a\left(\cos\theta + \log\tan\frac{\theta}{2}\right)$ and $y = \sin\theta$, then find $\frac{d^2y}{dx^2}$ at $\theta = \frac{\pi}{4}$

35. (a) Find the image A' of the point $A(1, 6, 3)$ in the line $\frac{x}{1} = \frac{y-1}{2} = \frac{z-2}{3}$
Also, find the equation of the line joining A and A'

or

(b) Find a point P on the line $\frac{x+5}{1} = \frac{y+3}{4} = \frac{z-6}{-9}$ such that its distance from point $Q(2, 4, -1)$ is 7 units. Also find the equation of line joining P and Q

Section - E

This section comprises of 3 case study/passage based questions of 4 marks each.

36. A class-room teacher is keen to assess the learning of her students the concept of "relations" taught to them. She writes the following five relations each defined on the set $A = \{1, 2, 3\}$

$R_1 = \{(2, 3), (3, 2)\}$

$R_2 = \{(1, 2), (1, 3), (3, 2)\}$

$R_3 = \{(1, 2), (2, 1), (1, 1)\}$

$R_4 = \{(1, 1), (1, 2), (3, 3)\ (2, 2)\}$

$R_5 = \{(1, 1)\ (1, 2)\ (3, 3)\ (2, 2)\ (2, 1)\ (2, 3),(3,2)\}$

The students are asked to answer the following questions about the above relations.:

i. Identify the relation which is reflexive, transitive but not symmetric.

ii. Identify the relation which is reflexive and symmetric but not transitive.


iii. (a) Identify the relations which symmetric but neither reflexive nor transitive.

or

(b) What pairs should be added to the relation R_2 to make it an equivalence relation?

Click Here to Buy book on Amazon

37.



A bank offers loan to its customers on different types of interest namely, fixed rate, floating rate and variable rate. From the past data with the bank, it is known that a customer avails loan on fixed rate, floating rate or variable rate with probabilities 10%, 20% and 70% respectively. A customer after availing loan can pay the loan or default on loan repayment. The bank data suggests that the probability that a person defaults on loan after availing it at fixed rate, floating rate and variable rate is 5%, 3% and 1% respectively


Based on the above information, answer the following:

(i) What is the probability that a customer after availing the loan will default on the loan repayment?

(ii) A customer after availing the loan, defaults on loan repayment. What is the probability that he availed the loan a variable rate of interest?

NODIA

38. A technical company is designing a rectangular solar panel installation on a roof using 300 metres of boundary material. The design includes a partition running parallel to one of the sides dividing the area (roof) into two sections.



Let the length of the side perpendicular to the partition be x metres and with parallel to the partition be y metres

Based on this information, answer the following questions :

(i) Write the equation for the total boundary material used in the boundary and parallel to the partition in terms of x and y

(ii) Write the area of the solar panel as a function of x

(iii) (a) Find the critical points of the area function. Use second derivative test to determine critical points at the maximum area. Also, find the maximum area

or

(b) Using first derivative test, calculate the maximum area the company can enclose with the 300 metres of boundary material, considering the parallel partition.

Downloaded from www.pdf.tube