ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 38782

Uniform Crime Reporting Program Data: Hate Crime Data (Record-Type Files), United States, 2019

United States Department of Justice. Federal Bureau of Investigation

ICPSR Codebook for Batch Header File

Terms of Use

Information about Copyrighted Content

ICPSR PROCESSING NOTES FOR #38782
Uniform Crime Reporting Program Data: Hate Crime Data (Record-Type Files), United States, 2019
DS 1: Batch Header File

1. **Stata Limitations**: Due to Stata limitations, several string variables do not contain value labels within the Stata files.

2. **Undocumented Codes:**
   a. The variable **REGION** contains an undocumented value of 9 which ICPSR has labeled "UNDOCUMENTED CODE." No additional information was provided.
   b. Please note that the following variables within the data are blank or completely system missing and no additional information was provided: **AGINDIC**, **LSTPOP1**, **LSTPOP2**, **LSTPOP3**, **LSTPOP4**, and **LSTPOP5**.

3. **Additional Information:** These studies are static data snapshots of the data available on the FBI website via the Crime Data Explorer, which is continuously updated. For additional information on the Uniform Crime Reporting (UCR) Program, please visit the UCR website.

ICPSR 38782

Uniform Crime Reporting Program Data: Hate Crime Data (Record-Type Files), United States, 2019

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Batch Header File

REC_BH: BH:RECORD TYPE

Designates this as the Batch Header

Value	Label	Unweighted Frequency	%
BH	Batch Header	24428	100.0 %
	Total	**24,428**	**100%**

Based upon 24,428 valid cases out of 24,428 total cases.

Location: 1-2 (width: 2; decimal: 0)
Variable Type: character

STATNUM: NUMERIC STATE CODE

This is a two-digit value assigned to the state and is used to place the records in order by this value for FBI purposes.

These codes are specific to the FBI. They are not the same as FIPS codes.

Value	Label	Unweighted Frequency	%
1	Alabama	494	2.0 %
2	Arizona	190	0.8 %
3	Arkansas	349	1.4 %
4	California	955	3.9 %
5	Colorado	322	1.3 %
6	Connecticut	130	0.5 %
7	Delaware	85	0.3 %
8	Washington D.C.	10	0.0 %
9	Florida	1232	5.0 %
10	Georgia	834	3.4 %
11	Idaho	156	0.6 %
12	Illinois	1193	4.9 %
13	Indiana	435	1.8 %
14	Iowa	287	1.2 %
15	Kansas	473	1.9 %
16	Kentucky	721	3.0 %
17	Louisiana	315	1.3 %
18	Maine	261	1.1 %
19	Maryland	216	0.9 %
20	Massachusetts	511	2.1 %

Value	Label	Unweighted Frequency	%
21	Michigan	877	3.6 %
22	Minnesota	493	2.0 %
23	Mississippi	260	1.1 %
24	Missouri	730	3.0 %
25	Montana	148	0.6 %
26	Nebraska	342	1.4 %
27	Nevada	80	0.3 %
28	New Hampshire	261	1.1 %
29	New Jersey	661	2.7 %
30	New Mexico	166	0.7 %
31	New York	1262	5.2 %
32	North Carolina	830	3.4 %
33	North Dakota	147	0.6 %
34	Ohio	937	3.8 %
35	Oklahoma	509	2.1 %
36	Oregon	306	1.3 %
37	Pennsylvania	1906	7.8 %
38	Rhode Island	64	0.3 %
39	South Carolina	577	2.4 %
40	South Dakota	192	0.8 %
41	Tennessee	612	2.5 %
42	Texas	1303	5.3 %
43	Utah	202	0.8 %
44	Vermont	105	0.4 %
45	Virginia	498	2.0 %
46	Washington	333	1.4 %
47	West Virginia	543	2.2 %
48	Wisconsin	491	2.0 %
49	Wyoming	89	0.4 %
50	Alaska	56	0.2 %
	Total	**24,428**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,428 valid cases out of 24,428 total cases.

• Minimum: 1.00
• Maximum: 99.00

Location: 3-4 (width: 2; decimal: 0)
Variable Type: numeric

ORI: ORIGINATING AGENCY IDENTIFIER

This identifies the agency that is authorized to report crime data to the FBI.

Based upon 24,428 valid cases out of 24,428 total cases.

Location: 5-13 (width: 9; decimal: 0)
Variable Type: character

BINCIDNO: BH:INCIDENT NUMBER

This field is set to blanks and is present so that the "incident number" is on every record in the same field position for sequencing purposes.

Value	Label	Unweighted Frequency	%
000000000000	-	24428	100.0 %
	Total	**24,428**	**100%**

Based upon 24,428 valid cases out of 24,428 total cases.

Location: 14-25 (width: 12; decimal: 0)
Variable Type: character

ORIADDDT: DATE ORI WAS ADDED

This is the date that the UCR ORI was added or had update activity performed on it by UCR staff.

Value	Label	Unweighted Frequency	%
20180706	-	1404	5.7 %
20180710	-	1	0.0 %
20180727	-	3	0.0 %
20180730	-	1	0.0 %
20180813	-	1	0.0 %
20180905	-	3	0.0 %
20180906	-	1	0.0 %
20180907	-	6	0.0 %
20180913	-	1	0.0 %
20180914	-	2	0.0 %
20180917	-	2	0.0 %
20181001	-	1	0.0 %
20181004	-	1	0.0 %
20181011	-	2	0.0 %
20181024	-	5	0.0 %
20181107	-	1	0.0 %
20181109	-	17	0.1 %
20181110	-	1	0.0 %

Value	Label	Unweighted Frequency	%
20181129	-	8	0.0 %
20181211	-	1	0.0 %
20181220	-	1	0.0 %
20190116	-	1	0.0 %
20190118	-	2	0.0 %
20190123	-	1	0.0 %
20190130	-	1	0.0 %
20190205	-	1	0.0 %
20190211	-	1	0.0 %
20190212	-	2	0.0 %
20190213	-	5	0.0 %
20190220	-	5	0.0 %
20190403	-	1	0.0 %
20190515	-	2	0.0 %
20190522	-	2	0.0 %
20190612	-	1	0.0 %
20190619	-	1	0.0 %
20190718	-	1	0.0 %
20190731	-	1	0.0 %
20190905	-	1	0.0 %
20190906	-	1	0.0 %
20190909	-	1	0.0 %
20190910	-	20	0.1 %
20190911	-	4	0.0 %
20190918	-	28	0.1 %
20190919	-	19	0.1 %
20190920	-	4	0.0 %
20190924	-	1	0.0 %
20191002	-	3	0.0 %
20191010	-	3	0.0 %
20191011	-	1	0.0 %
20191101	-	1	0.0 %
	Total	**24,428**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,428 valid cases out of 24,428 total cases.

- Mean: 20199198.88
- Median: 20200430.00

- Mode: 20200430.00
- Minimum: 20180706.00
- Maximum: 20200727.00
- Standard Deviation: 4716.33

Location: 26-33 (width: 8; decimal: 0)
Variable Type: numeric

ORINIBRS: DATE ORI WENT NIBRS

This is the date that the ORI first began submitting incident-based data to the FBI. Will be blanks if the agency is not yet participating in NIBRS.

Value	Label	Unweighted Frequency	%
0	-	14437	59.1 %
19850101	-	1	0.0 %
19900101	-	1	0.0 %
19910101	-	388	1.6 %
19910201	-	2	0.0 %
19910301	-	4	0.0 %
19910401	-	3	0.0 %
19910601	-	2	0.0 %
19910801	-	1	0.0 %
19911001	-	2	0.0 %
19911101	-	2	0.0 %
19911201	-	1	0.0 %
19920101	-	259	1.1 %
19920201	-	9	0.0 %
19920301	-	7	0.0 %
19920401	-	5	0.0 %
19920501	-	8	0.0 %
19920601	-	8	0.0 %
19920701	-	3	0.0 %
19920801	-	7	0.0 %
19920901	-	3	0.0 %
19921001	-	1	0.0 %
19921101	-	3	0.0 %
19921201	-	3	0.0 %
19930101	-	31	0.1 %
19930301	-	2	0.0 %
19930401	-	2	0.0 %
19930501	-	3	0.0 %
19930601	-	2	0.0 %

Value	Label	Unweighted Frequency	%
19930701	-	5	0.0 %
19930801	-	3	0.0 %
19930901	-	2	0.0 %
19931001	-	2	0.0 %
19931101	-	2	0.0 %
19931201	-	9	0.0 %
19940101	-	145	0.6 %
19940201	-	1	0.0 %
19940301	-	3	0.0 %
19940401	-	3	0.0 %
19940501	-	1	0.0 %
19940601	-	1	0.0 %
19940701	-	1	0.0 %
19940801	-	1	0.0 %
19940901	-	1	0.0 %
19941001	-	1	0.0 %
19941101	-	3	0.0 %
19941201	-	3	0.0 %
19950101	-	355	1.5 %
19950201	-	4	0.0 %
19950301	-	7	0.0 %
Total		**24,428**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,428 valid cases out of 24,428 total cases.

- Mean: 8203924.34
- Minimum: 0.00
- Maximum: 20200401.00
- Standard Deviation: 9862157.06

Location: 34-41 (width: 8; decimal: 0)
Variable Type: numeric

CITY: CITY NAME

This is the mailing address city for this agency.

Based upon 24,428 valid cases out of 24,428 total cases.

Location: 42-63 (width: 22; decimal: 0)
Variable Type: character

STATECOD: STATE (ALPHA) ABBREVIATION

This is the state abbreviation

See Numeric State Code for the corresponding numeric state codes as well as the alphabetic codes.

Value	Label	Unweighted Frequency	%
AK	Alaska	56	0.2 %
AL	Alabama	494	2.0 %
AR	Arkansas	349	1.4 %
AS	American Samoa	1	0.0 %
AZ	Arizona	190	0.8 %
CA	California	955	3.9 %
CO	Colorado	322	1.3 %
CT	Connecticut	130	0.5 %
CZ	Canal Zone	1	0.0 %
DC	District of Columbia	10	0.0 %
DE	Delaware	85	0.3 %
FL	Florida	1232	5.0 %
FS	Federal	28	0.1 %
GA	Georgia	834	3.4 %
GM	Guam	4	0.0 %
HI	Hawaii	21	0.1 %
IA	Iowa	287	1.2 %
ID	Idaho	156	0.6 %
IL	Illinois	1193	4.9 %
IN	Indiana	435	1.8 %
KS	Kansas	473	1.9 %
KY	Kentucky	721	3.0 %
LA	Louisiana	315	1.3 %
MA	Massachusetts	511	2.1 %
MD	Maryland	216	0.9 %
ME	Maine	261	1.1 %
MI	Michigan	877	3.6 %
MN	Minnesota	493	2.0 %
MO	Missouri	730	3.0 %
MP	Northern Mariana Islands	1	0.0 %
MS	Mississippi	260	1.1 %
MT	Montana	148	0.6 %
NB	Nebraska	342	1.4 %
NC	North Carolina	830	3.4 %

Value	Label	Unweighted Frequency	%
ND	North Dakota	147	0.6 %
NH	New Hampshire	261	1.1 %
NJ	New Jersey	661	2.7 %
NM	New Mexico	166	0.7 %
NV	Nevada	80	0.3 %
NY	New York	1262	5.2 %
OH	Ohio	937	3.8 %
OK	Oklahoma	509	2.1 %
OR	Oregon	306	1.3 %
OT	Other	189	0.8 %
PA	Pennsylvania	1906	7.8 %
PR	Puerto Rico	30	0.1 %
RI	Rhode Island	64	0.3 %
SC	South Carolina	577	2.4 %
SD	South Dakota	192	0.8 %
TN	Tennessee	612	2.5 %
	Total	**24,428**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,428 valid cases out of 24,428 total cases.

Location: 64-65 (width: 2; decimal: 0)
Variable Type: character

POPGRP: POPULATION GROUP

This shows the population covered by the ORI. Group 0 is possessions; 1-7 are cities; 8-9 are counties. Sub-Group (position 75) is blank when not used. All populations are inclusive.

Value	Label	Unweighted Frequency	%
0	Possessions (Puerto Rico, Guam, Canal Zone, Virgin Islands, and American Samoa)	32	0.1 %
1	All cities 250,000 or over	0	0.0 %
1A	Cities 1,000,000 or over	11	0.0 %
1B	Cities from 500,000 thru 999,999	27	0.1 %
1C	Cities from 250,000 thru 499,999	52	0.2 %
2	Cities from 100,000 thru 249,999	233	1.0 %
3	Cities from 50,000 thru 99,999	508	2.1 %
4	Cities from 25,000 thru 49,999	943	3.9 %
5	Cities from 10,000 thru 24,999	1996	8.2 %
6	Cities from 2,500 thru 9,999	4317	17.7 %
7	Cities under 2,500	9231	37.8 %

Value	Label	Unweighted Frequency	%
8	Non-MSA Counties	0	0.0 %
8A	Non-MSA Counties 100,000 or over	3	0.0 %
8B	Non-MSA Counties from 25,000 thru 99,999	289	1.2 %
8C	Non-MSA Counties from 10,000 thru 24,999	649	2.7 %
8D	Non-MSA Counties under 10,000	2974	12.2 %
8E	Non-MSA State Police	168	0.7 %
9	MSA Counties	0	0.0 %
9A	MSA Counties 100,000 or over	181	0.7 %
9B	MSA Counties from 25,000 thru 99,999	484	2.0 %
9C	MSA Counties from 10,000 thru 24,999	295	1.2 %
9D	MSA Counties under 10,000	1799	7.4 %
9E	MSA State Police	236	1.0 %
	Total	**24,428**	**100%**

Based upon 24,428 valid cases out of 24,428 total cases.

Location: 66-67 (width: 2; decimal: 0)
Variable Type: character

DIVISN: COUNTRY DIVISION

Geographic division in which the state is located (from 1 thru 9). The states comprising each division are as follows. The divisions are listed within region:

Possessions

Possessions: American Samoa, Canal Zone, Guam, Puerto Rico, Virgin Islands

Region I - Northeast

New England: Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont

Middle Atlantic: New Jersey, New York, Pennsylvania

Region II - North Central

East North Central: Illinois, Indiana, Michigan, Ohio, Wisconsin

West North Central: Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota

Region III - South

South Atlantic: Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, West Virginia

East South Central: Alabama, Kentucky, Mississippi, Tennessee

West South Central: Arkansas, Louisiana, Oklahoma, Texas

Region IV - West

Mountain: Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming

Pacific: Alaska, California, Hawaii, Oregon, Washington

Value	Label	Unweighted Frequency	%
0	Possessions	41	0.2 %
1	New England	1332	5.5 %
2	Middle Atlantic	3829	15.7 %
3	East North Central	3933	16.1 %
4	West North Central	2664	10.9 %
5	South Atlantic	4825	19.8 %
6	East South Central	2087	8.5 %
7	West South Central	2476	10.1 %
8	Mountain	1353	5.5 %
9	Pacific	1888	7.7 %
	Total	**24,428**	**100%**

Based upon 24,428 valid cases out of 24,428 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 68-68 (width: 1; decimal: 0)
Variable Type: numeric

REGION: COUNTRY REGION

Geographic Region in which the Country Division is located. The States and Divisions comprising each Region are shown in Country Division above.

Value	Label	Unweighted Frequency	%
0	Outlying Areas	41	0.2 %
1	North East	5161	21.1 %
2	North Central	6597	27.0 %
3	South	9388	38.4 %
4	West	3024	12.4 %
9	UNDOCUMENTED CODE	217	0.9 %
	Total	**24,428**	**100%**

Based upon 24,428 valid cases out of 24,428 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 69-69 (width: 1; decimal: 0)

AGINDIC: AGENCY INDICATOR

Distinguishes counties and colleges and universities from the cities.

Value	Label	Unweighted Frequency	%
0	Cvrd-by other	0	0.0 %
1	City	0	0.0 %
2	County	0	0.0 %
3	Univ or college	0	0.0 %
4	State Police	0	0.0 %
5	Other agency	0	0.0 %
6	Other state agency	0	0.0 %
7	Tribal	0	0.0 %
8	Federal	0	0.0 %
	Missing Data		
.	-	24428	100.0 %
	Total	**24,428**	**100%**

Based upon 0 valid cases out of 24,428 total cases.

Location: 70-70 (width: 1; decimal: 0)
Variable Type: numeric

CORECTY: CORE CITY

This designates if the agency is the core city of a Metropolitan Statistical Area (MSA).

Value	Label	Unweighted Frequency	%
N	No	23768	97.3 %
Y	Yes	660	2.7 %
	Total	**24,428**	**100%**

Based upon 24,428 valid cases out of 24,428 total cases.

Location: 71-71 (width: 1; decimal: 0)
Variable Type: character

COVBYORI: COVERED-BY ORI

This is the ORI of the agency that submits crime data for the agency represented by the Batch Header. For example, a county will often submit a return which includes the crime data for a city within that county. This field is blank if the agency is not a "covered-by".

Value	Label	Unweighted Frequency	%
	-	20035	82.0 %

Value	Label	Unweighted Frequency	%
AK0010100	-	1	0.0 %
AKAST0100	-	8	0.0 %
AL0010000	-	5	0.0 %
AL0020000	-	1	0.0 %
AL0030000	-	5	0.0 %
AL0030100	-	3	0.0 %
AL0150000	-	3	0.0 %
AL0160000	-	1	0.0 %
AL0220000	-	1	0.0 %
AL0240000	-	1	0.0 %
AL0250000	-	2	0.0 %
AL0330000	-	1	0.0 %
AL0340000	-	1	0.0 %
AL0350000	-	1	0.0 %
AL0380000	-	1	0.0 %
AL0390000	-	3	0.0 %
AL0410000	-	1	0.0 %
AL0430100	-	1	0.0 %
AL0440000	-	1	0.0 %
AL0450000	-	2	0.0 %
AL0470000	-	1	0.0 %
AL0480000	-	2	0.0 %
AL0490000	-	1	0.0 %
AL0510000	-	1	0.0 %
AL0520000	-	1	0.0 %
AL0580000	-	1	0.0 %
AL0590000	-	3	0.0 %
AL0600000	-	1	0.0 %
AL0610000	-	2	0.0 %
AL0620000	-	2	0.0 %
AL0640000	-	1	0.0 %
ALLEA0000	-	1	0.0 %
AR0010000	-	1	0.0 %
AR0020000	-	1	0.0 %
AR0040000	-	1	0.0 %
AR0060000	-	1	0.0 %
AR0210000	-	1	0.0 %
AR0260000	-	1	0.0 %
AR0300000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
AR0320000	-	1	0.0 %
AR0320200	-	1	0.0 %
AR0330000	-	1	0.0 %
AR0350000	-	1	0.0 %
AR0400000	-	2	0.0 %
AR0410000	-	1	0.0 %
AR0440000	-	1	0.0 %
AR0450000	-	1	0.0 %
AR0480000	-	1	0.0 %
AR0510000	-	1	0.0 %
	Total	**24,428**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,428 valid cases out of 24,428 total cases.

Location: 72-80 (width: 9; decimal: 0)
Variable Type: character

FIELDNO: FBI FIELD OFFICE

The four-digit numeric code for the FBI field office whose territory covers the agency.

Value	Label	Unweighted Frequency	%
0	-	562	2.3 %
3010	-	619	2.5 %
3020	-	167	0.7 %
3030	-	53	0.2 %
3040	-	826	3.4 %
3050	-	295	1.2 %
3070	-	267	1.1 %
3090	-	1077	4.4 %
3110	-	311	1.3 %
3140	-	825	3.4 %
3150	-	465	1.9 %
3160	-	438	1.8 %
3170	-	502	2.1 %
3180	-	577	2.4 %
3190	-	615	2.5 %
3210	-	398	1.6 %
3220	-	869	3.6 %

Value	Label	Unweighted Frequency	%
3240	-	59	0.2 %
3280	-	26	0.1 %
3290	-	274	1.1 %
3310	-	434	1.8 %
3320	-	258	1.1 %
3330	-	635	2.6 %
3350	-	854	3.5 %
3370	-	246	1.0 %
3380	-	80	0.3 %
3390	-	345	1.4 %
3410	-	322	1.3 %
3420	-	721	3.0 %
3440	-	360	1.5 %
3460	-	254	1.0 %
3470	-	490	2.0 %
3480	-	825	3.4 %
3490	-	228	0.9 %
3510	-	568	2.3 %
3520	-	131	0.5 %
3530	-	317	1.3 %
3540	-	350	1.4 %
3560	-	72	0.3 %
3580	-	506	2.1 %
3600	-	622	2.5 %
3620	-	1225	5.0 %
3630	-	172	0.7 %
3650	-	1293	5.3 %
3670	-	305	1.2 %
3710	-	366	1.5 %
3720	-	320	1.3 %
3730	-	349	1.4 %
3750	-	489	2.0 %
3770	-	357	1.5 %
	Total	**24,428**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,428 valid cases out of 24,428 total cases.

- Mean: 3329.94

- Median: 3410.00
- Mode: 3650.00
- Minimum: 0.00
- Maximum: 3920.00
- Standard Deviation: 567.29

Location: 81-84 (width: 4; decimal: 0)
Variable Type: numeric

JUDDIST: JUDICIAL DISTRICT

This is the code of the judicial district in which the agency is located. It is a three-digit numeric code followed by a letter which designates the region within the state.

Value	Label	Unweighted Frequency	%
	-	584	2.4 %
005M	-	143	0.6 %
010N	-	267	1.1 %
015S	-	83	0.3 %
020A	-	53	0.2 %
025A	-	171	0.7 %
030E	-	208	0.9 %
035W	-	137	0.6 %
040C	-	322	1.3 %
045E	-	321	1.3 %
050N	-	255	1.0 %
055S	-	55	0.2 %
060A	-	314	1.3 %
065A	-	132	0.5 %
070A	-	86	0.4 %
075A	-	20	0.1 %
080M	-	624	2.6 %
085N	-	358	1.5 %
090S	-	254	1.0 %
095M	-	293	1.2 %
100N	-	333	1.4 %
105S	-	199	0.8 %
110A	-	19	0.1 %
115A	-	155	0.6 %
120C	-	393	1.6 %
125N	-	465	1.9 %
130S	-	233	1.0 %
135N	-	170	0.7 %
140S	-	265	1.1 %

Value	Label	Unweighted Frequency	%
145N	-	144	0.6 %
150S	-	140	0.6 %
155A	-	472	1.9 %
160E	-	412	1.7 %
165W	-	308	1.3 %
170E	-	58	0.2 %
175M	-	50	0.2 %
180W	-	209	0.9 %
185A	-	245	1.0 %
190A	-	211	0.9 %
195A	-	507	2.1 %
200E	-	454	1.9 %
205W	-	415	1.7 %
210A	-	490	2.0 %
215N	-	107	0.4 %
220S	-	151	0.6 %
225E	-	349	1.4 %
230W	-	382	1.6 %
235A	-	144	0.6 %
240A	-	338	1.4 %
245A	-	80	0.3 %
	Total	**24,428**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,428 valid cases out of 24,428 total cases.

Location: 85-88 (width: 4; decimal: 0)
Variable Type: character

NBRSFLG: AGENCY NIBRS FLAG

This designates whether the ORI in a state is an active NIBRS agency or inactive.

Value	Label	Unweighted Frequency	%
	Inactive	14437	59.1 %
A	Active	9991	40.9 %
	Total	**24,428**	**100%**

Based upon 24,428 valid cases out of 24,428 total cases.

Location: 89-89 (width: 1; decimal: 0)
Variable Type: character

INACTDTE: AGENCY INACTIVE DATE

This is the date that the agency became covered by another UCR agency and is no longer submitting UCR data. Will be blanks if the agency is not covered by another agency.

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	24428	100.0 %
	Total	**24,428**	**100%**

Based upon 0 valid cases out of 24,428 total cases.

Location: 90-90 (width: 1; decimal: 0)
Variable Type: numeric

POP1: CURRENT POPULATION-1

This is the population for the agency or the population of the portion of the agency which is located in this county.

Based upon 24,428 valid cases out of 24,428 total cases.

- Mean: 13729.85
- Minimum: 0.00
- Maximum: 8379043.00
- Standard Deviation: 85084.00

Location: 91-97 (width: 7; decimal: 0)
Variable Type: numeric

COUNTY1: UCR COUNTY CODE-1

This is the UCR county code for the agency or the UCR county code for that portion of the agency which is located in the county. These codes are specific to the FBI. They are not the same as FIPS codes. The FIPS county code equivalent is located in variable CFIPS1.

Value	Label	Unweighted Frequency	%
	-	1506	6.2 %
0	-	1042	4.3 %
1	-	388	1.6 %
10	-	714	2.9 %
11	-	486	2.0 %
12	-	378	1.5 %
13	-	465	1.9 %
14	-	460	1.9 %
15	-	482	2.0 %
16	-	493	2.0 %
17	-	298	1.2 %
18	-	346	1.4 %

Value	Label	Unweighted Frequency	%
19	-	415	1.7 %
2	-	569	2.3 %
20	-	300	1.2 %
21	-	280	1.1 %
22	-	353	1.4 %
23	-	307	1.3 %
24	-	291	1.2 %
25	-	342	1.4 %
26	-	222	0.9 %
27	-	248	1.0 %
28	-	227	0.9 %
29	-	206	0.8 %
3	-	412	1.7 %
30	-	294	1.2 %
31	-	271	1.1 %
32	-	207	0.8 %
33	-	234	1.0 %
34	-	226	0.9 %
35	-	220	0.9 %
36	-	319	1.3 %
37	-	263	1.1 %
38	-	206	0.8 %
39	-	213	0.9 %
4	-	384	1.6 %
40	-	273	1.1 %
41	-	219	0.9 %
42	-	195	0.8 %
43	-	233	1.0 %
44	-	201	0.8 %
45	-	229	0.9 %
46	-	253	1.0 %
47	-	183	0.7 %
48	-	215	0.9 %
49	-	211	0.9 %
5	-	401	1.6 %
50	-	275	1.1 %
51	-	186	0.8 %
52	-	222	0.9 %
	Total	**24,428**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,428 valid cases out of 24,428 total cases.

Location: 98-100 (width: 3; decimal: 0)
Variable Type: character

MSA1: MSA CODE-1

This is the code of the metropolitan statistical area (MSA) in which the agency is located. These codes are specific to the FBI. They are not the same as FIPS codes.

Value	Label	Unweighted Frequency	%
	-	1506	6.2 %
0	-	9645	39.5 %
100	-	19	0.1 %
101	-	17	0.1 %
102	-	8	0.0 %
103	-	41	0.2 %
104	-	18	0.1 %
105	-	100	0.4 %
106	-	117	0.5 %
108	-	57	0.2 %
109	-	8	0.0 %
110	-	16	0.1 %
115	-	8	0.0 %
117	-	24	0.1 %
119	-	23	0.1 %
120	-	13	0.1 %
124	-	55	0.2 %
125	-	9	0.0 %
126	-	21	0.1 %
127	-	4	0.0 %
128	-	26	0.1 %
129	-	14	0.1 %
13	-	22	0.1 %
130	-	9	0.0 %
131	-	20	0.1 %
132	-	2	0.0 %
134	-	4	0.0 %
136	-	16	0.1 %
137	-	14	0.1 %
138	-	21	0.1 %

Value	Label	Unweighted Frequency	%
141	-	51	0.2 %
142	-	47	0.2 %
15	-	9	0.0 %
151	-	106	0.4 %
153	-	12	0.0 %
156	-	42	0.2 %
159	-	4	0.0 %
160	-	279	1.1 %
161	-	45	0.2 %
162	-	36	0.1 %
163	-	50	0.2 %
164	-	12	0.0 %
165	-	170	0.7 %
168	-	21	0.1 %
169	-	12	0.0 %
170	-	129	0.5 %
171	-	6	0.0 %
172	-	13	0.1 %
174	-	15	0.1 %
178	-	15	0.1 %
	Total	**24,428**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,428 valid cases out of 24,428 total cases.

Location: 101-103 (width: 3; decimal: 0)
Variable Type: character

LSTPOP1: LAST POPULATION-1

This is the population of the agency in the previous census.

Value	Label	Unweighted Frequency	%
0	-	24428	100.0 %
	Total	**24,428**	**100%**

Based upon 24,428 valid cases out of 24,428 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 0.00
- Standard Deviation: 0.00

Location: 104-104 (width: 1; decimal: 0)
Variable Type: numeric

POP2: CURRENT POPULATION-2

This is the population for the agency or the population of the portion of the agency which is located in this county.

Value	Label	Unweighted Frequency	%
0	-	23751	97.2 %
1	-	5	0.0 %
2	-	27	0.1 %
3	-	9	0.0 %
4	-	10	0.0 %
5	-	7	0.0 %
6	-	14	0.1 %
7	-	7	0.0 %
8	-	7	0.0 %
9	-	3	0.0 %
10	-	3	0.0 %
11	-	4	0.0 %
12	-	2	0.0 %
13	-	3	0.0 %
14	-	1	0.0 %
15	-	8	0.0 %
16	-	1	0.0 %
17	-	3	0.0 %
18	-	2	0.0 %
19	-	3	0.0 %
20	-	4	0.0 %
21	-	4	0.0 %
22	-	2	0.0 %
23	-	1	0.0 %
24	-	2	0.0 %
25	-	2	0.0 %
26	-	2	0.0 %
27	-	4	0.0 %
28	-	2	0.0 %
29	-	1	0.0 %
31	-	1	0.0 %
32	-	3	0.0 %

Value	Label	Unweighted Frequency	%
33	-	3	0.0 %
34	-	3	0.0 %
35	-	2	0.0 %
36	-	4	0.0 %
37	-	1	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	1	0.0 %
41	-	2	0.0 %
42	-	2	0.0 %
43	-	1	0.0 %
45	-	4	0.0 %
46	-	2	0.0 %
48	-	1	0.0 %
49	-	2	0.0 %
51	-	1	0.0 %
53	-	3	0.0 %
54	-	2	0.0 %
	Total	**24,428**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,428 valid cases out of 24,428 total cases.

- Mean: 80.16
- Minimum: 0.00
- Maximum: 128141.00
- Standard Deviation: 1734.57

Location: 105-110 (width: 6; decimal: 0)
Variable Type: numeric

COUNTY2: UCR COUNTY CODE-2

This is the UCR county code for the agency or the UCR county code for that portion of the agency which is located in the county. These codes are specific to the FBI. They are not the same as FIPS codes. The FIPS county code equivalent is located in variable CFIPS2.

Value	Label	Unweighted Frequency	%
	-	1506	6.2 %
0	-	22245	91.1 %
1	-	13	0.1 %
10	-	27	0.1 %

Value	Label	Unweighted Frequency	%
11	-	13	0.1 %
12	-	11	0.0 %
13	-	8	0.0 %
14	-	15	0.1 %
15	-	10	0.0 %
16	-	19	0.1 %
17	-	6	0.0 %
18	-	9	0.0 %
19	-	15	0.1 %
2	-	5	0.0 %
20	-	6	0.0 %
21	-	7	0.0 %
22	-	21	0.1 %
23	-	13	0.1 %
24	-	12	0.0 %
25	-	19	0.1 %
26	-	5	0.0 %
27	-	6	0.0 %
28	-	9	0.0 %
29	-	5	0.0 %
3	-	6	0.0 %
30	-	5	0.0 %
31	-	5	0.0 %
32	-	15	0.1 %
33	-	5	0.0 %
34	-	5	0.0 %
35	-	5	0.0 %
36	-	5	0.0 %
37	-	15	0.1 %
38	-	3	0.0 %
39	-	6	0.0 %
4	-	9	0.0 %
40	-	4	0.0 %
41	-	9	0.0 %
42	-	11	0.0 %
43	-	7	0.0 %
44	-	5	0.0 %
45	-	12	0.0 %
46	-	1	0.0 %

Value	Label	Unweighted Frequency	%
47	-	5	0.0 %
48	-	7	0.0 %
49	-	7	0.0 %
5	-	4	0.0 %
50	-	13	0.1 %
52	-	5	0.0 %
53	-	5	0.0 %
	Total	**24,428**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,428 valid cases out of 24,428 total cases.

Location: 111-113 (width: 3; decimal: 0)
Variable Type: character

MSA2: MSA CODE-2

This is the code of the metropolitan statistical area (MSA) in which the agency is located. These codes are specific to the FBI. They are not the same as FIPS codes.

Value	Label	Unweighted Frequency	%
	-	23751	97.2 %
0	-	209	0.9 %
109	-	1	0.0 %
124	-	1	0.0 %
125	-	1	0.0 %
128	-	2	0.0 %
131	-	2	0.0 %
137	-	1	0.0 %
141	-	2	0.0 %
142	-	3	0.0 %
151	-	7	0.0 %
156	-	2	0.0 %
160	-	32	0.1 %
161	-	8	0.0 %
163	-	5	0.0 %
165	-	8	0.0 %
170	-	3	0.0 %
174	-	1	0.0 %
179	-	4	0.0 %
184	-	2	0.0 %

Value	Label	Unweighted Frequency	%
186	-	1	0.0 %
188	-	10	0.0 %
194	-	1	0.0 %
197	-	23	0.1 %
198	-	9	0.0 %
202	-	2	0.0 %
207	-	6	0.0 %
210	-	1	0.0 %
214	-	1	0.0 %
216	-	6	0.0 %
220	-	5	0.0 %
223	-	1	0.0 %
224	-	5	0.0 %
227	-	1	0.0 %
228	-	1	0.0 %
23	-	2	0.0 %
235	-	5	0.0 %
237	-	1	0.0 %
266	-	1	0.0 %
268	-	1	0.0 %
27	-	1	0.0 %
270	-	1	0.0 %
275	-	1	0.0 %
276	-	2	0.0 %
279	-	1	0.0 %
280	-	2	0.0 %
303	-	1	0.0 %
308	-	1	0.0 %
32	-	1	0.0 %
323	-	5	0.0 %
	Total	**24,428**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,428 valid cases out of 24,428 total cases.

Location: 114-116 (width: 3; decimal: 0)
Variable Type: character

LSTPOP2: LAST POPULATION-2

This is the population of the agency in the previous census.

Value	Label	Unweighted Frequency	%
0	-	24428	100.0 %
	Total	**24,428**	**100%**

Based upon 24,428 valid cases out of 24,428 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 117-117 (width: 1; decimal: 0)
Variable Type: numeric

POP3: CURRENT POPULATION-3

This is the population for the agency or the population of the portion of the agency which is located in this county.

Value	Label	Unweighted Frequency	%
0	-	24367	99.8 %
1	-	1	0.0 %
2	-	6	0.0 %
3	-	2	0.0 %
4	-	1	0.0 %
7	-	1	0.0 %
8	-	2	0.0 %
11	-	1	0.0 %
14	-	2	0.0 %
20	-	1	0.0 %
28	-	1	0.0 %
29	-	1	0.0 %
30	-	1	0.0 %
31	-	2	0.0 %
51	-	1	0.0 %
55	-	2	0.0 %
61	-	1	0.0 %
92	-	1	0.0 %
94	-	1	0.0 %
105	-	1	0.0 %
106	-	1	0.0 %
114	-	2	0.0 %

Value	Label	Unweighted Frequency	%
122	-	2	0.0 %
146	-	1	0.0 %
196	-	1	0.0 %
368	-	1	0.0 %
441	-	1	0.0 %
562	-	1	0.0 %
609	-	1	0.0 %
690	-	1	0.0 %
846	-	1	0.0 %
893	-	1	0.0 %
965	-	1	0.0 %
974	-	1	0.0 %
1056	-	1	0.0 %
1089	-	1	0.0 %
1214	-	1	0.0 %
1234	-	1	0.0 %
1687	-	1	0.0 %
1898	-	1	0.0 %
2103	-	1	0.0 %
2655	-	1	0.0 %
2743	-	1	0.0 %
5717	-	1	0.0 %
6608	-	1	0.0 %
8575	-	1	0.0 %
11615	-	1	0.0 %
31103	-	1	0.0 %
50203	-	1	0.0 %
58851	-	1	0.0 %
	Total	**24,428**	**100%**

Based upon 24,428 valid cases out of 24,428 total cases.

- Mean: 8.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 58851.00
- Standard Deviation: 545.55

Location: 118-122 (width: 5; decimal: 0)
Variable Type: numeric

COUNTY3: UCR COUNTY CODE-3

This is the UCR county code for the agency or the UCR county code for that portion of the agency which is located in the county. These codes are specific to the FBI. They are not the same as FIPS codes. The FIPS county code equivalent is located in variable CFIPS3.

Value	Label	Unweighted Frequency	%
	-	1506	6.2 %
0	-	22861	93.6 %
1	-	1	0.0 %
10	-	1	0.0 %
11	-	1	0.0 %
14	-	1	0.0 %
15	-	3	0.0 %
17	-	2	0.0 %
18	-	3	0.0 %
19	-	1	0.0 %
21	-	2	0.0 %
22	-	1	0.0 %
23	-	2	0.0 %
26	-	1	0.0 %
3	-	1	0.0 %
33	-	1	0.0 %
34	-	3	0.0 %
40	-	1	0.0 %
43	-	1	0.0 %
46	-	3	0.0 %
47	-	1	0.0 %
5	-	1	0.0 %
50	-	1	0.0 %
57	-	1	0.0 %
59	-	2	0.0 %
61	-	2	0.0 %
65	-	1	0.0 %
68	-	2	0.0 %
69	-	1	0.0 %
70	-	3	0.0 %
73	-	2	0.0 %
79	-	1	0.0 %
80	-	1	0.0 %
82	-	1	0.0 %

Value	Label	Unweighted Frequency	%
83	-	2	0.0 %
87	-	3	0.0 %
9	-	1	0.0 %
91	-	1	0.0 %
95	-	2	0.0 %
97	-	1	0.0 %
99	-	2	0.0 %
	Total	**24,428**	**100%**

Based upon 24,428 valid cases out of 24,428 total cases.

Location: 123-125 (width: 3; decimal: 0)
Variable Type: character

MSA3: MSA CODE-3

This is the code of the metropolitan statistical area (MSA) in which the agency is located. These codes are specific to the FBI. They are not the same as FIPS codes.

Value	Label	Unweighted Frequency	%
	-	24367	99.8 %
0	-	13	0.1 %
142	-	1	0.0 %
160	-	2	0.0 %
161	-	1	0.0 %
163	-	1	0.0 %
165	-	1	0.0 %
188	-	3	0.0 %
193	-	1	0.0 %
197	-	7	0.0 %
198	-	1	0.0 %
216	-	2	0.0 %
220	-	1	0.0 %
227	-	1	0.0 %
308	-	1	0.0 %
352	-	1	0.0 %
358	-	3	0.0 %
372	-	1	0.0 %
381	-	1	0.0 %
404	-	1	0.0 %
411	-	1	0.0 %
413	-	1	0.0 %

Value	Label	Unweighted Frequency	%
48	-	1	0.0 %
630	-	1	0.0 %
635	-	1	0.0 %
685	-	2	0.0 %
738	-	1	0.0 %
768	-	4	0.0 %
858	-	1	0.0 %
892	-	1	0.0 %
910	-	2	0.0 %
974	-	1	0.0 %
98	-	1	0.0 %
	Total	**24,428**	**100%**

Based upon 24,428 valid cases out of 24,428 total cases.

Location: 126-128 (width: 3; decimal: 0)
Variable Type: character

LSTPOP3: LAST POPULATION-3

This is the population of the agency in the previous census.

Value	Label	Unweighted Frequency	%
0	-	24428	100.0 %
	Total	**24,428**	**100%**

Based upon 24,428 valid cases out of 24,428 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 129-129 (width: 1; decimal: 0)
Variable Type: numeric

POP4: CURRENT POPULATION-4

This is the population for the agency or the population of the portion of the agency which is located in this county.

Value	Label	Unweighted Frequency	%
0	-	24421	100.0 %
1	-	1	0.0 %

Value	Label	Unweighted Frequency	%
9	-	1	0.0 %
71	-	1	0.0 %
139	-	1	0.0 %
202	-	1	0.0 %
1764	-	1	0.0 %
6633	-	1	0.0 %
	Total	**24,428**	**100%**

Based upon 24,428 valid cases out of 24,428 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6633.00
- Standard Deviation: 43.94

Location: 130-133 (width: 4; decimal: 0)
Variable Type: numeric

COUNTY4: UCR COUNTY CODE-4

This is the UCR county code for the agency or the UCR county code for that portion of the agency which is located in the county. These codes are specific to the FBI. They are not the same as FIPS codes. The FIPS county code equivalent is located in variable CFIPS4.

Value	Label	Unweighted Frequency	%
	-	1506	6.2 %
0	-	22915	93.8 %
19	-	1	0.0 %
45	-	1	0.0 %
47	-	1	0.0 %
61	-	1	0.0 %
63	-	1	0.0 %
7	-	1	0.0 %
76	-	1	0.0 %
	Total	**24,428**	**100%**

Based upon 24,428 valid cases out of 24,428 total cases.

Location: 134-136 (width: 3; decimal: 0)
Variable Type: character

MSA4: MSA CODE-4

This is the code of the metropolitan statistical area (MSA) in which the agency is located. These codes are specific to the FBI. They are not the same as FIPS codes.

Value	Label	Unweighted Frequency	%
	-	24421	100.0 %
0	-	1	0.0 %
161	-	2	0.0 %
220	-	1	0.0 %
331	-	1	0.0 %
404	-	1	0.0 %
50	-	1	0.0 %
	Total	**24,428**	**100%**

Based upon 24,428 valid cases out of 24,428 total cases.

Location: 137-139 (width: 3; decimal: 0)
Variable Type: character

LSTPOP4: LAST POPULATION-4

This is the population of the agency in the previous census.

Value	Label	Unweighted Frequency	%
0	-	24428	100.0 %
	Total	**24,428**	**100%**

Based upon 24,428 valid cases out of 24,428 total cases.

• Mean: 0.00
• Median: 0.00
• Mode: 0.00
• Minimum: 0.00
• Maximum: 0.00
• Standard Deviation: 0.00

Location: 140-140 (width: 1; decimal: 0)
Variable Type: numeric

POP5: CURRENT POPULATION-5

This is the population for the agency or the population of the portion of the agency which is located in this county.

Value	Label	Unweighted Frequency	%
0	-	24428	100.0 %
	Total	**24,428**	**100%**

Based upon 24,428 valid cases out of 24,428 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 141-141 (width: 1; decimal: 0)
Variable Type: numeric

COUNTY5: UCR COUNTY CODE-5

This is the UCR county code for the agency or the UCR county code for that portion of the agency which is located in the county. These codes are specific to the FBI. They are not the same as FIPS codes. The FIPS county code equivalent is located in variable CFIPS5.

Value	Label	Unweighted Frequency	%
	-	1506	6.2 %
0	-	22922	93.8 %
	Total	**24,428**	**100%**

Based upon 24,428 valid cases out of 24,428 total cases.

Location: 142-144 (width: 3; decimal: 0)
Variable Type: character

MSA5: MSA CODE-5

This is the code of the metropolitan statistical area (MSA) in which the agency is located. These codes are specific to the FBI. They are not the same as FIPS codes.

Value	Label	Unweighted Frequency	%
	-	24428	100.0 %
	Total	**24,428**	**100%**

Based upon 24,428 valid cases out of 24,428 total cases.

Location: 145-145 (width: 1; decimal: 0)
Variable Type: character

LSTPOP5: LAST POPULATION-5

This is the population of the agency in the previous census.

Value	Label	Unweighted Frequency	%
0	-	24428	100.0 %
	Total	**24,428**	**100%**

Based upon 24,428 valid cases out of 24,428 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 146-146 (width: 1; decimal: 0)
Variable Type: numeric

MASTERYR: MASTER FILE YEAR

This is the year of the data records for the hate crime master file requested.

Value	Label	Unweighted Frequency	%
2019	-	24428	100.0 %
	Total	**24,428**	**100%**

Based upon 24,428 valid cases out of 24,428 total cases.

- Mean: 2019.00
- Median: 2019.00
- Mode: 2019.00
- Minimum: 2019.00
- Maximum: 2019.00
- Standard Deviation: 0.00

Location: 147-150 (width: 4; decimal: 0)
Variable Type: numeric

QTR1ACT: STATE FIRST QUARTER ACTIVITY

Value	Label	Unweighted Frequency	%
	No HC info	10415	42.6 %
I	Incident report	860	3.5 %
Z	Zero report	13153	53.8 %
	Total	**24,428**	**100%**

Based upon 24,428 valid cases out of 24,428 total cases.

Location: 151-151 (width: 1; decimal: 0)
Variable Type: character

QTR2ACT: STATE SECOND QUARTER ACTIVITY

Value	Label	Unweighted Frequency	%
	No HC info	9503	38.9 %
I	Incident report	950	3.9 %
Z	Zero report	13975	57.2 %
	Total	**24,428**	**100%**

Based upon 24,428 valid cases out of 24,428 total cases.

Location: 152-152 (width: 1; decimal: 0)
Variable Type: character

QTR3ACT: STATE THIRD QUARTER ACTIVITY

Value	Label	Unweighted Frequency	%
	No HC info	9966	40.8 %
I	Incident report	1002	4.1 %
Z	Zero report	13460	55.1 %
	Total	**24,428**	**100%**

Based upon 24,428 valid cases out of 24,428 total cases.

Location: 153-153 (width: 1; decimal: 0)
Variable Type: character

QTR4ACT: STATE FOURTH QUARTER ACTIVITY

Value	Label	Unweighted Frequency	%
	No HC info	10526	43.1 %
I	Incident report	971	4.0 %
Z	Zero report	12931	52.9 %
	Total	**24,428**	**100%**

Based upon 24,428 valid cases out of 24,428 total cases.

Location: 154-154 (width: 1; decimal: 0)
Variable Type: character

F1QACT: FEDERAL FIRST QUARTER ACTIVITY

Value	Label	Unweighted Frequency	%
	No HC info	24428	100.0 %
I	Incident report	0	0.0 %
	Total	**24,428**	**100%**

Based upon 24,428 valid cases out of 24,428 total cases.

Location: 155-155 (width: 1; decimal: 0)
Variable Type: character

F2QACT: FEDERAL SECOND QUARTER ACTIVITY

Value	Label	Unweighted Frequency	%
	No HC info	24428	100.0 %
I	Incident report	0	0.0 %

Value	Label	Unweighted Frequency	%
	Total	**24,428**	**100%**

Based upon 24,428 valid cases out of 24,428 total cases.

Location: 156-156 (width: 1; decimal: 0)
Variable Type: character

F3QACT: FEDERAL THIRD QUARTER ACTIVITY

Value	Label	Unweighted Frequency	%
	No HC info	24428	100.0 %
I	Incident report	0	0.0 %
	Total	**24,428**	**100%**

Based upon 24,428 valid cases out of 24,428 total cases.

Location: 157-157 (width: 1; decimal: 0)
Variable Type: character

F4QACT: FEDERAL FOURTH QUARTER ACTIVITY

Value	Label	Unweighted Frequency	%
	No HC info	24428	100.0 %
I	Incident report	0	0.0 %
	Total	**24,428**	**100%**

Based upon 24,428 valid cases out of 24,428 total cases.

Location: 158-158 (width: 1; decimal: 0)
Variable Type: character

AGNAME: AGENCY NAME

This is the name of the agency.

Based upon 24,428 valid cases out of 24,428 total cases.

Location: 159-188 (width: 30; decimal: 0)
Variable Type: character

CFIPS1: FIPS COUNTY CODE-1

This variable contains the FIPS county code corresponding to the UCR county code in variable COUNTY1.

Federal Information Processing Standards (FIPS) publication FIPS 55 lists FIPS county codes and names.

Value	Label	Unweighted Frequency	%
	-	2420	9.9 %
039	-	3	0.0 %
091	-	11	0.0 %
099	-	18	0.1 %
1	-	389	1.6 %
10	-	3	0.0 %
100	-	1	0.0 %
101	-	183	0.7 %
102	-	1	0.0 %
103	-	223	0.9 %
105	-	156	0.6 %
107	-	223	0.9 %
109	-	163	0.7 %
11	-	414	1.7 %
110	-	2	0.0 %
111	-	246	1.0 %
113	-	225	0.9 %
115	-	156	0.6 %
117	-	192	0.8 %
119	-	223	0.9 %
12	-	3	0.0 %
121	-	198	0.8 %
122	-	5	0.0 %
123	-	170	0.7 %
125	-	226	0.9 %
127	-	161	0.7 %
129	-	151	0.6 %
13	-	413	1.7 %
130	-	1	0.0 %
131	-	117	0.5 %
133	-	180	0.7 %
135	-	104	0.4 %
137	-	103	0.4 %
139	-	120	0.5 %
14	-	1	0.0 %
141	-	102	0.4 %
143	-	112	0.5 %
145	-	112	0.5 %
147	-	92	0.4 %

Value	Label	Unweighted Frequency	%
149	-	85	0.3 %
15	-	348	1.4 %
150	-	1	0.0 %
151	-	91	0.4 %
153	-	101	0.4 %
155	-	103	0.4 %
157	-	132	0.5 %
158	-	1	0.0 %
159	-	72	0.3 %
16	-	2	0.0 %
161	-	86	0.4 %
	Total	**24,428**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,428 valid cases out of 24,428 total cases.

Location: 189-191 (width: 3; decimal: 0)
Variable Type: character

CFIPS2: FIPS COUNTY CODE-2

This variable contains the FIPS county code corresponding to the UCR county code in variable COUNTY2.

Federal Information Processing Standards (FIPS) publication FIPS 55 lists FIPS county codes and names.

Value	Label	Unweighted Frequency	%
	-	23751	97.2 %
099	-	1	0.0 %
1	-	13	0.1 %
103	-	5	0.0 %
105	-	4	0.0 %
107	-	7	0.0 %
109	-	7	0.0 %
11	-	10	0.0 %
111	-	6	0.0 %
113	-	11	0.0 %
115	-	8	0.0 %
117	-	5	0.0 %
119	-	10	0.0 %
121	-	11	0.0 %

Value	Label	Unweighted Frequency	%
123	-	11	0.0 %
125	-	4	0.0 %
127	-	5	0.0 %
13	-	8	0.0 %
131	-	6	0.0 %
133	-	7	0.0 %
135	-	4	0.0 %
137	-	3	0.0 %
139	-	7	0.0 %
141	-	5	0.0 %
143	-	4	0.0 %
145	-	10	0.0 %
147	-	9	0.0 %
149	-	3	0.0 %
15	-	9	0.0 %
151	-	2	0.0 %
153	-	2	0.0 %
155	-	2	0.0 %
157	-	3	0.0 %
159	-	6	0.0 %
161	-	1	0.0 %
163	-	6	0.0 %
165	-	4	0.0 %
167	-	3	0.0 %
169	-	2	0.0 %
17	-	10	0.0 %
171	-	1	0.0 %
173	-	4	0.0 %
177	-	1	0.0 %
179	-	3	0.0 %
181	-	2	0.0 %
183	-	2	0.0 %
185	-	1	0.0 %
187	-	4	0.0 %
189	-	1	0.0 %
19	-	5	0.0 %
Total		**24,428**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,428 valid cases out of 24,428 total cases.

Location: 192-194 (width: 3; decimal: 0)
Variable Type: character

CFIPS3: FIPS COUNTY CODE-3

This variable contains the FIPS county code corresponding to the UCR county code in variable COUNTY3.

Federal Information Processing Standards (FIPS) publication FIPS 55 lists FIPS county codes and names.

Value	Label	Unweighted Frequency	%
	-	24367	99.8 %
1	-	1	0.0 %
113	-	1	0.0 %
117	-	2	0.0 %
121	-	2	0.0 %
129	-	1	0.0 %
135	-	2	0.0 %
139	-	4	0.0 %
145	-	2	0.0 %
157	-	1	0.0 %
159	-	1	0.0 %
163	-	1	0.0 %
165	-	2	0.0 %
17	-	1	0.0 %
173	-	3	0.0 %
181	-	1	0.0 %
189	-	2	0.0 %
19	-	1	0.0 %
195	-	1	0.0 %
197	-	2	0.0 %
231	-	1	0.0 %
27	-	1	0.0 %
29	-	3	0.0 %
339	-	1	0.0 %
35	-	2	0.0 %
355	-	1	0.0 %
367	-	1	0.0 %
397	-	1	0.0 %

Value	Label	Unweighted Frequency	%
41	-	2	0.0 %
43	-	1	0.0 %
45	-	1	0.0 %
473	-	1	0.0 %
5	-	1	0.0 %
51	-	1	0.0 %
65	-	1	0.0 %
67	-	3	0.0 %
79	-	1	0.0 %
85	-	1	0.0 %
9	-	1	0.0 %
91	-	3	0.0 %
93	-	1	0.0 %
97	-	1	0.0 %
	Total	**24,428**	**100%**

Based upon 24,428 valid cases out of 24,428 total cases.

Location: 195-197 (width: 3; decimal: 0)
Variable Type: character

CFIPS4: FIPS COUNTY CODE-4

This variable contains the FIPS county code corresponding to the UCR county code in variable COUNTY4.

Federal Information Processing Standards (FIPS) publication FIPS 55 lists FIPS county codes and names.

Value	Label	Unweighted Frequency	%
	-	24421	100.0 %
121	-	1	0.0 %
125	-	1	0.0 %
13	-	1	0.0 %
151	-	1	0.0 %
37	-	1	0.0 %
89	-	1	0.0 %
93	-	1	0.0 %
	Total	**24,428**	**100%**

Based upon 24,428 valid cases out of 24,428 total cases.

Location: 198-200 (width: 3; decimal: 0)
Variable Type: character

CFIPS5: FIPS COUNTY CODE-5

This variable contains the FIPS county code corresponding to the UCR county code in variable COUNTY5.

Federal Information Processing Standards (FIPS) publication FIPS 55 lists FIPS county codes and names.

Value	Label	Unweighted Frequency	%
	-	24428	100.0 %
	Total	**24,428**	**100%**

Based upon 24,428 valid cases out of 24,428 total cases.

Location: 201-201 (width: 1; decimal: 0)
Variable Type: character

HC_FLAG: HATE CRIME INCIDENT PRESENT FLAG

ICPSR added this variable to indicate whether at least one hate crime record is contained in the Incident Record File.

Value	Label	Unweighted Frequency	%
0	No hate crime incidents present	22110	90.5 %
1	One or more hate crime incidents present	2318	9.5 %
	Total	**24,428**	**100%**

Based upon 24,428 valid cases out of 24,428 total cases.

• Minimum: 0.00
• Maximum: 1.00

Location: 202-202 (width: 1; decimal: 0)
Variable Type: numeric