



NTNU – Trondheim
Norwegian University of
Science and Technology

Cyber Insurance

Håvard Halse
Jonas Hoemsnes

Submission date: January 2013
Responsible professor: Jan A. Audestad, Affiliation
Supervisor: Gergely Biczók, Affiliation

Norwegian University of Science and Technology
Department of Telematics

Abstract

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of

the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Preface

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Contents

List of Figures	ix
List of Tables	xi
List of Algorithms	xiii
1 Chapter 1	1
1.1 First section	2
1.1.1 First subsection with some <i>Math</i> symbol	2
1.1.2 Mathematics	2
1.1.3 Source code example	3
2 Relatedwork	5
2.1 Towards Insurable Network Architectures	5
2.2 Cyber insurance as an Incentive for Internet Security	6
2.2.1 Classical model for insurance	7
2.2.2 Interdependent security and insurance	7
2.2.3 First subsection with some <i>Math</i> symbol	8
2.2.4 Mathematics	8
2.2.5 Source code example	8

List of Figures

1.1	A figure	2
2.1	A figure	5

List of Tables

1.1	A table	3
2.1	A table	8

List of Algorithms

1.1	The Hello World! program in Java.	3
2.1	The Hello World! program in Java.	9

Chapter 1

TEST TEST TEST TEST Here is an example of how to use acronyms such as Norwegian University of Science and Technology (NTNU). The second time only NTNU is shown and if there were several you would write NTNUs. And here is an example¹ of citation [?].

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information

¹A footnote



Figure 1.1: A figure

about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

1.1 First section

1.1.1 First subsection with some *Math* symbol

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

- item1
- item2
- ...

1.1.2 Mathematics

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. $\sin^2(\alpha) + \cos^2(\beta) = 1$. If you read this text, you

Table 1.1: A table

a	b	c	d	e
f	g	h	i	j
k	l	m	n	o
p	q	r	s	t
u	v	w	x	y
z	æ	ø	å	

will get no information $E = mc^2$. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. $\sqrt[n]{a} \cdot \sqrt[n]{b} = \sqrt[n]{ab}$. This text should contain all letters of the alphabet and it should be written in of the original language. $\frac{\sqrt[n]{a}}{\sqrt[n]{b}} = \sqrt[n]{\frac{a}{b}}$. There is no need for special content, but the length of words should match the language. $a \sqrt[n]{b} = \sqrt[n]{a^n b}$.

Proposition 1.1. *A proposition... (similar environments include: theorem, corollary, conjecture, lemma)*

Proof. And its proof. □

1.1.3 Source code example

Algorithm 1.1 The Hello World! program in Java.

```
class HelloWorldApp {
    public static void main(String[] args) {
        //Display the string
        System.out.println("Hello World!");
    }
}
```

You can refer to figures using the predefined command like Figure 2.1, to pages like page 5, to tables like Table 2.1, to chapters like Chapter ?? and to sections like Section 2.2 and you may define similar commands to refer to proposition, algorithms etc.

Chapter 2

Relatedwork

2.1 Towards Insurable Network Architectures

A trusted component or system is one you can insure. Cyber insurance gives an incentive to better secure your network, and will thus reduce the overall threat for both first and third parties. It will also promote gathering and sharing of information related to security incidents. All in all this will increase the social welfare by decreasing the variance of losses. But even if cyber insurance seems very profitable for everyone, it has failed to evolve as much as expected. Some reasons for this, could be:

- lack of data to calculate premium.
- Underdeveloped demand due to missing awareness for cyber risks.
- legal and procedural hurdles in substantiating claim.




Figure 2.1: A figure

A more economic model to describe why cyber insurance is still such a niche market.

Interdependent security Expected loss due to security breach at one agent is not only dependent on this agents lvl of security, but also by other agents security investment. A good example is spam, it is dependent of number of compromised computers. This also generates an externality and encourages to free riding. which then leads to underinvestment in security.

Correlated risks Many systems share common vulnerabilities, which can be exploited at the same time. This leads to a more likely occurrence of extreme and catastrophic events, which will result in uneconomical supply of cyber insurance.

information asymmetry Since measuring security strength is very hard, people have a high incentive for hiding info. This leads to information asymmetry. All these three form a triple obstacle, which eliminates the market in evolving. All these obstacles evolve from what makes ICT succeed, distribution, interconnection, universality and reuse. This is why Architecture matters. The obstacles does not arrive from properties of individual agents, but from integration and interaction in networking. Networking is not just physical, but a abstract structure mapping physical, logical and social interconnection. A good example is development tool chains. A web-browser is not just dependent of the security the developers have implemented, but also the security in the tools used, such as libraries. These three problems have never been analysed together, this is what this paper contributes with. Uses GT to model incentives of the different agents.

2.2 Cyber insurance as an Incentive for Internet Security

so far the risk management on the internet has involved methods to reduce the risks(firewalls, ids, prevention etc.) but not eliminate risk. Is it logical to buy insurance to protect the internet and its users. An important thing to notice when insuring internet, is that the entities on the internet are correlated, which means insurance claims will likely be correlated. Risks are interdependent, decision by an entity to invest in security affects the risks of others. Key result: using insurance would increase the overall security. Act as an powerful incentive, which pushes entities over the threshold where they invest in self-protection. Insurance should be an important component of risk management in the internet.

Four typical options available in the face of risks. 1. avoid the risk 2. retain 3. self protect and mitigate 4. transfer the risk. Most entities in the internet have choses a mix of 2 and 3. This has lead to lots of systems trying to detect threats and anomalies(both malicious and accidental) and to protect the users and the structure from these. but this does not eliminate risk, threats evolve over time and there is

allways accidents. How to handle this residual risk? Option 4, transfer the risk to another entity who willingly accept it(hedging), insure in exchange for a fee. Allows for predictable payouts for uncertain events. But does this makes sense for the internet, benefits, to whom? and to what extent?

How to model insurance and computing premiums. avoid ruin the insurer. Actuarial approach. Economic approach: premium should be negative correlated to the amount invested in security by the entity. Users can chose to invest c or not in security solutions. Shown that in the 2 user case in absence of insurance, there is a NE in a good state, if c is low enough. These result have been extended to a network setting. This paper starts out by adding insurance to the two person game, then the n -users network, where damages spread among the users. They show that if premium discriminates about investment in protection. Insurance is a strong incentive to invest in security. Also show how insurance can be a mechanism to facilitate the deployment of security investments by taking advantage network effects such as treshold or tipping point dynamics. Uses simple models.

Using cyber insurance as a way to handle residual risk started out early in the 90's. Software and insurance sold as packages. More recently insurance companies started offering standalone products. A challenging problem is the correlation between risks, interdependent risks(risk that depend on the behavior of others).

2.2.1 Classical model for insurance

agents try to maximize some kind of expected utility function, and are risk averse. $u[w_0 - \pi] = E[u[w_0 + X]]$ Investments for an agent is either self protect and or insurance. If insurance premium is not negatively correlated to the self protection, we get moral hazard. Because if not, insurance will discourage self protection. In this way insurance can co-exist with selfprotection.

2.2.2 Interdependent security and insurance

In presence of interdependent risks, the reward for a user investing in self-protection depends on the security in the rest of the network. Discrete choice, invest or not. loss occurs directly or indirectly. Cost of investing is c . This avoids the direct loss completely. In summary, insurance provides incentives for a small fraction of the population to invest in self-protection, which in turn induces the rest of the population to invest in self-protection as well, leading to the desirable state where all users in the network are self-protected. Furthermore, the parameter y provides a way to multiply the benets of insurance, by lowering the initial fraction of the self-protected population needed to reach the desirable state. This paper shows that insurance provides significant benefits to network of users facing correlated, interdependent risks. Insurance is a powerful mechanism to promote network-wide changes, i.e lead

Table 2.1: A table

a	b	c	d	e
f	g	h	i	j
k	l	m	n	o
p	q	r	s	t
u	v	w	x	y
z	æ	ø	å	

to self protection. How to estimate damage? This is very hard on the internet. This paper shows how it is economical rational for entities to prefer a relatively insecure system to a more secure, and that the adoption of security investments follows threshold/tipping point dynamics. And that insurance is a powerful incentive to push the users over the treshold.

2.2.3 First subsection with some *Math* symbol

$w_0 \lim_{x \rightarrow \infty} \exp(-x) = 0$ $\alpha, \beta, \gamma, \Gamma, \pi, \Pi, \phi, \varphi, \Phi$ $\pi X E[X] = 0$ Hello, here is some text without a meaning. $d\Omega = \sin \vartheta d\vartheta d\varphi$. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. $\sin^2(\alpha) + \cos^2(\beta) = 1$. This text should contain all letters of the alphabet and it should be written in of the original language $E = mc^2$. There is no need for special content, but the length of words should match the language. $\sqrt[n]{a} \cdot \sqrt[n]{b} = \sqrt[n]{ab}$.

- item1
- item2
- ...

2.2.4 Mathematics

Proposition 2.1. *A proposition... (similar environments include: theorem, corollary, conjecture, lemma)*

Proof. And its proof. □

2.2.5 Source code example

You can refer to figures using the predefined command like Figure 2.1, to pages like page 5, to tables like Table 2.1, to chapters like Chapter ?? and to sections like

Algorithm 2.1 The Hello World! program in Java.

```
class HelloWorldApp {  
    public static void main(String[] args) {  
        //Display the string  
        System.out.println("Hello World!");  
    }  
}
```

Section 2.2 and you may define similar commands to refer to proposition, algorithms etc.