

Equivalence in Foundations

Laney Gold-Rappe and Hans Halvorson

June 28, 2024

- The old consensus: Zermelo-Frankel set theory won the early 20th century battle about the foundations of mathematics
- Defeated competitors:
 - Logicism
 - Finitism
 - Intuitionism
 - Type theory


New developments

- Category theory and the use of topos theory in various branches of pure mathematics (Grothendieck, Mac Lane, Lawvere)
- Martin-Löf type theory
- Computation
- Homotopy type theory (HoTT)
- Philosophical worries about set theory (structuralism, etc.)

Is a new battle coming?

- Feferman (1969) and Feferman (1977) argue against category-theoretic foundations for principled (philosophical) reasons.
- The idea that **Set** and **Cat** are incommensurable foundations was challenged via results of Mitchell, Osius, and Mathias
 - But what exactly did they prove?
- Awodey (2009): **Set**, **Cat**, and **Typ** are for all practical purposes interchangeable.


What do we mean by equivalent?



Andréka and Németi (1994): Mutual interpretability does not imply bi-interpretability

TO DO: Features of theories that are not invariant under mutual interpretability

Bi-interpretability: syntax and semantics



To clarify: Suppose that we have a functor that takes a “generic” model of T_2 and returns a model of T_1 , and another functor that takes a “generic” model of T_1 and returns a model of T_2 . Under what conditions do these two functors establish that T_1 and T_2 are bi-interpretable?

Adam Gajda, Michal Krynicki, and Leslaw Szczerba (1987). “A note on syntactical and semantical functions”. In: *Studia Logica* 46.2, pp. 177–185. DOI: [10.1007/bf00370379](https://doi.org/10.1007/bf00370379)

Topos-theoretic foundations of mathematics

Definition

An **elementary topos** \mathcal{E} is a category that has the following properties:

- Finite limits.
- Exponentials: For any objects $A, B \in \mathcal{E}$, there exists an object B^A and an evaluation map $ev : B^A \times A \rightarrow B$ such that for any object C and any map $f : C \times A \rightarrow B$, there is a unique map $\lambda f : C \rightarrow B^A$ making the appropriate diagram commute.
- A subobject classifier Ω : An object Ω with a morphism $true : 1 \rightarrow \Omega$ such that for any monomorphism $m : A \rightarrow B$, there exists a unique characteristic morphism $\chi_m : B \rightarrow \Omega$ making the diagram commute.

Category Axioms

Objects and Morphisms

- Two sorts: **Objects** and **Morphisms**.
- Each morphism f has a **domain** $\text{dom}(f)$ and **codomain** $\text{cod}(f)$.

Composition

- For any morphisms f and g with $\text{cod}(f) = \text{dom}(g)$, there is a composite morphism $g \circ f$.

Associativity

- For any morphisms f, g, h : $h \circ (g \circ f) = (h \circ g) \circ f$

Identity

- For each object A , there is an identity morphism id_A .
- For any morphism f : $\text{id}_{\text{dom}(f)} \circ f = f$ and $f \circ \text{id}_{\text{cod}(f)} = f$

Finite Limits

Terminal Object

- There is an object 1 (terminal object) such that for any object A , there is a unique morphism $! : A \rightarrow 1$.

Pullbacks

- For any pair of morphisms $f : A \rightarrow C$ and $g : B \rightarrow C$, there exists a pullback square:

$$\begin{array}{ccc} P & \longrightarrow & B \\ \downarrow & & \downarrow g \\ A & \xrightarrow{f} & C \end{array}$$

The question of framework

We take both ZF and ETCS as theories in many-sorted, classical, first-order logic

Shulman's Theorem

Shulman (2019) seems very close to proving bi-interpretability of ZF and ETCS.

- For each model U of ZF, there is a corresponding model of ETCS; and for each model \mathcal{E} of ETCS, there is a corresponding model of ZF.
- What are the permitted constructions?
- In what sense is the construction uniform, i.e. doesn't depend on specific features of a model?
- What needs to be shown about the constructions?

From universe to topos

- ① Given a model $\langle U, \in \rangle$ of ZF, let $\mathcal{E}_0 = U$, and let \mathcal{E}_1 be the set of functions between sets (constructed as subsets of ordered pairs).
- ② Fact: the pair $\mathcal{E}_0, \mathcal{E}_1$ forms a model of ETCS.
 - The empty set is an initial object.
 - Any singleton set is a terminal object.
 - Etc.

From topos to universe

- Intuitively, the objects in \mathcal{E} would become sets. But how to define the relation $A \in B$?
- So instead of taking objects in \mathcal{E} as sets, we take specific kinds of relations on objects in \mathcal{E} .

$$R \mapsto A \times A$$

A subobject $n : S \rightrightarrows A$ is said to be **R -inductive** just in case: for any element $x : 1 \rightarrow A$, if all R -children of x factor through n , then x factors through n .


Pointed: A pointed tree is a relation $m : R \rightarrow A \times A$ plus a point $e : 1 \rightarrow A$.

Accessible: A pointed tree (m, e) is **accessible** just in case: for every element $x : 1 \rightarrow A$ there is a finite R -path to the root $e : 1 \rightarrow A$. (This definition can be made first-order using subobjects of the natural number object in \mathcal{E} .)

Well-founded: If $n : S \rightarrowtail X$ is inductive, then n is an isomorphism.

Extensional: For any $x : 1 \rightarrow A$ and $y : 1 \rightarrow A$, if x and y have the same R -children, then $x = y$.

Construction of ZF model from ETCS model



How do we know that there are “enough” of these well-behaved trees?

Questions about Shulman's result

- The construction of APGs from a model **Set** of ETCS seems to require infinitary procedures. Is this move permitted by the standard definition of bi-interpretability?





Type theory: Kemeny or Awodey?

“It was my intention to prove the equivalence of the simple theory of types and Zermelo set-theory. Instead of this I have succeeded in proving a strong theorem from which it follows that the two systems are not equivalent under any reasonable definition of ‘equivalent’.” (Kemeny, 1949)





Further Questions

- In truth, FOL is not the most natural setting for the theory of categories. Should we use Makkai's FOLDS instead? And how would this affect the claim that ZF and ETCS are equivalent?

References I

-  Andr  ka, Hajnal and Istv  n N  meti (1994). “Mutual definability does not imply bi-interpretability”. In: *Studia Logica* 53.3, pp. 353–378.
DOI: 10.1007/BF01047817.
-  Awodey, Steve (2009). “From sets to types to categories to sets”. In: *Philosophical Explorations*. DOI: 10.1007/978-94-007-0431-2_5.
-  Feferman, Solomon (1969). “Set-theoretical foundations for category theory”. In: *Reports of the Midwest Category Seminar III*. Vol. 106. Lecture Notes in Mathematics. with an appendix by G. Kreisel. Springer, pp. 201–247.
-  — (1977). “Categorical foundations and foundations of category theory”. In: *Logic, Foundations of Mathematics, and Computability Theory*. Ed. by Robert E. Butts and Jaakko Hintikka. Dordrecht: Reidel, pp. 149–169.

References II

-  Gajda, Adam, Michal Krynicki, and Leslaw Szczierba (1987). “A note on syntactical and semantical functions”. In: *Studia Logica* 46.2, pp. 177–185. DOI: [10.1007/bf00370379](https://doi.org/10.1007/bf00370379).
-  Kemeny, John George (1949). “Type-theory vs. set-theory”. PhD thesis. Princeton University.
-  Mac Lane, Saunders and Ieke Moerdijk (1992). *Sheaves in Geometry and Logic: A First Introduction to Topos Theory*. Universitext. New York, NY: Springer-Verlag. ISBN: 978-0387977102. DOI: [10.1007/978-1-4612-0927-0](https://doi.org/10.1007/978-1-4612-0927-0).
-  Mathias, Adrian R. D. (2001). “The strength of Mac Lane set theory”. In: *Annals of Pure and Applied Logic* 110.1-3, pp. 107–234. DOI: [10.1016/S0168-0072\(00\)00031-2](https://doi.org/10.1016/S0168-0072(00)00031-2).

References III



Pinter, Charles C. (1978). “Properties preserved under definitional equivalence and interpretations”. In: *Zeitschrift für mathematische Logik und Grundlagen der Mathematik* 24.10, pp. 481–488. DOI: 10.1002/malq.19780241004.



Shulman, Michael (2019). “Comparing material and structural set theories”. In: *Annals of Pure and Applied Logic* 170.4, pp. 465–504. DOI: 10.1016/j.apal.2018.11.002.