# How Logic Works: Solutions to Problems

### Hans Halvorson

### September 26, 2025

## Chapter 3

### Exercise 3.1

1. $P \vdash Q \rightarrow$	$(P \wedge Q)$		
1	$\begin{array}{cc} (1) \\ 2 & (2) \end{array}$	P	A A
	2  (2)		$1,2 \land I$
		$Q \to (P \land Q)$	2,3 CP
$2. \ (P \to Q)$	$\wedge  (P \to I$	$(R) \vdash P \to (Q \land R)$	
1	(1)	$(P \to Q) \land (P \to R)$	A
2	(2)	P	A
	(3)	<u>•</u>	$1 \wedge E$
1	(4)	$P \to R$	$1 \wedge E$
	$2 \qquad (5)$		3,2  MP
1,2	$2 \qquad (6)$	R	4,2  MP
1,2	$2 \qquad (7)$	$Q \wedge R$	$5,6 \land I$
1	(8)	$P \to (Q \land R)$	2.7  CP
$3. \ P \to (Q + Q)$	$\rightarrow R) \vdash Q$	$P \to (P \to R)$	
1	(1)	$P \to (Q \to R)$	A
2	(2)	Q	A
3	3 (3)	P	A
1,3	(4)	$Q \to R$	3,1  MP
1,2,3	(5)	R	4,2  MP
1,2	$2 \qquad (6)$	$P \to R$	3,5 CP
		$Q \to (P \to R)$	2,6 CP

$$4. \ P \to Q \vdash (Q \to R) \to (P \to R)$$

- $P \to Q$ (1)Α 2 (2) $Q \to R$ Α 3 (3)PΑ (4) Q1,3 MP 1,3 (5) R1,2,3 2,4 MP(6)  $P \to R$ 1,2 3.5 CP(7)  $(Q \to R) \to (P \to R)$ 2,6 CP
- 5.  $P \to (P \to Q) \vdash P \to Q$
- 6.  $P \to (Q \to R) \vdash (P \land Q) \to R$ 
  - 1 (1)  $P \rightarrow (Q \rightarrow R)$ Α  $P \wedge Q$ Α 2 (3) $2 \wedge E$ (4) Q2  $2 \wedge E$  $(5) Q \to R$ 1,21,3 MP 1,2(6) R5,4 MP (7)  $(P \wedge Q) \rightarrow R$ 1 2,6 CP
- 7.  $(P \lor Q) \to R \vdash P \to R$
- 8.  $\neg P \vdash \neg (P \land Q)$
- 9.  $\neg (P \lor Q) \vdash \neg P \land \neg Q$

1 2 2 1 6 6 6	(3) (4) (5) (6) (7) (8) (9)	$P \lor Q$ $P \to (P \lor Q)$ $\neg P$ $Q$ $P \lor Q$	A A $2 \lor I$ 2,3 CP 4,1 MT A $6 \lor I$ 6,7 CP 8,1 MT $5,9 \land I$
10. $P \rightarrow \neg P \vdash$ 1 2 1,2 1 1 1 2 2 2	(1) (2) (3) (4) (5) (6) (7)	$P$ $P \to \neg P$ $\neg P$ $(P \to \neg P) \to \neg P$ $\neg \neg P$ $\neg (P \to \neg P)$ $P \to \neg (P \to \neg P)$ $\neg \neg (P \to \neg P)$ $\neg \neg (P \to \neg P)$ $\neg P$	A A 2,1 MP 2,3 CP 1 DN 4,5 MT 1,6 CP 2 DN 7,8 MT

#### Exercise 3.4

$$2. \ \neg (P \land Q) \ \vdash \ \neg P \lor \neg Q$$

1	(1)	$\neg((P \to Q) \lor (Q \to P))$	A
2	(2)	P	A
3	(3)	Q	A
2	(4)	$Q \to P$	3,2 CP
2	(5)	$(P \to Q) \lor (Q \to P)$	$4 \vee I$
1,2	(6)	$((P \to Q) \lor (Q \to P)) \land \neg ((P \to Q) \lor (Q \to P))$	$5,1 \land I$
1	(7)	$\neg P$	2,6 RA
8	(8)	$\neg Q$	A
1,2	(9)	$P \wedge \neg P$	$2,7 \land I$
1,2	(10)	$\neg \neg Q$	8,9 RA
1,2	(11)	Q	10 DN
1	(12)	P  o Q	2,11  CP
1	(13)	$(P \to Q) \lor (Q \to P)$	$12 \vee I$
1	(14)	$((P \to Q) \lor (Q \to P)) \land \neg ((P \to Q) \lor (Q \to P))$	$13,1 \land I$
Ø	(15)	$\neg\neg((P \to Q) \lor (Q \to P))$	1,14 RA
Ø	(16)	$(P \to Q) \lor (Q \to P)$	15 DN