

AWS IAM Users and User Groups Creation.

What is IAM?

IAM lets you:

- Create **Users** (individual identities)
- Create **Groups** (collection of users)
- Assign **Policies** (permissions)
- Control access to AWS services securely

Step 1: specify the user details.

The screenshot shows the 'User details' section of the AWS IAM console. It includes a 'User name' field with the value 'Devops1' and a note about character limits. There are three checked options: 'Provide user access to the AWS Management Console - optional', 'Autogenerated password', and 'Users must create a new password at next sign-in - Recommended'. There are also 'Cancel' and 'Next' buttons at the bottom right.

User details

User name
Devops1
The user name can have up to 64 characters. Valid characters: A-Z, a-z, 0-9, and + = , . @ _ - (hyphen)

☒ Provide user access to the AWS Management Console - optional
In addition to console access, users with SignInLocalDevelopmentAccess permissions can use the same console credentials for programmatic access without the need for access keys.

Console password
☒ Autogenerated password
You can view the password after you create the user.
☐ Custom password
Enter a custom password for the user.
☐ Show password

☒ Users must create a new password at next sign-in - Recommended
Users automatically get the [IAMUserChangePassword](#) policy to allow them to change their own password.

Info If you are creating programmatic access through access keys or service-specific credentials for AWS CodeCommit or Amazon Keyspaces, you can generate them after you create this IAM user. [Learn more](#)

Cancel Next

Step 2 : if you want you have to set permission.

The screenshot shows the 'Set permissions' section of the AWS IAM console. It has a title 'Set permissions' and a subtitle 'Add user to an existing group or create a new one. Using groups is a best-practice way to manage user's permissions by job functions. Learn more'. There are three radio button options: 'Add user to group' (selected), 'Copy permissions', and 'Attach policies directly'. Below these is a 'Get started with groups' section with a 'Create group' button. At the bottom, there is a 'Set permissions boundary - optional' section and 'Cancel', 'Previous', and 'Next' buttons.

Set permissions
Add user to an existing group or create a new one. Using groups is a best-practice way to manage user's permissions by job functions. [Learn more](#)

Permissions options

☒ Add user to group
Add user to an existing group, or create a new group. We recommend using groups to manage user permissions by job function.

☐ Copy permissions
Copy all group memberships, attached managed policies, and inline policies from an existing user.


☐ Attach policies directly
Attach a managed policy directly to a user. As a best practice, we recommend attaching policies to a group instead. Then, add the user to the appropriate group.

Get started with groups
Create a group and select policies to attach to the group. We recommend using groups to manage user permissions by job function, AWS service access, or custom permissions. [Learn more](#) [Create group](#)


► Set permissions boundary - optional

Cancel Previous Next


Step 3 : You can see the details of the permission and review the details.



Step 4 : you have to download the csv file and you have to mail it to the personnel.



Step 5 : then we have to create an new password for the personnel.



Creating an IAM Group


Groups are smart.

You don't assign permissions to users individually — you assign to groups.

Example:

- Dev group → EC2 + S3 access
- Admin group → Full access
- ReadOnly group → View only

Step 1 : creating the user groups.



Step 2 : we can see the users in the group.

DevOps
Info
Delete

Summary
Edit

User group name
DevOps

Creation time
February 17, 2026, 16:50 (UTC+05:30)

ARN
arn:aws:iam::035949051780:group/DevOps

Users (1)
Permissions
Access Advisor

Users in this group (1)
Remove
Add users

An IAM user is an entity that you create in AWS to represent the person or application that uses it to interact with AWS.

Search

☐
User name ↗

Groups

Last activity

Creation time

☐
Devops1
1
9 minutes ago
29 minutes ago

Add Users to Group

- Go to:
Users → Select user → Add to group → Select group → Save.

SLA Institute
Aws | IAM | Global

us-east-1.console.aws.amazon.com/iam/home?region=us-east-1#/groups/details/Aws?section=users

IAM > User groups > Aws

Identity and Access Management (IAM)
Search IAM

Dashboard
Access Management
User groups
Users
Roles
Policies
Identity providers
Account settings
Root access management
Temporary delegation requests
Access reports
Access Analyzer
Resource analysis
Unused access
Analyzer settings
Credential report
Organization activity
Service control policies

1 user added to this group.

Aws
Info
Delete

Summary
Edit

User group name
Aws

Creation time
February 17, 2026, 16:55 (UTC+05:30)

ARN
arn:aws:iam::051741041276:group/Aws

Users (2)
Permissions
Access Advisor

Users in this group (2)
Remove
Add users

An IAM user is an entity that you create in AWS to represent the person or application that uses it to interact with AWS.

Search

☐
User name ↗

Groups

Last activity

Creation time

☐
devops
1
3 minutes ago
5 minutes ago

☐
rahul
1
11 minutes ago
19 minutes ago

Giving permission to the user.

IAM

>

Users

>

Devops1

>

Add permissions

ⓘ

Step 1

Add permissions

Step 2

Review

Review

The following policies will be attached to this user. [Learn more](#)

User details

User name
Devops1

Permissions summary (1)

Name	Type	Used as
AmazonEC2FullAccess	AWS managed	Permissions policy

Cancel

Previous

Add permissions