

# AWS creation of S3 bucket and usage.

## What is S3?


Amazon S3 (Simple Storage Service) is **object storage**.

It stores:

- Files
- Backups
- Static websites
- Docker artifacts
- Logs
- Terraform state files
- CI/CD build outputs

It is:

- Highly scalable
- 99.999999999% durable
- Pay for what you use



I am creating an new private S3 bucket .

**Bucket type** [Info](#)

☒ **General purpose**  
 Recommended for most use cases and access patterns. General purpose buckets are the original S3 bucket type. They allow a mix of storage classes that redundantly store objects across multiple Availability Zones.

☐ **Directory**  
 Recommended for low-latency use cases. These buckets use only the S3 Express One Zone storage class, which provides faster processing of data within a single Availability Zone.

**Bucket name** [Info](#)

amzn-s3-demo-bucket

Bucket names must be 3 to 63 characters and unique within the global namespace. Bucket names must also begin and end with a letter or number. Valid characters are a-z, 0-9, periods (.), and hyphens (-). [Learn more](#)

**Copy settings from existing bucket - optional**  
 Only the bucket settings in the following configuration are copied.

[Choose bucket](#)

Format: s3://bucket/prefix

---

**Object Ownership** [Info](#)

Control ownership of objects written to this bucket from other AWS accounts and the use of access control lists (ACLs). Object ownership determines who can specify access to objects.

**Object Ownership**

☒ **ACLs disabled (recommended)**  
 All objects in this bucket are owned by this account. Access to this bucket and its objects is specified using only policies.

☐ **ACLs enabled**  
 Objects in this bucket can be owned by other AWS accounts. Access to this bucket and its objects can be specified using ACLs.

**Object Ownership**  
 Bucket owner enforced


And then I have uploaded the files.

The screenshot shows the AWS Management Console interface for S3 Buckets. The main content area displays a list of 'General purpose buckets' under the 'All AWS Regions' tab. A single bucket, 'new-rahul-bucket', is listed with the following details:


| Name             | AWS Region                      | Creation date                           |
|------------------|---------------------------------|-----------------------------------------|
| new-rahul-bucket | US East (N. Virginia) us-east-1 | February 19, 2026, 16:35:44 (UTC+05:30) |

The left sidebar contains navigation links for 'Buckets', 'Access management and security', and 'Storage management and insights'. The right sidebar includes sections for 'Account snapshot' and 'External access summary'.


When I want to access the file it says that the access denied.




We have to enable versioning for the reusability of older versions.




And we have to untick the all checkbox.



We have to give access to the user with ACL (Access Control Lists)





Then we will have the access to the website . S3 has an Adv. Of independent service so it act as an webserver also.

