TERRAFORM VARIABLES AND TERRAFORM OUTPUT

CREATE S3 BUCKET:

- To create an s3 bucket using an given code in VS STUDIO





- To using an “count” to be create an multiple instances of an ec2 in aws account.



TERRAFORM VARIABLES

- To using an terraform variables are name placeholder used to pass external values and parameters into terraform configuration.they allow to create flexiable,reusable,and modular infrastructure us code(iac) without hardcoding values,enabling the same configuration to used across different environment (development,production,etc..) by simple changing the input values.





TERRAFORM.TFVARS

- The “TERRAFORM.TFVARS” file is a special file used by terraform to assign value to input variables in configuration.





TERRAFORM OUTPUT

- The “OUTPUT.TS” is to show an output in terminal. To using an output is “instance_type” “ami id” “public i[p” “private ip” to show an terminal.

EXPLORER

TERRAFORM
- .terraform
- .terraform.lock.hcl
- main.tf
- output.tf
- provider.tf
- terraform.tfstate
- terraform.tfstate.backup
- terraform.tfvars
- variables.tf

provider.tf | main.tf | output.tf | variables.tf | terraform.tfvars

output.tf > output "private_ip" > value

```
output "instance_type" {
    value = aws_instance.web-server.instance_type


}

output "ami_id" {
    value = aws_instance.web-server.ami

}

output "public_ip" {
    value = aws_instance.web-server.public_ip

}
output "private_ip" {
    value = aws_instance.web-server.private_ip

}
```

OUTLINE
- output "instance_type"
  - value
- output "ami_id"
  - value
- output "public_ip"

TIMELINE output.tf
- File Saved now

PROBLEMS | OUTPUT | DEBUG CONSOLE | TERMINAL | PORTS

powershell

```
Changes to Outputs:
  + ami_id        = "ami-07ff62358b87c7116"
  + instance_type = "t3.micro"
  + private_ip    = "172.31.29.205"
  + public_ip     = "18.234.46.134"

You can apply this plan to save these new output values to the terraform state, without changing any real infrastructure.
```