DOCKER COMMANDS

- Using “yum install docker” to use install the docker.

```
[root@ip-172-31-64-67 ec2-user]# yum install docker
Last metadata expiration check: 0:00:27 ago on Tue Jan 20 13:28:10 2026.
Dependencies resolved.
=================================================================================================================
=========================================================
 Package                                    Architecture                 Version
                Repository                       Size
=================================================================================================================
=========================================================
Installing:
 docker                                     x86_64                       25.0.14-1.amzn2023.0.1
                amazonlinux                       46 M
Installing dependencies:
 container-selinux                          noarch                       4:2.242.0-1.amzn2023
                amazonlinux                       58 k
 containerd                                 x86_64                       2.1.5-1.amzn2023.0.3
```

- Using “systemctl status docker” to check an status, the status is inactive “systemctl start docker” to start the docker again to check their status is active.

```
Cannot connect to the Docker daemon at unix:///var/run/docker.sock. Is the docker daemon running?
[root@ip-172-31-64-67 ec2-user]# docker pull httpd
Using default tag: latest
Cannot connect to the Docker daemon at unix:///var/run/docker.sock. Is the docker daemon running?
[root@ip-172-31-64-67 ec2-user]# systemctl status docker
○ docker.service - Docker Application Container Engine
     Loaded: loaded (/usr/lib/systemd/system/docker.service; disabled; preset: disabled)
     Active: inactive (dead)
TriggeredBy: ○ docker.socket
       Docs: https://docs.docker.com
[root@ip-172-31-64-67 ec2-user]# systemctl start docker
[root@ip-172-31-64-67 ec2-user]# systemctl status docker
● docker.service - Docker Application Container Engine
     Loaded: loaded (/usr/lib/systemd/system/docker.service; disabled; preset: disabled)
     Active: active (running) since Tue 2026-01-20 13:33:06 UTC; 6s ago
TriggeredBy: ● docker.socket
       Docs: https://docs.docker.com
    Process: 27431 ExecStartPre=/bin/mkdir -p /run/docker (code=exited, status=0/SUCCESS)
    Process: 27432 ExecStartPre=/usr/libexec/docker/docker-setup-runtimes.sh (code=exited, status=0/SUCCESS)
```

- Using “docker pull httpd” command to pull their image of an docker desktop.

```
[root@ip-172-31-64-67 ec2-user]# docker pull httpd
Using default tag: latest
latest: Pulling from library/httpd
119d43eec815: Pull complete
e0f36fcb159c: Pull complete
4f4fb700ef54: Pull complete
825b27552744: Pull complete
5e136ef74846: Pull complete
a062e9825802: Pull complete
Digest: sha256:dd178595edd6d4f49296f62f9587238db2cd1045adfff6fccc15a6c4d08f5d2e
Status: Downloaded newer image for httpd:latest
```

i-0cc276172cd19104a (docker)

PublicIPs: 100.31.211.156 PrivateIPs: 172.31.64.67

It works!

- Using “docker pull nginx” command to pull an images of an docker desktop.

```
080->80/tcp   firstcontainer
[root@ip-172-31-64-67 ec2-user]# docker run -itd -p 8080:80  httpd:latest
5121ce938826e11def3d8d3f21d43b30be10062a200f4df56e3b6b36dd9b0e7a
docker: Error response from daemon: driver failed programming external connectivity on endpoint sad_payne (056
8ba2bcb0d142ccbe82cd4560e638fc93e105df9d81896c831c4087d94bdb8): Bind for 0.0.0.0:8080 failed: port is already
allocated.
[root@ip-172-31-64-67 ec2-user]# docker pull nginx
Using default tag: latest
latest: Pulling from library/nginx
119d43eec815: Already exists
700146c8ad64: Pull complete
d989100b8a84: Pull complete
500799c30424: Pull complete
10b68cfefee1: Pull complete
57f0dd1befe2: Pull complete
eaf8753feae0: Pull complete
Digest: sha256:c881927c4077710ac4b1da63b83aa163937fb47457950c267d92f7e4dedf4aec
Status: Downloaded newer image for nginx:latest
docker.io/library/nginx:latest
```

i-0cc276172cd19104a (docker)

PublicIPs: 100.31.211.156 PrivateIPs: 172.31.64.67



- Using “docker ps” command to show running list image. “docker images” command to show list of image. “docker run -itd -p 8081:80 nginx:latest” to run an container.

```
0->80/tcp   firstcontainer
[root@ip-172-31-64-67 ec2-user]# docker images
REPOSITORY   TAG       IMAGE ID       CREATED      SIZE
nginx        latest    4af177a024eb   7 days ago   161MB
httpd        latest    14ca0b0b9518   7 days ago   117MB
[root@ip-172-31-64-67 ec2-user]# docker run -itd -p 8081:80 nginx:latest
c905116cac2646197b9e523494f3eee797adc35942e27a21c1fca3d81f74389a
[root@ip-172-31-64-67 ec2-user]# docker ps
CONTAINER ID   IMAGE          COMMAND                  CREATED         STATUS         PORTS
                NAMES
c905116cac26   nginx:latest   "/docker-entrypoint.…"   4 minutes ago   Up 4 minutes   0.0.0.0:8081->80/tcp, ::
:8081->80/tcp   upbeat_mirzakhani
6ab3589f4fcf   httpd:latest   "httpd-foreground"       9 minutes ago   Up 9 minutes   0.0.0.0:8080->80/tcp, ::
:8080->80/tcp   firstcontainer
```

- Using “docker exec -it <container id> /bin/bash” command to inside an container.

```
[root@ip-172-31-64-67 ec2-user]# docker exec -it 6ab3589f4fcf /bin/bash
root@6ab3589f4fcf:/usr/local/apache2# ls
bin  build  cgi-bin  conf  error  htdocs  icons  include  logs  modules
root@6ab3589f4fcf:/usr/local/apache2# cd htdocs
root@6ab3589f4fcf:/usr/local/apache2/htdocs# pwd
```

i-0cc276172cd19104a (docker)

PublicIPs: 100.31.211.156 PrivateIPs: 172.31.64.67

- Using “ls” to list the container “cd htdoc” command and “cat index.html” to show an default html code an docker.

```
[root@ip-172-31-64-67 ec2-user]# docker exec -it 6ab3589f4fcf /bin/bash
root@6ab3589f4fcf:/usr/local/apache2# ls
bin  build  cgi-bin  conf  error  htdocs  icons  include  logs  modules
root@6ab3589f4fcf:/usr/local/apache2# cd htdocs
root@6ab3589f4fcf:/usr/local/apache2/htdocs# pwd
/usr/local/apache2/htdocs
root@6ab3589f4fcf:/usr/local/apache2/htdocs# ls
index.html
root@6ab3589f4fcf:/usr/local/apache2/htdocs# cat index.html
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN" "http://www.w3.org/TR/html4/strict.dtd">
<html>
<head>
<title>It works! Apache httpd</title>
</head>
<body>
<p>It works!</p>
</body>
</html>
root@6ab3589f4fcf:/usr/local/apache2/htdocs# ls
```

```
bin  games  include  lib  lib64  libexec  local  sbin  share  src
root@c905116cac26:/usr# cd share
root@c905116cac26:/usr/share# cd nginx/html
root@c905116cac26:/usr/share/nginx/html# ls
50x.html  index.html
root@c905116cac26:/usr/share/nginx/html# cat index.html
<!DOCTYPE html>
<html>
<head>
<title>Welcome to nginx!</title>
<style>
html { color-scheme: light dark; }
body { width: 35em; margin: 0 auto;
font-family: Tahoma, Verdana, Arial, sans-serif; }
</style>
</head>
<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is successfully installed and
```

- Using “docker stop <container id> command to stop the container “docker rm <container id> command to remove an container “docker rmi <image id> to remove an image.

```
:::8080->80/tcp   firstcontainer
[root@ip-172-31-64-67 ec2-user]# docker stop c905116cac26
c905116cac26
[root@ip-172-31-64-67 ec2-user]# docker rm c905116cac26
c905116cac26
[root@ip-172-31-64-67 ec2-user]# docker images
REPOSITORY   TAG       IMAGE ID       CREATED      SIZE
nginx        latest    4af177a024eb   7 days ago   161MB
httpd        latest    14ca0b0b9518   7 days ago   117MB
[root@ip-172-31-64-67 ec2-user]# docker rmi  4af177a024eb
Untagged: nginx:latest
Untagged: nginx@sha256:c881927c4077710ac4b1da63b83aa163937fb47457950c267d92f7e4dedf4aec
Deleted: sha256:4af177a024eb8a1e43f4fb6c66735bb8260115cb5925a64f51673219bd97c144
Deleted: sha256:74821a6b71dfac14eaeb80c7c9e48130391306557f75228278054afe105cde75
Deleted: sha256:ae46c5037a8cc17f658f78b0e6523c9363ca800bf51f91f58cbc3aad8ffe53b5
Deleted: sha256:ec81248cdbc6b02bb24b1c32d4f59194a4a42aab3c81a42631efa1af7cba4f69
Deleted: sha256:774cc13f29089d7d0ebaaa291c5ac2d12841f2d70ab07a21c470d3cbdc11c059
Deleted: sha256:f1155703f3479bf6b295f5e17684156f82f815ca0798af8a2d08cf994411a055
Deleted: sha256:a455653294af11c547d0b3d2d769fd184f357cd5c0decbd1f89ffe9b380985aa
```

- Using “docker inspect <container id” command to see an long information about the container.

```
6ab3589f4fcf   httpd:latest   "httpd-foreground"   35 minutes ago   Up 35 minutes   0.0.0.0:8080->80/tcp, :::8
080->80/tcp   firstcontainer
[root@ip-172-31-64-67 ec2-user]# docker inspect 6ab3589f4fcf
[
    {
        "Id": "6ab3589f4fcfd2ee73a2d1a1048b23ed9ab12277e5e885a052c65e32c7e42328",
        "Created": "2026-01-20T13:37:37.287334622Z",
        "Path": "httpd-foreground",
        "Args": [],
        "State": {
            "Status": "running",
            "Running": true,
            "Paused": false,
            "Restarting": false,
            "OOMKilled": false,
            "Dead": false,
            "Pid": 27951,
            "ExitCode": 0,
            "Error": "",
```

- Using “docker log <container id> command to see their i/o things.

```
[root@ip-172-31-64-67 ec2-user]# docker logs 6ab3589f4fcf
AH00558: httpd: Could not reliably determine the server's fully qualified domain name, using 172.17.0.2. Set t
he 'ServerName' directive globally to suppress this message
AH00558: httpd: Could not reliably determine the server's fully qualified domain name, using 172.17.0.2. Set t
he 'ServerName' directive globally to suppress this message
[Tue Jan 20 13:37:37.860823 2026] [mpm_event:notice] [pid 1:tid 1] AH00489: Apache/2.4.66 (Unix) configured --
 resuming normal operations
[Tue Jan 20 13:37:37.860981 2026] [core:notice] [pid 1:tid 1] AH00094: Command line: 'httpd -D FOREGROUND'
[root@ip-172-31-64-67 ec2-user]#
```

- Using “docker ps-a to list an running or stopping an image.

```
AH00558: httpd: Could not reliably determine the server's fully qualified domain name, using 172.17.0.2. Set t
he 'ServerName' directive globally to suppress this message
AH00558: httpd: Could not reliably determine the server's fully qualified domain name, using 172.17.0.2. Set t
he 'ServerName' directive globally to suppress this message
[Tue Jan 20 13:37:37.860823 2026] [mpm_event:notice] [pid 1:tid 1] AH00489: Apache/2.4.66 (Unix) configured --
 resuming normal operations
[Tue Jan 20 13:37:37.860981 2026] [core:notice] [pid 1:tid 1] AH00094: Command line: 'httpd -D FOREGROUND'
[root@ip-172-31-64-67 ec2-user]# docker stop 6ab3589f4fcf
6ab3589f4fcf
[root@ip-172-31-64-67 ec2-user]# docker ps
CONTAINER ID   IMAGE     COMMAND   CREATED   STATUS    PORTS     NAMES
[root@ip-172-31-64-67 ec2-user]# docker ps -a
CONTAINER ID   IMAGE          COMMAND              CREATED          STATUS                      PORTS     NAME
S
5121ce938826   httpd:latest   "httpd-foreground"   36 minutes ago   Created                               sad_
payne
6ab3589f4fcf   httpd:latest   "httpd-foreground"   39 minutes ago   Exited (0) 35 seconds ago             firs
tcontainer
[root@ip-172-31-64-67 ec2-user]#
```

i-0cc276172cd19104a (docker)

PublicIPs: 100.31.211.156 PrivateIPs: 172.31.64.67

CloudShell Feedback Console Mobile App Privacy Terms Cookie preferences

© 2026, Amazon Web Services, Inc. or its affiliates.

- Using “docker restart <container id> command to restart an container.



- Using “docker system prune” command to delete an container.