DOCKER FILE INSTRUCTION

- Using “vi Dockerfile” command to edit the file and “ls” command to list the file Dockerfile.

```
   Main PID: 27283 (dockerd)
      Tasks: 9
     Memory: 30.2M
        CPU: 310ms
     CGroup: /system.slice/docker.service
             └─27283 /usr/bin/dockerd -H fd:// --containerd=/run/containerd/containerd.sock --default-ulimit nofile=32768:65536

Jan 23 06:24:55 ip-172-31-68-68.ec2.internal systemd[1]: Starting docker.service - Docker Application Container Engine...
Jan 23 06:24:55 ip-172-31-68-68.ec2.internal dockerd[27283]: time="2026-01-23T06:24:55.458345598Z" level=info msg="Starting up"
Jan 23 06:24:55 ip-172-31-68-68.ec2.internal dockerd[27283]: time="2026-01-23T06:24:55.518361355Z" level=info msg="Loading containers: start."
Jan 23 06:24:55 ip-172-31-68-68.ec2.internal dockerd[27283]: time="2026-01-23T06:24:55.9425894468Z" level=info msg="Loading containers: done."
Jan 23 06:24:55 ip-172-31-68-68.ec2.internal dockerd[27283]: time="2026-01-23T06:24:55.965627986Z" level=info msg="Docker daemon" commit=d334795 contain
Jan 23 06:24:55 ip-172-31-68-68.ec2.internal dockerd[27283]: time="2026-01-23T06:24:55.965800176Z" level=info msg="Daemon has completed initialization"
Jan 23 06:24:56 ip-172-31-68-68.ec2.internal dockerd[27283]: time="2026-01-23T06:24:56.008482165Z" level=info msg="API listen on /run/docker.sock"
Jan 23 06:24:56 ip-172-31-68-68.ec2.internal systemd[1]: Started docker.service - Docker Application Container Engine.

[root@ip-172-31-68-68 ec2-user]# ls
[root@ip-172-31-68-68 ec2-user]# vi Dockerfile
[root@ip-172-31-68-68 ec2-user]# ls
Dockerfile
```

- Using “cat Dockerfile” to show of an inside the file.

```
[root@ip-172-31-68-68 ec2-user]# cat Dockerfile
FROM ubuntu
[root@ip-172-31-68-68 ec2-user]#
```

i-0f6aa7063f311a59d (Dockerfile)

PublicIPs: 100.48.60.59 PrivateIPs: 172.31.68.68

CloudShell Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

- Using “docker build -t <imagename>:<imageid> .” command to use build an docker file into an docker images.

```
[root@ip-172-31-68-68 ec2-user]# docker build -t myimage:v1 .
[+] Building 2.4s (5/5) FINISHED                                                                                docker:default
 => [internal] load build definition from Dockerfile                                                                      0.0s
 => => transferring dockerfile: 108B                                                                                      0.0s
 => [internal] load metadata for docker.io/library/ubuntu:latest                                                          0.3s
 => [internal] load .dockerignore                                                                                         0.0s
 => => transferring context: 2B                                                                                           0.0s
 => [1/1] FROM docker.io/library/ubuntu:latest@sha256:cd1dba651b3080c3686ecf4e3c4220f026b521fb76978881737d24f200828b2b      1.9s
 => => resolve docker.io/library/ubuntu:latest@sha256:cd1dba651b3080c3686ecf4e3c4220f026b521fb76978881737d24f200828b2b      0.0s
 => => sha256:cd1dba651b3080c3686ecf4e3c4220f026b521fb76978881737d24f200828b2b 6.69kB / 6.69kB                           0.0s
 => => sha256:a4453623f2f8319cfff65c43da9be80fe83b1a7ce689579b475867d69495b782 424B / 424B                               0.0s
 => => sha256:493218ed0f404132311952996fea8ce85e50c49f5a717f26f25c52a25fcb2e56 2.30kB / 2.30kB                           0.0s
 => => sha256:a3629ac5b9f4680dc2032439ff2354e73b06aecc2e68f0035a2d7c001c8b4114 29.73MB / 29.73MB                         0.3s
 => => extracting sha256:a3629ac5b9f4680dc2032439ff2354e73b06aecc2e68f0035a2d7c001c8b4114                                 1.4s
 => exporting to image                                                                                                    0.0s
 => => exporting layers                                                                                                   0.0s
 => => writing image sha256:091251134ccf7189d29e5c96c59a2806c925b4c4a7906b2f83c9a9fadb1c6e08                              0.0s
 => => naming to docker.io/library/myimage:v1                                                                             0.0s
```

- Using “docker images” command to use list of an docker image.

```
[root@ip-172-31-68-68 ec2-user]# docker images
REPOSITORY   TAG       IMAGE ID       CREATED       SIZE
myimage      v1        091251134ccf   10 days ago   78.1MB
[root@ip-172-31-68-68 ec2-user]#
```

i-0f6aa7063f311a59d (Dockerfile)

PublicIPs: 100.48.60.59 PrivateIPs: 172.31.68.68

CloudShell Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

- Using “vi Dockerfile” “vi index.html” command to edit the file “cat Docker” to show an inside the Docker file. “docker build -t <imagename>:<imageid> to use build an docker file to docker image.

```
[root@ip-172-31-68-68 ec2-user]# vi Dockerfile
[root@ip-172-31-68-68 ec2-user]# cat Dockerfile
FROM amazonlinux:2

# Install nginx
RUN yum update -y && \
    amazon-linux-extras install nginx1 -y && \
    yum clean all

COPY . /usr/share/nginx/html/

# Expose port 80
EXPOSE 80

# Start nginx in foreground
CMD ["nginx", "-g", "daemon off;"]
[root@ip-172-31-68-68 ec2-user]# vi index.html
[root@ip-172-31-68-68 ec2-user]# ls
Dockerfile  index.html
[root@ip-172-31-68-68 ec2-user]# docker build -t firstimage:v2 .
[+] Building 31.9s (8/8) FINISHED                                                                                  docker:default
 => [internal] load build definition from Dockerfile                                                                          0.0s
 => => transferring dockerfile: 345B                                                                                          0.0s
 => [internal] load metadata for docker.io/library/amazonlinux:2                                                              0.3s
 => [internal] load .dockerignore                                                                                             0.0s
 => => transferring context: 2B                                                                                               0.0s
 => [1/3] FROM docker.io/library/amazonlinux:2@sha256:27cfead35481245ef6a20b04aab71c9f11245cfe8edd585ce0f3201d37a25f41          4.1s
```

i-0f6aa7063f311a59d (Dockerfile)

PublicIPs: 100.48.60.59 PrivateIPs: 172.31.68.68

CloudShell Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

- Using “docker run -itd -p 8080:80 –name firstcontainer firstimage:v2” command to use docker image into make an container.

```
 => [internal] load build definition from Dockerfile                                                                          0.0s
 => => transferring dockerfile: 345B                                                                                          0.0s
 => [internal] load metadata for docker.io/library/amazonlinux:2                                                              0.3s
 => [internal] load .dockerignore                                                                                             0.0s
 => => transferring context: 2B                                                                                               0.0s
 => [1/3] FROM docker.io/library/amazonlinux:2@sha256:27cfead35481245ef6a20b04aab71c9f11245cfe8edd585ce0f3201d37a25f41          4.1s
 => => resolve docker.io/library/amazonlinux:2@sha256:27cfead35481245ef6a20b04aab71c9f11245cfe8edd585ce0f3201d37a25f41          0.0s
 => => sha256:27cfead35481245ef6a20b04aab71c9f11245cfe8edd585ce0f3201d37a25f41 2.37kB / 2.37kB                                0.0s
 => => sha256:75094185633dfeb9a862877cdd1a674497be2e36515e8823336b555f50f71d2c 1.02kB / 1.02kB                                0.0s
 => => sha256:d65782c52cfd2ed4cc649071ae578f7071a95f306cfa1b5772990da9575b248b 583B / 583B                                    0.0s
 => => sha256:89d3b5863331d6bb79d550bf0acce60aeac36e2c065470bf6d6f8d76c9cb6f4f 62.94MB / 62.94MB                              0.7s
 => => extracting sha256:89d3b5863331d6bb79d550bf0acce60aeac36e2c065470bf6d6f8d76c9cb6f4f                                     3.3s
 => [internal] load build context                                                                                             0.0s
 => => transferring context: 6.23kB                                                                                           0.0s
 => [2/3] RUN yum update -y &&     amazon-linux-extras install nginx1 -y &&     yum clean all                              24.6s
 => [3/3] COPY . /usr/share/nginx/html/                                                                                       0.1s
 => exporting to image                                                                                                        2.6s
 => => exporting layers                                                                                                       2.6s
 => => writing image sha256:6c5b3bbe1884fe1234baadf45854fc343449befd1d2f98c797035c0fb130cf23                                  0.0s
 => => naming to docker.io/library/firstimage:v2                                                                              0.0s
[root@ip-172-31-68-68 ec2-user]# docker run -itd -p 8080:80 --name firstcont firstimage:v2
172a2d0c97b9a243a2da0eaa2481e1380ad1b64d48ac0335637 1ecbecc76ffe2
[root@ip-172-31-68-68 ec2-user]# docker ps
CONTAINER ID   IMAGE          COMMAND                  CREATED          STATUS          PORTS                                   NAMES
172a2d0c97b9   firstimage:v2  "nginx -g 'daemon of…"   16 seconds ago   Up 14 seconds   0.0.0.0:8080->80/tcp, :::8080->80/tcp   firstcont
[root@ip-172-31-68-68 ec2-user]#
```

i-0f6aa7063f311a59d (Dockerfile)

PublicIPs: 100.48.60.59 PrivateIPs: 172.31.68.68

CloudShell Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences



- Using “docker ps” command to list an running container. “docker login” command to login an username and password of an docker registry. Password is use to an token of an docker registry to generate an token to use in an password.



- Using “docker tag <imagename:<imageid> username/<imagename:imageid> command to tag imagename and imageid to their username “docker push username/<imagename:<imageid> to push an image an docker registry in my hub.


Instance details | EC2 | us-east
EC2 Instance Connect | us-east
Hari Haran.M | Docker Home
Repositories | hariharan7904
hub.docker.com/repositories/hariharan7904
hub
Explore
My Hub
Search Docker Hub
CtrlK
H
hariharan7904
Docker Personal
Repositories
Hardened Images
Collaborations
Settings
Default privacy
Notifications
Billing
Usage
Pulls
Storage
Repositories
All repositories within the hariharan7904 namespace.
Search by repository name
All content
Create a repository
Name
Last Pushed
Contains
Visibility
Scout
hariharan7904/firstimage
2 minutes ago
IMAGE
Public
Inactive
1–1 of 1