GIT PULL REQUEST

- A **Pull Request (PR)** is a way to **request changes** you made in one branch to be **reviewed and merged** into another branch (usually the main branch).

STEP 1:

Create a pull request



STEP 2:

To collaborates with the user



STEP 3:

To accept the invitation link



STEP:4

To assign the reviewer of their pull request file.



STEP:5

To review the file to tell suggest comment of an pull request file.



STEP:6

To merge pull request of their main branch.



GIT CHERRY PICK

Git is a git command to apply the changes introduced by one or more specific existing commits from one branch onto the current branch unlike command like merge or rebase,which integrate entire branches and their histories cherry pick offer a surgical approach to incorporating only the changes you need.

Using “git checkout <branch name>” command to switch the branch name “git cherry-pick <commit hash>” command allow you to pick specific commit existing commit from one branch onto the current branch.

```
hariharan@LAPTOP-JKJ9PR78 MINGW64 ~/downloads/harigame (feature2|CHERRY-PICKING)
$ git log --oneline
1ad82a5 (HEAD -> feature2) ninethcommit
9d3417a (feature1) seventhcommit
fe956e0 (main) fifthcommit
91f174a firstcommit

hariharan@LAPTOP-JKJ9PR78 MINGW64 ~/downloads/harigame (feature2|CHERRY-PICKING)
$ git checkout main
Switched to branch 'main'
warning: cancelling a cherry picking in progress

hariharan@LAPTOP-JKJ9PR78 MINGW64 ~/downloads/harigame (main)
$ git log --oneline
fe956e0 (HEAD -> main) fifthcommit
91f174a firstcommit

hariharan@LAPTOP-JKJ9PR78 MINGW64 ~/downloads/harigame (main)
$ git cherry-pick 9d3417a
[main e0607e0] seventhcommit
 Date: Wed Jan 7 18:55:06 2026 +0530
 2 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 file7
 create mode 100644 file8

hariharan@LAPTOP-JKJ9PR78 MINGW64 ~/downloads/harigame (main)
$ git log --oneline
e0607e0 (HEAD -> main) seventhcommit
fe956e0 fifthcommit
91f174a firstcommit

hariharan@LAPTOP-JKJ9PR78 MINGW64 ~/downloads/harigame (main)
$
```

Using “git reflog –oneline” command to list the commited changes with commit id.

```
hariharan@LAPTOP-JKJ9PR78 MINGW64 ~/downloads/harigame (main)
$ git reflog --oneline
e0607e0 (HEAD -> main) HEAD@{0}: cherry-pick: seventhcommit
fe956e0 HEAD@{1}: checkout: moving from feature2 to main
1ad82a5 (feature2) HEAD@{2}: commit: ninethcommit
9d3417a (feature1) HEAD@{3}: checkout: moving from feature1 to feature2
9d3417a (feature1) HEAD@{4}: commit: seventhcommit
fe956e0 HEAD@{5}: checkout: moving from main to feature1
fe956e0 HEAD@{6}: reset: moving to HEAD
fe956e0 HEAD@{7}: commit: fifthcommit
91f174a HEAD@{8}: reset: moving to 91f174a
bba58ae HEAD@{9}: reset: moving to bba58ae
4d91076 HEAD@{10}: reset: moving to 4d91076
e3ee10b (origin/main) HEAD@{11}: commit: fourthcommit
4d91076 HEAD@{12}: commit: thirdcommit
bba58ae HEAD@{13}: commit: secondcommit
91f174a HEAD@{14}: Branch: renamed refs/heads/master to refs/heads/main
91f174a HEAD@{16}: commit (initial): firstcommit

hariharan@LAPTOP-JKJ9PR78 MINGW64 ~/downloads/harigame (main)
```