



(2) 1/4 20 SET SREWS



W MAT: 10600360

MATERIAL DESC: GEAR INSERT

DATE: 05/07/97

SCALE: 1=1

105 GEAR INSERT  
OP SET SREW

TOLERANCES UNLESS  
OTHERWISE SPECIFIED

FRACTION ±1/32"  
DECIMAL

.0 ±.020

.02 ±.010

.000 ±.002



2815 BARGE LANE  
DALLAS, TEXAS 75212  
(214) 630-4517

DESCRIPTION


BY

DATE


DRAWN BY: APG

CHKD BY:

PART NO.  
1060030DWG. NO.  
CDADPTER



9600575 ASSEMBLY





REV	DATE	BY	CHKD	APP'D
1	05/16/00	XXX	XXX	XXX
2	05/16/00	XXX	XXX	XXX
3	05/16/00	XXX	XXX	XXX
4	05/16/00	XXX	XXX	XXX
5	05/16/00	XXX	XXX	XXX
6	05/16/00	XXX	XXX	XXX
7	05/16/00	XXX	XXX	XXX
8	05/16/00	XXX	XXX	XXX
9	05/16/00	XXX	XXX	XXX
10	05/16/00	XXX	XXX	XXX
11	05/16/00	XXX	XXX	XXX
12	05/16/00	XXX	XXX	XXX
13	05/16/00	XXX	XXX	XXX
14	05/16/00	XXX	XXX	XXX
15	05/16/00	XXX	XXX	XXX
16	05/16/00	XXX	XXX	XXX
17	05/16/00	XXX	XXX	XXX
18	05/16/00	XXX	XXX	XXX
19	05/16/00	XXX	XXX	XXX
20	05/16/00	XXX	XXX	XXX
21	05/16/00	XXX	XXX	XXX
22	05/16/00	XXX	XXX	XXX
23	05/16/00	XXX	XXX	XXX
24	05/16/00	XXX	XXX	XXX
25	05/16/00	XXX	XXX	XXX

9600575.DWG



## 5.9 ZERO PROX ASSEMBLY






ITEM QTY	PART #	DESCRIPTION
17	1	9600579 BOTTOM CAP SPACER SLEEVE
16	1	1060030 105 GEAR INSERT W/FLAT
15	1	9600585 SPINER DRIVE ADAPTER LIND
14	1	9600576 BOTTOM BEARING CAP WELDING ASSY
13	1	9600589 LOWER BEARING SLEEVE-LIND
12	1	9600508 LOWER BEARING TUBE CAP
11	1	9600504 DESC. CND BUSHING SPACER
10	1	9600580 LIND DRIVE SHAFT
9	1	9600501A LIND DRIVE DESC. TOP CAP
8	1	1430018 RADIAL CYLINDRICAL ROLLER BEARING
7	1	9600588 UPPER BEARING SLEEVE-LIND
6	1	9600506 UPPER BEARING GREASE RETAINER
5	1	9600582 DIRECT DRIVE
4	1	9600402 EXTRACTOR BEARING TUBE
3	1	9600581 SPEED TARGET LIND
2	1	9600578 BOTTOM CAP BOLT RING
1	1	1060026 105 MOTOR

9600500.DWG





A 5N8 JAWIER SANDOVAL


184

P.1

Brim Laundry Machinery Co 214-637-3217

May 17 00 11:19a

ITEM	QTY	PART#	DESCRIPTION
------	-----	-------	-------------



NOTE: INTERNAL SPLINE  
FLAT ROOT SIDE FIT  
13 TOOTH 8/16 PITCH

CUT LENGTH:

RAW MAT:

MATERIAL DESC: 5 1/2" ROUND 4140 SPEC (USE DRIVE SHAFT MATERIAL)

DATE: 7/20/96

SCALE: 1/2"=1"

SPLINED DRIVE ADAPTER  
LINDETOLERANCES UNLESS  
OTHERWISE SPECIFIEDFRACTION  $\pm 1/32$   
DECIMAL

.0	$\pm .020$
.00	$\pm .010$
.000	$\pm .002$



2815 BARGE LANE  
DALLAS, TEXAS 75212  
(214) 630-4517

REV	DESCRIPTION	BY	DATE
1	ADD HOLE (2) 1/2 SET SREW	APG	11/03/96

DRAWN BY:	CHKD BY:	PART NO.	DWG. NO.
SES		9600585	600585