Disjoint Set - Union/Find



Disjoint Set – Union/Find

- n distinct elements named 1, 2, ..., n
- Initially, each element is in its own set

$$S_1 = \{1\}, S_2 = \{2\}, ..., S_n = \{n\}$$

- Each set has a representative element
- S_x: Set represented by element x

Operations:

Union(S_x , S_y): Create set $S = S_x \cup S_y$ and return the representative of S_y

Find(z): Given (a ptr to) z, find set S that contains z and return the representative of © 2019 by Jay Balasundaram and Sam Toueg. This document may not be posted on the internet without the written permission of the copyright owners.

 σ : Sequence of n-1 Unions mixed with $m \ge n$ Finds


Goal: a data structure that minimizes the total cost of executing such sequences



Forest structure for Union-Find


- Each set is represented by a tree
- The root contains the set representative

$$S_1 = \{1, 3, 2, 8, 5, 10\}$$






$$S_1 = \{1, 3, 2, 8, 5, 10\}$$



$$S_6 = \{6\}$$




$$S_9 = \{9, 7, 4\}$$







Example with n = 10




Find(5)




Find(5)



Find(5)



Find(5) : Return (ptr to) 1



Operations

• Find(x): Follow path from x up to root, return ptr to the root


Cost is O(1 + length of the **Find** path)

Union(S_x, S_y): Make root of S_x the child of root of S_y

Cost is O(1)




Disjoint Forest: Time Complexity



© 2019 by Jay Balasundaram and Sam Toueg. This document may not be posted on the internet without the written permission of the copyright owners.

Disjoint Forest: Time Complexity




Disjoint Forest: Time Complexity

To reduce cost of executing σ , reduce the length of **Find** paths

 \Rightarrow reduce height of the trees formed during the execution of σ




Heuristic 1: Weighted Union (WU) by Size



WU rule (by size): Smaller size tree becomes the child of the bigger size tree



Heuristic 1: Weighted Union (WU) by Size




WU rule (by size): Smaller size tree becomes the child of the bigger size tree

With WU:

• Any tree T created during the execution of σ has height at most $\log_2 n$



Heuristic 1: Weighted Union (WU) by Size




WU rule (by size): Smaller size tree becomes the child of the bigger size tree


With WU:

- Any tree T created during the execution of σ has height at most $\log_2 n$
- The worst-case cost of executing on is O ing. logon hent may not be posted on the internet without the written permission of the copyright owners.





































































PC rule: In Find(x), make each vertex along the Find path a child of root




Find(2)







© 2019 by Jay Balasundaram and Sam Toueg. This document may not be posted on the internet without the written permission of the copyright owners.













































Find(8)





Find(5)







PC rule: In Find(x), make each vertex along the Find path a child of root





PC rule: In Find(x), make each vertex along the Find path a child of root

This increases the cost of **Find**(x), but makes several *future* **Find**s cheaper





PC rule: In Find(x), make each vertex along the Find path a child of root

This increases the cost of Find(x), but makes several future Find(x) cheaper:

==> Average cost of each Find decreases!

on the internet without the written permission of the copyright owners.





PC rule: In Find(x), make each vertex along the Find path a child of root

This increases the cost of Find(x), but makes several future Find(x) cheaper:

==> Average cost of each Find decreases!

on the internet without the written permission of the copyright owners.



With WU and PC , Time Complexity of σ ?

 σ : Sequence of n-1 Unions mixed with m \geq n Finds






$$2^{*0} = 1$$

 $2^{*n+1} = 2^{2^{*n}}$, $n \ge 0$



$$2^{*0} = 1$$

 $2^{*n+1} = 2^{2^{*n}}$, $n \ge 0$





$$2^{*0} = 1$$

 $2^{*n+1} = 2^{2^{*n}}$, $n \ge 0$

$$2^{*0} = 1$$



$$2^{*0} = 1$$

 $2^{*n+1} = 2^{2^{*n}}$, $n \ge 0$

$$2^{*0} = 1$$
 $2^{*1} = 2^{2^{*0}}$



$$2^{*0} = 1$$

 $2^{*n+1} = 2^{2^{*n}}$, $n \ge 0$

$$2^{*0} = 1$$
 $2^{*1} = 2^{2^{*0}} = 2^{1} = 2$



$$2^{*0} = 1$$

 $2^{*n+1} = 2^{2^{*n}}$, $n \ge 0$

$$2^{*0} = 1$$
 $2^{*1} = 2^{2^{*0}} = 2^{1} = 2$
 $2^{*2} = 2^{2^{*0}} = 2^{1} = 2^{1}$



$$2^{*0} = 1$$

 $2^{*n+1} = 2^{2^{*n}}$, $n \ge 0$

$$2^{*0} = 1$$
 $2^{*1} = 2^{2^{*0}} = 2^{1} = 2$
 $2^{*2} = 2^{2^{*1}}$



$$2^{*0} = 1$$

 $2^{*n+1} = 2^{2^{*n}}$, $n \ge 0$

$$2^{*0} = 1$$
 $2^{*1} = 2^{2^{*0}} = 2^{1} = 2$

$$2^{*2} = 2^{2^{*1}} = 2^2 = 4$$



$$2^{*0} = 1$$

 $2^{*n+1} = 2^{2^{*n}}$, $n \ge 0$

$$2^{*0} = 1$$
 $2^{*1} = 2^{2^{*0}} = 2^{1} = 2$
 $2^{*2} = 2^{2^{*1}} = 2^{2} = 4$
 $2^{*3} = 2^{2^{*1}} = 2^{2$



$$2^{*0} = 1$$

 $2^{*n+1} = 2^{2^{*n}}$, $n \ge 0$

$$2^{*0} = 1$$
 $2^{*1} = 2^{2^{*0}} = 2^{1} = 2$
 $2^{*2} = 2^{2^{*1}} = 2^{2} = 4$
 $2^{*3} = 2^{2^{*2}}$



$$2^{*0} = 1$$

 $2^{*n+1} = 2^{2^{*n}}$, $n \ge 0$

$$2^{*0} = 1$$
 $2^{*1} = 2^{2^{*0}} = 2^{1} = 2$
 $2^{*2} = 2^{2^{*1}} = 2^{2} = 4$
 $2^{*3} = 2^{2^{*2}} = 2^{4} = 16$



$$2^{*0} = 1$$

 $2^{*n+1} = 2^{2^{*n}}$, $n \ge 0$

$$2^{*0} = 1$$
 $2^{*1} = 2^{2^{*0}} = 2^{1} = 2$
 $2^{*2} = 2^{2^{*1}} = 2^{2} = 4$
 $2^{*3} = 2^{2^{*2}} = 2^{4} = 16$
 $2^{*4} = 2^{4} = 16$



$$2^{*0} = 1$$

 $2^{*n+1} = 2^{2^{*n}}$, $n \ge 0$

$$2^{*0} = 1$$
 $2^{*1} = 2^{2^{*0}} = 2^{1} = 2$
 $2^{*2} = 2^{2^{*1}} = 2^{2} = 4$
 $2^{*3} = 2^{2^{*2}} = 2^{4} = 16$
 $2^{*4} = 2^{2^{*3}}$



$$2^{*0} = 1$$

 $2^{*n+1} = 2^{2^{*n}}$, $n \ge 0$

$$2^{*0} = 1$$
 $2^{*1} = 2^{2^{*0}} = 2^{1} = 2$
 $2^{*2} = 2^{2^{*1}} = 2^{2} = 4$
 $2^{*3} = 2^{2^{*2}} = 2^{4} = 16$
 $2^{*4} = 2^{2^{*3}} = 2^{16} = 65536$



$$2^{*0} = 1$$

 $2^{*n+1} = 2^{2^{*n}}$, $n \ge 0$

$$2^{*0} = 1$$
 $2^{*1} = 2^{2^{*0}} = 2^{1} = 2$
 $2^{*2} = 2^{2^{*1}} = 2^{2} = 4$
 $2^{*3} = 2^{2^{*2}} = 2^{4} = 16$
 $2^{*4} = 2^{2^{*3}} = 2^{16} = 65536$
 $2^{*5} = 2^{16} = 65536$



$$2^{*0} = 1$$

 $2^{*n+1} = 2^{2^{*n}}$, $n \ge 0$

$$2^{*0} = 1$$
 $2^{*1} = 2^{2^{*0}} = 2^{1} = 2$
 $2^{*2} = 2^{2^{*1}} = 2^{2} = 4$
 $2^{*3} = 2^{2^{*2}} = 2^{4} = 16$
 $2^{*4} = 2^{2^{*3}} = 2^{16} = 65536$
 $2^{*5} = 2^{2^{*4}} = 2^{2^{*4}} = 2^{2^{*4}} = 2^{2^{*4}}$



$$2^{*0} = 1$$

 $2^{*n+1} = 2^{2^{*n}}$, $n \ge 0$

$$2^{*0} = 1$$
 $2^{*1} = 2^{2^{*0}} = 2^{1} = 2$
 $2^{*2} = 2^{2^{*1}} = 2^{2} = 4$
 $2^{*3} = 2^{2^{*2}} = 2^{4} = 16$
 $2^{*4} = 2^{2^{*3}} = 2^{16} = 65536$
 $2^{*5} = 2^{2^{*4}} = 2^{65536}$



$$2^{*0} = 1$$

 $2^{*n+1} = 2^{2^{*n}}$, $n \ge 0$

$$2^{*0} = 1$$
 $2^{*1} = 2^{2^{*0}} = 2^{1} = 2$
 $2^{*2} = 2^{2^{*1}} = 2^{2} = 4$
 $2^{*3} = 2^{2^{*2}} = 2^{4} = 16$
 $2^{*4} = 2^{2^{*3}} = 2^{16} = 65536$
 $2^{*5} = 2^{2^{*4}} = 2^{65536} \approx 10^{19729}$



Definition: 2*n

$$2^{*0} = 1$$

 $2^{*n+1} = 2^{2^{*n}}$, $n \ge 0$

$$2^{*0} = 1$$

$$2^{*1} = 2^{2^{*0}} = 2^{1} = 2$$

$$2^{*2} = 2^{2^{*1}} = 2^{2} = 4$$

$$2^{*3} = 2^{2^{*2}} = 2^{4} = 16$$

$$2^{*4} = 2^{2^{*3}} = 2^{16} = 65536$$

$$2^{*5} = 2^{2^{*4}} = 2^{65536} \approx 10^{19729}$$

Estimated # of atoms in observable universe $\approx 10^{80}$



$$2^{*0} = 1$$

 $2^{*n+1} = 2^{2^{*n}}$, $n \ge 0$

$$2^{*0} = 1$$

$$2^{*1} = 2^{2^{*0}} = 2^{1} = 2$$

$$2^{*2} = 2^{2^{*1}} = 2^{2} = 4$$

$$2^{*3} = 2^{2^{*2}} = 2^{4} = 16$$

$$2^{*4} = 2^{2^{*3}} = 2^{16} = 65536$$

$$2^{*5} = 2^{2^{*4}} = 2^{65536} \approx 10^{19729}$$

$$2^{*6} = 2^{2^{*6}} =$$



$$2^{*0} = 1$$

 $2^{*n+1} = 2^{2^{*n}}$, $n \ge 0$

$$2^{*0} = 1$$
 $2^{*1} = 2^{2^{*0}} = 2^{1} = 2$
 $2^{*2} = 2^{2^{*1}} = 2^{2} = 4$
 $2^{*3} = 2^{2^{*2}} = 2^{4} = 16$
 $2^{*4} = 2^{2^{*3}} = 2^{16} = 65536$
 $2^{*5} = 2^{2^{*4}} = 2^{65536} \approx 10^{19729}$
 $2^{*6} = REALLY BIG !$



$$2^{*0} = 1$$

 $2^{*n+1} = 2^{2^{*n}}$, $n \ge 0$

$$2^{*n} = 2^{2}$$
n 2s

$$2^{*0} = 1$$
 $2^{*1} = 2^{2^{*0}} = 2^{1} = 2$
 $2^{*2} = 2^{2^{*1}} = 2^{2} = 4$
 $2^{*3} = 2^{2^{*2}} = 2^{4} = 16$
 $2^{*4} = 2^{2^{*3}} = 2^{16} = 65536$
 $2^{*5} = 2^{2^{*4}} = 2^{65536} \approx 10^{19729}$
 $2^{*6} = REALLY BIG !$



Definition: 2*n grows very fast with n!!

$$2^{*0} = 1$$

 $2^{*n+1} = 2^{2^{*n}}$, $n \ge 0$

$$2^{*n} = 2^{2}$$
 n 2s

$$2^{*0} = 1$$
 $2^{*1} = 2^{2^{*0}} = 2^{1} = 2$
 $2^{*2} = 2^{2^{*1}} = 2^{2} = 4$
 $2^{*3} = 2^{2^{*2}} = 2^{4} = 16$
 $2^{*4} = 2^{2^{*3}} = 2^{16} = 65536$
 $2^{*5} = 2^{2^{*4}} = 2^{65536} \approx 10^{19729}$
 $2^{*6} = REALLY BIG!$



Definition: 2*n grows very fast with n!!

$$2^{*0} = 1$$

 $2^{*n+1} = 2^{2^{*n}}$, $n \ge 0$

$$2*n = 2^{2}$$
n 2s

Definition: log*n

$$\log^* n = \min\{k : 2^{*k} \ge n\}$$

$$2^{*0} = 1$$
 $2^{*1} = 2^{2^{*0}} = 2^{1} = 2$
 $2^{*2} = 2^{2^{*1}} = 2^{2} = 4$
 $2^{*3} = 2^{2^{*2}} = 2^{4} = 16$
 $2^{*4} = 2^{2^{*3}} = 2^{16} = 65536$
 $2^{*5} = 2^{2^{*4}} = 2^{65536} \approx 10^{19729}$
 $2^{*6} = REALLY BIG !$



Definition: 2*n grows very fast with n!!

$$2^{*0} = 1$$

 $2^{*n+1} = 2^{2^{*n}}$, $n \ge 0$

$$2*n = 2^{2}$$
 n 2s

Definition: log*n

n	1
log* n	0

$$2^{*0} = 1$$
 $2^{*1} = 2^{2^{*0}} = 2^{1} = 2$
 $2^{*2} = 2^{2^{*1}} = 2^{2} = 4$
 $2^{*3} = 2^{2^{*2}} = 2^{4} = 16$
 $2^{*4} = 2^{2^{*3}} = 2^{16} = 65536$
 $2^{*5} = 2^{2^{*4}} = 2^{65536} \approx 10^{19729}$
 $2^{*6} = REALLY BIG !$



Definition: 2*n grows very fast with n!!

$$2^{*0} = 1$$

 $2^{*n+1} = 2^{2^{*n}}$, $n \ge 0$

$$2*n = 2^{2}$$
 n 2s

Definition: log*n

$$2^{*0} = 1$$
 $2^{*1} = 2^{2^{*0}} = 2^{1} = 2$
 $2^{*2} = 2^{2^{*1}} = 2^{2} = 4$
 $2^{*3} = 2^{2^{*2}} = 2^{4} = 16$
 $2^{*4} = 2^{2^{*3}} = 2^{16} = 65536$
 $2^{*5} = 2^{2^{*4}} = 2^{65536} \approx 10^{19729}$
 $2^{*6} = REALLY BIG !$



Definition: 2*n grows very fast with n!!

$$2^{*0} = 1$$

 $2^{*n+1} = 2^{2^{*n}}$, $n \ge 0$

$$2*n = 2^{2}$$
 n 2s

Definition: log*n

$$2^{*0} = 1$$
 $2^{*1} = 2^{2^{*0}} = 2^{1} = 2$
 $2^{*2} = 2^{2^{*1}} = 2^{2} = 4$
 $2^{*3} = 2^{2^{*2}} = 2^{4} = 16$
 $2^{*4} = 2^{2^{*3}} = 2^{16} = 65536$
 $2^{*5} = 2^{2^{*4}} = 2^{65536} \approx 10^{19729}$
 $2^{*6} = \text{REALLY RIGL}$

$$2^{*6}$$
 = REALLY BIG!



Definition: 2*n grows very fast with n!!

$$2^{*0} = 1$$

 $2^{*n+1} = 2^{2^{*n}}$, $n \ge 0$

$$2*n = 2^{2}$$
n 2s

Definition: log*n

$$2^{*0} = 1$$
 $2^{*1} = 2^{2^{*0}} = 2^{1} = 2$
 $2^{*2} = 2^{2^{*1}} = 2^{2} = 4$
 $2^{*3} = 2^{2^{*2}} = 2^{4} = 16$
 $2^{*4} = 2^{2^{*3}} = 2^{16} = 65536$
 $2^{*5} = 2^{2^{*4}} = 2^{65536} \approx 10^{19729}$
 $2^{*6} = \text{REALLY BIG }!$



Definition: 2*ⁿ grows very fast with n!!

$$2^{*0} = 1$$

 $2^{*n+1} = 2^{2^{*n}}$, $n \ge 0$

$$2*n = 2^{2}$$

$$n 2s$$

Definition: log*n

$$2^{*0} = 1$$
 $2^{*1} = 2^{2^{*0}} = 2^{1} = 2$
 $2^{*2} = 2^{2^{*1}} = 2^{2} = 4$
 $2^{*3} = 2^{2^{*2}} = 2^{4} = 16$
 $2^{*4} = 2^{2^{*3}} = 2^{16} = 65536$
 $2^{*5} = 2^{2^{*4}} = 2^{65536} \approx 10^{19729}$
 $2^{*6} = \text{REALLY BIG }!$

$$2^{*6}$$
 = REALLY BIG!



Definition: 2*n grows very fast with n!!

$$2^{*0} = 1$$


 $2^{*n+1} = 2^{2^{*n}}$, $n \ge 0$

$$2^{*n} = 2^{2}$$
n 2s

Definition: log*n

$$\log^* n = \min\{k : 2^{*k} \ge n\}$$

n	1	2	3, 4	5, 6, 7,, 16	17, 18, 19,, 65536	65537,, 10 ¹⁹⁷²⁹
log* n	0	1	2	3	4	5



$$2^{*6}$$
 = REALLY BIG!



grows very fast with n!! **Definition: 2***ⁿ

$$2^{*0} = 1$$

 $2^{*n+1} = 2^{2^{*n}}$, $n \ge 0$

$$2^{*n} = 2^{2}$$
n 2s

Definition: log*n

n	1	2	3, 4	5, 6, 7,, 16	17, 18, 19,, 65536	65537,, 10 ¹⁹⁷²⁹	••••
log* n	0	1	2	3	4	5	{

2*0 = 1
$2^{*1} = 2^{2^{*0}} = 2^{1} = 2$
$2^{*2} = 2^{2^{*1}} = 2^2 = 4$
$2^{*3} = 2^{2^{*2}} = 2^4 = 16$
$2^{*4} = 2^{2^{*3}} = 2^{16} = 65536$
$2^{*5} = 2^{2^{*4}} = 2^{65536} \approx 10^{19729}$
2*6 = REALLY BIG!

$$2^{*6}$$
 = REALLY BIG!

Definition: 2*ⁿ grows very fast with n!!

$$2^{*0} = 1$$

 $2^{*n+1} = 2^{2^{*n}}$, $n \ge 0$

$$2*n = 2^{2}$$
 n 2s

Definition: log*n grows very slowly with n!!

$$\log^* n = \min\{k : 2^{*k} \ge n\}$$

log* n 0 1 2 3 4 5	n	1	2	3, 4	5, 6, 7,, 16	17, 18, 19,, 65536	65537,, 10 ¹⁹⁷²⁹	
	log* n	0	1	2	3	4	5	

2*0 = 1 $2^{*1} = 2^{2^{*0}} = 2^{1} = 2^{1}$ $2^{*2} = 2^{2^{*1}} = 2^{2} = 4$ $2*3 = 2^{2*2} = 2^4 = 16$ $2^{*4} = 2^{2^{*3}} = 2^{16} = 65536$ $2^{*5} = 2^{2^{*4}} = 2^{65536} \approx 10^{19729}$ 2^{*6} = REALLY BIG!

 σ : Sequence of n-1 Unions mixed with m \geq n Finds

Theorem: With WU and PC, executing every such σ takes O(m log* n) time



 σ : Sequence of n-1 Unions mixed with m \geq n Finds

Theorem: With WU and PC, executing every such σ takes O(m log* n) time

That is, executing *every* such σ takes *at most* m log* n time, for large m, n, and within a constant factor



 σ : Sequence of n-1 Unions mixed with m \geq n Finds

Theorem: With WU and PC, executing every such σ takes O(m log* n) time

That is, executing *every* such σ takes *at most* m log* n time, for large m, n, and within a constant factor

However: Is there **some** σ that takes **at least** m \log^* n time?



 σ : Sequence of n-1 Unions mixed with m \geq n Finds

Theorem: With WU and PC, executing every such σ takes O(m log* n) time

That is, executing *every* such σ takes *at most* m log* n time, for large m, n, and within a constant factor

However: Is there **some** σ that takes **at least** m \log^* n time?

Is the following claim true?

Claim: With WU and PC, executing every such σ takes O(m) time






1964

Forest Implementation introduced

Bernard A. Galler Michael J. Fischer






Bernard A. Galler Michael J. Fischer

John E. Hopcroft Jeffrey D. Ullman






Bernard A. Galler Michael J. Fischer


John E. Hopcroft Jeffrey D. Ullman

Robert E. Tarjan









© 2019 by Jay Balasundaram and Sam Toueg. This document may not be posted on the internet without the written permission of the copyright owners.