

Online Terminal Cancel Seat API Documentation

Method: **POST**

Endpoint URL:

<https://api.kainattravels.net/api/v1/online-terminals/cancel-seat>

Legacy Bookkaru URL:

<https://api.kainattravels.net/api/v1/bookkaru/cancel-seat>

API Key Header:

X-ONLINE-TERMINAL-API-KEY (legacy X-BOOKKARU-API-KEY is also accepted)

Request Body JSON

```
{
  "request_id": "api-test-3",
  "invoice_id": 865127,
  "transaction_id": "123456789",
  "seat_numbers": [
    "6 up"
  ],
  "cancellation_reason": "Cancelled from online terminal API",
  "deduction_percentage": 25,
  "source": "Bookkaru"
}
```

Field Details

request_id	string, required, unique request ID from the online terminal
invoice_id	integer, required, Kainat invoice ID
transaction_id	string, required, Kainat ticket transaction ID. Legacy booking_reference is temporarily accepted as an alias.
seat_numbers	array, required, seat numbers to cancel
cancellation_reason	string, required, reason for cancellation
deduction_percentage	numeric, optional, 0 to 100. Legacy refund_percentage is temporarily accepted as deduction percentage. If omitted, backend default ONLINE_TERMINAL_DEDUCTION_PERCENTAGE is used.
source	string, required. Supported examples: Bookkaru, SastaTicket, Bookme, and future online terminals.

Initial Success Response

```
{
```

```

"status": "success",
"message": "Cancellation request received and is pending approval.",
"data": {
  "request_id": "api-test-4",
  "invoice_id": 866245,
  "transaction_id": "123456789",
  "seat_numbers": [
    "6 up"
  ],
  "deduction_percentage": 25,
  "refund_percentage": 75,
  "approval_status": "pending",
  "cancellation_status": "pending",
  "source": "Bookkaru"
},
"error": null
}

```

After Approval Success Response

```

{
  "status": "success",
  "message": "Seat cancellation successful.",
  "data": {
    "request_id": "api-test-4",
    "invoice_id": 866245,
    "transaction_id": "123456789",
    "cancelled_seats": [
      "6 up"
    ],
    "deduction_percentage": 25,
    "deduction_amount": 625,
    "refund_percentage": 75,
    "refund_amount": 1875,
    "refunds": [
      {
        "ticket_id": 1493038,
        "seat_no": "6 up",
        "transaction_id": "123456789",
        "seat_fare": 2500,
        "deduction_percentage": 25,
        "deduction_amount": 625,
        "refund_percentage": 75,
        "refund_amount": 1875,
        "refund_reason": "Cancelled from online terminal API"
      }
    ],
    "approved_at": "2026-06-10 15:33:00",
    "cancelled_at": "2026-06-10 15:33:00"
  },
  "error": null
}

```

Validation Error Response

```

{
  "status": "error",
  "message": "Validation failed",
  "data": null,
  "error": {
    "request_id": [
      "The request id field is required."
    ]
  },
}

```

```

    "invoice_id": [
        "The invoice id field is required."
    ],
    "transaction_id": [
        "The transaction id field is required."
    ],
    "seat_numbers": [
        "The seat numbers field is required."
    ],
    "cancellation_reason": [
        "The cancellation reason field is required."
    ],
    "source": [
        "The source field is required."
    ]
}
}

```

Important Notes

- Cancellation request will be created as pending approval first.
- Actual seat cancellation will happen after approval.
- Refund formula: $\text{deduction_amount} = \text{seat_fare} * \text{deduction_percentage} / 100$;
 $\text{refund_percentage} = 100 - \text{deduction_percentage}$; $\text{refund_amount} = \text{seat_fare} * \text{refund_percentage} / 100$.
- deduction_percentage is optional. If it is not provided, backend default ONLINE_TERMINAL_DEDUCTION_PERCENTAGE will be used.
- Duplicate request_id values do not process cancellation or refund again.
- A new request_id for the same invoice_id, transaction_id, and seat is blocked while an active cancellation request already exists.
- Use </api/v1/online-terminals/cancel-seat> for all new integrations. </api/v1/bookkaru/cancel-seat> remains available for backward compatibility.