

Online Terminal Seat Cancellation API

Developer documentation for external terminal integrations

1. API Overview

This API is used by online ticketing terminals such as Bookkaru, SastaTicket, Bookme, and future approved terminal partners. Its purpose is to request seat cancellation through Kainat Travels approval workflow. The API creates a cancellation request immediately, while actual seat cancellation and refund processing remain subject to staff approval in the portal.

Endpoint	POST /api/v1/online-terminals/cancel-seat
Content Type	application/json
Workflow	Approval based. Seat remains active until approved from the portal.

2. Request Specification

Method	POST
Headers	Content-Type: application/json Authorization: Bearer Token if issued to the terminal. API key headers may also be used where configured.

Request Body Example

```
{
  "request_id": "api-test-6",
  "invoice_id": 878700,
  "transaction_id": "123456789",
  "seat_numbers": ["5 up"],
  "cancellation_reason": "Cancelled from sasta ticket API",
  "deduction_percentage": 25,
  "source": "sasta ticket"
}
```

3. Field Descriptions

Field	Required	Description
request_id	Yes	Unique request identifier supplied by the terminal. Duplicate request IDs return the stored request response.
invoice_id	Yes	Booking invoice ID created by Kainat Travels booking flow.
transaction_id	Yes*	Ticket transaction ID. The legacy alias booking_reference is also supported.
seat_numbers	Yes	Array of seat numbers to request for cancellation, for example ["5 up"] .

Field	Required	Description
cancellation_reason	Yes	Reason provided by the terminal for the cancellation request.
deduction_percentage	No	Deduction percentage from 0 to 100. If omitted, the configured default is used.
source	Yes	Online terminal name, for example Bookkaru, SastaTicket, sasta ticket, or Bookme. Source is normalized by lowercasing and removing spaces.

* Required unless booking_reference is provided.

4. Response Behavior

Online Terminal Response: New Simplified Format

For approved online terminal sources, the API returns a simplified success response optimized for external terminal integrations.

Important: This response is an API acknowledgment only. Internally, the cancellation remains pending approval.

- Message is returned as `Seat cancellation successful.`
- Response includes only essential fields: `request_id`, `invoice_id`, `transaction_id`, `cancelled_seats`, and `deduction_percentage`.
- Response is optimized for external terminals to reduce payload size.
- Full refund breakdown is available only in internal/admin systems.

Internal System Behavior

The cancellation request is stored as pending. Staff must approve or reject it from the portal:

<https://portal.kainattravels.net/booking/bookkaru/cancellations>

- No actual seat cancellation happens when this API responds.
- Seat remains active until approved in the portal.
- Online terminals receive a simplified response only.
- Refund calculation and breakdown are handled internally.
- Final refund processing is performed after approval only.
- Approval workflow remains unchanged.

5. Success Response Example

```
{
  "status": "success",
  "message": "Seat cancellation successful.",
  "data": {
    "request_id": "api-test-7",
    "invoice_id": 878700,
    "transaction_id": "123456789",
    "cancelled_seats": ["5 up"],
    "deduction_percentage": 25
  },
  "error": null
}
```

6. Error Response Example

```
{
  "status": "error",
  "message": "Validation failed",
  "error": {
    "request_id": ["The request id field is required."],
    "invoice_id": ["The invoice id field is required."]
  }
}
```

7. Important Notes

- Duplicate `request_id` is not allowed for a new cancellation request.
- A seat cannot be cancelled twice.
- The approval system remains unchanged.
- Final refund is calculated and processed after portal approval.
- The online terminal API response is only a simplified acknowledgment for external terminals.
- Detailed refund calculation and breakdown remain available only to internal/admin systems.