

Candidate expression background

Candidates 1-3 of 9

Expressed matches




Expression overlap




Candidate expression background

Candidates 4-6 of 9

Expressed matches




Expression overlap




Candidate expression background

Candidates 7-9 of 9

Expressed matches




Expression overlap




Reference matches and expression

Top 20 display genes: 1-10

Seed matches




Baseline expression



Reference matches and expression

Top 20 display genes: 11-20



Methods and interpretation 1/2

All eight untreated vessels retained: Nor1-Nor4 and Hyp1-Hyp4. One culture batch; no inferred pairing.

Detected: TPM >= 1 in at least 2 of 4 vessels in each state. Target VEGFA (Entrez 7422) excluded from non-target counts.

Venn counts are exact; circle areas are schematic. Neither: mapped genes below the detection rule in both states. Unmapped: expression unknown.

Top 20: union of positive guide seed-matched, uniquely mapped non-target genes; ranked by mean TPM across all eight samples. No differential-expression selection.

Methods and interpretation 2/2

Heatmap: log2(TPM + 1); identical gene order and color limits across pages; no row standardization. Full match data are retained in source tables.

Guide mer7m8 reference matches are not experimentally measured off-target effects. Expression annotations do not change candidate ranking.

Current candidates and exact input versions are recorded in settings.json and manifest.json. Historical score/seed imports remain marked as imports.

Native R packages: ggplot2, ggforce, patchwork; Arial Bold; 10 x 7 inches. No model inference or new differential testing in the plotting tool.