

Report

CMPE156 Name: Shuli He, ID:she77@ucsc.edu
Concurrent-File-Transfer

Usage:

Use command 'make' (Makefile) to compile the source code. (Using g++)

Run:

```
./proxy <listen-port> <forbidden-sites-file>
```

example:

```
./proxy 12345 forbidden-sites.txt
```

Design:

1. First, when start the proxy, create a TCP socket and bind with the local address then start listening the incoming request by `listen()` and `accept()`.
2. When the proxy gets a request the `accept()` function will create a new TCP connection with client and return a socket file descriptor. Create a new thread to deal with the transmissions with this socket.
3. Analysis the HTTP request and verified it (If failed write to log and send back error code). Get the IP address by the url information.
4. Check the forbidden-sites-file. If the url is in the forbidden list return the 403 (Forbidden URL) code to client.

5. Create a new TCP connection with the Host by IP address. Add forward information into the request then send to the Host.
6. Receive the data from host and forward to the client.
7. Write the result to the log file. The log file is managed by a mutex lock `pthread_mutex_t logLock`. Only one thread could modify the file at the same time.

Potential problem:

1. Too much requests might excess the listen capacity. (is set to 10).
2. Keep alive connection might get time out.
3. Threads are not joined.
4. Do not handle the client send multiple request at once.
5. The error message send to client not contains all information in header just error code and a simple html code.

Test:

```
unix.lt.ucsc.edu - PuTTY
=====Waiting for client's request=====
*Received request:
GET HTTP://www.google.com/ HTTP/1.1
User-Agent: curl/7.29.0
Host: www.google.com
Accept: */*
Proxy-Connection: Keep-Alive

*Each Command: GET
*Each Command: HTTP://www.google.com/
*Each Command: HTTP/1.1
Forbidden site
*Wrote log:2019-2-28T14:51:54.783Z 127.0.0.1 "GET HTTP://www.google.com/ HTTP/1.1" 403 0

*Received request:
GET HTTP://www.example.com/ HTTP/1.1
User-Agent: curl/7.29.0
Host: www.example.com
Accept: */*
Proxy-Connection: Keep-Alive

*Each Command: GET
*Each Command: HTTP://www.example.com/
```

Test with curl:

```
unix.lt.ucsc.edu - PuTTY
=====
You are currently using 15% (152.8 MiB) of your 1.0 GiB quota.
-bash-4.2$ curl -x 127.0.0.1:12345 www.google.com
<html><head>
<title>403</title>
</head>
<body>
<h1>403</h1>
</body>
</html>
-bash-4.2$ curl -x 127.0.0.1:12345 www.example.com
<?xml version="1.0" encoding="iso-8859-1"?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
    "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en">
  <head>
    <title>400 - Bad Request</title>
  </head>
  <body>
    <h1>400 - Bad Request</h1>
  </body>
</html>
-bash-4.2$ curl www.example.com
<!doctype html>
```

Log file:

```
access.log
~/Github/Basic-Web-Proxy/bin
2019-2-28T18:45:12.33Z 127.0.0.1 "GET http://www.example.com/ HTTP/1.1" 200 1592
2019-2-28T18:45:17.164Z 127.0.0.1 "GET http://www.example.com/ HTTP/1.1" 200 1592
2019-2-28T18:45:24.204Z 127.0.0.1 "GET http://www.google.com/ HTTP/1.1" 403 0
```