Massachusetts General Hospital Founding Member, Mass General Brigham	George A. "Doc" Lopez, MD Laboratory for Regenerative Cell Therapy White 536, 55 Fruit St, Boston, MA 02114

Process	Fibroblast passage and cryopreservation		
Date/Time	04 Mar 2026	Patient ID	PD07
Operator	Bin Song	Verifier	Harrison Hsiang

Bill of Materials:

Reagent	Fibroblasts in culture	Dish size	6-cm
Passage #	P2	# of dish this session	2
Confluency	90-100%		
Passage ratio	1:6	Note: The typical ratio is 1:4 - 1: 6. When the confluency in a 6-cm dish reaches 80%, the cells will be cryopreserved into two 2mL vials.	

Fibronectin 0000315248 F0895-2MG ~~F0895~~ (1) – BS

Reagent list:

Reagent	Lot	Amount /container	# of container	Expiry date	Operator	Verifier
DMEM	3205009	500 mL	1	30 Sept 2026		
FBS		25 mL	1			
NEAA	2670634	3 mL	1	27 Feb 2025		
P/S	225794	10 mL	1			
bFGF	1124AF08	10 µg/mL	1 (A0625)	Feb 06, 2027		
β-Mer	#2824720-	0.4 mL	1	30 Mar, 2027		
DPBS	←	AL30844602 40 mL	1	June 30, 2027		
TrypLE	2766544	45 mL	1	Dec 30, 2025		
CS10	24259	10 mL	1	01 Oct 2026		

Bill of Equipment:

Equipment	Equipment ID			Initials
Incubator	Incubator **D** MGH - 680469 ☐	Incubator **C** MGH – 680470 ☑ N/A ☐		
CryoPlus	MGH – 680082 ☐ N/A ☐	Balance	SN: 0822306303088 ☐N/A ☐	
BSC	BSC **H** MGH – 680471 ☑ N/A ☐	Combo freezer	PN: 240386807 ☐ N/A ☐	
-80C Freezer	MGH – 680479 ☐ N/A ☐	-20C freezer	MGH – 680481 ☐ N/A ☐	
Refrigerator	MGH – 680478 ☑ N/A ☐	Pipet Aid	SN: 268217L ☑ N/A ☐	
Centrifuge	MGH – 680573 ☐ N/A ☐	Bead bath	SN: 12006021 ☑ N/A ☐	
Cell counter	MGH – 682257 ☐ N/A ☐	Microscope	MGH – 680474 ☑ N/A ☐	

All steps completed Yes ☐ No ☐ Scribe (Initial/Date) _____

Comments:

Massachusetts General Hospital
Founding Member, Mass General Brigham

George A. "Doc" Lopez, MD
Laboratory for Regenerative Cell Therapy
White 536, 55 Fruit St, Boston, MA 02114

Preparation Steps:

Step	Instruction	Data	Operator
1	**Prepare Fibronectin working solution:**		

Reagent	Stock con	Work con	Volume to add	Volume added
Fibronectin	1 mg/mL	14.8 µg/mL	0.3 mL ✓	0.3 mL
DPBS	1 X	1 X	19.7 mL ✓	19.7 mL
Total	NA	NA	20 mL	20 mL

Step	Instruction	Data	Operator
2	Filter the fibronectin working solution with a 0.22 µm filter unit. (F)	☑	
3	**Prepare Fibroblast medium:**		

Reagent	Stock con	Work con	Volume to add	Volume added
DMEM	1 X	1 X	99.3 mL ✓ ✓✓✓	99.3 mL
FBS	100 %	15%	18 mL ✓ ✓✓	18 mL
NEAA	100 X	1 X	1.2 mL ✓ ✓✓	1.2 mL
P/S	100 X	1 X	1.2 mL ✓ ✓✓	1.2 mL
bFGF	2000X	1X	60 µL ✓	60 µL
β-Mer	500X	1X	240 µL ✓ ✓✓	240 µL
Total	NA	NA	120 mL	120 mL

Step	Instruction	Data	Operator
4	Filter the fibroblast medium with a 0.22 µm filter unit. (F)	☑	
5	Warm fibroblast medium at bead bath for 30 min. 11:17 AM	☑	
6	Put Mr. Frosty with fresh 250 mL isopropanol at 4C for a minimum of 1 hour. 28 Feb 2026 (2nd use)	☑	

Fibroblast medium aliquot: 50 mL ⟶ Bead bath
Stock: 70 mL ⟶ Fridge

Massachusetts General Hospital
Founding Member, Mass General Brigham

George A. "Doc" Lopez, MD
Laboratory for Regenerative Cell Therapy
White 536, 55 Fruit St, Boston, MA 02114

Manufacturing Steps:

Step	Instruction	Data	Operator
1	Coat 6-cm dishes with 2 mL/dish of fibronectin working solution and incubate at 37°C for at least 3 hours.	Vol added: 2 mL /dish # of dish: 9 Time in: 10:57 AM	
2	Take out the fibronectin-coated 6-cm dishes out of incubator. Aspirate fibronectin and add 4 mL fibroblast medium.	Time out: 3:56PM Vol added: 4mL/dish # of dish: 9	
3	Take the fibroblast dish/plate out of incubator and collect the spent medium to a 15 mL tube.	☑ 1mL/dish	
4	Aspirate the spent medium and add 3mL DPBS to each 6-cm dish.	Vol added: 3mL/dish # of dish: 2	
5	Aspirate the DPBS and add 1 mL of TrypLE.	Vol added: 1mL /dish # of dish: 2	
6	Return the fibroblast dishes back to incubator for 1 min.	Time in: 4:05PM	
7	After 1 min, check the cells under microscope. If still attached, put them back in the incubator for 1 more min or until the cells start to detach.	☑ Ready 4:07PM	
8	Aspirate TrypLE carefully, then add 1 mL of fibroblast medium to each 6-cm dish, pipette up and down. Collect the cell suspension to 15-mL conical tube. Add ~~2~~ more mL fibroblast medium to each 6-cm dish. Collect any remaining cells to the tube.	Vol added: 2mL /dish # of dish: 2 Final vol: 4 mL	
9			

Volume for passage	Volume for cryopreservation
3 mL	1 mL
(3)	(1)

Massachusetts General Hospital
Founding Member, Mass General Brigham

George A. "Doc" Lopez, MD
Laboratory for Regenerative Cell Therapy
White 536, 55 Fruit St, Boston, MA 02114

10	For passage: (0.33 mL) Add 0.5 mL cell suspension to each 6 cm dish (containing 4 mL medium) and gently stir to make cells distribute evenly.	Vol added: 0.33mL/dish # of dish: 9	
11	Label the dish with cell type, passaging #, date. Return the 6 cm dishes to the 37°C incubator.	Time in: 4:17PM	
12	For cryopreservation: Centrifuge cells at 300 g for 5 min at room temperature (18°C - 20°C).	Speed: 0.3 RCF Time: 5 minutes Temp: 21°C	
13	Carefully aspirate the supernatant, tap the cell pellets gently. Add cryopreservation medium to re-suspend the cell pellets. 1mL	Vol added: 1 mL	
14	Take the Mr. Frosty container from 4°C refrigerator. Put all cryovials into the Mr. Frosty container and transfer to -80°C Freezer overnight. 1 mL/vial	# of cryovial: 1 Time in: 4:23 PM	
15	The next day, transfer the cryovials to the CryoPlus.	Date: ____ Location: ____	

All steps completed Yes ☐ No ☐ Operator (Initial/Date) _____

Comments: Passaged dish reads: 1/2

Fibronectin 27-Feb-26 PD07-FB P2 1 28-Feb-26

↓

9 dishes

PD07-FB P3 1-9 04Mar26

Bin was unhappy with the resuspension in CS10