Service Impl 外部接口

一、 CharacterEncoding

UTF-8

二、 Request

func：the function id

zson：data from map to json

1. func id table

1) ctrl table

```
forwardCtrl = 1001;// 转发控制
saveCtrl = 1002;// 保存控制
selectCtrl = 1003;// 选择控制
```

2) friend table

```
addFriend = 1011;// 添加好友
deleteFriend = 1012;// 删除好友
modifyFriend = 1013;// 修改好友
selectFriend = 1014;// 查找好友
selectNoFriend = 1015;// 查找非好友
```

3) hardware table

```
addHardware = 1021;// 添加硬件
deleteHardware = 1022;// 删除硬件
selectHardware = 1023;// 查找硬件
```

4) jective table

```
addJective = 1031;// 添加目标
selectJective = 1032;// 查找目标
```

5) like table

```
addLike = 1041;// 添加关注
deleteLike = 1042;// 取消关注
selectLike = 1043;// 查找关注
```

6) message table

```
addMessage = 1051;// 添加信息
deleteMessage = 1052;// 删除信息
selectFriendMessage = 1053;// 查找好友信息
```

```
selectMessage = 1054;// 查找信息
updataLikenumberMessage = 1055;// 更新点赞信息
```

7) reply table

```
addReply = 1061;// 添加回复
deleteReply = 1062;// 删除回复
selectReply = 1063;// 查找回复
```

8) status table

```
addStatus = 1071;// 添加身份
selectStatus = 1072;// 查找身份
```

9) talk table

```
addTalk = 1081;// 添加聊天
deleteTalk = 1082;// 删除聊天
selectTalk = 1083;// 查找聊天
```

10) user table

```
bindPhone = 1091;// 关联手机
getCode = 1092;// 获取验证码
login = 1093;// 登录
modifyPassword = 1094;// 修改密码
modifyUser = 1095;// 切换用户
register = 1096;// 注册
resetPassword = 1097;// 重设密码
uploadPicture = 1098;// 上传图片
```

2. zosn table

1) ctrl table

```
uid
hid
uname
hname
```

uipaddress
clevel
content

2) friend table

firstid
secondid

3) hardware table

uid
hardwareid

4) jective table

uid
temperature
humidity
air
weekday
peoplenumber
word
picturecolor
picturenumber
music

5) like table

uid
messageid

6) message table

content
picture
address
permission
likenumber
uname

uid
mtype
jword
jpicturecolor
jpicturenumber
jmusic

7) reply table

messageid
firstid
secondid
content

8) status table

uid
sstatus
uname
address

9) talk table

firstid
secondid
ttype
content

10) user table

phone
uname
utype
upassword
ipaddress
ustatus
sex
age
picture
sign
newpassword

三、 Response

resultCode

resultCode:(String)000~1099
ctrlList: (JsonArray)
friendList: (JsonArray)
noFriendList: (JsonArray)
hardwareList: (JsonArray)
jectiveList: (JsonArray)
likeList: (JsonArray)
messageList: (JsonArray)
replyList: (JsonArray)
statusList: (JsonArray)
talkList: (JsonArray)
user: (JsonObject)