: efeelture

: db_ctrl

:

id	unique	

:

id	varchar(32)			utf8mb4	pk
uid	varchar(32)				user pk
hid	varchar(32)				hardware pk
uname	varchar(32)	<	>	utf8mb4	
hname	varchar(32)	<	>	utf8mb4	
uipaddress	varchar(32)				ip
ctime	varchar(32)	<	>	utf8mb4	
clevel	varchar(32)	<	>	utf8mb4	
content	varchar(64)	<	>	utf8mb4	

: db_friend

:

Ia	unique	

.

id	varchar(32)		utf8mb4	pk		
firstid	varchar(32)			id		
secondid	varchar(32)			id		
fstatus	varchar(32)	1			0	1
ftime	varchar(32)					

: db_hardware_match

:

:4	uniaua	
jiu	unique	

:

id	varchar(32)		utf8mb4	pk
uid	varchar(32)			id
hardwareid	varchar(32)			id
htime	varchar(32)	< >		

: db_jective

:

id	unique	

.

id	varchar(32)		utf8mb4	pk
uid	varchar(32)			user pk
temperature	varchar(32)	< >	utf8mb4	
humidity	varchar(32)	< >	utf8mb4	

air	varchar(32)	< >	utf8mb4		
weekday	varchar(32)	< >	utf8mb4	0	1
peoplenumber	varchar(32)	< >	utf8mb4		
word	varchar(32)	< >	utf8mb4		
picturecolor	varchar(32)	< >	utf8mb4		
picturenumber	varchar(32)	< >	utf8mb4		
music	varchar(32)	< >	utf8mb4		
jtime	varchar(32)	< >	utf8mb4		

: db_like

:

id	unique	
lu	lullique	

:

id	varchar(32)		utf8mb4	pk
uid	varchar(32)			user pk
messageid	varchar(32)			message pk
Itime	varchar(32)	< >		

: db_message

:

id	unique	

.

id	varchar(32)			utf8mb4	pk							
content	varchar(64)	<	>	utf8mb4								
picture	varchar(32)	<	>	utf8mb4								
address	varchar(32)	<	>	utf8mb4								
mstatus	varchar(32)	1				0	1					
permission	varchar(32)	<	>	utf8mb4		0		1		2		
likenumber	varchar(32)	0										
uname	varchar(32)	<	>	utf8mb4								
uid	varchar(32)				user	pk						
mtype	varchar(32)	0				0	1		2		3	
mtime	varchar(32)	<	>									
jword	varchar(8)	<	>									
jpicturecolor	varchar(8)	<	>									
jpicturenumber	varchar(8)	<	>									
jmusic	varchar(8)	<	>									

: db_reply

:

id	unique	

:

id	varchar(32)			utf8mb4	pk	
messageid	varchar(32)					id
rtime	varchar(32)	<	>	utf8mb4		
firstid	varchar(32)					1id
secondid	varchar(32)					2id

content	varchar(64)	< >	utf8mb4	

: db_status

:

id	unique	

:

id	varchar(32)			utf8mb4	pk		
uid	varchar(32)				user pk		
sstatus	varchar(32)	0				0	1
stime	varchar(32)	<	>	utf8mb4			
ipaddress	varchar(32)	<	>	utf8mb4	ip		
ipport	varchar(16)	<	>	utf8mb4	port		
uname	varchar(32)	<	>	utf8mb4			
address	varchar(32)	<	>	utf8mb4			

: db_talk

:

id	unique	
μu	unique	

:

id	varchar(32)			utf8mb4	pk					
firstid	varchar(32)				į	d				
secondid	varchar(32)				į	d				
ttype	varchar(32)	0					0	1	2	
content	varchar(64)	<	>	utf8mb4						
ttime	varchar(32)	<	>	utf8mb4						
trantype	varchar(8)	<	>	utf8mb4	socket					
resulttype	varchar(8)	<	>	utf8mb4						
sendname	varchar(32)	<	>	utf8mb4						

: db_user

:

	id	unique	
phone	phone	unique	

:

id	varchar(32)		utf8mb4	pk		
phone	varchar(32)	12345678900				
uname	varchar(32)	machine				
utype	varchar(32)	0			0	1
upassword	varchar(32)	< >				
ipaddress	varchar(32)	< >	utf8mb4	ip		
ustatus	varchar(32)	< >	utf8mb4		0	1
sex	varchar(32)	< >	utf8mb4			
age	varchar(32)	< >	utf8mb4			
picture	varchar(32)	< >	utf8mb4			
sign	varchar(64)	< >	utf8mb4			
utime	varchar(32)	< >				