

服务器配置说明

总体架构概述

- 服务器描述+IP
 - server 1:114.55.9.239(DB + WEB)
 - server 2:121.43.37.254(WEB)
 - server 3:121.43.40.235(WEB)
- server 1的功能是数据库服务器和Web服务器，其余两台服务器是简单的Web服务器。
- Web：Api会判断接口的优先级高低，优先级高的直接入库。优先级低的，存入队列。后台慢慢消耗队列数据，然后存入MySQL。可以有效减小MySQL压力。
- 队列服务使用 `httpsqs` ,进程管理服务使用 `supervisor` 。
- 负载均衡：DNS轮询。

软件环境：

php

- 目录： `/usr/local/php/`
- 配置文件： `/usr/local/php/etc/php.ini`, `/usr/local/php-5.6.15/etc/php-fpm.conf`

mysql:

- 安装目录： `/usr/local/mysql/`
- 数据目录： `/data/mysql3306/`---->由于更换磁盘，目录改为了 `/data_new/mysql3306`
- 账号密码： `root`, `u591,hainiu*`
- 配置文件： `/etc/my.cnf`

nginx:

- 安装目录: /usr/local/nginx/

程序目录:

/var/www/html/

发布程序, 建议用deploy账号。

账号: deploy

密码: deploy@u591

日志目录

注意: , 日志目录的权限, 需要分配给nginx进程用户, 如www用户。

chown www:www /data/log/site -R

服务器使用的后台服务及详细介绍

- 队列服务:[httpsqs](#)
- 进程管理:[supervisor](#)

配置服务器自启动服务:

- /usr/bin/httpsqs -d -x /data/httpsqs/data -a u591
- /usr/bin/supervisord -c /etc/supervisord.conf
- /opt/openresty/nginx/sbin/nginx

logrotate

```
/data/log/web/*log {  
    daily  
    nocompress  
    nomail  
    copytruncate  
    create  
    missingok  
    dateext  
    notifempty
```

```

olddir /data/log/web/old
size 50M
postrotate
    /bin/kill -HUP `cat /var/run/nginx.pid 2> /dev/null` 2>
/dev/null || true
endscript
}

```

配置定时任务

```

05 * * * * /usr/local/php/bin/php -f /var/www/html/ci/index.php
AutoRunHour run
10 * * * * /usr/local/php/bin/php -f /var/www/html/ci/index.php
AutoRunHour reg2
15 * * * * /usr/local/php/bin/php -f /var/www/html/ci/index.php
AutoRunHour reg1
04 03 * * * /usr/local/php/bin/php -f /var/www/html/ci/index.ph
p AutoRunDay run >> /data/log/web/run/run.log
10 03 * * * /usr/local/php/bin/php -f /var/www/html/ci/index.ph
p AutoRunDay CliNewPlayer >> /data/log/web/run/CliNewPlayer.log
15 03 * * * /usr/local/php/bin/php -f /var/www/html/ci/index.ph
p AutoRunDay CliLogin >> /data/log/web/run/CliLogin.log
20 03 * * * /usr/local/php/bin/php -f /var/www/html/ci/index.ph
p AutoRunDay OnlineTime >> /data/log/web/run/OnlineTime.log
30 03 * * * /usr/local/php/bin/php -f /var/www/html/ci/index.ph
p AutoRunDay SystemAnalysis >> /data/log/web/run/SystemAnalysis
.log
40 03 * * * /usr/local/php/bin/php -f /var/www/html/ci/index.ph
p AutoRunDay au >> /data/log/web/run/au.log
50 03 * * * /usr/local/php/bin/php -f /var/www/html/ci/index.ph
p AutoRunDay UserRemain >> /data/log/web/run/UserRemain.log
55 03 * * * /usr/local/php/bin/php -f /var/www/html/ci/index.ph
p AutoRunDay ActiveAccountCount >> /data/log/web/run/ActiveAcco
untCount.log
10 04 * * * /usr/local/php/bin/php -f /var/www/html/ci/index.ph
p AutoRunDay UserLost >> /data/log/web/run/UserLost.log

```

fgi,ytiff89,7y

导出数据

mysqldump -uroot -p'u591,hainiu*' \

```
--ignore-table=sdk.type_009_10002 \
--ignore-table=sdk.type_018_10002 \
--ignore-table=sdk.u_common_currency \
--ignore-table=sdk.u_elf_starlev \
--ignore-table=sdk.u_playing_method \
--ignore-table=sdk.u_level_difficulty \
--ignore-table=sdk.u_player_active \
--ignore-table=sdk.u_register_process \
sdk > /data/sdk-120212.sql
```

```
mysqldump -uroot -p'u591,hainiu*' --skip-extended-insert sdk
u_register_process > /data/register_process.sql
source /data/sdk-120212.sql
```

MySQL 配置权限

```
GRANT USAGE ON *.* TO 'dbaPeter'@'10.26.94.88' IDENTIFIED BY 'pete
GRANT Insert, Select, Delete, Update ON `mydb`.* TO `dbaPeter`@`10
GRANT USAGE ON *.* TO 'dbaPeter'@'10.27.6.232' IDENTIFIED BY 'pete
GRANT Insert, Select, Delete, Update ON `mydb`.* TO `dbaPeter`@`10
```

```
GRANT USAGE ON *.* TO 'dbaPeter'@'10.28.39.87' IDENTIFIED BY 'pete
GRANT Insert, Select, Delete, Update ON `mydb`.* TO `dbaPeter`@`10
```

```
GRANT USAGE ON *.* TO 'sdker'@'10.26.94.88' IDENTIFIED BY 'sdku59:
GRANT Insert, Select, Delete, Update ON `sdk`.* TO `sdker`@`10.26.
```

```
GRANT USAGE ON *.* TO 'sdker'@'10.28.39.87' IDENTIFIED BY 'sdku59:
GRANT Insert, Select, Delete, Update ON `sdk`.* TO `sdker`@`10.28.
```

```
GRANT USAGE ON *.* TO 'sdker'@'10.27.6.232' IDENTIFIED BY 'sdku59:
GRANT Insert, Select, Delete, Update ON `sdk`.* TO `sdker`@`10.27.
```

```
GRANT USAGE ON *.* TO 'zhangjian'@'%' IDENTIFIED BY 'zhangjian$u59
GRANT Select ON `sdk`.* TO `zhangjian`@`%`;
```

```
GRANT USAGE ON *.* TO 'looklook'@'%' IDENTIFIED BY 'looklook';
GRANT Select ON `sdk`.* TO `looklook`@`%`;
```

```
GRANT USAGE ON *.* TO 'payor'@'10.27.6.232' IDENTIFIED BY 'u591*ha
```

```
GRANT Insert, Select, Delete, Update ON `u591_hj`.* TO `payor`@`10.26.94.88`
GRANT USAGE ON *.* TO 'payor'@'10.26.94.88' IDENTIFIED BY 'u591*ha
GRANT Insert, Select, Delete, Update ON `u591_hj`.* TO `payor`@`10.26.94.88`
```

sdk服务器开放权限给充值服务器

```
GRANT USAGE ON *.* TO 'payor'@'10.28.37.152' IDENTIFIED BY 'u591*ha
GRANT Insert, Select, Delete, Update ON `sdk`.* TO `payor`@`10.28.37.152`
```