

THE PEARL EDUCATIONAL CONSULT KAMPALA SCHOOLS

STANDARD CURRICULUM BASED

P.5 MATHEMATICS LESSON NOTES TERM ONE

SET CONCEPT

A set.

A set is a collection of well-defined elements or members

Review on the following

- Equal sets
- Un equal sets
- Equivalent sets
- Non equivalent sets

INTERSECTION SETS ($\cap$)

A set of common elements found in two or more sets.

The symbol for intersection is $\cap$

Example I

Given set $A = \{a, b, c, e, f, g\}$

$B = \{b, d, e, f, g\}$

Find $A \cap B$

$A \cap B = \{b, e, f, g\}$

Example II

Set $K = \{a, e, i, o, u\}$

$B = \{a, b, c, d, e, f, g, h, i\}$

(i) Find (i) $K \cap B = \{a, e, i\}$

(ii) $n(K \cap B) = 3$

Examples III

$K = \{\text{Odd numbers less than } 10\}$

$M = \{\text{prime numbers less than } 10\}$

(i) List members of K

$$K = \{1, 3, 5, 7, 9\}$$

$$M = \{2, 3, 5, 7\}$$

(ii) Find $A \cap B = \{3, 5, 7\}$

Activity

1. Given set $B = \{1, 2, 3, 4, 5, 6\}$ and $K = \{3, 4, 5, 6, 7, 8, 9\}$

List members of (ii) $A \cap B$

Find $n(A \cap B)$

2. $P = \{0, 1, 2, 3, 4, 5\}$

$$Q = \{0, 2, 4, 6, 8\}$$

Find (i) $P \cap Q$

(ii) $n(P \cap Q)$

3. Given set $m = \{\text{vowel letters}\}$

$$B = \{a, b, c, d, e\}$$

Find (i) $M \cap B$

(ii) $n(M \cap B)$

4. Set $Q = \{\text{Even numbers less than 12}\}$

$$B = \{4, 6, 8, 9, 10, 12\}$$

Find (i) $Q \cap B$

(ii) $n(Q \cap B)$

5. Set $H = \{\text{Odd numbers less than 13}\}$

$$M = \{2, 3, 4, 5, 6, 7, 8, 9\}$$

Find (i) $H \cap M$

(ii) $n(H \cap M)$

UNION SETS

A union set is a set with all members of given sets.

Note:

Common members of two or more sets are written once.

The symbol for Union **U**

1. Given $M = \{\text{orange, mangoes, pawpaw}\}$

$$K = \{\text{tomatoes, peas, pineapples}\}$$

Find $MuK = \{\text{oranges, mangoes, pawpaw, tomatoes, peas, pineapples}\}$

2. Set $H = \{4, 6, 8, 9, 10, 12, 14\}$

$$B = \{0, 2, 4, 6, 8, 9, 10, 12, 14\}$$

Find $HUB = \{0, 2, 4, 6, 8, 9, 10, 12, 14\}$

$$n(HUB) = 9$$

3. Set $W = \{\text{Prime numbers less than 13}\}$

$$P = \{\text{Odd number less than 13}\}$$

Find (i) WuP

$$(ii) n(WUP)$$

Soln

$$W = \{2, 3, 5, 7, 11\}$$

$$P = \{1, 3, 5, 7, 9, 11\}$$

$$WUP = \{1, 2, 3, 5, 7, 9, 11\}$$

$$n(WUP) = 7$$

Activities

1. Set $M = \{1, 2, 3, 4, 5, 6, 7\}$

$$K = \{1, 2, 3, 4, 5, 8, 9, 10\}$$

Find MUK

2. Set $H = \{\text{composite numbers less than 12}\}$

$$B = \{\text{Prime numbers less than 13}\}$$

Find (i) HUB

$$(ii) n(HUB)$$

3. Set $R = \{\text{Even numbers less than 14}\}$

$$H = \{\text{counting numbers less than 12}\}$$

Find (i) RUH

$$(ii) n(RUH)$$

4. Set $M = \{\text{Natural numbers less than 10}\}$

$$B = \{1, 3, 5, 7, 9\}$$

Find (i) MUB

$$(ii) n(MUB)$$

5. Set $R = \{1, 4, 9, 16, 25, 36\}$

$$H = \{0, 2, 4, 6, 8, 10, 12\}$$

Find (i) RUH

(ii) $n(\text{RUH})$

UNIVERSAL SETS ($\supseteq$)

A universal set is a set which contains of all elements from which other sets are formed.

The set symbol for universal set is $\supseteq$

Example 1

$$\text{Set } M = \{1, 2, 3, 4, 5\}$$

$$Q = \{4, 6, 8, 9\}$$

$$B = \{4, 8, 9\}$$

$$(\supseteq) = \{1, 2, 3, 4, 5, 6, 7, 8, 9\}$$

DIFFERENCE OF SETS

Is a set of elements that belong to only one set.

Examples

1. Given set $K = \{5, 6, 7, 8, 9, 10, 11, 12\}$

$$B = \{2, 3, 5, 7, 11, 13\}$$

What is (i) $K - B$? (members of set K only)

Soln

$$K - B = \{6, 8, 9, 10, 12\}$$

$$B - K = \{2, 3, 13\}$$

2. Given the $E = \{\text{Whole numbers less than } 10\}$ and

$$P = \{\text{Prime numbers between } 1 \text{ and } 12\}$$

Find (i) $P - E$

(ii) $E - P$

Soln

$$E = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9\}$$

$$P = \{2, 3, 5, 7, 11\}$$

(i) $P - E = \{11\}$

$$n(P - E) = 1$$

$$E - P = \{0, 1, 4, 6, 8, 9\}$$

$$n(E - P) = 6$$

3. Given that set $Q = \{0, 2, 6, 8, 9, 10\}$

$$M = \{1, 2, 3, 4, 6, 11, 13\}$$

Find (i) $Q - M$

(ii) $n(Q - M)$

(ii) $M - Q$

(iii) $n(M - Q)$

Soln

(i) $Q - M = \{0, 8, 9, 10\}$

(ii) $n(Q - M) = 4$

(iii) $M - Q = \{1, 3, 11, 13\}$

$n(M - Q) = 4$

Activity

1. $T = \{a, b, c, d, e\}$

$$S = \{a, e, i, o, u\}$$

Find

(a) $T - S$

(b) $S - T$

2. Set $H = \{\text{all even numbers less than } 10\}$

$$L = \{\text{all odd numbers less than } 10\}$$

(a) How many elements are in $K - L$?

(b) List down all members of $L - K$?

3. Given that $M = \{d, n, p, r, t, y\}$ and

$$N = \{c, d, k, m, n, x, v\}$$

(a) List all the members of M and N

(b) Find (i) $M - N$

(ii) $n(M - N)$

(c) (iii) $N - M$

(iv) $n(N - M)$

4. Given that $E = \{\text{whole numbers less than } 16\}$

$$\text{And } A = \{\text{Odd numbers less than } 16\}$$

(a) List the members of E and members of A

$$E = \{ \quad \quad \quad \} \quad A = \{ \quad \quad \quad \}$$

(b) Find (i) $A - E$

(ii) $E - A$

COMPLEMENT OF SETS

Complement of a set means a set of members that don't belong to a given set.

It is a set of elements outside the mentioned set.

Given A^1 , this is read as A complement.

Examples 1

Given that: $P = \{4, 3, 6, 7, 9\}$ and

$$Q = \{1, 2, 3, 5, 7\}$$

Write down members of P^1 (complement of set P)

$$P^1 = \{1, 2, 5\}$$

$$n(P^1) = 3$$

Examples II

Given $M = \{0, 4, 6, 8, 9\}$

$$H = \{1, 2, 4, 6, 10, 12\}$$

Find $m^1 = \{1, 2, 10, 12\}$

$$H^1 = \{0, 8, 9\}$$

Examples III

Given $N = \{4, 6, 8, 9, 10, 12\}$

$$R = \{0, 2, 4, 6, 8, 10\}$$

Find the complement of set R

Soln

$$R^1 = \{9, 12\}$$

(ii) Find $N^1 = \{0, 2\}$

Activity

1. Given $A = \{1, 2, 3, 4, 5, 7, 9\}$

$$B = \{0, 2, 4, 6, 8\}$$

Find (i) A^1

(ii) B^1

2. Given set $H = \{\text{prime members less than } 10\}$

$$K = \{\text{odd numbers less than } 10\}$$

Find the complement of set K.

3. Set $M = \{4, 6, 8, 9, 10, 12\}$

$$K = \{2, 4, 6, 8, 11, 12\}$$

(a) Find the complement of set M.

(b) Find the complement of set K.


4. Set $R = \{1, 3, 5, 7, 9, 11\}$

$$M = \{1, 2, 3, 4, 5, 10, 12\}$$

Find (i) R^c

(ii) M^c

5. Below is a Venn diagram. Use it to answer questions that follow.




(i) Find (ii) A^c

(ii) $(A \cap B)^c$











(iii) B^c


PARTS OF VENN DIAGRAM




DESCRIBING SHADED PARTS OF VENN DIAGRAM

EXAMPLES















Set B / $A \cap B$




A only / B^I

ACTIVITY


1. Describe each of the shaded regions in the venn diagrams below.



(k)




(l)



LISTING AND FINDING NUMBER OF ELEMENTS IN A GIVEN SET

1. Set A = {all factors of 12}
 B = {All even members less than 10}
 - a. Find
 - (i) A
 $A = \{1, 2, 3, 4, 6, 12\}$
 - (ii) B
 $B = \{0, 2, 4, 6, 8\}$
 - (iii) $(A \cap B)$
 $A \cap B = \{2, 4, 6\}$
 - (iv) $A \cup B$
 $A \cup B = \{1, 2, 3, 4, 6, 12, 0, 8\}$
 - b. Find $n(A \cap B)$
 $(A \cap B)^1 = \{0, 8, 1, 3, 12\}$
 $n(A \cap B)^1 = 5$
2. The venn diagram below shows set A and B.



Find

- (i) A
 Soln
 $A = \{a, b, e, c, d, y\}$
- (ii) $(A \cap B)^1$
 Soln

$$(A \cap B)' = \{a, e, b, f, h, i, j, k\}$$

$$n(A \cap B) = 8$$

(ii) $(B - A)$

soln

$$B - A = \{f, h, i, j, k\}$$

$$n(B - A) = 5$$

ACTIVITY

1. Given set $P = \{\text{All multiples of 4 less than 25}\}$

$$Q = \{\text{All factors of 16}\}$$

Find (i) P

(ii) Q

(iii) $P \cap Q$

(iv) $n(P \cup Q)$

2. Given that $E = \{\text{whole numbers less than 10}\}$

$$P = \{\text{Prime numbers between 1 and 12}\}$$

Find (i) E

(ii) $n(P)$

(iii) $n(E \cap P)$

(iv) $n(E \cup P)$

3. If set $A = \{1, 2, 3, 4, 5, 6, 7, 8, 11\}$


$$B = \{2, 3, 4, 5, 8, 9, 10, 11\}$$

Find (i) $A \cap B$

(ii) $n(A \cup B)$

(iii) $n(A - B)$


4. Below is set A and K



Find

- (i) A
- (ii) K
- (iii) AnK
- (iv) (AnK)¹
- (v) n(AUK)
- (vi) n(A)¹

5. Use the venn diagram below to answer questions.




- Find
- (i) P
 - (ii) Q¹
 - (iii) n(P)¹
 - (iv) n(PnQ)¹

FINDING NUMBER OR ELEMENT ON A VENN DIAGRAM GIVEN GROUPED DATA

Note:

While finding number of elements given grouped data, do not list, we just add.

Below is set A and B.



Find n (A)

Soln

- (i) $n(A) = 10 + 5$
 $= 15$
- (ii) n(B)

Soln

$$\begin{aligned} n(B) &= 10 + 15 \\ &= 21 \end{aligned}$$

$$(ii) \quad n(A \cap B)$$

Soln

$$n(A \cap B) = 5$$

$$(iii) \quad n(A \cap B)^1$$

Soln

$$\begin{aligned} n(A \cap B)^1 &= 10 + 16 \\ &= 26 \end{aligned}$$


$$(v) \quad n(A \cup B)$$

Soln

$$\begin{aligned} n(A \cup B) &= 10 + 5 = 16 \\ &= 31 \end{aligned}$$

Example II

The venn diagram below show number of pupils who like Math and English(E)



- (a) How many pupils like math (M)

Soln

$$\begin{aligned} n(M) &= 20 + 4 \\ &= 24 \end{aligned}$$

- (b) How many pupils do not like English?

Soln

$$\begin{aligned} n(E)^1 &= 20 + 2 \\ &= 22 \end{aligned}$$

- (c) How many pupils like only one subject?

Soln

$$\begin{aligned}\text{Only one} &= 20 + 18 \\ &= 38\end{aligned}$$


- (d) Find the number of pupils in the whole class.

Soln

$$\begin{aligned}n(\leq) &= 20 + 4 + 18 + 12 \\ &= 44\end{aligned}$$


Activity.

1. Below is set P and Q




- Find
- (i) $n(P)$
 - (ii) $n(P \cap Q)$
 - (iii) $n(P \cap Q)^1$
 - (iv) $n(P \cup Q)$
 - (v) $n(P)^1$

2. Below is a set showing number of pupils who like meat (M) and Fish(F)



- (a) How many pupils like meat?
- (b) Find the number of pupils who like fish?
- (c) How many pupils like meat only?
- (d) How many pupils are in the whole group?

3. The venn diagram below show number of pupils who play football (F) and Volley(V)



- (a) How many pupils play football?
- (b) How many pupils play volley ball?
- (c) Find the number of pupils who play only one game.
- (d) How many pupils do not play volley ball?
- (e) How many pupils do not play football?
- (f) How many pupils are in the whole class?

REPRESENTING INFORMATION ON A VENN DIAGRAMS

A. Given ungrouped information.


Examples

1. Give that set $A = \{1, 2, 3, 4, 5, 6, 7, 8, 9\}$ and
Set $B = \{\text{All even number less than } 12\}$
 - a. Find B
 $B = \{0, 2, 4, 6, 8, 10\}$
 - b. Show set A and B on a venn diagram.

Soln


$$A = \{1, \textcircled{2}, 3, \textcircled{4}, 5, \textcircled{6}, 7, \textcircled{8}, 9\}$$

$$B = \{0, \textcircled{2}, \textcircled{4}, \textcircled{6}, \textcircled{8}, 10\}$$



Examples

2. If set $P = \{\text{all prime number less than } 12\}$ and
Set $K = \{\text{all factor of } 20\}$
 $P = \{2, 3, 5, 7, 11\}$
 $K = \{1, 2, 4, 5, 10, 20\}$




Activity

1. Given that $T = \{\text{Odd numbers less than 10}\}$
 $U = \{\text{odd numbers between 6 and 12}\}$
 Show the two sets T and U on a venn diagram.
 2. $R = \{\text{the first five letters of the English alphabets}\}$
 $S = \{\text{vowels in the English alphabet}\}$
 Represent set R and Set S on the venn diagram.
 3. Set $K = \{\text{all multiples of 4 less than 25}\}$ and
 Set $T = \{\text{even numbers less than 13}\}$
 Represent the above information on the venn diagram.
 4. Set $M = \{\text{all factors of 12}\}$ and set $N = \{\text{all multiples of 3 less than 20}\}$
 Show set M and set N on a venn diagram.
 5. If $J = \{3, 6, 9, 12\}$ and set $K = \{\text{all even numbers less than 10}\}$
 - (a) Find K .
 - (b) Represent se J and set K on a venn diagram.
 6. Given that $E = \{\text{whole numbers less than 16}\}$ and
 $A = \{\text{odd numbers less than 16}\}$
 - (a) List the members of E
 - (b) List the members of set A .
- B) Given grouped data**

Examples

1. Given that $n(A) = 20$, $n(B) = 15$, $n(A \cup B) = 10$
 Show the above information on a venn diagram.

Soln



(b) Find $n(A \cup B)$


Soln

$$\begin{aligned} n(A \cup B) &= 10 + 10 + 5 \\ &= \underline{25} \end{aligned}$$

Examples II

2. In a class, 30 pupils like Maths (M), 24 pupils like English(E) and 8 pupils like both subjects.

a. Complete the venn diagram



(b) How many like math only?

Soln

$$\begin{aligned} N(M)\text{only} &= 30 - 8 \\ &= 22 \end{aligned}$$

2. How many like only one subject?

Soln

Only one subject

$$= 22 + 16$$

$$= 38 \text{ pupils}$$

Activity

1. Given that $n(A) = 15$, $n(B) = 20$ and $n(A \cap B) = 9$.

a. Draw a venn diagram to represent the above information.

2. The number of pupils who do RE (R) are 26 and the number of pupils who do Art (A) are 30. If there are 16 pupils who do both subjects,

Draw a venn diagram and find out how many pupils do only one subject.

3. If $n(M) = 25$, $n(N) = 20$ and $n(M \cap N) = 8$.

a. Draw a venn diagram to represent the above information.

(b) Find

(i) $n(M - N)$

(ii) $n(N - M)$

(iii) $n(N \cup M)$

SUBSETS

A subset is a set that can be obtained /formed from any given set.


A symbol for subset is $\subseteq$ (is a subset of)

Venn diagram about subsets

Examples

Draw a venn diagram to show that all girls are female (F)

Soln




Examples

Draw a venn diagram to show that


$$A = A \cap B$$

Soln



Example III

Draw a venn diagram to show that $A = A \cup B$



Activity

1. Draw a venn diagram to show that all hens(h) are birds(b).

2. Draw a venn diagram to show that all boys(B) are males(M).
3. Draw a venn diagram to show that all goats are are animals.
4. Draw a venn diagram to show that $P = P \cap Q$
5. With the help of a venn dram, show that $n(K) = n(P \cup K)$

LISTING SUBSETS

Note:

- An empty set is a subset of every set.
- A given set is a subset of itself.
- Equal sets are not subsets of a given set. e.g. $\{a, b\}$ and $\{b, a\}$ since they are taken to be the same.

Examples

1. Given that set $A = \{P\}$. List all subsets on set A.

Soln

$\{\}, \{P\}$

2. If set $P = \{1, 2\}$. List all subsets in set T.

Soln

$\{\}, \{1\}, \{2\}, \{1, 2\}$

3. Set $Q = \{m, a, n\}$. List all subsets in set Q.

Soln

$\{\}, \{m\}, \{a\}, \{m, a\}, \{m, n\}, \{a, n\}, \{m, a, n\}$

Activity

1. List all subsets in sets A. If $A = \{\square\}$
2. List all subsets in set Q given that $Q = \{X, Y\}$
3. List all subsets in set B with $\{\triangle, \bigcirc, \square\}$
4. Given that P is $\{Mary, Amos, Tony\}$, write down all subsets of P.
5. Given that $M = \{cow, goat\}$ write all the subsets of set M.
6. List all subsets is set K if $K = \{\}$

FINDING NUMBERS OF SUBSETS

No. of subsets = 2^n

Where 2 shows that number of subsets are in power of 2.

“n” is the number of elements in a given set.

Examples

1. Given that $A = \{ \}$

Soln


$$\begin{aligned} \text{No. of subsets} &= 2^n \\ &= 2^0 \\ &= 1 \text{ subset} \end{aligned}$$

2. If set $K = \{4\}$, find number of subsets in k.

$$\begin{aligned} \text{No. of subsets} &= 2^n \\ &= 2^3 \\ &= 2 \times 2 \times 2 \\ &= 8 \text{ subsets} \end{aligned}$$

Activity

- Find the number of subsets of set P, given that $P = \{1, 2, 3, 4\}$
- Set $Y = \{\text{Toad, Frog}\}$ Find the number of subset Y.
- Find the number of subsets of sets X if $n(X) = 5$.
- How many subsets are in set W if $W = \{a\}$
- Find the number of subsets in a set with 4 elements.
- Find the number of subsets in Q given that $n(Q) = 1$.
- Use the venn diagram below to answer questions that follow.



- Find number of subsets in K^1
- How many subsets are in set $P \cap K$?

c) Find number of subsets in P^I

PROBABILITY

Probability is a measure of chance.

Note:

Probability is not reduced.

Formula;

$$\text{Probability} = \frac{n(D.C)}{n(T.C)}$$

Where

D.C $\longrightarrow$ Desired chances

T.C $\longrightarrow$ Total chances

TOSSING A COIN

A coin has two faces ie

1. Head (H)
2. Tail (T)

Examples

1. A coin was tossed once. What was the probability of a head showing up?

$$\text{Prob} = \frac{n(D.C)}{n(T.C)}$$

$$D.C = \text{Head}$$

$$T.C = 1$$

$$T.C = \text{Head, Tail}$$

$$n(T.C) = 2$$

$$\text{Prob} = \frac{1}{2}$$

Activity

1. Richard tossed a coin once. What is the probability that a head shows up?
2. A girl tossed a coin once. What is the probability that a tail shows up?

ROLLING A DIE

A die has faces numbered; 1, 2, 3, 4, 5, 6

$$\text{Pro} = \frac{n(D.C)}{n(T.C)}$$

N (T.C)

Examples

1. A die was rolled once. What is the probability that,

a) An even number appears on top?

$$\text{D.C} = 2, 4, 6$$

$$n(\text{D.C}) = 3$$

$$\text{T.C} = 1, 2, 3, 4, 5, 6$$

$$n(\text{T.C}) = 6$$

$$\text{Prob} = \frac{3}{6}$$

b) An odd number appears on top.

$$\text{D.C} = 1, 3, 5$$

$$n(\text{D.C}) = 3$$

$$\text{T.C} = 1, 2, 3, 4, 5, 6$$

$$n(\text{T.C}) = 6$$

$$\text{Prob} = \frac{3}{6}$$

c) A number greater than 2.

$$\text{D.C} = 3, 4, 5, 6$$

$$n(\text{D.C}) = 4$$

$$\text{T.C} = 1, 2, 3, 4, 5, 6$$

$$n(\text{T.C}) = 6$$

$$\text{Prob} = \frac{4}{6}$$

Activity

1. A die was tossed once. What is the probability of that?

(a) a prime number appears?

(b) a multiple of 2 appears on top?

(c) a number less than 6 appears top?

(d) a square number appears on top?

(e) a composite number appears on top?

FINDING PROBABILITY GIVEN ITEMS**Examples**

1. In a box, there are 4 black pens and 5 red pens. Find the probability of picking a red pen at random.

Soln

$$n(D.C) = 4$$

$$n(T.C) = 4 + 5$$

$$= 9$$

$$\text{Prob} = \frac{4}{9}$$

2. A bag has 6 red shirts and 5 white shirts. If Mukasa picks one shirt at random from the bag. What is the probability of picking a white shirt?

Soln

$$n(D.C) = 5$$

$$n(T.C) = 5 + 6$$

$$= 11$$

$$\text{Prob} = \frac{5}{11}$$

3. In a class, there are 20 boys and girls. What is the probability of picking a boy to be the class captain?

Soln

$$\text{Prob} = \frac{n(D.C)}{n(T.C)}$$

$$n(D.C) = 20$$

$$n(T.C) = 30 + 20$$

$$= 50$$

$$\therefore \text{Prob} = \frac{20}{50}$$

Activity

1. In a basket, there are 6 ripe mangoes and 3 green one Judith picks one mangoes from the bag without looking. What is the probability that she picks a ripe mango?

2. The letters of the word KAMULI were cut separately and put in a bag. What is the probability of picking at random,

- a) a vowel?
- b) K?
- c) a consonant?

3. In a box these are 2 red pens and 3 black pens. What is the probability that a red pen is picked at random from the box?
4. A bag contains 4 blue plates and 5 white plates. What is the probability of picking a white plate from the bag?
5. A box contains fruits, 4 passions fruits, 3 oranges and 2 mangoes. What is the chance that an orange fruit is picked from the box at random?
6. What is the probability of picking a black pen from the tin which contains 3 red pens and 6 black pens?

FINDING PROBABILITY GIVEN DAYS OF THE WEEK

Note:

A week has 7 days. I.e Monday, Tuesday, Wednesday, Thursday, Fridays, Saturday, Sunday.

$$n(T.C) = 7$$

1. What is the probability that Musa will go to town on a day which starts with letter S

Soln

$$\begin{aligned} \text{Prob} &= \frac{n(D.C)}{n(T.C)} \\ D.C &= \text{Saturday, Sunday} \\ n(D.C) &= 2 \\ n(T.C) &= 7 \\ \text{Prob} &= \frac{2}{7} \end{aligned}$$

Examples

2. Anthony is going to London. What is the probability that is going on a Tuesday?

Soln

$$\begin{aligned} D.C &= \text{Tuesday} \\ n(D.C) &= 1 \\ n(T.C) &= 7 \\ \text{Prob} &= \frac{1}{7} \end{aligned}$$

Activity

1. Mr.Kitoko is going for a wedding. What is the probability that he is going on a day which begins with letter T?
2. Agnes is pregnant. If she is expected to give birth next week, what is the probability that she will give birth on Monday?

3. We shall write exams next week. What is the probability that we shall write on a day which begin with letter S?

FINDING PROBABILITY GIVEN MONTH OF THE YEAR

NOTE:

A year has 12 months i.e January, February, March, April, May, June, July, August, September, October, November and December.

Number of total chances is 12.

Example I

We shall go to Kampala next year, what is the probability the we shall go in a month starting with letter J?

D.C = January, June , July

$n(D.C) = 3$

$n(TC) = 12$

Prob = $\frac{n(D.C)}{n(T.C)}$
 $= \frac{3}{12}$

Example II

Matame is wedding next year, what is the probability that she will wed in April.

D.C = April

$n(D.C) = 1$

$n(T.C) = 12$

Prob = $\frac{n(D.C)}{n(T.C)}$
 $= \frac{1}{12}$

Activity

1. Primary leaving examination will be done next year, what is the probability that the examination will be done in the month starting with letter J?
2. What is the probability that Uganda will receive heavy rainfall in the month starting with letter "m"?
3. All government teachers will be paid next year, what is the probability that the payment will be than in the first 3 month of the year.
4. The official election of president will take place next year, what is the probability that will take place in the month starting with letter A?

5. A pregnant mother will give birth next year. What is the probability that it will be in the month of May?

FINDING PROBABILITY INVOLVING FRACTIONS

Example I

The probability that he will pass his examination is $\frac{1}{4}$. What is the probability that he will fail?

Soln

$$\text{Passing} = \frac{1}{4}$$

$$\text{Failing} = 1 - \frac{1}{4}$$

$$= \frac{4}{4} - \frac{1}{4}$$

$$= \frac{3}{4}$$

Example II

The probability that we shall get food tomorrow is 0.8 what is the probability that we shall not get.

$$\text{Getting} = 0.8$$

$$\text{Not getting} = 1 - 0.8$$

$$= \frac{10}{10} - \frac{8}{10}$$

$$= \frac{2}{10}$$

$$= \underline{0.2}$$

Activity

1. The probability that it will rain today is $\frac{3}{4}$. What is the probability that it will not rain?
2. The probability of passing exams is $\frac{2}{7}$ find the probability of failing.
3. The probability that school in Uganda will reopen next month due to covid 19 pandemic is $\frac{1}{3}$. What is the probability that the schools will not open?

4. The probability that Musa will pass an interview is 0.4. What is the probability that he will not pass it?
5. The chance that president Museveni will be voted back in power is 0.6. What is the probability that he will not be voted into power?

WHOLE NUMBERS.

NUMERATION SYSTEMS AND PLACE VALUES.

Finding place values of whole numbers.

A place value is a position of a digit in a given number.

Example I

Find the place value of each digit in the number below.

5 4 6 8 9 1 0

Soln

M	H/Th	T/Th	Th	H	T	O	
5	4	6	8	9	1	0	
							Ones
							Tens
							Hundreds
							Thousands
							Ten thousands
							Hundred thousands
							Millions

What is the place value of the underlined digits in 4 8 9 4 7 2

Soln

H/Th	T/Th	Th	H	T	O	
<u>4</u>	8	<u>9</u>	5	<u>7</u>	2	
						Tens
						Thousands
						Hundred thousands

Activity

1. What is the place value of each of the digits in the following.
 - (a) 5403
 - (b) 72483
 - (c) 169542

(d) 623,589 (e) 1689143 (f) 942376

(2) What is the place value of the underlined digits in the following.

(a) 1 4 83 (b) 964324 (c) 79462(d) 38946 (e) 76421 (f) 846241**FINDING VALUE OF DIGITS IN WHOLE NUMBERS.**

A value is a product of a digit and its place value.

Example I

Find the each of the digits in 4 6 8 2 4 5 9

Soln

M	HT	TTH	TH	H	T	O
4	6	8	2	4	5	9
↓	↓	↓	↓	↓	↓	↓
						$9 \times 1 = 9$
					$5 \times 10 = 50$	
				$4 \times 100 = 400$		
			$2 \times 1000 = 2000$			
		$8 \times 10,000 = 80,000$				
	$6 \times 100,000 = 600,000$					
$4 \times 1000,000 = 4,000,000$						

Example II

What is the value of the underlined digits in 19 8 4 0 3 6?

M	H/Th	T/Th	Th	H	T	O
1	9	<u>8</u>	4	<u>0</u>	3	6
		↓		↓		
				$0 \times 100 = 0$		
		$8 \times 10,000 = 80,000$				

Activity

1. What is the value of each of the following digits?

(a) 4 03 (b) 97036 (c) 342634 (d) 90786

2. What is the value of the underlined digit.

(a) 3 0 4 (b) 97043 (c) 4 0 3007

3. What is the value of the underlined digit.

(a) 4097 (b) 99043 (c) 102973

4. Expand 406 using value.

EXPANDING WHOLE NUMBERS**(A) USING PLACES VALUES.**

(a) Expand 7437 using place values.

TH H T O

7 4 3 7

$$= (7 \times 1000) + (4 \times 100) + (3 \times 10) + (7 \times 1)$$

(b) Express 697,636 in expanded form using place values

HTH TTH TH H T O

6 9 7 6 3 6

$$= (6 \times 100,000) + (9 \times 10,000) + (7 \times 1000) + (6 \times 100) + (3 \times 10) + (6 \times 1)$$

ACTIVITY

1. Expand 9464 using place values.

2. Express 46,367 in expanded form using place values.

3. Expand the following numbers using place values.

(a) 369 (b) 489,630 (c) 346,001 (d) 496,304 (e) 496,346

(B) USING VALUES**Examples**

1. Expand 4051 using values.

Soln**TH H T O**

4 0 5 1

$$= (4 \times 1000) + (0 \times 100) + (5 \times 10) + (1 \times 1)$$

$$= 4000 + 0 + 50 + 1$$

2. Write 817,036 in expanded form using values.

Soln

HTH TTH TH T H O

8 1 7 0 3 6

$$= (8 \times 100,000) + (1 \times 10,000) + (7 \times 10,000) + (0 \times 100) + (3 \times 10) + (6 \times 1)$$

$$= 800,000 + 10,000 + 7,000 + 0 + 30 + 6$$

3. Expand 90760 using values.

Soln

T/Th TH H T O

9 0 7 6 0

$$= (9 \times 10,000) + (0 \times 1000) + (7 \times 100) + (6 \times 10) + (0 \times 1)$$

$$= 90,000 + 0 + 700 + 60 + 0$$

Activity

1. Expand 3049 using values.
2. Express 90347 in expanded form using values.
3. Expand the following numbers.
 - (a) 304 (b) 4906 (c) 490,763
 - (d) 396,003 (e) 96,364 (f) 304,304

EXPANDING NUMBERS USING POWERS / INDICES/ EXPONENTS

Examples.

1. Expand 8461 using powers

8	4	6	1
10^3	10^2	10^1	10^0

$$= (8 \times 10^3) + (4 \times 10^2) + (6 \times 10^1) + (1 \times 10^0)$$

2. Express 52637 in expanded form using exponents.

5	2	6	3	7
10^4	10^3	10^2	10^1	10^0

$$= (5 \times 10^4) + (2 \times 10^3) + (6 \times 10^2) + (3 \times 10^1) + (7 \times 10^0)$$

3. Expand 40,370 using exponents indices.

4	0,	3	7	0
10^4	10^3	10^2	10^1	10^0

$$= (4 \times 10^4) + (0 \times 10^3) + (3 \times 10^2) + (7 \times 10^1) + (0 \times 10^0)$$

Activity

- Expand 304 using powers.
- Express 46,763 in expanded form using exponents.
- Expand 503466 using indices.
- Expand the following numbers using powers.
 - 30,467
 - 340,067
 - 490,363
 - 963,679

FINDING EXPANDED NUMBER

Examples

1. Express $(5 \times 100000) + (6 \times 10000) + (9 \times 1000) + (4 \times 10)$ as single number.

Soln

$$= 500,000 + 60,000 + 9,000 + 40$$

$$\begin{array}{r} 500,000 \\ 60,000 \\ 9,000 \\ + 40 \\ \hline 569,040 \end{array}$$

2. What number has been expanded to give: $40,000 + 9000 + 800 + 2$?

$$\begin{array}{r} 40,000 \\ 9,000 \\ 800 \\ + 2 \\ \hline 49,802 \end{array}$$

3. Write the expanded number in short

$$\begin{aligned}
 &= (2 \times 10^4) + (8 \times 10^3) + (5 \times 10^2) + (3 \times 10^0) \\
 &= (2 \times 10 \times 10 \times 10 \times 10) + (8 \times 10 \times 10 \times 10) + (5 \times 10 \times 10) + (3 \times 1) \\
 &= (2 \times 10000) + (8 \times 1000) + (5 \times 100) + (3 \times 1) \\
 &= 20000 + 8000 + 500 + 3 \\
 &\quad 20,000 \\
 &\quad \quad 8,000 \\
 &\quad \quad \quad 500 \\
 &+ \quad \quad \quad 3 \\
 &\hline
 &\quad \quad 28,503
 \end{aligned}$$

4. What number was expanded to give. $(3 \times 10,000) + (2 \times 10)$

Soln

$$\begin{aligned}
 &30,000 + 20 \\
 &30,000 \\
 &+ \quad 20 \\
 &\hline
 &30,020
 \end{aligned}$$

5. What number was expanded to give.

$$\begin{aligned}
 &= (3 \times 10^4) + (5 \times 10^2) + (4 \times 100) \\
 &= (3 \times 10 \times 10 \times 10 \times 10) + (5 \times 10 \times 10) + (4 \times 1) \\
 &= (3 \times 10,000) + (5 \times 100) + (4 \times 1) \\
 &= 30,000 + 500 + 4 \\
 &\quad 30,000 \\
 &\quad \quad 500 \\
 &+ \quad \quad \quad 4 \\
 &\hline
 &\quad \quad 30,504
 \end{aligned}$$

Activity

1. What number has been expanded to give.
 - (a) $(9 \times 1000) + (3 \times 100) + (2 \times 10) + (1 \times 1)$
 - (b) $(8 \times 100,000) + (7 \times 10,000) + (2 \times 100) + (2 \times 1)$

- (c) $(5 \times 100,000) + (6 \times 100) + (4 \times 1)$
2. Write the expanded number in short.
- (a) $30,000 + 900 + 3$
- (b) $9,000,000 + 700,000 + 40$
3. What number was expanded to give.
- (a) $(9 \times 10^3) + (4 \times 10^2) + (2 \times 10^1) + (5 \times 10^0)$
- (b) $(6 \times 10^4) + (4 \times 10^2) + (3 \times 10^1) + (0 \times 10^0)$
- (c) $(9 \times 10^4) + (3 \times 10^1) + (4 \times 10^0)$

WRITING FIGURES IN WORDS

Examples

1. Write 36,948 in words.

Soln

Thousand			units		
H	T	O	H	T	O
	3	6	9	4	8

Thirty-six thousand, nine hundred forty-eight.

2. Write 730,609 in words.

Soln.

Thousand			units		
H	T	O	H	T	O
7	3	0	6	0	9

Seven hundred thirty thousand, six hundred nine.

3. Write 1,403,604 in words

Soln

million			Thousand			units		
H	T	O	H	T	O	H	T	O
		1	4	0	3	6	0	4

One million, four hundred three thousand, six hundred four.

Activity

Write the following in words.

- (a) 409 (b) 9463
(c) 97,063 (d) 376489
(e) 17,036 (f) 963468

WRITING NUMBER WORDS IN FIGURES

1. Write Twelve thousand four in figures.

Twelve thousand $\longrightarrow$ 12,000
Four. $\longrightarrow$ $\begin{array}{r} + \quad 4 \\ \hline 12,004 \end{array}$

2. Write five hundred twenty – one in figure

Five hundred $\longrightarrow$ 500
Twenty-one $\longrightarrow$ + 21

521

3. Write four hundred three thousand six hundred twenty in figures.

Four hundred three thousand $\longrightarrow$ 403,000
Six hundred. $\longrightarrow$ 600
Twenty. $\longrightarrow$ + 20
403, 620

4. Write in figures: Five million, four hundred four thousand, seven hundred sixteen

Five million.	—————→	5,000,000
Five hundred five thousand.	—————→	505,000
Five hundred.	—————→	500
Fifteen.	—————→	+ 15

5,505, 515**Activity**

Write the following in figures

- (a) Eleven thousand, six hundred eleven.
- (b) Eighteen thousand, five hundred twenty-six.
- (c) Ninety – seven thousand, eighteen.
- (d) One hundred fifty thousand twenty.
- (e) One hundred thousand, one
- (f) One hundred one thousand one hundred one
- (g) Six million, nine hundred thousand ten

FORMING NUMERALS FROM DIGITS**Note:**

- There is no number that starts with digit zero.
- No commas should be indicted in the number formed.
- When forming the smallest numeral, arrange the given digits in ascending order but without commas.
- When forming the biggest numeral arrange the given digits in descending order but without commas.

Examples I

1. Given digits 2, 3 and 4 form all the three digits numerals

2	3	4
234	324	433

The numbers are 234, 243, 324, 342, 423, 432.

2. Given 4, 0 and 8:
- (a) Form the smallest numeral using the above digits.
The smallest numeral = 408
 - (b) Form the biggest numeral using the above digits.
The biggest numeral = 840

- (c) Find the difference between the biggest and smallest numbers formed.

Soln

$$\begin{array}{r}
 \text{Biggest} \quad = \quad 840 \\
 \text{Smallest} \quad = \quad -408 \\
 \hline
 \text{Difference} \quad \quad \quad 432
 \end{array}$$

3. Given the digits 9, 0 and 4

- (a) Form all the possible three-digit numerals using the above digits.

Soln

0	4	9
	409	904
	490	940

The numerals are; 409, 490, 904, 940.

4. Given the digits: 4, 0, 2 and 6.

- (a) Form the biggest four digit numeral.

Soln

Biggest numeral = 6420

- (b) Form the smallest numeral.

Soln

Smallest numeral = 2046

- (c) Find the sum of the biggest and the smallest numerals formed.

$$\begin{array}{r}
 \text{Biggest numeral} \quad \longrightarrow \quad 6420 \\
 \text{Smallest numeral} \quad \longrightarrow \quad 2046 \\
 \hline
 \text{Sum} \quad \quad \quad \longrightarrow \quad +8466
 \end{array}$$

Activity

1. Given the digits 7, 3 and 5.
 - (a) Form the smallest three-digit number.
 - (b) Form the biggest three-digit numeral.

- (c) Find the sum of the smallest and biggest numerals formed.
2. Given the digits: 9, 1 and 2.
- (a) Form the smallest three digits numeral.
- (b) Form the biggest three-digit numeral.
- (c) Work out the sum of the smallest and the biggest numerals formed.
- (d) Find the difference of the biggest and smallest three-digit numerals formed.
- (e) Express the smallest three-digit numeral in expanded form.
3. Use 5, 0 and 8 to form all three-digit numerals.
4. Given digits 7, 6 and 9,
- a) Form all the three digits numerals.
- b) Find the difference of the biggest and the smallest numerals formed.


DECIMAL FRACTIONS

A decimal number is a number with a decimal point and decimal places.

Forexample;

0.8, 0.108, 0.0072, 12.35, 0.2727, 1.66 etc.

Illustration of a decimal number by its composition.



Place value of decimal numbers.

Note:

All place values of decimal digits end in “**ths**”

Examples of decimal place values include;

1. Tenths (Tths)
2. Hundredths (Hths)

(e) 109.01

3. What is the place value of 7 in 726.04?

4. Write the place value of 0 in 2.705.

VALUES OF DECIMALS**Note:**

Value is the product of a digit and its place value?

Examples

1. Find the value of each digits in the number 251.039.

H	T	O	Tths	Hths	Thths	
2	5	1	.	0	3	9
↓	↓	↓	↓	↓	↓	↓
					$9 \times \frac{1}{1000}$	$= \frac{9}{1000}$
						$= 0.009$
				$3 \times \frac{1}{100}$	$= \frac{3}{100}$	
					$= 0.03$	
			$0 \times \frac{0}{10}$	$= 0$		
		$1 \times 1 = 1$				
	$5 \times 10 = 50$					
$2 \times 100 = 200$						

2. What is the value of 5 in 0.05.

Soln

O Tths Hths

1. 0 5

$$= 5 \times \frac{1}{100} = \frac{5}{100}$$

$$= 0.05$$

3. Find the value of 3 in the number 37.1.

Soln

T O Tths

$$\begin{array}{c}
 3 \quad 7. \quad 1 \\
 \downarrow \\
 = 3 \times 10 \\
 = 30
 \end{array}$$

Activity

1. Write the value of every digit in 70.12
2. Find the value of each digit in 0.027.
3. Find the value of the underlined digit.
 - (a) 0.5
 - (b) 7.65
 - (c) 23.08
 - (d) 2.05.
 - (e) 0.234
 - (f) 801.95

EXPANDING DECIMALS

- (a) Using place values.

Examples

Expand 4.32 using place values.

Soln

O TH HTS

4 . 3 2

$$(4 \times 10) + (3 \times \frac{1}{10}) + (2 \times \frac{1}{100})$$

Example II

Expand 34.204 using place values.

T O Tths Hths Tths

3 4 . 2 0 4

$$= (3 \times 10) + (4 \times 10) + (2 \times \frac{1}{100}) + (0 \times \frac{1}{100}) + (4 \times \frac{1}{100})$$

Expand 434.24 using place values.

Soln:

H T O Tths Hths

4 3 4 . 0 2

$$= (4 \times 1000) + (3 \times 10) + (4 \times 1) + (0 \times \frac{1}{10}) + (2 \times \frac{1}{100})$$

ACTIVITY

1. Expand 42.3 using place values.
2. Expand 69.24 using place values.
3. Expand the following using places values.
 - (a) 30.4
 - (b) 342.52
 - (c) 97.304
 - (d) 402.34

(b) Using values.

Examples

Expand 32.4 using values

Soln.

T O Tths

3 2 . 4

$$= (3 \times 10) + (2 \times 10) + (4 \times \frac{1}{10})$$

$$= (3 \times 10) + (2 \times 10) + (\frac{4}{10})$$

$$= 30 + 2 + 0.4$$

Expand 69.23 using values.

Soln**T O Tths Hths**

6 9 . 2 3

$$= (6 \times 10) + (9 \times 1) + (2 \times \frac{1}{10}) + (3 \times \frac{1}{100})$$

$$= 60 + 9 + \frac{2}{10} + \frac{3}{100}$$

$$= 60 + 9 + 0.2 + 0.03$$

Expand 6.306 using values

Soln

O Tths HthsTths

6 . 3 0 6

$$= (6 \times 1) + (3 \times \frac{1}{10}) + (0 \times \frac{1}{100}) + (6 \times \frac{1}{1000})$$

$$= 6 + 0.3 + 0 + 0.006$$

Activity

1. Expand 0.32 using values.
2. Expand the following using values.
 - (a) 2.3
 - (b) 2.03
 - (c) 42.59
 - (d) 421.3
 - (e) 39.462

(c) **Using powers/exponents /indices.****Example I**

Expand 49.5 using powers.

Soln.

4	9	.	5
10^1	10^0		10^{-1}

$$= (4 \times 10^1) + (9 \times 10^0) + (5 \times 10^{-1})$$

Expand 59.463 using powers.

Soln

5	9	.	4	6	3
10^1	10^0		10^{-1}	10^{-2}	10^{-3}

$$= (5 \times 10^1) + (9 \times 10^0) + (4 \times 10^{-1}) + (6 \times 10^{-2}) + (3 \times 10^{-3})$$

Example III

Expand 402.42 using indices.

Soln

4	0	2	.	4	2
10^2	10^1	10^0		10^{-1}	10^{-2}

$$= (4 \times 10^2) + (0 \times 10^1) + (2 \times 10^0) + (4 \times 10^{-1}) + (2 \times 10^{-2})$$

Activity

- Expand 49.3 using powers.
- Expand 56.03 using exponents.
- Expand 4.93 using indices.
- Expand the following using powers.

(a) 4.9	(c) 54.3	(e) 78.067
(b) 0.49	(d) 67.07	

WRITING DECIMALS IN WORDS**Example I**

- Write 0.3 in words
0.3 → zero point three

Or

O T th

0 . 3 → Three tenths

Example II

- Write 4.32 in words

Soln

4.32 → four point three two.

Or

Hths

4. 32 → 4 and 32

↓
Hundredths

Four and thirty-two hundredths

Example III

3. Write 402.463 in words

Soln

402. 463 → 402 and 463

↓
Thousandths

Four hundred two and four hundred sixty-three thousandths

Example IV

4. Write 32.04 in words

Soln

32.04 → 32 and 4

↓
Hundredths

Thirty-two and four hundredths

Activity

1. Write the following in words

(a) 40.3

(c) 403.52

(e) 56.03

(b) 58.69

(d) 40.32

(f) 403.5

WRITING DECIMALS IN FIGURES

Example I

1. Write in figures. Four tenths

Four tenth → $\frac{4}{10}$
= 0.4

Example II

2. Write forty – nine and four tenths in figures.

Soln

Forty – nine and four tenths → 49.4

Examples III

3. Write three hundred four point five six in figures.

Soln

304.56

Example IV

4. Write Thirty – nine and six hundred five thousandths.

Soln

Thirty-nine → 39 and 605

→ 39.605

Activity

1. Write the following decimals in figures.
 - (a) Two tenths
 - (b) Five and six tenths
 - (c) Four and thirty – nine hundredths
 - (d) Seven hundred two and four hundredths
 - (e) Sixty-eight point four five six
 - (f) Four and five hundred fifty – six thousandths

ROMANS NUMERALS

Number

Is the quantity of something.

Numeral

Is a symbol that represents a number.

TYPES OF NUMERALS

1. Hindu Arabic numerals.
2. Roman numerals

HINDU ARABIC NUMERALS

These are numerals that are used in most parts of the world.

Major Hindu Arabic numerals.

0, 1, 2, 3, 4, 5, 6, 7, 8, 9

ROMAN NUMERALS

1. Basic Roman Numeral

Hindu Arabic	1	5	10	10	50	100	500	1000
Roman Numeral	1	V	X	X	L	C	C	M

All Roma numerals should be written in capital letters.

2. **Repeated Roman numerals.**

Roman Numerals got by repeating I

2 = II

3 = III

Roman Numerals got by repeating X

20 = XX

30 = XXX

Roman Numerals got by repeating C

200 = CC

300 = CCC

Roman Numerals got by repeating M

200 = MM

3000 = MMM

NB : The above repeated numerals start with digits 2 or 3.

3. **Roman Numerals got by adding 5, 50 or 500**

NB.

These always start with digits 6, 7 or 8.

Examples

6 = 5 + 1

= VI

7 = 5 + 2

= VII

8	=	5 + 3
	=	VIII
60	=	50 + 10
	=	LX
70	=	50 + 20
	=	LXX
80	=	50 + 30
	=	LXXX
600	=	500 + 100
	=	DC
700	=	500 + 200
	=	DCC
800	=	500 + 300
	=	DCCC

4. Roman Numerals got by subtracting from 5, 10, 50, 100 or 1000.

NB

These always start with digits 4 and 9.

Examples

4	=	5 – 1
	=	IV
9	=	10 – 1
	=	IX
40	=	50 – 10
	=	XL
90	=	100 – 10
	=	XC
400	=	500 – 100
	=	CD
900	=	1000 – 100
	=	CM

Hindu Arabic and Roman numerals

Hindu Arabic	Roman Numeral
1	I
2	II
3	III
4	IV
5	V
6	VI
7	VII
8	VIII
9	IX
10	X
20	XX
30	XXX
40	XL
50	L
60	LX
70	LXX
80	LXXX
90	XC
100	C
200	CC
300	CCC
400	CD
500	D
600	DC
700	DCC
800	DCCC
900	CM
1000	M
2000	MM
3000	MMM

CHANGING HINDU ARABIC NUMERALS TO ROMAN NUMERALS

Examples

1. Express 19 in Roman Numerals

Soln

19 =

10	9
x	IX

= XIX

2. Change 36 to Roman numerals.

$$36 =$$

30	6
XXX	VI

= XXXVI

3. Change 69 to Roman numerals

$$69 =$$

60	9
LX	IX

= LXIX

Activity

Change the following Hindu Arabic numerals to Roman numerals.

- | | | |
|--------|---------|---------|
| (a) 14 | (e) 49 | (i) 449 |
| (b) 8 | (f) 89 | (j) 968 |
| (c) 23 | (g) 199 | (k) 888 |
| (d) 17 | (h) 123 | |

CHANGING ROMAN NUMERALS TO HINDU ARABIC NUMERALS

Examples

1. Change XVII to Hindu Arabic Numerals

$$XVII =$$

x	vii
10	7

= 17

2. Express XCVIII to Hindu Arabic numeral.

Soln

$$XCVIII =$$

xc	viii
90	8

= 90 + 8

= 98

3. Convert DCCLXXXVIII into Hindu Arabic numeral

Soln

DCCLXXXVIII =

DCC	LXXX	VIII
700	80	8

$$= 700 + 80 + 8$$

$$= 788$$

Activity

1. Change the following from Roman Numerals to Hindu Arabic numerals.

- | | |
|--------------|------------------|
| (a) XI | (f) DCCXX |
| (b) LVIII | (g) DCCCLXXXVIII |
| (c) XCIII | (h) CMXXII |
| (d) CXXIV | (i) CMIX |
| (e) CCCLXIII | |

WORD PROBLEMS INVOLVING ROMAN NUMERALS AND HINDU ARABIC NUMERALS

Examples

1. Musoke is 9 years. Write his age in Roman numerals.

Soln

$$9 = IX$$

2. Mukuba scored 54 marks in a test. Write score in Roman numerals.

Soln

$$54 = 50 + 4$$

$$LIX$$

3. There are XLIV oranges and LVIII apples in a basket. Find the total number of fruits in the basket in Hindu Arabic numerals.

$$\begin{array}{rcl}
 \text{XLIV} = & \begin{array}{|c|c|} \hline \text{XL} & \text{IV} \\ \hline 40 & 4 \\ \hline \end{array} & + \text{LVIII} = \begin{array}{|c|c|} \hline \text{L} & \text{VIII} \\ \hline 50 & 8 \\ \hline \end{array} \\
 & = 44 & + 58 \\
 & = 102 \text{ fruits} &
 \end{array}$$

Activity

1. A basket contains 23 ripe mangoes. Write the number of mangoes in the baskets in Roman numerals.
2. Mukiibi is 49 years. Express his age in Roman numerals.
3. Katongole has XVIII children. Write his number of children in Hindu Arabic numerals
4. There are XLVIII English books in the library. Express the number of books in Hindu Arabic numerals.
5. Malevu was born in MCMXCII. Write his year of birth in Hindu Arabic numerals.

ROUNDING OFF

This is a way of approximating numbers to the required place value.

Rounding off of whole numbers

- In rounding off, consider the digit on the right of the figure in the required place value to either **round up** or **round down**.
- Round down incase the digit on the right of the figure in the required place value is either 0, 1, 2, 3 or 4 by adding zero (0) to the digit in the required place value.
- Round up incase the digit on the right of the figure in the required place value is either 5, 6, 7, 8 or 9 by adding 1 to the digit in the required place value.
- All digits coming on the right of the digit in the required place value will turn into zero (0) when rounding off whole numbers.

Examples

1. Round off 24643 to the nearest hundreds

Soln

Tth	Th	H	T	O
2	4	6	4	3
+		0		
2	4	6	0	0
∴ 24643 24600				

2. Round off 4896 to the nearest hundredths

Soln

Th	H	T	O
4	8	9	6
+	1	0	0
4	9	0	0

∴ 4896 $\xrightarrow{\quad}$ 4900

3. Round off 68 to the nearest hundreds

H	T	O
0	6	8
+	1	0
1	0	0

∴ 68 $\xrightarrow{\quad}$ 100

Activity

- Round off the following to the nearest tens.
 - 4642
 - 314
 - 489
 - 835
 - 9
- Round off the following to the nearest hundredths
 - 4380
 - 229
 - 56
 - 7
 - 4
- Round off the following to the nearest thousands.
 - 4687
 - 14324

- (b) 96894 (f) 246
 (c) 743214 (g) 994
 (d) 49684

ROUND OFF DECIMALS

Note:

- All digits coming on the right of the digit in the required place value are crossed out.
- The last digit should be in the mentioned place value.
- Round off to 2 decimal places means hundredths, one decimal → tenths
 whole number → means one places value.

Examples

1. Round off 34.56 to the nearest tenth

Soln

$$\begin{array}{r}
 \text{RD} \\
 34.\overset{\circ}{5}6 \\
 + 0.\overset{\circ}{1} \\
 \hline
 34.6 \\
 \hline
 \therefore 34.56 \xrightarrow{\text{RD}} 34.6
 \end{array}$$

2. Round off 36.764 to the two decimal places

$$\begin{array}{r}
 \text{RD} \\
 36.\overset{\circ}{7}64 \\
 + 0.\overset{\circ}{0}0 \\
 \hline
 36.76 \\
 \hline
 \therefore 36.764 \xrightarrow{\text{RD}} 36.76
 \end{array}$$

Examples III

Round off 49.98 to the nearest whole number

Soln

$$\begin{array}{r}
 \text{RD} \\
 4 \quad 9. \textcircled{9} \textcircled{8} \\
 + \quad 1 \leftarrow \\
 \hline
 5 \quad 0 \\
 \hline
 \therefore 38.46 \quad \text{---} \quad 38.5
 \end{array}$$

Example v

Round off 76.483 to 2 decimal places

Soln

$$\begin{array}{r}
 76.483 \\
 + \quad 0 \\
 \hline
 76.48 \\
 \hline
 \therefore 76.48 \quad \text{---} \quad 76.48
 \end{array}$$

Round off 146.58 to the nearest tens.

Soln

$$\begin{array}{r}
 \text{RD} \\
 14\textcircled{6}.58 \\
 + \quad 10 \leftarrow \\
 \hline
 150 \\
 \hline
 \therefore 146.58 \quad \text{---} \quad 150
 \end{array}$$

Activity

3. Round off 46.58 to the nearest tenths.
4. Round off 98.407 to the nearest hundredths.
5. Correct 98.478 to 1 decimal place.
6. Round off 90.861 to the nearest whole number.
7. Round off 67.567 to 2 decimal places.
8. Round off 105.69 to the nearest tens.
9. Round off 148.79 to the nearest tenths.

1. Round of the following to the nearest tenths.

(a) 40.66 (b) 99.90 (c) 507.48

Round off the following to the nearest hundredths.

2a. 59.698 (b) 147.498 (c) 449.467

OPERATIONS ON WHOLE NUMBERS.

ADDITION OF NUMBERS

Example I

Add: $434126 + 12431$

Soln

$$\begin{array}{r} 434126 \\ + 12431 \\ \hline 446557 \end{array}$$

Example II

Add: $76432 + 6897$

Soln

$$\begin{array}{r} 76432 \\ + 6897 \\ \hline 73329 \end{array}$$

Example III

Work out : $84399 + 46784$

$$\begin{array}{r} 84399 \\ + 46784 \\ \hline 131183 \end{array}$$

Activity

1. Add: $35643 + 12432$
2. Add: $432143 + 12344$
3. Add: $49986 + 12344$
4. Add: $598975 + 146789$
5. Add: $4\ 6\ 9\ 5\ 8\ 9$

$$\begin{array}{r} + 3\ 7\ 8\ 9\ 9\ 9 \\ \hline \end{array}$$

6. Add: $1\ 4\ 6\ 5\ 8\ 9$
- $$\begin{array}{r} + 1\ 3\ 4\ 5\ 9\ 5 \\ \hline \end{array}$$

7. Add: $498999 + 110111$

WORD PROBLEMS INVOLVING ADDITION OF WHOLE NUMBER

Note:

Sum is the result of addition.

Observe units used in the question.

Example I

In school there are 467 boys and 622 girls. How many pupils are in the school?

Soln

$$\begin{array}{r} \text{No. of pupils} \quad = \quad 4\ 6\ 7 \\ + \quad 6\ 2\ 2 \\ \hline 10\ 8\ 9\ \text{pupils} \end{array}$$

$\therefore$ 1089 pupils

Examples II

There are 24361 books in the library and 12431, more books were donated to the same library. How many books are there altogether?

Soln

$$2\ 4\ 3\ 6\ 1$$

1. Add: $48.685 + 89.637$
2. What is the sum of 52132 and 93452?
3. Containers A and B have 98456 litres and 45,631 litres of petrol respectively. How much fuel is in the containers altogether?
4. In a region, there are 672,165 women and 489,520 girls. What is the total number of females in the region altogether?
5. A school collected sh.4,586,850 in March and sh 3,950, 980 in April. What was the total of collection in the two months?
6. 853,840ml of juice was consumed in February and 5,950,850 in March. How much juice was consumed in the two months?
7. There are 658,165 pencils in one box and 789,968 in another. What is the total number of pencils in the two boxes?

$$\begin{array}{r} 4734 \\ - 2412 \\ \hline 2322 \end{array}$$

Work out :

$$\begin{array}{r} 5 \ 13 \ 11 \ 1 \\ 7 \ 6 \ 4 \ 2 \ 4 \\ \hline 7 \ 4 \ 4 \ 3 \ 8 \end{array}$$

Subtract : $\frac{4}{5} - \frac{11}{2} = \frac{12}{3} - \frac{3}{1} = \frac{8}{6}$

$$\begin{array}{r} - 1 \ 3 \ 4 \ 5 \ 1 \ 0 \ 2 \\ 3 \ 8 \ 8 \ 8 \ 0 \ 8 \ 4 \\ \hline \end{array}$$

Activity.

Workout the following.

a. $678,028 - 498,762$

b. $340,018 - 67,823$

c. $567,489,037 -$

$345,467,254$

d. $86421357 - 1358642$

e. $6789054 - 3450287$

f. $598975 - 146789$

g. $432143 - 12344$

WORD PROBLEMS INVOLVING SUBTRACTION OF WHOLE NUMBERS.**Note:**

Difference is the result after subtracting.

Example I

Subtract 857, 575 from 987628

Soln

$$\begin{array}{r} 5 \\ 9 \ 8 \ 7 \ 6 \ 2 \ 8 \\ - 8 \ 9 \ 7 \ 5 \ 7 \ 5 \\ \hline 1 \ 3 \ 0 \ 0 \ 5 \ 3 \end{array}$$

Example II

Find the difference between 1,650, 922 and 769,866

Soln

$$\begin{array}{r} 15 \ 14 \ 8 \ 1 \ 1 \\ \cancel{6} \ \cancel{5} \ 10 \ \cancel{9} \ \cancel{2} \\ - 7 \ 6 \ 9 \ 8 \ 6 \ 6 \\ \hline 8 \ 8 \ 1 \ 0 \ 5 \ 6 \end{array}$$

Example III

A farmer had 984636 animals and 462462 died, how many animals remained on the farm.

Remaining ~~0~~ ~~8~~ ~~9~~ ~~6~~ 3 6
 animals $\begin{array}{r} -4\ 6\ 2\ 4\ 6\ 2 \\ \hline 5\ 2\ 2\ 1\ 7\ 4 \end{array}$

Example III

A dairy processed 6,500,650 litres of milk and sold 5,650,945 litres. How many litres were left?

$\begin{array}{r} 5\ 14\ 9\ 9\ 4 \\ \text{A mount of left } \cancel{0}\ \cancel{5}\ \cancel{0}\ \cancel{0}\ \cancel{0}\ 5\ 0 \\ -\ 5\ 6\ 5\ 0\ 9\ 4\ 5 \\ \hline 8\ 4\ 9,\ 7\ 0\ 5\ \text{litres} \end{array}$
 $\therefore$ 849,705 litres were left

Activity

1. Subtract 769,866 from 1,650,922
2. What is the difference between 924568 and 295,877.
3. Subtract: 2,894,052 from 7,014,263
4. Akello's salary sh 1,240,750. It was reduced by sh 89,850. How much does he get now?
5. Out of 2,045,000kg of maize 987,565kg are sold. How many kg remained?
6. The number of cows in a district were 8,004,566 but 595,878 were slaughtered.
How many cows remained?
7. There were one million chicken on Musa's farm 950,755 were sold on Idd day. How many remained?

MULTIPLICATION OF WHOLE NUMBERS**Example I**

1. Multiply: 1 4 2 x 1 2

Soln

$$\begin{array}{r}
 1\ 4\ 2 \\
 \times 1\ 2 \\
 \hline
 2\ 8\ 4 \\
 +1\ 4\ 2\ 0 \\
 \hline
 1\ 7\ 0\ 4
 \end{array}$$

Example II

2. **Workout**

$$\begin{array}{r}
 3\ 5 \\
 \times 1\ 2 \\
 \hline
 7\ 0 \\
 +3\ 5\ 0 \\
 \hline
 4\ 2\ 0
 \end{array}$$

3. **Example III****Multiply** 249 x 32**Soln**

$$\begin{array}{r}
 249 \\
 \times 32 \\
 \hline
 498 \\
 7470 \\
 \hline
 7968
 \end{array}$$

ActivityMultiply the following

1. 28 x 11
2. 34 x 12
3. 56 x 23
4. 45 x 25
5. 247 x 23
6. 897 x 42
7. 409 x 73
8. 312 x 25
9. 565 x 20

WORD PROBLEMS INVOLVING MULTIPLICATION OF WHOLE NUMBERS.**Note:**

Product is the result of multiplication

$$\begin{array}{ccccccc}
 4 & & \times & 3 & & = & 12 \\
 \downarrow & & & \downarrow & & & \downarrow
 \end{array}$$

Multiplicand Multiplier Product or multiple

Examples

1. Multiply: 2 2 5 by 14


$$\begin{array}{r}
 2 \ 2 \ 5 \\
 \times 1 \ 4 \\
 \hline
 9 \ 0 \ 0 \\
 + 2 \ 2 \ 5 \ 0 \\
 \hline
 3 \ 1 \ 5 \ 0
 \end{array}$$

2. There are 125 boxes of soap. Each box contains 25 bars of soap. How many bars of soap are there?



$$\begin{array}{r}
 1 \ 2 \ 5 \\
 \times 2 \ 5 \\
 \hline
 7 \ 2 \ 5 \\
 + 2 \ 5 \ 0 \ 0 \\
 \hline
 3 \ 2 \ 2 \ 5 \text{ bars of soap}
 \end{array}$$

Activity


1. Multiply 179 by 19.
2. What is the product of 69 and 76?
3. Find the product of 432 and 63.
4. Multiply 245 by 45.
5. How many pupils are in 33 classrooms if each classroom has 109 pupils?
6. How many nails will 50 boxes hold if each box holds 800 nails?
7. A rectangular garden measure 332 metres by 56 metres. What is the area of the garden in square metre?
8. Find the area of a rectangular piece of paper whose sides are 42cm by 24cm.

MULTIPLICATION OF WHOLE NUMBERS USING LATTICE METHOD.**Note**


Or

**Examples**Multiply 24×12 using lattice method.**Soln**

$$\therefore 24 \times 12 = 288$$

2. Multiply 432×63 using lattice method.

$$\therefore 432 \times 63 = 27216$$

3. Multiply: 436×344 

$$\therefore 436 \times 344 = 149984$$

Activity.**Multiply the following using lattice method.**

- | | | | |
|----|----------|----|-----------|
| 1. | 89 x 45 | 4. | 349 x 23 |
| 2. | 75 x 25 | 5. | 413 x 514 |
| 3. | 351 x 15 | 6. | 565 x 204 |

DIVISION OF WHOLE NUMBERS**a) Working of division using repeated subtraction.****Examples**

1. Work out $35 \div 5$ using repeated subtraction

Soln

$$\begin{array}{rcl}
 35 \div 5 & \longrightarrow & 35 - 5 = 30 \\
 & & 30 - 5 = 25 \\
 & & 25 - 5 = 20 \\
 & & 20 - 5 = 15 \\
 & & 15 - 5 = 10 \\
 & & 10 - 5 = 5 \\
 & & 5 - 5 = 0
 \end{array}$$

$$35 \div 5 = 7$$

2. Work out $49 \div 7$ using subtraction.

Soln

$$\begin{array}{rcl}
 49 \div 7 & \longrightarrow & 49 - 7 = 42 \\
 & & 42 - 7 = 35 \\
 & & 35 - 7 = 28 \\
 & & 28 - 7 = 21 \\
 & & 21 - 7 = 14 \\
 & & 14 - 7 = 7 \\
 & & 7 - 7 = 0
 \end{array}$$

$$49 \div 7 = 7$$

3. Simplify $63 \div 7$ using repeated subtraction.

Soln

$63 \div 7 = 63 - 7 = 56$	$14 - 7 = 7$
$56 - 7 = 49$	$7 - 7 = 0$
$49 - 7 = 42$	
$42 - 7 = 35$	9 times
$35 - 7 = 28$	
$28 - 7 = 21$	$\therefore 63 \div 7 = 9$
$21 - 7 = 14$	

Activity

Work out the following using repeated subtraction.

- | | |
|-----------------|-------------------|
| (a) $72 \div 9$ | (e) $54 \div 9$ |
| (b) $16 \div 4$ | (f) $81 \div 9$ |
| (c) $32 \div 8$ | (g) $100 \div 20$ |
| (d) $30 \div 5$ | |

b) Division of numbers using long division

Examples

Divide $3 \overline{)9}$

Soln

3 9

	3	
	$3 \overline{)9}$	
3×3	$-$	9
		0
$\therefore$	$9 \div 3 = 3$	

Example IIDivide $18 \div 2$ **Soln**

0 9	$1 \div 2 = 0$ $18 \div 2 = 9$
$\begin{array}{r} 2 \overline{) 18} \\ 0 \times 2 = 0 \\ \hline 18 \\ 9 \times 2 = 18 \\ \hline 00 \end{array}$	
$\therefore 18 \div 2 = 9$	

Example III3. Divide $144 \div 3$

0 4 8	$1 \div 3 = 0$ $14 \div 3 = 4$ $24 \div 3 = 8$
$\begin{array}{r} 3 \overline{) 144} \\ 0 \times 3 = 0 \\ \hline 14 \\ 4 \times 3 = 12 \\ \hline 24 \\ 8 \times 3 = 24 \\ \hline 00 \end{array}$	
$\therefore 144 \div 3 = 48$	

4. Divide $864 \div 6$

144	$8 \div 6 = 1$ $26 \div 6 = 4$ $24 \div 6 = 4$
$\begin{array}{r} 6 \overline{) 864} \\ 1 \times 6 = 6 \\ \hline 26 \\ 4 \times 6 = 24 \\ \hline 24 \\ 4 \times 6 = 24 \\ \hline 00 \end{array}$	

Activity 1Divide the numbers below using long division

1. $24 \div 3$

2. $48 \div 2$

3. $15 \div 3$

4. $72 \div 4$

5. $144 \div 2$

6. $400 \div 4$

7. $1250 \div 5$

Activity 2Divide the following

1. $8 \overline{)3648}$

6. $6 \overline{)7268}$

2. $6 \overline{)5664}$

3. $7 \overline{)6538}$

4. $6 \overline{)2718}$

5. $6 \overline{)1446}$

More on division of numbers**Examples**

1. Divide $2466 \div 9$

Soln

$$\begin{array}{r}
 9 \overline{)2466} \\
 \underline{0 \times 9 = 0} \\
 24 \\
 \underline{2 \times 9 = 18} \\
 66 \\
 \underline{7 \times 9 = 63} \\
 36 \\
 \underline{4 \times 9 = 36} \\
 00
 \end{array}$$

$2 \div 9 = 0$

$24 \div 9 = 2$

$68 \div 9 = 7$

$36 \div 9 = 4$

$$2466 \div 9 = 27$$

Examples

2. Work out: $2384 \div 8$

Soln

$ \begin{array}{r} \\ 8 \overline{) 2384} \\ \underline{0 } \\ 23 \\ \underline{2 } \\ 78 \\ \underline{9 } \\ 64 \\ \underline{8 } \\ 00 \end{array} $	$ \begin{aligned} 2 \div 8 &= 0 \\ 23 \div 8 &= 2 \\ 78 \div 8 &= 9 \\ 64 \div 8 &= 8 \end{aligned} $
--	--

$$2384 \div 8 = 298$$

Activity

Divide the following using long division

1. $4578 \div 7$
2. $5523 \div 7$
3. $3941 \div 7$
4. $7268 \div 7$

DIVISION BY MULTIPLES OF 10

Examples

1. Divide $2460 \div 10$

Soln

$$\begin{array}{r}
 2460 \\
 \underline{10} \\
 246
 \end{array}$$

$$= 246$$

2. Divide $7630 \div 10$

Soln7630

10

= 7633. Divide $6200 \div 20$

$$6200 \div 20$$

$$620 \div 2$$

$$\begin{array}{r}
 310 \\
 2 \overline{) 620} \\
 \underline{6} \\
 02 \\
 \underline{- 2} \\
 00 \\
 0 \times 2 = \underline{- 00}
 \end{array}$$

$$\therefore 6200 \div 20 = 310$$

Activity**Work out**

- 1) $840 \div 10$ 2) $600 \div 30$
 3) $1440 \div 4$ 4) $1920 \div 80$

MORE ON DIVISION OF NUMBERS

Division by a two-digit number without a remainder.

Examples

1. Divide 1845 by 15

Soln

$$1845 \div 15$$

$$\begin{array}{r}
 0 \ 1 \ 2 \ 1 \\
 15 \overline{) 1 \ 8 \ 1 \ 5} \\
 0 \times 15 = \underline{- \ 0} \\
 1 \ 8 \\
 \underline{- \ 1 \ 5} \\
 3 \ 1 \\
 2 \times 15 = \underline{- \ 3 \ 0} \\
 1 \ 5 \\
 1 \times 15 \quad \underline{- \ 1 \ 5} \\
 0 \ 0
 \end{array}$$

$$1815 \div 15 = 121$$

2. A lorry carries 25 pieces of timber. How many times will it use to carry 800 pieces of timber?

$$\begin{array}{r}
 800 \div 25 \\
 0 \ 3 \ 2 \\
 25 \overline{) 8 \ 0 \ 0} \\
 0 \times 25 = \underline{- \ 0} \\
 8 \ 0 \\
 3 \times 25 = \underline{- \ 7 \ 5} \\
 5 \ 0 \\
 2 \times 25 = \underline{- \ 5 \ 0} \\
 0 \ 0
 \end{array}$$

$$\begin{array}{l}
 80 \div 25 = 3 \\
 50 \div 25 = 2
 \end{array}$$

∴

The lorry will use 32 times.

Activity

- $6384 \div 14$
- $6840 \div 45$
- $7370 \div 22$
- $4428 \div 36$
- $6840 \div 45$

f. A carpenter uses 18nails to make I chair. How many chairs will be using 594 nails?

g. A story book of 6500 words has different stories of 50 words each. How many stories are in that story book?

h. One book contains 36 papers. How many such books will be made using 2880 papers?

MIXED OPERATION ON WHOLE NUMBERS.

A) ADDITION AND SUBTRACTION

Note: Re-arrange to add first

Examples

1. Workout $2 - 5 + 9$

$$(2 + 9) - 8$$

$$= 11 - 5$$

$$= 6$$

2. Workout: $4 - 6 + 9$

$$(4 + 9) - 6$$

$$= 13 - 6$$

$$= 7$$

3. **Work out** $150 - 180 + 400$

$$(150 + 400) - 180$$

$$150$$

$$+ 400$$

$$\hline 550$$

$$= 550 - 180$$

$$= \underline{370}$$

Activity

Workout the following

1. $5 - 8 + 9$

2. $2 + 9 - 3$

3. $9 - 15 + 6$

4. $6 - 10 + 7$

5. $32 - 40 + 18$

6. $24 + 30 - 40$

7. $82 - 98 + 35$

8. $66 - 80 + 42$

9. $80 + 115 - 95$

B. USES OF BODMAS**AID TO MEMORY**

When given questions consisting of 2 or more operation, follow **BODMAS**

Brackets $\longrightarrow$ (B)

Of $\longrightarrow$ (O)

Divide $\longrightarrow$ (D)

Multiply $\longrightarrow$ (M)

Add $\longrightarrow$ (A)

Subtraction $\longrightarrow$ (S)

Examples

1. Simplify: $5 + 3 \times 10$

Soln

BODMAS

$$\begin{aligned} &5 + 3 \times 10 \\ &= 5 + (3 \times 10) \\ &= 5 + 30 \\ &= 35 \end{aligned}$$

2. Simplify: $5 \times 12 \div 4$

Soln

BODMAS

$$\begin{aligned} &5 \times 12 \div 4 \\ &= 5 \times (12 \div 4) \\ &= 5 \times 3 \\ &= 15 \end{aligned}$$

3. Work out: $18 - (4 \times 3) \div 6$

Soln

BODMAS

$$18 - 4 \times (9 \div 3)$$

$$18 - (4 \times 3)$$

$$18 - 12$$

$$6$$

4. Work out $16 \div 4 \times 3$

$$(16 \div 4) \times 3$$

$$4 \times 3$$

$$12$$

Activity

Work out the following

1. $8 + 4 \times 5$

2. $33 \times 2 + 12 \div 12$

3. $\frac{1}{2}$ of $10 + 15 \div 3$

4. $14 \times 3 - 16$

5. $(8 - 5) - (3 \times 2) + (2 \times 2)$

6. $\frac{1}{2}$ of $10 + 15 \div 5$

7. $(24 + 16) \div 5$

8. $(8 - 5) - 3 \times 2 + (2 \times 2)$

9. $40 \div 8 + 2 - 3$

10. $18 - (3 \times 8) \div 6$

COMPARING AVERAGE AND TOTAL

Example I

The average weight of 2 bags is 8kg. Find their total weight.

Soln

$$\text{Total} = \text{Average} \times \text{number of items}$$

$$= 2 \times 8\text{kg}$$

$$= 16\text{kg}$$

Example II

The average age of 2 women is 40years. Find their total age.

Soln

$$\begin{aligned}\text{Total} &= \text{Average} \times \text{number of items} \\ &= 40 \times 2 = 80 \text{ years}\end{aligned}$$

Activity

1. The average weight of 2 girls is 40kg find their total weight.
2. The mean age of 6 pupils is 10 years. What is their total age?
3. The average of 12 numbers is 45. Find the total of the 12 numbers.
4. When a box of pencils was shared among 7 pupils each pupil got 3 pencils.
How many pencils were in the box?
5. The average score of Opio marks in 4 subjects is 76. What is his total marks?
6. There is an average of 36 pupils in a class if there are 12 classes, how many pupils are in the chair?

BASES

A base is a counting system where a particular counting number is taken to be a limit of its counting system.

Examples of bases

- | | | |
|--------------------------------|---|------------|
| 1. Binary bases | - | Base two |
| 2. Ternary bases | - | Base three |
| 3. Quaternary bases | - | Base four |
| 4. Quinary bases | - | Base five |
| 5. Senary bases | - | Base six |
| 6. Septenary bases | - | Base seven |
| 7. Octal bases | - | Base eight |
| 8. Nonary bases | - | Base nine |
| 9. Denary/decimal /nature base | - | Base ten |

GROUPING IN BASE FIVE

Example 1

Group the following in five and write down their number in base five.

(i) 3

$$3 = \text{III} \quad 3 \text{ ones} = 3_{\text{five}}$$

(ii) $8 = 1 \text{ group of five, } 3 \text{ ones} = 13_{\text{five}}$ (iii) $16 = 3 \text{ groups of fives, } 1 \text{ one} = 31_{\text{fives}}$ 

(iv) 28

$$28 = 1 \text{ group of five fives, } 3 \text{ ones} = 103_{\text{five}}$$



(v) 37

$$37 = 1 \text{ group of five fives, } 2 \text{ groups of fives } 2 \text{ ones} = 121_{\text{five}}$$




Activity

1. Group the following numbers in base five

(a) 4 (b) 7 (c) 17 (d) 29 (e) 42


PLACE VALUE OF BASES

Examples

Find the place value of each digits in 123_{five} .


Examples II

Write the place value of each digit in 1101_{two}


**Example III**

What is the place value of each digit in 1211_{three}

Soln

**Examples**

Write the place value of the underlined digits in $1\ 2\ 4\ 11$

**Activity**

1. Find the place value of each digit.

(a) 4_{five} (b) 132_{five} (c) 1234_{fives}

2. Find the place value of each digits
 - (a) 10_{two} (b) 101_{two} (c) 101_{two}
3. Find the place value of each digit
 - (a) 12_{three} (b) 202_{three} (c) 1202_{three}
4. Write the place value of the underlined digits.
 - (a) $1 \underline{2} 4_{\text{five}}$ (b) $\underline{1} 0 1_{\text{two}}$ (c) $2 1 \underline{1} 2_{\text{three}}$
5. What is the place value of 4 in 2401_{five} .

WRITING BASES IN WORDS

Examples I

1. $123_{\text{five}} \longrightarrow$ One two three base five.

Example II

$4132_{\text{five}} \longrightarrow$ four one three two base five.

Example III

$101_{\text{two}} \longrightarrow$ One zero one base two.

$2102_{\text{three}} \longrightarrow$ Two one zero two base three

Activity

Write the following numbers in words.

- (a) 43_{five} (b) 123_{five}
- (c) 2142_{five} (d) 1011_{two}
- (e) 201_{three} (f) 1010_{two}
- (g) 2102_{three} (h) 4232_{five}

EXPANDING BASES USING VALUES

Examples

1. Expand 32_{five} using values.

3	2	five	$(3 \times 5^1) + (2 \times 5^0)$
5^1	5^0		$(3 \times 5) + (2 \times 1)$

$$15 + 2$$

2. Expand 124_{five} using values.

$124_{\text{five}} \rightarrow$

1	2	4
5^2	5^1	5^0

five

$$(1 \times 5^2) + (2 \times 5^1) + (4 \times 5^0)$$

$$(1 \times 5 \times 5) + (2 \times 5) + (4 \times 1)$$

$$25 + 10 + 4$$

3. Expand 324_{five} using values.

$324_{\text{five}} \rightarrow$

3	2	4
5^2	5^1	5^0

five

$$(3 \times 5^2) + (2 \times 5^1) + (4 \times 5^0)$$

$$(3 \times 5 \times 5) + (2 \times 5) + (4 \times 1)$$

$$(3 \times 25) + 10 + 4$$

$$75 + 10 + 4$$

4. Expand 102_{three} using values

$102_{\text{three}} =$

1	0	2
3^2	3^1	3^0

three

$$(1 \times 3^2) + (0 \times 3^1) + (2 \times 3^0)$$

$$(1 \times 3 \times 3) + (0 \times 3) + (2 \times 1)$$

$$9 + 0 + 2$$

Activity

Expand the following using values.

(a) 43_{five} (b) 123_{five} (c) 432_{five}

(d) 104_{five} (e) 101_{three} (f) 102_{three}

EXPANDING BASES USING POWERS/ EXPONENTS/ INDICES

ExamplesExpand 403_{five} using powers**Soln**

$$403_{\text{five}} = \begin{array}{|c|c|c|} \hline 4 & 0 & 3 \\ \hline 5^2 & 5^1 & 5^0 \\ \hline \end{array} \text{ five}$$

$$(4 \times 5^2) + (0 \times 5^1) + (3 \times 5^0)$$

Expand the following using powers.

(a) $423_{\text{five}} = \begin{array}{|c|c|c|} \hline 4 & 2 & 3 \\ \hline 5^2 & 5^1 & 5^0 \\ \hline \end{array} \text{ five}$

$$(4 \times 5^2) + (2 \times 5^1) + (3 \times 5^0)$$

(b) $123_{\text{five}} = \begin{array}{|c|c|c|} \hline 1 & 2 & 3 \\ \hline 5^2 & 5^1 & 5^0 \\ \hline \end{array} \text{ five}$

$$(1 \times 5^2) + (2 \times 5^1) + (3 \times 5^0)$$

(c) $102_{\text{three}} = \begin{array}{|c|c|c|} \hline 1 & 0 & 2 \\ \hline 3^2 & 3^1 & 3^0 \\ \hline \end{array} \text{ three}$

$$(1 \times 3^2) + (0 \times 3^1) + (2 \times 3^0)$$

Activity

1. Expand the following using p
 - (a) 124_{five} (b) 243_{five} (c) 423_{five}
 - (d) 104_{five} (e) 103_{four}
2. Expand 403 using exponents

EXPANDING BASES USING PLACE VALUES

1. Expand 203_{five} using powers.

2	0	3
5^2	5^1	5^0

five

$$(2 \times 5^2) + (0 \times 5^1) + (3 \times 5^0)$$

$$(2 \times 5 \times 5) + (0 \times 5) + (3 \times 1)$$

2. Expand 403_{five} using place values.

4	0	3
5^2	5^1	5^0

five

$$(4 \times 5^2) + (0 \times 5^1) + (3 \times 5^0)$$

$$(4 \times 5 \times 5) + (0 \times 5) + (3 \times 1)$$

3. Expand 123_{five} using place values

1	2	3
5^2	5^1	5^0

$$(1 \times 5 \times 5) + (2 \times 5) + (3 \times 1)$$

Activity

Expand the following using place values.

(a) 23_{five} (b) 203_{five}

(c) 101_{two} (d) 432_{five}

(d) 104_{five} (e) 121_{three}

CHANGING NON-DECIMAL BASES TO BASE TEN (DECIMAL BASE)**Examples.**

1. Convert 123
- _{five}
- to base ten.

123_{five} =

1	2	3
5^2	5^1	5^0

$$(1 \times 5^2) + (2 \times 5^1) + (3 \times 5^0)$$

$$(2 \times 5 \times 5) + (2 \times 5) + (3 \times 1)$$

$$25 + 10 + 3$$

38_{ten}

2. Convert 342
- _{five}
- to base ten

3	4	2
5^2	5^1	5^0

five

$$(3 \times 5^2) + (4 \times 5^1) + (2 \times 5^0)$$

$$(3 \times 5 \times 5) + (4 \times 5) + (2 \times 1)$$

$$75 + 20 + 2$$

97_{ten}

3. Convert 102
- _{three}
- to base ten

1	0	2
3^2	3^1	3^0

three

$$(1 \times 3^2) + (0 \times 3^1) + (2 \times 3^0)$$

$$(1 \times 3 \times 3) + (0 \times 3) + (2 \times 1)$$

$$9 + 0 + 2$$

11_{ten}

4. Convert 101
- _{two}
- to base ten

1	0	1
2^2	2^1	2^0

two

$$\begin{aligned}
 &(1 \times 2^2) + (0 \times 2^1) + (1 \times 2^0) \\
 &(1 \times 2 \times 2) + (0 \times 2) + (1 \times 1) \\
 &4 + 0 + 1 \\
 &5 \text{ ten}
 \end{aligned}$$

Activity

1. Convert 23_{five} to base ten.
 2. Convert 420_{five} to decimal base.
 3. Convert 123_{five} to base ten.
 4. Convert 403_{five} to base ten.
 5. Convert the following bases to base ten.
- (a) 304_{five} (b) 424_{five} (c) 102_{three} (d) 202_{three} (e) 111_{two}

CHANGING FROM BASE TEN TO OTHER BASE

Note:

Factorise using the required base.

Examples.

1. Change 7_{ten} to base five.

Base	No	Rem
5	7	2
5	1	1
	0	1

$$7_{\text{ten}} = 12_{\text{five}}$$

2. Convert 38_{ten} to base five

Base	No	Rem
5	38	3
5	7	2
5	1	1

$$38_{\text{ten}} = 123_{\text{five}}$$

3. Convert 58_{ten} to base five

Base	No	Rem
5	58	3
5	11	1
5	2	2
	0	



$$58_{\text{ten}} = 213_{\text{five}}$$

4. Convert 20_{ten} to base three

Base	No	Rem
3	20	2
3	6	0
3	2	2
	0	



$$20_{\text{ten}} = 202_{\text{three}}$$

5. Convert 15_{ten} to base two.

Base	No	Rem
2	15	1
2	7	1
2	3	1
2	1	1
	0	



$$15_{\text{ten}} = 1111_{\text{two}}$$

Activity

1. Convert 9_{ten} to base five.
2. Convert the following to base five.
 - (a) 25_{ten} (b) 30_{ten} (c) 29_{ten}
 - (d) 42_{ten} (e) 55_{ten}
3. Convert 30_{ten} to base three
4. Convert 20_{ten} to base two.

ADDITION OF BASE NUMBERS

Example I

$$\begin{array}{r}
 \text{Add:} \quad 1 \quad 2 \quad 3_{\text{five}} \\
 + \quad \quad 1 \quad 1_{\text{five}} \\
 \hline
 1 \quad 3 \quad 4_{\text{five}}
 \end{array}$$

Example II

$$\begin{array}{r}
 \text{Add:} \quad 1 \quad 4 \quad 2_{\text{five}} \\
 + \quad \quad 2 \quad 1_{\text{five}} \\
 \hline
 2 \quad 1 \quad 3_{\text{five}}
 \end{array}
 \quad \left| \quad 6 \div 5 = 1 \text{ rem } 1$$

Example III

$$\begin{array}{r}
 \text{Add:} \quad 1 \quad 4 \quad 2 \quad 3_{\text{five}} \\
 + \quad \quad 2 \quad 1 \quad 2_{\text{five}} \\
 \hline
 1 \quad 1 \quad 4 \quad 0_{\text{five}}
 \end{array}
 \quad \left| \quad \begin{array}{l} 5 \div 5 = 1 \text{ rem } 0 \\ 6 \div 5 = 1 \text{ rem } 1 \end{array}$$

Example IV

$$\begin{array}{r}
 \text{Add:} \quad 1 \quad 0 \quad 2_{\text{three}} \\
 + \quad \quad 1 \quad 2_{\text{three}} \\
 \hline
 1 \quad 2 \quad 1_{\text{three}}
 \end{array}
 \quad \left| \quad 4 \div 3 = 1 \text{ rem } 1$$

Example V

$$\begin{array}{r}
 \text{Add:} \quad 1 \quad 1 \quad 0 \quad 1_{\text{two}} \\
 + \quad \quad 1 \quad 1 \quad 1_{\text{two}} \\
 \hline
 \end{array}
 \quad \left| \quad \begin{array}{l} 2 \div 2 = 1 \text{ rem } 0 \\ 2 \div 2 = 1 \text{ rem } 0 \end{array}$$

$$\begin{array}{r} 1 \quad 1 \quad 0 \quad 0 \text{ two} \\ \hline \end{array}$$

$$3 \div 2 = 1 \text{ rem } 1$$

Example VI

$$\begin{array}{r} \text{Add:} \quad 1 \quad 0 \quad 2 \text{ three} \\ + 1 \quad 1 \quad 1 \text{ three} \\ \hline 2 \quad 1 \quad 0 \text{ three} \end{array}$$

$$3 \div 3 = 1 \text{ rem } 0$$

Activity

$$\begin{array}{r} 1. \text{ Add:} \quad 1 \quad 2 \quad 3 \text{ five} \\ + \quad \quad 3 \quad 1 \text{ five} \\ \hline \end{array}$$

$$\begin{array}{r} 2. \text{ Add:} \quad 2 \quad 4 \quad 3 \text{ five} \\ + \quad \quad 2 \quad 4 \text{ five} \\ \hline \end{array}$$

$$\begin{array}{r} 3. \text{ Add:} \quad 4 \quad 0 \quad 3 \text{ five} \\ + \quad 1 \quad \quad 2 \text{ five} \\ \hline \end{array}$$

$$\begin{array}{r} 4. \text{ Add:} \quad 4 \quad 4 \quad 0 \text{ five} \\ + \quad \quad 4 \quad 3 \text{ five} \\ \hline \end{array}$$

$$\begin{array}{r} 5. \text{ Add:} \quad 1 \quad 1 \quad 1 \text{ two} \\ + 1 \quad 1 \quad 1 \text{ two} \\ \hline \end{array}$$

$$\begin{array}{r} 6. \text{ Add:} \quad 2 \quad 0 \quad 1 \text{ three} \\ + \quad 1 \quad 0 \quad 2 \text{ three} \\ \hline \end{array}$$

$$\begin{array}{r} 7. \text{ Add:} \quad 1 \quad 2 \quad 2 \text{ three} \\ + \quad 2 \quad 1 \quad 1 \text{ three} \\ \hline \end{array}$$

SUBTRACTION OF BASES

Note: The one regrouped is worth the value of the base.

Example I

$$\begin{array}{r} \text{Subtract} \quad 3 \quad 5 \\ 4 \quad 0 \quad 2 \text{ five} \\ - 1 \quad 1 \quad 1 \text{ five} \\ \hline 3 \quad 4 \quad 1 \text{ five} \end{array}$$

Example II

$$\begin{array}{r}
 \text{Subtract:} \quad 1 \quad 4 \quad 5+ \\
 \quad \quad \quad 2 \quad 0 \quad 1 \text{ five} \\
 \quad \quad \quad - \quad 4 \quad 2 \text{ five} \\
 \hline
 \quad \quad \quad 1 \quad 0 \quad 4 \text{ five}
 \end{array}$$

Example III

$$\begin{array}{r}
 \text{Subtract} \quad \quad 5 \quad 5+0 \quad (5 +) \\
 \quad \quad \quad 3 \quad 1 \quad 2 \text{ five} \\
 \quad \quad \quad - \quad 1 \quad 2 \quad 3 \text{ five} \\
 \hline
 \quad \quad \quad 1 \quad 3 \quad 4 \text{ five}
 \end{array}$$

Example IV

$$\begin{array}{r}
 \text{Subtract} \quad \quad 0 \quad 5+ \\
 \quad \quad \quad 1 \quad 2 \quad 4 \text{ five} \\
 \quad \quad \quad - \quad 4 \quad 3 \text{ five} \\
 \hline
 \quad \quad \quad 3 \quad 1 \text{ five}
 \end{array}$$

Example V

$$\begin{array}{r}
 \text{Subtract:} \quad \quad 0 \quad 2 \\
 \quad \quad \quad 1 \quad \nearrow \quad 1 \quad 0 \text{ two} \\
 \quad \quad \quad - \quad 1 \quad 0 \quad 1 \text{ two} \\
 \hline
 \quad \quad \quad 0 \quad 0 \quad 1 \text{ two}
 \end{array}$$

Example VI

Subtract:

$$\begin{array}{r}
 \begin{array}{c} 0 \quad 0 \quad 2 \\ \nearrow \nearrow \nearrow \\ 1 \quad 1 \quad 0 \end{array} \begin{array}{c} 1 \text{ two} \\ \\ \end{array} \\
 - \quad \begin{array}{c} 1 \quad 1 \quad 1 \\ \text{two} \end{array} \\
 \hline
 \quad \begin{array}{c} 1 \quad 1 \quad 0 \\ \text{two} \end{array} \\
 \hline
 \end{array}$$

Example VII

Subtract:

$$\begin{array}{r}
 \begin{array}{c} 1 \quad 3 \\ \nearrow \\ 2 \quad 0 \end{array} \begin{array}{c} 2 \text{ three} \\ \\ \end{array} \\
 - \begin{array}{c} 1 \quad 2 \quad 1 \\ \text{three} \end{array} \\
 \hline
 \quad \begin{array}{c} 1 \quad 1 \quad 1 \\ \text{three} \end{array} \\
 \hline
 \end{array}$$

Activity

1. Subtract

$$\begin{array}{r}
 1 \quad 2 \quad 3 \text{ five} \\
 - 1 \quad 2 \text{ five} \\
 \hline
 \end{array}$$

2. Subtract

$$\begin{array}{r}
 4 \quad 0 \quad 2 \text{ five} \\
 - 1 \quad 2 \text{ five} \\
 \hline
 \end{array}$$

3. Subtract

$$\begin{array}{r}
 4 \quad 1 \quad 3 \text{ five} \\
 - 3 \quad 1 \quad 4 \text{ five} \\
 \hline
 \end{array}$$

4. Subtract

$$\begin{array}{r}
 3 \quad 2 \quad 4 \text{ five} \\
 - 1 \quad 4 \quad 2 \text{ five} \\
 \hline
 \end{array}$$

4. Subtract:

$$\begin{array}{r}
 3 \quad 2 \quad 4 \text{ five} \\
 - 1 \quad 4 \quad 2 \text{ five} \\
 \hline
 \end{array}$$

5. Subtract

$$\begin{array}{r}
 4 \quad 0 \quad 1 \text{ five} \\
 - 1 \quad 2 \quad 3 \text{ five} \\
 \hline
 \end{array}$$

6. Subtract

$$\begin{array}{r}
 2 \quad 0 \quad 1 \text{ three} \\
 \hline
 \end{array}$$

7. Subtract

$$\begin{array}{r}
 1 \quad 2 \quad 0 \text{ three} \\
 \hline
 \end{array}$$

$$\begin{array}{r} - 1 \ 2 \ 1_{\text{three}} \\ \hline \end{array}$$

$$\begin{array}{r} - 1 \ 0 \ 1_{\text{three}} \\ \hline \end{array}$$

8. Subtract $1 \ 0 \ 1_{\text{two}}$

$$\begin{array}{r} - 1 \ 1_{\text{two}} \\ \hline \end{array}$$

MULTIPLICATION OF BASES

Example I

1. Multiply: $2_{\text{five}} \times 3$

$$\begin{array}{r} | \quad 3_{\text{five}} \\ \times \quad 2_{\text{five}} \\ \hline 1 \quad 1_{\text{five}} \\ \hline \end{array}$$

$$6 \div 5 = 1 \text{ rem } 1$$

2. Multiply: $4 \ 2 \ 1_{\text{five}} \times 2$

$$\begin{array}{r} 4 \ 2 \ 1_{\text{five}} \\ \times \quad 2 \\ \hline 1 \ 3 \ 4 \ 2_{\text{five}} \\ \hline \end{array}$$

$$2 \times 1 = 2$$

$$8 \div 5 = 1 \text{ rem } 3$$

3. Multiply: $40_{\text{five}} \times 3$

$$\begin{array}{r} 2 \ 4 \ 0_{\text{five}} \\ \times \quad 3 \\ \hline 2 \ 2 \ 0_{\text{five}} \\ \hline \end{array}$$

$$12 \div 5 = 2 \text{ rem } 2$$

4. **Example IV**

$$\begin{array}{r} 1 \ 2 \ \text{three} \times 2 \\ 1 \ 1 \ 2_{\text{three}} \\ \times \quad 2_{\text{three}} \\ \hline 1 \ 0 \ 1_{\text{three}} \\ \hline \end{array}$$

$$4 \div 3 = 1 \text{ rem } 1$$

$$3 \div 3 = 1 \text{ rem } 0$$

Activity

1. Multiply: $4_{\text{five}} \times 3$

3. Work out $21_{\text{five}} \times 3$

2. Work out $12_{\text{five}} \times 4$

4. $121_{\text{five}} \times 3$

5. $321_{\text{five}} \times 2$

7. Multiply: $21_{\text{three}} \times 2$

6. $113_{\text{five}} \times 3$

FINITE SYSTEM

Is a way of expressing numbers as remainders.

Counting in finite system**Examples**

1. Express 11 in finite 5

Soln

$$\frac{11}{5} = 2 \text{ r } 1$$

$$11 = 1 \text{ (finite 5)}$$

2. Write 17 in finite 5

Soln

$$17 \div 5 = 3 \text{ rem } 2$$

$$17 = 2 \text{ (finite 5)}$$

3. Change 9 to finite 7

Soln

$$9 \div 7 = 1 \text{ rem } 2$$

$$9 = 2 \text{ (finite 7)}$$

4. Express 23 in finite 8.

Soln

$$23 \div 8 = 2 \text{ rem } 7$$

$$23 = 7 \text{ (finite 8)}$$

5. Write 32 in finite 8

Soln

$$32 \div 4 = 4 \text{ rem } 0$$

$$32 = 0 \text{ (finite 8)}$$

Activity

1. Express the following in finite 5

(a) 9

(b) 5

(c) 13

(d) 19

(e) 20

2. Change the following to finite 7

(a) 22

(b) 33

(c) 8

(d) 53

(e) 49

3. Write the following in finite 8.

(a) 14

(b) 16


(c) 26

(d) 38

(e) 47



ADDITION IN FINITE USING ADAIL

1. Add: $3 + 4 = \underline{\hspace{2cm}}$ (finite 5) using a dail.




$$\therefore 3 + 4 = 2 \text{ (finite 5)}$$

2. Using a dail, add: $2 + 3 = \underline{\hspace{2cm}}$ (finite 5)



$$\therefore 1 + 6 = 3 \text{ (finite 7)}$$

4. Using a dail, work out: $3 + 4 = \underline{\hspace{2cm}}$ (finite 8)



$$\therefore 3 + 4 = 7 \text{ (finite 8)}$$

Activity

Using a dail, add the following.

a) $2 + 1 = \underline{\hspace{2cm}}$ (finite 5)

b) $4 + 2 = \underline{\hspace{2cm}}$ (finite 5)

- c) $5 + 4 = \underline{\hspace{2cm}}$ (finite 7)
 d) $2 + 3 = \underline{\hspace{2cm}}$ (finite 7)
 e) $3 + 5 = \underline{\hspace{2cm}}$ (finite 7)
 f) $6 + 5 = \underline{\hspace{2cm}}$ (finite 7)
 g) $4 + 3 = \underline{\hspace{2cm}}$ (finite 8)
 h) $5 + 3 = \underline{\hspace{2cm}}$ (finite 8)
 i) $7 + 4 = \underline{\hspace{2cm}}$ (finite 8)

ADDITION IN FINITE WITHOUT USING A DAIL

Note:

When the sum obtained is less than the given finite, maintain the sum as the answer without dividing by the finite.

Example I

Add: $4 + 3 = \underline{\hspace{2cm}}$ (finite 5)

Soln

$$4 + 3 = \underline{\hspace{2cm}} \text{ (finite 5)}$$

$$7 \div 5 = 1 \text{ rem } 2$$

$$\text{Therefore } 4 + 3 = 2 \text{ (finite 5)}$$

Example II

Add : $2 + 4 = \underline{\hspace{2cm}}$ (finite 7)

$$2 + 4 = 6 \text{ (finite 7)}$$

Example

Work out: $2 + 1 + 6 = \underline{\hspace{2cm}}$ (mod 7)

$$2 + 1 + 6 = \underline{\hspace{2cm}} \text{ (mod 7)}$$

$$\underline{9} = 1 \text{ rem } 2$$

$$7$$

$$2 + 1 + 6 = 2 \text{ (mod 7)}$$

Activity

1. Add the following


(a) $1 + 1 = \underline{\hspace{2cm}}$ (finite 5)

- (b) $2 + 3 =$ _____ (finite 5)
 (c) $5 + 4 =$ _____ (finite 7)
 (d) $3 + 4 =$ _____ (finite 5)
 (e) $6 + 6 =$ _____ (finite 7)
 (f) $4 + 2 =$ _____ (finite 5)
 (g) $2 + 3 + 4 =$ _____ (finite 6)
 (h) $6 + 5 + 1 =$ _____ (finite 12)
 (i) $4 + 3 + 5 =$ _____ (finite 8)

SUBTRACT INFINITE USING ADAIL

Example 1


Work out: $4 - 6 =$ _____ (mod 7)



$$\therefore 4 - 6 = 5 \pmod{7}$$

Example 2

Subtract: $2 - 4 =$ _____ (finite 5)



$$\therefore 2 - 4 = 3 \text{ finite } 5.$$

Activity

1. Workout the following using a dail.

- (a) $2 - 4 = \underline{\hspace{2cm}}$ (mod 6)
- (b) $4 - 7 = \underline{\hspace{2cm}}$ (finite 12)
- (c) $3 - 5 = \underline{\hspace{2cm}}$ (mod 7)
- (d) $5 - 8 = \underline{\hspace{2cm}}$ (mod 9)
- (e) $1 - 4 = \underline{\hspace{2cm}}$ (mod 4)
- (f) $2 - 3 = \underline{\hspace{2cm}}$ (mod 5)
- (g) $1 - 4 = \underline{\hspace{2cm}}$ (finite 6)
- (h) $5 - 7 = \underline{\hspace{2cm}}$ (finite 8)

PATTERNS AND SEQUENCES

Review of P.4 Work on G.C.F and L.C.M from listed factors and multiples

Mk MTC Bk. 5 pg 80 – 82

TYPES OF NUMBERS.

- 1) Whole numbers $\Rightarrow 0, 1, 2, 3, 4, 5, \dots$
- 2) Counting numbers/ Natural numbers $\Rightarrow 1, 2, 3, 4, 5, \dots$
- 3) Odd numbers: These are numbers that give a remainder when divided by 2
 $\Rightarrow \{1, 3, 5, 7, \dots\}$
- 4) Even numbers: These are ones that are exactly divisible by two
 $\Rightarrow \{0, 2, 4, 6, 8, 10, \dots\}$
- 5) Prime numbers: These are numbers with only two factors.
 $\Rightarrow \{2, 3, 5, 7, 11, 13, \dots\}$
- 6) Composite numbers: These are numbers with more than 2 factors
 $\Rightarrow \{4, 6, 8, 9, 10, 12, \dots\}$

7) Square numbers: These are numbers got by multiplying a number by its self.

$$\Rightarrow \{1, 4, 9, 16, 25, \dots\}$$

8) Cube numbers: These are got by multiplying the same number three times.

$\{1, 8, 27, 64, \dots\}$ Triangular numbers: These are got by adding consecutive counting numbers.

$$\{1, 3, 6, 10, 15, 21, \dots\}$$

$$\begin{array}{cccccc} \underbrace{1} & \underbrace{+2} & \underbrace{+3} & \underbrace{+4} & \underbrace{+5} & \underbrace{+6} \\ & & & & & \end{array}$$

REFERENCE: Understanding MTC bk 6 pg 81 – 84

Mk Bk 5 Pg 80 – 89

PRIME FACTORIZATION OF NUMBERS

Prime factorizing means dividing a number by its prime factors.

We use prime factors when prime factorizing e.g. = $\{2, 3, 5, 7, 11, 13 \dots\}$

Example I

Prime factorize 18.

We can either use a ladder or a factor tree. i.e.

2	18
3	9
3	3
1	

We can represent the prime factors as follows.

Set notation / subscript form

$$18 = \{2_1, 3_1, 3_2\}$$

Multiplication form

$$18 = \underline{2 \times 3 \times 3}$$


power form (expanded form)

$$18 = \underline{2^1 \times 3^2}$$

Example II

Prime factorize 100.

* Take note of factors of 100 that are prime numbers.



Subscript form ÷

$$100 = \{ \underline{2_1}, \underline{2_2}, \underline{5_1}, \underline{5_2} \}$$

Multiplication form

$$100 = \underline{2 \times 2 \times 5 \times 5}$$

Power form

$$100 = \underline{2^2 \times 5^2}$$

Ref: MK MTC BK. 5 pg 84 – 85, Fountain MTC BK. 5 pg 106 – 108

Understanding MTC Bk. 5 Pg. 79 – 81

FINDING L.C.M BY PRIME FACTORIZING

Example

Find the L.C.M of 4 and 12 by prime factorization.

2	4	12
2	2	6
3	1	3
	1	1

$$\text{L.C.M} = 2 \times 2 \times 3$$

$$= 4 \times 3$$

$$= \underline{\underline{12}}$$

Example II

Find the L.C.M of 12 and 20.

2	12	20
2	6	10
3	3	5
5	1	5
	1	1

$$\text{L.C.M} = 2 \times 2 \times 3 \times 5$$

$$= 4 \times 15$$

$$= \underline{\underline{60}}$$

REFERENCE: MK MTC Bk 5 pg 86.**FINDING G.C.F BY PRIME FACTORIZING****Example:**

Find the G.C.F of 6 and 8

2	6	8
	3	4

$$\underline{\underline{\text{G.C.F} = 2}}$$

Example II

Find the G.C.F of 24 and 36.

2	24	36
2	12	18
3	6	9
	2	3

$$\text{G.C.F} = 2 \times 2 \times 3$$

$$\text{Reference:} \quad = 4 \times 3 = \underline{12}$$

NEW MK. BK 5 PAGE 87

REPRESENTING PRIME FACTORS ON VENN DIAGRAMS

Example I


Represent the prime factors of 12 and 18 on a Venn diagram.

2	12
2	6
3	3
	1

2	18
3	9
3	3
	1

$$F_{12} = \{ 2_1, 2_2, 3_1 \}$$

$$F_{18} = \{ 2_1, 3_1, 3_2 \}$$



a) Find the G.C.F of 12 and 18.

G.C.F product of the intersection

$$F_{12} \cap F_{18} = \{2_1, 3_1\}$$

$$\therefore \text{G.C.F} = 2 \times 3$$

$$\underline{6}$$

L.C.M = product of the union.

$$F_{12} \cup F_{18} = \{2_1, 2_2, 3_1, 3_2\}$$


$$= 2 \times 2 \times 3 \times 3$$

$$= 4 \times 9$$

$$= \underline{\mathbf{36}}$$

Example 2

Below is a Venn diagram showing factors.



- a) Find the G.C.f of 70 and 30.

G.C.F = product of the intersection

$$F_{70} \cap F_{30} = \{2_1, 5_1\}$$

$$\text{G.C.F} = 2 \times 5$$

$$= \underline{\mathbf{10}}$$

- b) Find the L.C.M of 20 and 70.

L.C.M = product of the union

$$\text{L.C.m} = 2_1 \times 3_1 \times 5_1 \times 7_1$$


$$= 6 \times 35$$

$$\text{L.C.M} = \underline{\mathbf{210.}}$$

Activity: Fountain MTC Bk. 5 Pg 118 - 119

MK MTC BK. 6 pg. 86

FINDING THE UNKNOWN NUMBER GIVEN PRIME FACTORS ON A VENN DIAGRAM



- a) Find the value of x .

$$F_x = \{2_1, x, 2_2, x, 3_1\}$$

$$x = 4 \times 6$$

$$x = \underline{\mathbf{24}}$$

- b) Find the value of y .

$$F_y = \{2_1, 2_2, 3_1, 5_1\}$$

$$y = 2_1 \times 2_2 \times 3_1 \times 5_1$$

$$y = 2 \times 2 \times 3 \times 5$$

$$y = 4 \times 15$$

$$y = \underline{\mathbf{60}}$$

REFERENCE: MK BK 6 Pg 88 – 89

SQUARE ROOTS OF NUMBERS

Review of square numbers.

i.e. {1, 4, 9, 16, 25, 36, 49, 64, 81, ...}

A square number is got by multiplying a number by itself.

A square root is a number that is multiplied by its self to give a square number.

The symbol for square root is $\sqrt{\quad}$

Example

Find the square root of 36.

$$\begin{array}{r|l} 2 & 36 \\ \hline \end{array}$$

$$\sqrt{36} = \sqrt{(2 \times 2) \times (3 \times 3)}$$

$$\begin{array}{r|l} 2 & 18 \\ \hline \end{array}$$

$$\sqrt{36} = 2 \times 3$$

$$\begin{array}{r|l} 3 & 9 \\ \hline \end{array}$$

$$= \underline{\mathbf{6}}$$

$$\begin{array}{r|l} 3 & 3 \\ \hline \end{array}$$

1

Example:

Find the square root of 100.

$$\begin{array}{r|l} 2 & 100 \\ \hline \end{array}$$

$$\sqrt{100} = \sqrt{(2 \times 2) \times (5 \times 5)}$$

$$\begin{array}{r|l} 2 & 50 \\ \hline \end{array}$$

$$= 2 \times 5$$

$$\begin{array}{r|l} 5 & 25 \\ \hline \end{array}$$

$$= \underline{\mathbf{10}}$$

$$\begin{array}{r|l} 5 & 5 \\ \hline \end{array}$$

1

Ref: MK MTC BK. 5 pg. 89, MK MTC BK. 6 pg. 95

