

API 실습 테스트

2023.06



네이버 개발자 센터 (developers.naver.com)



회원 가입 후 "애플리케이션 등록" 필요



API 이용약관

가. 일반조건

1. 목적

NAVER API서비스 이용약관(이하 '본 약관'이라 합니다)은 네이버주식회사(이하 '회사'라 합니다)와 이용자 간에 회사가 제공하는 API 서비스의 제공 및 이용과 관련한 회사와 이용자의 권리, 의무 및 책임에 관한 제반 사항과 기타 필요한 사항을 구체적으로 규정함을 목적으로 합니다.

네이버 개발자 센터 (developers.naver.com)



NAVER Developers



Application

SSAFY

개요

API 설정

멤버관리

로그인 통계

API 통계

Playground (Beta)

애플리케이션 정보

Client ID

vk72cjXGxJEhmOSm3xEo

Client Secret


.....

보기

카카오 개발자 센터 (developers.kakao.com)



회원 가입 후 "애플리케이션 추가하기" 필요



카카오 개발자 센터 (developers.kakao.com)


The screenshot displays the Kakao Developers console interface. At the top, the header includes the 'kakao developers' logo, navigation links for '내 애플리케이션' (My Application), '제품' (Products), and '더 보기' (More), along with a user profile 'dasomlover@naver.com' and language options 'KOR' and 'ENG'. The breadcrumb trail indicates the current location: '내 애플리케이션 > 앱 설정 > 요약 정보' (My Application > App Settings > Summary Information).

The main content area shows the app 'SSIFY' with a menu icon. Below the app name, there are labels for 'ID 839144', 'OWNER', and 'Web'. The '앱 키' (App Key) section is highlighted, showing a table of keys:


| 앱 키 | |
|--------------|---------------|
| 네이티브 앱 키 | 91 [bar] 337 |
| REST API 키 | 32 [bar] 4 |
| JavaScript 키 | 03 [bar] 38 |
| Admin 키 | 75ba [bar] id |

POSTMAN (www.postman.com)

회원 가입 후 Workspace에 Collections 추가



The image shows the Postman sign-in interface. At the top is the Postman logo (an orange circle with a white rocket). Below it, the text "Sign In" is followed by a link "Create Account instead?". There are two input fields: "Email or Username" and "Password". Below the password field is a checkbox labeled "Stay signed in for 30 days" and a link "Forgot Password?". A large orange "Sign in" button is below these. Below the button is a horizontal line with the word "or" in the center. Underneath is a "Sign in with Google" button with the Google logo. At the bottom is a "Sign in with SSO" button.



POSTMAN (www.postman.com)

kakao
지도/로컬 API

<https://dapi.kakao.com//v2/local/search/keyword.json?query=멀티캠퍼스>

NAVER OpenAPI

<https://openapi.naver.com/v1/search/local.json?query=멀티캠퍼스>

The screenshot shows the Postman web interface. The top navigation bar includes 'Home', 'Workspaces', 'API Network', and 'Explore'. A search bar and 'Invite' button are on the right. The left sidebar shows 'My Workspace' with a tree view containing 'Collections', 'APIs', 'Environments', 'Mock Servers', and 'Monitors'. The main area displays a 'GET' request for 'Kakao APITest / New Kakao' with the URL 'https://dapi.kakao.com//v2/local/search/keyword.json?query=멀티캠퍼스'. The 'Params' tab is active, showing a table with query parameters. A red box highlights the 'Send' button in the top right of the request editor.

| KEY | VALUE | DESCRIPTION | Bulk Edit |
|---|-------|-------------|-----------|
| <input checked="" type="checkbox"/> query | 멀티캠퍼스 | | |
| Key | Value | Description | |

테스트 결과

GET <https://dapi.kakao.com/v2/local/search/keyword.json?query=멀티캠퍼스> Send

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies

Query Params

| | KEY | VALUE | DESCRIPTION | ... | Bulk Edit |
|-------------------------------------|-------|-------|-------------|-----|-----------|
| <input checked="" type="checkbox"/> | query | 멀티캠퍼스 | | | |
| | Key | Value | Description | | |

Body Cookies Headers (11) Test Results

Save Response

Save as example
Save to a file

```
1  {
2    "documents": [
3      {
4        "address_name": "서울 강남구 역삼동 718-5",
5        "category_group_code": "AC5",
6        "category_group_name": "학원",
7        "category_name": "교육,학문 > 학원",
8        "distance": "",
9        "id": "21414107",
10       "phone": "02-3429-5114",
11       "place_name": "멀티캠퍼스 역삼",
12       "place_url": "http://place.map.kakao.com/21414107",
```

테스트 결과 값 "Save to a file"을 이용하여 추출
(네이버는 네이버.json, 카카오는 카카오.json으로 이름 변경하여 추출)