

Author
Markus Hiesmair

Submission
Institute of Telecooperation

Thesis Supervisor
Karin Anna Hummel

February 2018

ROBUST DRIVE-BY ROAD SIDE PARKING DETECTION ON MULTI- LANE STREETS USING AN OPTICAL DISTANCE SENSOR



Master's Thesis
to confer the academic degree of
Master of Science
in the Master's Program
Computer Science

Affidavit

I hereby declare that the following dissertation "Put your thesis title here" has been written only by the undersigned and without any assistance from third parties.

Furthermore, I confirm that no sources have been used in the preparation of this thesis other than those indicated in the thesis itself.

Linz, on November 1, 2017

Markus Hiesmair

Acknowledgment

Summary

Summary ...

asdf

Abstract

Abstract ...

Contents

| | | |
|----------|---|----------|
| 1 | Introduction | 1 |
| 1.1 | Importance of Research and Motivation | 1 |
| 1.2 | Drive-By Park Sensing | 2 |
| 1.3 | Goals | 2 |
| 2 | Related Work | 4 |
| 2.1 | ParkNet | 4 |
| 3 | Reference Implementation of the Distributed Processing Framework | 5 |
| 4 | Results and Discussion | 6 |
| 5 | Conclusions and Future Work | 7 |
| | Bibliography | 8 |

To-Do: For now the TOC depth is 5 but will be reduced later

Abbreviations

CAB Compute Aggregate Broadcast (A computing model in parallel computing where computation is strictly partitioned in the three phases compute, aggregate and broadcast)

IaaS Infrastructure as a Service (Cloud computing service layer)

JSF Java Server Faces (Web technology in the arena of Java enterprise)

JSP Java Server Pages (Web technology available in Java Servlet containers)

MPI Message Passing Interface (Standard for implementing parallel algorithms on shared-nothing infrastructures)

OSN Online Social Network (An usually web-based online platform where friends, and acquaintances can connect and share information)

PaaS Platform as a Service (Cloud computing service layer)

SaaS Software as a Service (Cloud computing service layer)

UML Unified Modeling Language

URL Uniform Resource Locator

VM Virtual Machine

WAR Web Application Archive

List of Figures

- | | | |
|-----|--|---|
| 1.1 | The sensing vehicle passes by two parked cars and identifies a vacant spot between through the distance measurements | 3 |
|-----|--|---|

List of Tables

Chapter 1

Introduction

1.1 Importance of Research and Motivation

Traffic congestion in urban areas becomes a bigger problem each year. Increasing traffic causes several issues, for example high monetary and environmental costs by using gasoline and by emitting CO_2 to the environment. There are several strategies to reduce urban traffic to mitigate these problems like new investments in public transport infrastructure. However, the usage of private cars to get to cities won't stop in the next decades **To-Do:** [hier vl referenz finden](#).

With more vehicles driving to urban areas, there also comes the need for a sufficient number of parking spaces. Finding parking spaces in urban areas can be a really difficult, frustrating and time consuming task for drivers. There often exists some information about the availability of parking spaces in parking garages, but in most cities the situation of road side parking is rather non-transparent. This not only leads to frustrated drivers, who are searching for parking spaces a long time, but again contributes to urban traffic congestion.

In 2013 a study by Nawaz et. al [3] showed that about 30% of traffic congestion is created by drivers looking for free parking spaces. Another study [1] found that alone in 2007 searching for parking spaces caused costs of about 78 billion US dollars by using 2.9 billion gallons of wasted gasoline and 4.2 billion lost hours only in the United States. Furthermore, this obviously causes a lot of CO_2 emissions which is not only bad for the environment and contributes to climate change but also lowers the quality of living in big cities through the significant amount of air pollution.

One of the most important contributors to high search times for parking spaces is not only the lack of vacant parking spaces, but also the lack of information, if and where there are free parking spaces available. Therefore, to mitigate all the above stated




Figure 1.1: The sensing vehicle passes by two parked cars and identifies a vacant spot between through the distance measurements

problems, the current parking space situation would have to be determined and made accessible to the public, so that drivers can efficiently navigate to a vacant parking space, or even decide if they want to go by car, depending on the number of parking spaces available and their location.

Detection of road side parking spaces and their states is a challenging task. Of course an obvious approach to the problem would be to put stationary sensors to every parking space in the city, which check, if the corresponding parking space is occupied or vacant. This, however, has the drawback to be very expensive as, for big cities, thousands of sensors would have to be bought, installed and maintained. Furthermore, because the parking situation does not change often, the high frequency of sensing with such a system would be rather inefficient.

1.2 Drive-By Park Sensing

A promising new option to sense a city's parking situation is the use of mobile sensors instead of static ones. Crowd sensing has the advantage to be usually more cost effective and can provide sufficient accuracy for the purpose of providing parking space availability maps.

However, all of the mentioned mobile sensing approaches only work in single lane scenarios. Multi lane streets bring much more complexity in the recognition of parking spaces. There are many special cases which have to be addressed to work properly on multi lane roads. For example, the recognition of other driving vehicles and the recognition of the lane the sensing vehicle is on at the moment.

1.3 Goals

goals...

Chapter 2

Related Work

2.1 ParkNet

parknet...

Chapter 3

Reference Implementation of the Distributed Processing Framework

This is a chapter that references other chapters ??

Chapter 4

Results and Discussion

Chapter 5

Conclusions and Future Work

Bibliography

- [1] Texas Transportation Institute. Urban mobility report. 2007.
- [2] Suhas Mathur, Tong Jin, Nikhil Kasturirangan, Janani Chandrasekaran, Wenzhi Xue, Marco Gruteser, and Wade Trappe. Parknet: Drive-by sensing of road-side parking statistics. In *Proceedings of the 8th International Conference on Mobile Systems, Applications, and Services*, MobiSys '10, pages 123–136, New York, NY, USA, 2010. ACM.
- [3] Sarfraz Nawaz, Christos Efstratiou, and Cecilia Mascolo. Parksense: A smartphone based sensing system for on-street parking. In *Proceedings of the 19th Annual International Conference on Mobile Computing & Networking*, MobiCom '13, pages 75–86, New York, NY, USA, 2013. ACM.
- [4] J. Zhou, L. E. Navarro-Serment, and M. Hebert. Detection of parking spots using 2d range data. In *2012 15th International IEEE Conference on Intelligent Transportation Systems*, pages 1280–1287, Sept 2012.