#### 1

# Discreet 12.9.5.24

# HIBA MUHAMMED EE23BTECH11026

### PROBLEM STATEMENT

If  $S_1$ ,  $S_2$ ,  $S_3$  are the sum of the first n natural numbers, their squares, and their cubes, respectively, show that

$$9(S_2)^2 = (S_3)(1 + 8(S_1))$$

## SOLUTION

Sequence	Expression	Description
$s_1$	$\frac{n(n+1)}{2}$	sum of n natural numbers
$s_2$	$\frac{n(n+1)(2n+1)}{6}$	sum of squares
<i>s</i> <sub>3</sub>	$\left(\frac{n(n+1)}{2}\right)^2$	sum of cubes
$x_1$	$x_1\left(n\right)=nu\left(n\right)$	
$x_2$	$x_2(n) = n^2 u(n)$	
$x_3$	$x_3(n) = n^3 u(n)$	

TABLE I INPUT EQUATIONS

$$nu(n) \stackrel{\mathcal{Z}}{\longleftrightarrow} \frac{z^{-1}}{(1-z^{-1})^2}, |z| > 1 \tag{1}$$

$$x_1(n) \stackrel{\mathcal{Z}}{\longleftrightarrow} X_1(z)$$
 (2)

$$X_1(z) = \frac{z^{-1}}{(1 - z^{-1})^2}, |z| > 1 (3)$$

$$s_1(x) = \sum_{n=-\infty}^{\infty} x_1(n)n = x_1(n) * u(n)$$
(4)

$$S_1(z) = X_1(z) \cdot u(z) \tag{5}$$

$$S_1(z) = \frac{z^{-1}}{(1 - z^{-1})^3} \tag{6}$$

$$s_1(n) = \delta(n-2) \tag{7}$$

$$n^{2}u(n) \stackrel{\mathcal{Z}}{\longleftrightarrow} \frac{z^{-1}(z^{-1}+1)}{(1-z^{-1})^{3}}, |z| > 1$$
 (8)

$$x_2(n) \stackrel{\mathcal{Z}}{\longleftrightarrow} X_2(z)$$
 (9)

$$X_2(z) = \frac{z^{-1}(z^{-1}+1)}{(1-z^{-1})^3}, |z| > 1 (10)$$

$$s_2(x) = \sum_{n = -\infty}^{\infty} x_2(n)n = x_2(n) * u(n)$$
(11)

$$S_2(z) = X_2(z) \cdot u(z) \tag{12}$$

$$S_2(z) = \frac{z^{-1}(z^{-1} + 1)}{(1 - z^{-1})^4} \tag{13}$$

$$s_2(n) = -u(n-1) + 3u(n-2) - 6u(n-3) + 4u(n-4)$$
(14)

$$n^{3}u(n) \leftrightarrow \frac{z^{-1}\left(1 + 4z^{-1} + z^{-2}\right)}{\left(1 - z^{-1}\right)^{4}}, |z| > 1$$
(15)

$$x_3(n) \stackrel{\mathcal{Z}}{\longleftrightarrow} X_3(z)$$
 (16)

$$X_3(z) = \frac{z^{-1}(1 + 4z^{-1} + z^{-2})}{(1 - z^{-1})^4}, \qquad |z| > 1$$
 (17)

$$s_3(x) = \sum_{n = -\infty}^{\infty} x_3(n)n = x_3(n) * u(n)$$
 (18)

$$S_3(z) = X_3(z) \cdot u(z) \tag{19}$$

$$S_3(z) = \frac{z^{-1}(1 + 4z^{-1} + z^{-2})}{(1 - z^{-1})^5}$$
 (20)

$$s_3(n) = -\frac{1}{4}u(n-1) - \frac{3}{8}u(n-2) - \frac{1}{4}u(n-3) + \delta(n-4)$$
 (21)

$$9(-u(n-1) + 3u(n-2) - 6u(n-3) + 4u(n-4))^{2} = (-\frac{1}{4}u(n-1) - \frac{3}{8}u(n-2) - \frac{1}{4}u(n-3) + \delta(n-4))(1 + 8(\delta(n-2)))(23)$$

$$9(-u(n-1) + 3u(n-2) - 6u(n-3) + 4u(n-4))^{2} = 9u(n-1)^{2} - 54u(n-1)u(n-2) + 108u(n-1)u(n-3) - 72u(n-1)(24)$$

$$(-\frac{1}{4}u(n-1) - \frac{3}{8}u(n-2) - \frac{1}{4}u(n-3) + \delta(n-4))(1 + 8(\delta(n-2))) = -\frac{1}{4}u(n-1) - \frac{3}{8}u(n-2) - \frac{1}{4}u(n-3) + \delta(n-4) - \frac{1}{4}u(n-3) + \delta(n-4)(n-4) - \frac{1}{4}u(n-3) + \frac{1}{4}u(n-3$$

the coefficients of the terms on both sides are the same, which means that the identity holds.

 $9(s_2)^2 = (s_3)(1 + 8(s_1))$ 

$$9(S_2)^2 = (S_3)(1 + 8(S_1))$$