CSE276C - Mathematics for Robotics

Henrik I. Christensen



Computer Science and Engineering
University of California, San Diego
http://cri.ucsd.edu

September 2026

Introduction

- Lecturer
- Structure
- Materials
- Information Sources
- Transformations

Henrik I Christensen

- Professor at UCSD
- Director of Robotics
- "Real Systems for Real Problems"
- Multi-Robot coordination
- Autonomous Driving Vehicles
- First commercial robot vacuum cleaner
- Working with Amazon, Boeing, Nissan, Qualcomm, Robust.AI, ...

Teaching Assistants

- Yang (Joyce) Jiao, PhD student CSE - Semantic Mapping and Navigation
- Office hours - Wednesday 11-12 in FAH 3009

Structure of course

- Lectures
- Homework
- Discussions

Structure of course

- Lectures
- Homework
- Discussions

- Linear Systems
- Subspace Methods
- Optimization
- Root Finding
- Integration
- Differential Geometry
- Space & Search

Lectures


- Slides available by lecture time (PDF)
- Lectures recorded/podcast and available within 24 hours on Canvas
- Any and all feedback on format, . . . is most welcome

Objectives

- Basic tools for study of robotics
- Core mathematical concepts
- A few example applications
- What are key tools for perception, planning, and basic control

Textbooks

- W. H. Press, B. P. Flannery, S. A. Teukolsky, and W. T. Vetterling. "Numerical Recipes". Cambridge University Press. (Any edition.)
- T. Bewley, Numerical Renaissance: simulation, optimization, & control `http://robotics.ucsd.edu/NR.pdf`
- M. Deisenroth, A. Aldo Faisal, and C. Soon Ong, "Mathematics for Machine Learning", Cambridge University Press, 2020 `https://mml-book.github.io/book/mml-book.pdf`



Information Sources


- CANVAS website
- WebSite - `http://www.hichristensen.com/CSE276C-26`
  - Slides
  - Lecture notes (handwritten sorry!)
- Piazza - Did you all get an invite?
- Office Hours - Henrik & TA/Joyce
- Audio/podcast recordings available from CANVAS site

Homework


- 5 Homework assignments $\approx$ two weeks
- Some basic math - analysis by manual or automated
- Math problems in robotics (could be Python/Numpy or MatLab)
- Analysis of sample robotics data

QUESTIONS?

Use of Math in Robotics?



Use of Math in Robotics?



Space and Rotations

- How do you represent the position of a robot in space?


Space and Rotations


- How do you represent the position of a robot in space?

$$ {}^{j}p_i = \begin{pmatrix} {}^{j}p_{x_i} \\ {}^{j}p_{y_i} \\ {}^{j}p_{z_i} \end{pmatrix} $$

- The position of i with respect to j
- examples
  - World reference frame
  - Position of the robot
  - Sensor position or a sensor point

Example Reference Frames






ERS-7 Legs

	Δx	Δy	Δz
1. - shoulder	65	0	0
2. - elevator	0	0	62.5
3. - knee	69.5	0	9
f4. - ball	*69.987*	*-4.993*	4.7
h4. - ball	*67.681*	*-18.503*	4.7

Diameter of ball of foot is *23.433*mm
Each link offset is relative to previous link

The shins shown in this diagram appear to be slightly distorted compared to a real robot. Corresponding measurements have been taken from actual models.



Rotation between two reference frames - i, j

$$ {}^{j}\mathbf{R}_{i} = \begin{pmatrix} \vec{x}_i \vec{x}_j & \vec{y}_i \vec{x}_j & \vec{z}_i \vec{x}_j \\ \vec{x}_i \vec{y}_j & \vec{y}_i \vec{y}_j & \vec{z}_i \vec{y}_j \\ \vec{x}_i \vec{z}_j & \vec{y}_i \vec{z}_j & \vec{z}_i \vec{z}_j \end{pmatrix} $$

where $(\vec{x}_i, \vec{y}_i, \vec{z}_i)$ and $(\vec{x}_j, \vec{y}_j, \vec{z}_j)$ are basis vectors for the two coordinate frames

Elementary Rotations

- Rotation around Z-axis

$$R_z(\theta) = \begin{pmatrix} \cos\theta & -\sin\theta & 0 \\ \sin\theta & \cos\theta & 0 \\ 0 & 0 & 1 \end{pmatrix}$$

Elementary Rotations

- Rotation around Z-axis

$$R_z(\theta) = \begin{pmatrix} \cos\theta & -\sin\theta & 0 \\ \sin\theta & \cos\theta & 0 \\ 0 & 0 & 1 \end{pmatrix}$$

- the same for Y and X

$$R_y(\theta) = \begin{pmatrix} \cos\theta & 0 & \sin\theta \\ 0 & 1 & 0 \\ -\sin\theta & 0 & \cos\theta \end{pmatrix}$$

$$R_x(\theta) = \begin{pmatrix} 1 & 0 & 0 \\ 0 & \cos\theta & -\sin\theta \\ 0 & \sin\theta & \cos\theta \end{pmatrix}$$

Considerations for rotations

- We can do combinations

$$^{k}\mathbf{R}_{i} = {}^{k}\mathbf{R}_{j}\,{}^{j}\mathbf{R}_{i}$$

Considerations for rotations

- We can do combinations

$$^{k}\mathbf{R}_{i} = {}^{k}\mathbf{R}_{j}\,{}^{j}\mathbf{R}_{i}$$


- Note the order is important

$$^{k}\mathbf{R}_{j}\,{}^{j}\mathbf{R}_{i} \neq {}^{j}\mathbf{R}_{i}\,{}^{k}\mathbf{R}_{j}$$

- The order and reference frames are very important

Euler Angles

- We frequently use Euler angles in robotics



Euler Angles

- The convention used is $R_z R_y R_x$ with respect to $(\alpha, \beta, \gamma)^T$

$$ {}^{j}\mathbf{R}_i = \begin{pmatrix} c_\alpha c_\beta & c_\alpha s_\beta s_\gamma - s_\alpha c_\gamma & c_\alpha s_\beta c_\gamma + s_\alpha s_\gamma \\ s_\alpha c_\beta & s_\alpha s_\beta s_\gamma + c_\alpha c_\gamma & s_\alpha s_\beta c_\gamma - c_\alpha s_\gamma \\ -s_\beta & c_\beta s_\gamma & c_\beta c_\gamma \end{pmatrix} $$

Derivation of Euler angles

- If we have the rotation matrix

$$ {}^{j}\mathbf{R}_{i} = \begin{pmatrix} r_{11} & r_{12} & r_{13} \\ r_{21} & r_{22} & r_{23} \\ r_{31} & r_{23} & r_{33} \end{pmatrix} $$

- derivation of the Euler Angles

$$ \begin{aligned} \beta &= atan2 \frac{-r_{31}}{\sqrt{r_{11}^2 + r_{21}^2}} \\ \alpha &= atan2 \frac{r_{21} / \cos\beta}{r_{11} / \cos\beta} \\ \gamma &= atan2 \frac{r_{32} / \cos\beta}{r_{33} / \cos\beta} \end{aligned} $$

When may we have problems?

- Could we have problems? / When?

When may we have problems?

- Could we have problems? / When?
- What about singularities?



QUESTIONS?

Quaternions

- Could we generate a representation that has no singularities?
- Hamilton, 1843.
- A 3-parameter family is not adequate (proved by now)
- A 4-parameter model is a possibility
- Quaternions is a possible representation (not the most intuitive)

Quaternions

- Imagine 3-D imaginary numbers - three basis vectors - $\vec{i}, \vec{j}, \vec{k}$
- We can represent a quaternion as

$$\vec{\epsilon} = \epsilon_0 + \epsilon_1 \vec{i} + \epsilon_2 \vec{j} + \epsilon_3 \vec{k}$$

or $(\epsilon_0, \vec{\epsilon})$

Quaternions

- Imagine 3-D imaginary numbers - three basis vectors - $\vec{i}, \vec{j}, \vec{k}$
- We can represent a quaternion as

$$\vec{\epsilon} = \epsilon_0 + \epsilon_1 \vec{i} + \epsilon_2 \vec{j} + \epsilon_3 \vec{k}$$

or $(\epsilon_0, \vec{\epsilon})$

- we have three basis vectors

$$\vec{i}\vec{i} = \vec{j}\vec{j} = \vec{k}\vec{k} = -1$$

- mixed products

$$\vec{i}\vec{j} = \vec{k},\ \vec{j}\vec{k} = \vec{i},\ \vec{k}\vec{i} = \vec{j}$$
$$\vec{j}\vec{i} = -\vec{k},\ \vec{k}\vec{j} = -\vec{i},\ \vec{i}\vec{k} = -\vec{j}$$

- Null quaternion

$$\vec{0} = 0 + 0\vec{i} + 0\vec{j} + 0\vec{k}$$

- Unit quaternion

$$\vec{1} = 1 + 0\vec{i} + 0\vec{j} + 0\vec{k}$$

Quaternion operations

- Product of two quaternions

$$
\begin{aligned}
\vec{a}\vec{b} &= a_0 b_0 - a_1 b_1 - a_2 b_2 - a_3 b_3 \\
&+ (a_0 b_1 + a_1 b_0 + a_2 b_3 - a_3 b_2)\vec{i} \\
&+ (a_0 b_2 + a_2 b_0 + a_3 b_1 - a_1 b_3)\vec{j} \\
&+ (a_0 b_3 + a_3 b_0 + a_1 b_2 - a_2 b_1)\vec{k}
\end{aligned}
$$

- The good news there are standard libraries

Rotations w. Quaternions

- Rotating at an angle θ around the vector $\vec{a}$ expressed as a quaternion:

$$\vec{\epsilon} = \cos\frac{\theta}{2} + a_x \sin\frac{\theta}{2}\vec{i} + a_y \sin\frac{\theta}{2}\vec{j} + a_z \sin\frac{\theta}{2}\vec{k}$$

- or

$$\vec{\epsilon} = (\cos\frac{\theta}{2}, \vec{a}\sin\frac{\theta}{2})$$

Mapping quaternions to rotation matrices

- The rotation of a quaternion $\vec{\epsilon}$ can be written as

$$ {}^{j}\mathbf{R}_{i} = \begin{pmatrix} 1-2(\epsilon_2^2+\epsilon_3^2) & 2(\epsilon_1\epsilon_2-\epsilon_0\epsilon_3) & 2(\epsilon_1\epsilon_3+\epsilon_0\epsilon_2) \\ 2(\epsilon_1\epsilon_2+\epsilon_0\epsilon_3) & 1-2(\epsilon_1^2+\epsilon_3^2) & 2(\epsilon_2\epsilon_3-\epsilon_0\epsilon_1) \\ 2(\epsilon_1\epsilon_3-\epsilon_0\epsilon_2) & 2(\epsilon_2\epsilon_3+\epsilon_0\epsilon_1) & 1-2(\epsilon_1^2+\epsilon_2^2) \end{pmatrix} $$

- As I said the good news there are standard libraries

From a rotation matrix to quaternions

- Direct computing the quaternions from a rotation matrix ($\mathbf{R}$)


$$\begin{aligned}
\epsilon_0 &= \frac{1}{2}\sqrt{1 + r_{11} + r_{22} + r_{33}} \\
\epsilon_1 &= \frac{r_{32} - r_{33}}{4\epsilon_0} \\
\epsilon_2 &= \frac{r_{13} - r_{31}}{4\epsilon_0} \\
\epsilon_3 &= \frac{r_{21} - r_{12}}{4\epsilon_0}
\end{aligned}$$

- Quaternions frequently used in graphics, computer vision and robotics

QUESTIONS?

Coordinate transformations

- To move between transformation or move an object we frequently encounter



- We can write this as ${}^{j}\vec{p} = {}^{j}\mathbf{R}_{i}\ {}^{i}\vec{p} + \vec{t}$

Homogeneous Transformations

- We can do this more easily with homogeneous coordinates

$$\vec{P} = \begin{pmatrix} \vec{p} \\ 1 \end{pmatrix}$$

- given this our transformation can now be written as

$$\begin{pmatrix} {}^{j}p \\ 1 \end{pmatrix} = \begin{pmatrix} {}^{j}\mathbf{R}_i & t \\ 0 & 1 \end{pmatrix} \begin{pmatrix} {}^{i}p \\ 1 \end{pmatrix}$$

- or ${}^{j}P = {}^{j}T_i \, {}^{i}P$

Standard Joints

- Revolute joint

$$ {}^{j}\mathbf{R}_{i} = \begin{pmatrix} \cos\theta & -\sin\theta & 0 \\ \sin\theta & \cos\theta & 0 \\ 0 & 0 & 1 \end{pmatrix} $$

- Prismatic joint

$$ T = \begin{pmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & d \\ 0 & 0 & 0 & 1 \end{pmatrix} = \begin{pmatrix} & & & 0 \\ & I & & 0 \\ & & & d \\ 0 & & 0 & 1 \end{pmatrix} $$

Standard Joints (cont.)

- Cylindrical


$$T = \begin{pmatrix} & & 0 \\ R_\theta & & 0 \\ & & d \\ 0 & & 1 \end{pmatrix}$$

- Spherical

$$T = \begin{pmatrix} R_{\alpha,\beta,\gamma} & 0 \\ 0 & 1 \end{pmatrix}$$

- Most other joints can be constructed from these basic models

Example Robot KUKA KR15



Robot dynamics

- This is an entire field of its own.
- How can we computer the velocity of a robot?
- If we know a desired velocity, how fast should we turn the wheels?
- In general we will refer to the robot actuators as q_i
- Forward kinematics

$$v = \Phi \dot{q}$$

- Inverse kinematics

$$\dot{q} = \Phi^{-1} v$$

- Not get into the much of the details until we talk about differential geometry (end of course)

Wrap-up

- Basic course information
  - Books, topics, websites, ...
- Introduction to positions, rotations, transformations, ...
- Next time we will talk about linear systems of equations

Questions