User’s Manual

Contents

1 Newbies **7**
1.1 Features for the beginner 7
1.2 More about headers 7

2 Advanced **9**
2.1 Advanced Editing 9
2.1.1 Lists and such 9
2.1.2 Block elements 9
2.1.3 Admonitions 10

3 Expert level **11**
3.1 Expert level 11
3.1.1 Tables 11
3.1.2 Images 11

User’s Manual

This is the user’s manual. It is of course entirely unnecessary, as our product is intuitive and entirely free of bugs.

Chapter 1

Newbies

1.1 Features for the beginner

It is good to start small. So here are some features for beginners:

- You can make text **bold**, *italic* or ~~crossed out~~.
- You can add headers such as the one above ("Features for beginners").
- You can add inline code such as `print "Hello World"`.

1.2 More about headers

Each chapter is in its own file and starts with a second-level header (`##`).

Headers should be unique within a chapter, so they can be referenced in links (more about links can be found in the chapter "Advanced").

Chapter 2

Advanced

2.1 Advanced Editing

2.1.1 Lists and such

There are bullet-style lists:

- **bold**
- *italic*
- ~~strike-through~~
- `code`

There are also numbered lists. In case of fire:

1. `git commit -a -m .`
2. `git push --all`
3. Run away.

And definition lists:

Debian We got'em all!

Ubuntu Our window buttons are like Apple's!

Gentoo What was that USE-flag again?

2.1.2 Block elements

Code blocks come with syntax highlighting:

```
[segmentorize]

phunk = 7.3
hype = true
```

You can disable it, too, with the special language `nohighlight`:

```
[segmentorize]

phunk = 7.3
hype = true
```

2.1.3 Admonitions

These admonitions are shortcodes for hugo-material-docs which are implemented for PDFs in our special preprocessor.

Why does this not work?

Because it never did and never will.

It's a trap.

Bazinga!

Chapter 3

Expert level

3.1 Expert level

3.1.1 Tables

Tables for HTML and PDF must be entered in the simple style:

Day of week	Desperation level
monday	What's despair? Let's get started!
tuesday	This is harder than I thought...
wednesday	I can't believe I am doing this.
thursday	Why does everbody put stones in my way?
friday	I give up. Is it weekend already?

All row content must be on the same line. To adjust the table width in LaTeX output, simply adjust the width of the column in ASCII (adding or subtracting minus signs). The LaTeX column width tries to keep the same proportions as the ASCII text.

3.1.2 Images

Figure 3.1: This painting was found below the mona lisa with x-rays