


Revision:

- 1.0 1st Release
- 1.1 Changed R7 to 1M, no PCB changes
- 2.0 Adds Serial Interface and complete PCB redo
- 2.1 Added RST_DRV
- 3.0 Deleted CTS,RTS added SWD interface
- 3.1 Deleted pins from P3 to fit 10p/20p plug
- 3.2 Added Rx/Tx to P1 & P3, Gnd TPs




Title			USBDM_SWD_SER_JS16CWJ.SchDoc
Size	Number	Revision	
A4		3.2	
Date:	5/12/2016	Sheet of	
File:	C:\Users\... \USBDM SWD SER JS16CWJ	Drawn by:	

Board Outline this layer

50.00

50.00


USBDM_SWD_SER_JS16CJWJ.PcbDoc



20DD9.1W312L_932_QW2_M0B2U
20DD9.1W312L_932_QW2_M0B2U

USBDM_SWD_SER_JS16CWJ v3.2

Board Outline this layer




00.02

Board Outline this layer

50.00

50.00

USBDM_SWD_SER_JS16CJWJ.PcbDoc



USBDM_SWD_SER_JS16CWJ v3.2

USBDM_SWD_SER_JS16CWJ v3.2

Udd
pug
Gnd
SWCLK
SWD
Tx
Rx
Udd
Rst
Gnd
BKGD
Tx
Rx

Gnd
Udd
RxD
TxD

20.00

20.00

Board Outline this layer

USBDM_JS16CWJ_V2

USBDM_JS16CWJ_V2