




Pharynx



Waldeyer's lymphatic ring:

Tonsillar Tissue in the Nasopharynx & Oropharynx




A circular "ring" of lymphoid tissue guards the entrance to the nasopharynx and oropharynx – the tonsillar ring (Waldeyer)

TONSILLITIS

**Fahad zakwan
MD5**



**Fossa tonsillaris –
Palatine Tonsil**



Blood supply:

A. CAROTIS EXTERNA

- a. palatina ascendens (a. facialis)**
- a. palatina descendens (a. maxillaris)**
- a. lingualis – ramus tonsillaris**
- a. pharyngea ascendens – ramus tonsillaris**

Tonsillitis pharyngitis


Adenoid Face



Adenoid tissue on nasal camera exam



Soft Tissue X- Ray of Lateral Neck



Enlarged Adenoid Tissue Shaded in Blue

Adenoids Facies



- Sunken eyes
- Narrow pinched nostrils
- Open mouth
- High-arched palate
- Crowded teeth
- Dull mask-like face
- Protruding teeth
- Drooling saliva
- Everted upper lip
- Rhinorrhoea
- Loss of nasolabial fold





Pharyngitis




Pharynx



The topography of the pharynx











Connective tissue spaces around the pharynx





Cervical organs in front of the pharynx



Cervical lymph nodes

Superficial cervical lymph nodes along external jugular vein.

Deep cervical lymph nodes near carotid sheath.

Cervical lymph vessels reach the nodes along the blood vessels.


Lymph vessels form the jugular trunk.

Importance of retropharyngeal space:

Between pretracheal and prevertebral layers of cervical fascia, communicates with mediastinum. Inflammation can spread progressively to cause mediastinitis.


2. Fascia cervicalis lamina visceralis


1. Fascia cervicalis lamina superficialis




3. F. cerv. lamina prevertebralis

SPATIUM PARAPHARYNGEUM (side view)









Sp. retropharyngeale

- behind pharynx and oesophagus
- In front of fascia alaris (danger space)
- From base of skull until T1-T2



Sagittal plane



Deep Layers of Cervical Fascia

Investing Layer

Middle Layer

Visceral Layer

a- Pharyngeal fascia

b- Retrovisceral (esophageal) fascia

c- Pretracheal fascia

Vertebral Layer

d- Alar fascia