


**Position of the heart: sceletotopy,
X-ray, percussion, auscultation points**





Location of heart

Thoracic cavity


- mediastinum cardiacum
- above the diaphragm
- between mediastinal pleurae

-axis: heart apex - right scapular spine midpoint




R

L




POSITION OF HEART



POSITION OF HEART


Projection of
Heart




medio-
clavicular
line

mamillary
line

POSITION OF HEART



Projection of heart



HEART, SCELETOTOPIA

contour:

- apex: left 5th intercostal space, 9 cm far from the midline
- superior vena cava entrance: right 3rd rib (cartilage) sternal end
- right edge of the sulcus coronarius: on the right 6th rib (cartilage), 2 cm far from its sternal end
- left edge of the sulcus coronarius: on the left 3rd rib (cartilage), 3 cm far from its sternal end

absolute cardiac dullness: beside the sternum, on the left side, between the 4th and 6th ribs, an area similar in size to the palm of a child

relative cardiac dullness (percussion of the heart):

- upper margin is in the 3rd intercostal space
- left margin is 1 cm medial from the midclavicular line
- right margin doesn't go beyond the sternum
- lower margin is at the level of the 5th rib


ostium:

- ostium of truncus pulmonalis: left 3rd rib cartilage sternal end
- ostium of aorta: behind and right to the former
- tricuspid valve: between the sternal ends of the 5th rib cartilages, in the middle
- bicuspid valve: left 4th rib cartilage sternal end


auscultation:

- valve of truncus pulmonalis: left 2nd intercostal space sternal end
- valve of aorta: right 2nd intercostal space sternal end
- tricuspidal valve: right to the lower edge of the sternum
- bicuspidal valve: on the line between the projection of the apex of the heart and the left 4th rib cartilage sternal end

Projection of heart



POSITION OF HEART




Superior vena
cava:
3rd rib,
sternal end

Coronary sulcus:
3rd rib,
3 cm from sternum


Coronary sulcus:
6th rib,
2 cm from sternum

Apex:
5th intercostal space,
9 cm from midline


POSITION OF HEART



Radiological Anatomy of the Heart



Radiological Anatomy of the Heart



aortic
arch

pulm.
trunk

left atrium


left
ventr.

sup. vena
cava

right
atrium

right
ventr.

Radiological Anatomy of the Heart



aortic
arch

pulm.
trunk

left atrium


left
ventr.

sup. vena
cava

right
atrium

right
ventr.

Radiological Anatomy of the Heart



Percussion (Tapping)



tapping

sound wave
conduction

Tapping


Lung

resonance

Resonance (the
sound lasts for long,
it is loud and low)

Liver


dullness (the sound
is short, high, soft)



Pleura

Tapping/Percussion

Sound Wave Conduction



sound of the lung (loud)

rela-
tive

absolute


rela-
tive

sound of the lung (loud)

cardiac dullness

Tapping

absolute
cardiac
dullness



relative cardiac
dullness:
borders of heart

HEART, SCELETOTOPIA

contour:

- apex: left 5th intercostal space, 9 cm far from the midline
- superior vena cava entrance: right 3rd rib (cartilage) sternal end
- right edge of the sulcus coronarius: on the right 6th rib (cartilage), 2 cm far from its sternal end
- left edge of the sulcus coronarius: on the left 3rd rib (cartilage), 3 cm far from its sternal end

absolute cardiac dullness: beside the sternum, on the left side, between the 4th and 6th ribs, an area similar in size to the palm of a child

relative cardiac dullness (percussion of the heart):

- upper margin is in the 3rd intercostal space
- left margin is 1 cm medial from the midclavicular line
- right margin doesn't go beyond the sternum
- lower margin is at the level of the 5th rib

ostium:


- ostium of truncus pulmonalis: left 3rd rib cartilage sternal end
- ostium of aorta: behind and right to the former
- tricuspid valve: between the sternal ends of the 5th rib cartilages, in the middle
- bicuspid valve: left 4th rib cartilage sternal end

auscultation:


- valve of truncus pulmonalis: left 2nd intercostal space sternal end
- valve of aorta: right 2nd intercostal space sternal end
- tricuspidal valve: right to the lower edge of the sternum
- bicuspidal valve: on the line between the projection of the apex of the heart and the left 4th rib cartilage sternal end

The Cardiac Dullness


Tapping



Auscultation



Auscultation is a method used to listen to sounds of the body during a physical examination



Anterior View

HEART, SCELETOTOPIA

contour:

- apex: left 5th intercostal space, 9 cm far from the midline
- superior vena cava entrance: right 3rd rib (cartilage) sternal end
- right edge of the sulcus coronarius: on the right 6th rib (cartilage), 2 cm far from its sternal end
- left edge of the sulcus coronarius: on the left 3rd rib (cartilage), 3 cm far from its sternal end

absolute cardiac dullness: beside the sternum, on the left side, between the 4th and 6th ribs, an area similar in size to the palm of a child

relative cardiac dullness (percussion of the heart):

- upper margin is in the 3rd intercostal space
- left margin is 1 cm medial from the midclavicular line
- right margin doesn't go beyond the sternum
- lower margin is at the level of the 5th rib

ostium:

- ostium of truncus pulmonalis: left 3rd rib cartilage sternal end
- ostium of aorta: behind and right to the former
- tricuspid valve: between the sternal ends of the 5th rib cartilages, in the middle
- bicuspid valve: left 4th rib cartilage sternal end

auscultation:

- valve of truncus pulmonalis: left 2nd intercostal space sternal end
- valve of aorta: right 2nd intercostal space sternal end
- tricuspidal valve: right to the lower edge of the sternum
- bicuspidal valve: on the line between the projection of the apex of the heart and the left 4th rib cartilage sternal end

AUSCULTATION POINTS

