






External carotid artery

Dr. Sándor Katz MD, PhD

External carotid branches:

1. Superior THYroid a.
2. Lingual a.
3. Facial a.
4. Ascending PHaryngeal a.
5. OCcipital a.
6. Posterior Auricular a.
7. Superficial TEmporal a.
8. MAxillary a.










Figure 1: Variant left thyro-linguofacial trunk arising from exte





Superior THYroid a.:

- Superior laryngeal a.

Lingual a.:

- Deep lingual a.
- Sublingual a.

FAcial a.:

- Ascending palatine a.
- Superior and inferior labial a_s

Ascending PHaryngeal a.: (arises between the ECA and ICA)

- Posterior meningeal a. (through the jugular foramen)

OCcipital a. (behind the mastoid process)


Posterior Auricular a. (in front of the mastoid process)

Superficial TEmporal a. (runs on the temporalis)

MAxillary a.


Maxillary artery - Mandibular part:

- Middle meningeal a. (through the spinosum)
- Inferior alveolar a.
 - Mylohyoid branch
 - Mental branch



Maxillary artery - Pterygoid part:

- Masseteric a.
- Deep temporal a_s.
- Pterygoid a_s.
- Buccal a.



Maxillary artery - Pterygopalatine part:

- Infraorbital a.
- Descending palatine a.:
 - Greater palatine a.
 - Lesser palatine a.
- Sphenopalatine a.
(through the sphenopalatine foramen)

