

Table 1: Performance Evaluation of SpikingBrain Chat Models. All models are tested with the vLLM framework and evaluated using a generation-based method. Except for Qwen2.5, the other baselines are trained on limited Chinese data, resulting in clear disadvantages on CMMLU and C-Eval. For QuALITY and IFEval, we report results from the non-CoT model (after SFT stage 2) to avoid chain-of-thought interference.

	SpikingBrain-7B	SpikingBrain-76B	Llama3 dubey2024llama	Qwen2.5 Yang2024Qwen2TR	Mixtral jiang2024mixtral
Params Complexity Type	7B Linear	12B/76B Hybrid	8B Quadratic	7B Quadratic	13B/47B Quadratic
Benchmarks					
MMLU hendrycks2020mmlu	65.57	73.71	68.69	75.17	71.03
CMMLU li2023cmmlu	68.76	77.41	55.17	79.14	51.03
HS zellers2019hellaswag	68.95	86.63	76.80	85.39	75.63
Ceval huang2023ceval	69.07	76.32	55.01	77.93	50.88
NQ kwiatkowski2019nq	21.47	21.55	30.97	17.67	28.48
TrQ joshi2017triviaqa	57.03	55.13	65.78	55.72	71.00
QuALITY pang-etal-2022-quality	60.12	69.56	66.25	73.63	51.34
IFEval zhou2023instruction	42.70	49.72	73.01	73.20	48.06