Exam AWS Certified Developer - Associate DVA-C02 All Questions

View all questions & answers for the AWS Certified Developer - Associate DVA-C02 exam

Go to Exam

EXAM AWS CERTIFIED DEVELOPER - ASSOCIATE DVA-C02 TOPIC 1 QUESTIO...

Exam question from Amazon's AWS Certified Developer - Associate DVA-C02
Question #: 8
Topic #: 1
[All AWS Certified Developer - Associate DVA-C02 Questions]

A company is running a custom application on a set of on-premises Linux servers that are accessed using Amazon API Gateway. AWS X-Ray tracing has been enabled on the API test stage.
How can a developer enable X-Ray tracing on the on-premises servers with the LEAST amount of configuration?

A. Install and run the X-Ray SDK on the on-premises servers to capture and relay the data to the X-Ray service.

B. Install and run the X-Ray daemon on the on-premises servers to capture and relay the data to the X-Ray service.

C. Capture incoming requests on-premises and configure an AWS Lambda function to pull, process, and relay relevant data to X-Ray using the PutTraceSegments API call.

D. Capture incoming requests on-premises and configure an AWS Lambda function to pull, process, and relay relevant data to X-Ray using the PutTelemetryRecords API call.

Show Suggested Answer

---

by aragon_saa at *March 16, 2023, 10 a.m.*

Disclaimers:
- ExamTopics website is **not** related to, affiliated with, endorsed or authorized by Amazon.

- Trademarks, certification & product names are used for reference only and belong to Amazon.

Comments

lebbar 1 week, 1 day ago

Selected Answer: B

B is the correct answer.

upvoted 1 times

sumanshu 1 year, 3 months ago

Selected Answer: B

A) Eliminated - The X-Ray SDK is used to instrument your application code to create and send trace data to the X-Ray daemon.
However, this option alone is insufficient because the SDK only captures traces—it still needs the X-Ray daemon to relay data to the X-Ray service.

upvoted 2 times

sumanshu 1 year, 3 months ago

C) - Eliminated - While this could work, but involves more configuration and complexity

upvoted 1 times

sumanshu 1 year, 3 months ago

D) Eliminated - This API is not suitable for sending trace data.

upvoted 1 times

trieudo 1 year, 3 months ago

Selected Answer: B

Keyword: LEAST amount of configuration; accessed using Amazon API Gateway. AWS X-Ray tracing has been enabled

==> Discard C, D: must write logic in lamba funct extra
==> Discard A: must change code to add annotaion, ... If not have keyword: 'accessed using Amazon API Gateway. AWS X-Ray tracing has been enabled', it will be correct, because it easier than B

B: despite you must know deeply X-Ray to using it (config JSON format, ...), but with conditon in keyword, you just run only cmd './xray --region us-east-1' for working

upvoted 1 times

Hendrix944 1 year, 5 months ago

Selected Answer: B

B is correct according to Stephane maarek course

upvoted 1 times

65703c1 1 year, 10 months ago

Selected Answer: B

B is the correct answer.

upvoted 1 times

vinfo 1 year, 12 months ago

Selected Answer: B

B. El daemon, es una capacidad propia de X-Ray, para instalar directamente

upvoted 1 times

apa_1 2 years ago

Selected Answer: B

B is correct

upvoted 1 times

leonardoliveros 2 years, 4 months ago

Selected Answer: B

B, you should to install the X-Ray daemon in on-premises without this all others option is wrong

upvoted 2 times

Ugo_22 2 years, 5 months ago

Selected Answer: B

The answer is obviously B.

upvoted 1 times

Kowalsky95 2 years, 6 months ago

From doc: The AWS X-Ray daemon is a software application that listens for traffic on UDP port 2000, gathers raw segment data, and relays it to the AWS X-Ray API. The daemon works in conjunction with the AWS X-Ray SDKs and must be running so that data sent by the SDKs can reach the X-Ray service.
Running just the daemon won't achieve anything.

upvoted 3 times

Bibay 2 years, 11 months ago

Selected Answer: B

. Install and run the X-Ray daemon on the on-premises servers to capture and relay the data to the X-Ray service is the correct option. The X-Ray daemon can be installed and configured on the on-premises servers to capture data and send it to the X-Ray service. This requires minimal configuration and setup. Option A is incorrect because while the X-Ray SDK can be used to capture data on the on-premises servers, it requires more configuration and development effort than the X-Ray daemon. Option C and D are also incorrect because they involve setting up an AWS Lambda function, which is not necessary for enabling X-Ray tracing on the on-premises servers.

upvoted 2 times

ihta_2031 3 years ago

Selected Answer: B

It's B

upvoted 4 times

haaris786 3 years ago

B: It is Daemon which can be installed for Linux

upvoted 3 times